For-

EC 17.1909

A. L.H.

Stoff A.R.

4-683.

Mineral Survey No. 2655

Lot No.

ARIZONA. Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

INSPIRATION COPPER COMPANY						
KNOWN AS THE						
Apex and Fraction						
	GLOBE	Mining District,				
GILA	County, ARI ZOL	IA.				
Section In unsurveyed Townsl Surveyed under instructions da	within	the Crook National For-				
	by FRANK A	NDERSON., S. Deputy Mineral Surveyor				
Claim located Jee Local	eation Ofotices	, 1				
Survey commenced.						
Survey completed	May 19,1909	, 1				

Address of claimant's attorney:

Curtis H. Lindley,

Mills Bldg., San Francisco, Cal.

Feet.

Beginning at Cor. No.1.

Troin cora To

Identical with Cor. Nos. 1 and 2 Apex and Fraction lodes, Sur. No. 2379, respectively:

I set, alongside, a sawed pine post, 4 ins. square by 4 ft. long, 18 ins. in the ground in mound of earth and stone, which I scribed 1-2655-A; and 2-2655-F., whence,

The section corner common to Secs. 19 and 30 on the west boundary of T. 1 N. R. 15 E., G. and S.R.B. and M. bears S. 86. 33:E. 3714.8 ft.

An oak tree, 8 ins. in diameter, blazed and scribed 1-2-2655-B.T. bears S. 31° 00' E. 91.5 ft.

Interstate lines 4-1 and 2-8 Colorado and Cooper Mondey

The 3-1 louis log Thence 2. 87. 10. W. 48. 08.W. 276.4

Intersect line 4-1 Lou. 13-158 E39, identical with

1495.5 To Cor. No. 2.

Identical with Cor. Nos. 2,1, and 1 Apex, Caravel, and Americus lodes Sur. No. 2379, respectively;

Ver. 15° 25' E.

I set, alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins in the ground in mound of earth and stone, which I scribed 2-2655-A. whence,

An oak tree, 8 ins. in diameter, blazed and scribed 2-2655-B.T. bears N. 10° 30' W. 5.5 ft.

Thence S. 10° 13' W.

Var. 13° 30' E.

230.0 Ridge, bearing easterly and westerly.

to:) fours lode, the

- 251.5 West End Center location corner; whence the discovery bears S. 87° 22' E. 304.7 ft.
- 510.7 Intersect line 4-1 Louis lode, Sur. No. 2089, identical with line 4-1, Louis lode, Sur. No. 2639, at N.48° 08' W. 280.2 ft. from Cors. No.1
- 513.3 To Cor. No. 3.

Feet

On line 1-2 Colorado lode, Sur. No. 2379.

2 ft. from Cor

Identical with Cor. No.3 Apex lode, Sur. No.2379.

I set., alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground in mound of earth and stone, which I scribed 3-2655-A., whence,

Cor. No. 1 Louis lode Sur. No. 2639, identical with Cor. No.1 Louis lode, Sur. No. 2089, bears S. 48° 35' E.278.9

Cor. Nos 1 and 2 Colorado and Copper Wonder lodes, Sur. No. 2379, respectively, bears N. 75° 47' E. 751.6 ft

A mesquite shrub tree, 4 ins. in diameter, blazed and scribed 3-2655-B.T., bears N. 31° 00' W. 8.5 ft.

A work mongards. saked pare post, & lag. Spinge

Thence S. 89° 36' E.

Var. 13° 25' E.

- Intersect line 4-1 Louis lode Sur. 2639, identical with 3.3 line 4-1 Louis lode Sur. No. 2089, at N. 48° 08'W. 276.4 ft. from Cors No. 1.
- Intersect lines 4-1 and 2-3 Colorado and Copper Wonder 718.4 lodes, Sur. No. 2379, respectively, at S.3° 04' W. 189.9 ft. from Cor. Nos. 1 and 2.
- To Cor. Nos 4.2 2 21 8' B' 1478.5

vestions lades offi No. 2

lead 5 To Cor No P.

Identical with Cor Nos 4 and 3 Apex and Fraction lodes Sur. No. 2379, respectively.

I set, alongside, a sawed pine post, 4 ins. square by 4 ft. long, 18 ins. in the ground in mound of earth and stone, which I scribed 4-2655-A and 3-2655-F. No bearing object available.

lores, Squ. No. 2572, respectively: recorded to the contract

Beginning av don 1.

APEX LODE. cont.

Feet

1042.4

84013

pee")

485.0

- peg

Thence N. 10° 13' E.

Var. 13° 15' E.

served and the ghan force

- 175.2 Intersect line 1-2 Copper Wonder lode, Sur. No.2379 at S.88° 21' E. 781.4 ft. from Cor. No.2.
- 299.3 East End Center location corner.
- 340.0 Ridge, bearing easterly and southwesterly.

MEN 88 81 7 470 5 ct. 7 Cov. No.

Canser Apantion corter.

598.9 To Cor. No. 1.

TOUCH NO !

The place of beginning.

INTELEGOA TING I - FRACTION LODE 1000 S MAL. 10 15 MALE

SHE SOUTHWE SPERIAL

Iodon, Sur, So. 2579, we refer the clay cleo with ter-

Identical with domy Bon. I and 4 Proction and Apox

Beginning at Cor. No. 1.

Identical with Cor. No. 1 Fraction lode, Sur. No. 2379.

I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground in a mound of earth and stone, which I scribed 1-2655-F., whence,

The Section Cor. common to Secs. 19 and 30, on the west boundary of T.1 N., R.15E., G. and S.R. B. and M., bears S. 81° 46' E. 2706.6 ft.

Cor. Nos.1 and 2 Oversight Fraction and Hot Center lodes, Sur. No. 2538, respectively, bears N. 81° 57'W. 154.9 ft.

An oak tree, 6 ins. in diameter blazed and scribed 1-2655-B.T., bears S. 6° Ol' E. 65.5 ft.

Interseof line 1-2 Oversight Frantian lode, Mr. No.

He IN E. 45.6 ft. Prop Cor. No. 8.

Thence S. 80° 58' W.

Var. 13° 15° E.

35.0 Road, bearing northerly and southeasterly.

Spur of Aldge, bearing northerly

" ve In lol h M.

57.8 Intersect line 1-2 Hot Center lode, Sur. No. 2538 at

2

POUR POUR TO FRACTION LODE. Cont.

Feet S. 72° 17' E. 101.1 ft. from Cor. No.2.

- 165.0 Spur of Ridge, bearing northerly and southerly.
- 566.1 Intersect line 1-2 Oversight Fraction lode, Sur. No. 2538 at N. 74° 45' E. 398.6 ft. from Cor. No.2.
- 940.1 Intersect line 2-3 Oversight Fraction lode, Sur. No. 2538 at N. 18° 17' E. 48.5 ft. from Cor. No. 2.
- 1042.4 To Cor. No.2.

Identical with Cor. Nos 1 and 2 Apex and Fraction lodes Sur. No. 2379, respectively; also, with Cor. No. 1 Apex lode, this survey.

Cor. No. 2 Oversight Fraction lode, Sur. No. 2538 bears S. 70° 43' E. 90.9 ft.

by 4 ft long, is ins. in the ground in a mound of earth

Thence S. 10° 13' W.

Var. 13° 25' E.

Money respectively, bears 1, 81 by W.

- 258.9 Ridge, bearing easterly and southwesterly.
- 299.6 West End Center location corner.
- 423.7 Intersect line 1-2 Copper Wonder lode, Sur. No. 2379 at N.88° 21' W. 472.5 ft. from Cor. No. 1.
- 598.9 m To Cor. No. 3.

838 2

175. 2

2879,

Identical with Cor. Nos. 3 and 4 Fraction and Apex lodes, Sur. No. 2379, respectively; also with Cor. No. 4, Apex lode, this survey.

Cor. Nos 1 and 2, Copper Wonder and Joe Bush lodes, Sur. No. 2379, respectively, bears N. 72° 29' E. 527.8 ft.

intersect line 1-2 cooper wonder lade Jur. Margery at

Thence N. 82° 36' E.

Var. 13° 15' E.

502.5 Intersect line 4-1 and 2-3 Copper Wonder and Joe Bush lodes, Sur. No. 2379 respectively at S. 3° 04'W. 94.3ft.

THO. SEES.

STREET, N. AUSTRALL AND ALONE OF ST.

TOTAL CONTRACT

FRACTION LODE. Cont.

Feet

from Cor. Nos. 1 and 2.

1032.5

To Cor. No.4. Etabligast and lerigion, Globe Maing bis-

Buy, Mr. Fish

Identical with Cor. Nos. 4 and 3 Fraction and Pinto lodes, Sur. No. 2379, respectively.

I set, alongside, a sawed pine post, 4 ins. square by 4 ft. long, 18 ins. in the ground in mound of earth and stone, which I scribed 4-2655-F.

No bearing object available.

Sur, Ma. Elea, Copper Fonder Lode . . .

ENGLION TOG Thence N. 10°13' E.

Var. 13° 15' E.

- 0.9 Intersect line 1-2 Joe Bush lode, Sur. No. 2379 at S.87° 15' E. 521.4 ft. from Cor. No.2.
- East End Center location corner, whence the discovery 314.4 bears S. 81° 48' W. 41.2 ft.
- 330.0 Ridge, bearing easterly and westerly.
- 540.0 Road, bearing northerly and southeasterly.
- 603.9 Cor. No. 2 Pinto lode, Sur. No. 2379, on line.
- Intersect line 1-2 Hot Center lode, Sur. No. 2538 at 604.0 S. 72° 17' E. 156.1 ft. from Cor. No.2.
- To Cor. No. 1 , GA MARK 630.2

The place of beginning.

Each of the end centers consists of a 4 x 4 pine post, properly marked, set in a mound of stone.

LICE LINES.

As near as can be determined from present developments, the veins of the two locations embraced in this claim extend as follows from their respective discovery points; ton lodu, S. Sings' A. Gill in and C. A

Apex lode, 5. 88° 02' E. 1181.4 ft., and N. 87°22'W. 304.7 ft.

DESCRIPTION OF SERVICE

EX TOGOT D. 88. 02' A. 1181 4 TT., 424 B. 87'72'R.

Fraction lode, N. 81° 48' E. 41.2 ft. and S. 81°48' W.996.0 ft. W. The transfer to the transfer of the contract to the contract to

sents, but Weins of the two locations embresed in the

The survey of each lode of this location is identical with the location as staked upon the ground.

· protection in the state of th

Total	area,	Apex	lode.		٠	•	*	•	•	*	٠	18.599	Acs.
100	The state of												

Partie of the subject the challens of the

Area in conflict with

Sur.No.	2379,	Apex lo	ode	gui vui	100	(T	•	18.599	Ť1
Sur. No	. 2379	,Copper	Wonder	lode	NG.	THE P.	10	3.209	17

Sur. No. 2379, Colorado lode 1.564 "/

Sur. No. 2089, Louis lode, nominal 0.000+ "

Sur. No. 2639, Louis lode, nominal 0 000+ "

Sur. No. 2639 Louis lode, exclusive of its

conflict with Sur. No. 2379 Colorado lode, 0.000+ "

The spence line I-1 is here lode; however, 2010

COTTO

605.9

240.0

Area in conflict with

7, BR1, 4 Ft. 1

Sur. No. 2379, Fraction lode. 13.884 Acs.

Sur. No. 2379, Copper Wonder lode. . . . 1.475 Acs.

Sur. No. 2379, Joe Bush lode. 0.570 Acs. V

Sur. No. 2538, Hot Center lode. 0.016 Acs.

Sur. No. 2538, Oversight Fraction lode. . . 0.185 Acs. V

logos got no. Location.

sot, alongside, a cented pine root, d ins. noute.

This Survey is located in unsurveyed T.1 N., R.14 E. Gila and Salt River Base and Meridian, Globe Mining District: Gila County, Arizona: within boundaries of Crook National Forest. Reserve.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

tre tiven in the relation of my Subblerential Record of

An undivided one-eighth interest in . . Joe Bush

I certify that the value of the labor and improvements made upon, or for the benefit of, each of these locations by the clammant or its grantors is not less than five hundred dollars; and that said improvements consist of: - car of the state of the state of the state of APEX LODE:

No.1,

Bore:

The discovery cut of the Apex lode, the mouth of which, being the discovery point, is on the lode line. at S.87° 22'E. 304.7 ft.from the West End Center location corner. The cut, 5 ft.wide, 10 ft.face, runs thence S. 1° 40'W. 23.0 ft.to face.

Value of cut,\$35.00.

No.2,

BOTT'

A tunnel with cut approach thereto; the face of cut, 4 ft. wide, 12 ft. face, bears S. 89° 28'E. 493.0 ft.from Cor.No.3 Apex lode, and runs thence S.28°20' W.21.0 ft.to where it breaks ground. From the face of cut is a tunnel 4 x 6 ft., running thence N. 3° 40'W. 14 ft.to face. tones to the leveltubrent of the Alex

Value of cut and tunnel,\$75.00.

Note: Chossops of the and minkes and and Note:

An undivided one-eighth interest in Joe Bush Wae, SunNa.2373 is credited to this lode, the details of which are given in the returns of my Supplemental Report of Improvements to Sur. No. 2379. Shaft bears S. 47°39'E. 270.2 ft.from Cor.No.4. Value of shaft..... \$7,500.00.

Value of one-eighth interest \$937.50.

Note:

.This shaft is situated on the Joe Bush lode, and tends to the development of the Apex lode of this survey inasmuch as drifts run from the bottom of same will intersect at depth the veins of said lode; and is a

AND TERROLD SE SPILLE DAN TRON THE BUILD OF BRID WILL most economical and practical method for its development. The court is stronged on the los But lies .

interiot for the south to a media of said lots; and is and

An undivided one-sixteenth interest in the Woodson designated as turned No.3 on the Americus loke, Sur. No. 2379 Tunnel, with its crosscuts, drifts, and winzes is credited to this lode, the details of which are given in the returns of my Supplemental Report of Improvements to Sur. No. 2379. Mouth of tunnel bears N. 76 05 W. 1111.5 ft.from Cor. No. 3. Value of tunnel with its various crosscuts, drifts and winzes,\$17,456.00 Value of one-sixteenth interest,\$1,091.00.

This tunnel tends to the development of the Apex lode of this survey inasmuch as drifts run in the direction of same will intersect at depth, the veins of this lode; and is the most economical and practical method for its development. ry to but the theory to state! the common

FRACTION LODE:

Discovery point, on a mineralized outcrop of rock No.1, in place, bears S.81° .48'W. 41.2 ft.from the East End

Center.

A tunnel, 4 x 6 ft., with cut approach thereto; the face of cut bears N.71° 41'W. 95.7 ft.from Cor.No. 4 Fraction lode, 4 ft.wide, averaging 7 ft.high, and runs thence S.6° 20'E. 18.5 ft.to where it breaks ground. From the face of cut is a tunnel running thence N.6° 20'W. 20.5 ft.to face. Mg: CM plan by The transfer

Value of cut and tunnel, \$125.00.

STATE HAML - AL DATEWES.

wide, in tifees,

A shaft, 4 x 6 x 10 ft.deep, the center of which bears S.11° 41'W. 298.6 ft.from Cor.No.1 Fraction lode. Value of shaft, \$75.00.

An undivided one-eighth interest in Joe Bush lode, Sur. No. 2379 is credited to this lode, the details of which are given in the returns of my Supplemental Report of

No.2,

110.00

No.3.

Improvements to Sur. No. 2379.

Strange Jos Bush Len.

Sup. No. 2579; Anox and Arechter lunes.

Value of shaft,\$7,500.00.

equian and the mruny.

Value of one-eighth interest, \$937.50.

Note:

STAT AT BELL ATEN

This shaft is situated on the Joe Bush lode, and tends to the development of the Fraction lode of this survey inasmuch as drifts run from the bottom of same will intersect at depth the veins of said lode, and is the most economical and practical method for its development.

Note:

An undivided one-sixteenth interest in the Wooddesignated as tunnel No.3 on the Americus Ide, Sur. No. 2379,
son Tunnel, With its crosscuts, drifts, and winzes, is
credited to this lode, the details of which are given
in the returns of my Supplemental Report of Improvements to Sur. No. 2379.

This tunnel tends to the development of the Fraction lode of this survey, inasmuch as drifts run in the direction of same, will intersect at depth the veins of this lode, and is the most economical and practical method for its development.

the north adge and two niers on the south edge; a mound

THE ROCKS THE STRUME, SHE IS LETKED WITH TOUR BLOKE OF

INSTRUMENT. X ferrue according

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian, as determined by direct solar observations, the details of which are returned by me in connection with Sur.No.2656, Joe Bush, Pinto, Copper Wonder, Colorado, Sunset, and Monte Christo Copper lodes. The distances were measured with two 300-ft.steel tapes.

TO : DECEMBED TANK THE TWO TOUR -TE. CREEK LANDS.

TWITE THE SECOND RECTOR ROTED ODESLAST CHE' WIS

The section corner common to secs. 19 and 30, on the west boundary of T. 1 N., R. 15 E., G. and S.R.B. & M., is a conglomerate stone 6 x 10 ins. extending 8 ins. above the ground, and is marked with four nicks on the north edge and two nicks on the south edge; a mound of stone alongside.

4 st. The or vital pre-returned by me in commention with

Sur. No. 2089, Louis Lode.

To Best Jos Bush,

rupolesor : gebre me Cors. Nos. 1 and 4 are pine posts, properly set and scribed with the number of the corner and the survey. O THE OCCUPANT CHANGE OF LAND

A s mont sectobles . W. Dose

Sur. No. 2639, Louis Lode.

WHER. ST'001.00' Cors.Nos.1 and 4 are pine posts properly set and scribed with the number of the corner and the survey. TIP TER ASSTORE GLOROGACE

Sur . No. 2379, Copper Wonder and Colorado lodes.

All the corners Copper Wonder lode, and Cors. Nos. 1, 2, and 4 Colorado lode, are pine posts, properly set and scribed with the number of the corner and the surregular and west Th vey. we may a ter

Sur. No. 2379, Joe Bush lode.

TENSA THERE

Cors. Nos.1, 2, and 3, Joe Bush lode are pine posts properly set and scribed with the number of the corner This the voice of anti-last, and the survey.

Sur. No. 2538, Hot Center and Oversight Fraction lodes.

Cors. Nos. 1 and 2, Hot Center lode, and Cors. Nos. 1, 2, and 3, Oversight Fraction lode, are pine posts, properly set and scribed with the number of the corner and the survey.

Sur. No. 2379, Apex and Fraction lodes.

All the corners are pine posts, properly set and scribed with the number of the corner and the survey.

08'E., instead of S.48° 18'E.

\$3 TL 898*I

Line 1-2 Oversight Fraction lode, Sur. No. 2538, to be-S.74° 45'W. 819.1 ft., instead of S.74° 51'W. 819.4 ftes. with the rest of the ad of M. 88. Is we is no a

Line 1-2, Molornio Lolo, Sur. ho. 2478, to he 2.74

and tho sadda to seleter

T 8. 78 . 54 PT . 954 30 TE.

Line 2-3 Oversight Fraction lode, Sur. No. 2538, to be N. 18° 17'E., instead of N.18° 23'E.

I find the Sec. Cor. connection to the section corner common to secs. 19 and 30, on the West boundary of T. 1 N., R. 15 E., G.& S.R.B. and M., from Cor. No.1 Apex lode; Sur: No. 2379, to be S. 86° 33'E. 3714.8 ft., instead of S.86° 30'E. 3716.66 ft. 10. 11. 10.

of, I find the sec.cor.connection to the sec.cor.common to secs.19 and 30, on the West boundary of T. 1 N. R. 15 E., G. & S.R.B. and M., from Cor. No. 1 Fraction lode, Sur. No. 2379, to be S.81° 46'E. 2708.6 ft. instead of S.81° 45 E. 2707.34 ft.

2579, to be 3.10 15 Liber. 9 76., Inches of F. 10" .09'

PIDO T-I SEE 2-3 VISX IN LINGTHON TOWNS ONL NO.

Adjoining Claims: THEO'R LF Socker lode, unsurveyed, claimant herein, North: Oversight Fraction lode, Sur. No. 2538; Hot Center lode, Sur. No. 2538, Miami Copper Co., claimant. East: Pinto lode, Sur. No. 2379, claimant herein. South: Joe Bush, Copper Wonder, Colorado lodes, Sur. No. 2379, claimant henein. West: Caravel lode, Sur. No. 2379, claimant herein, Louis lode, Sur. No. 2089, Louis lode, Sur. No. 2639.

This survey covers the same ground as the Apex and Fraction lodes under Survey No. 2379.

CONTROL LAND STATEMENT OF THE PROPERTY OF THE PARTY.

TOWN THOU TO WAR I WIND DESCRIPTION OF ARRY DUNING TA MUST SHOW

SIL. O. EXYS, PAR

Sur. No. 2379, Pinto lode.

Cors.Nos.2 and 3 are pine posts, properly set and scribed with the number of the corner and the survey.

ERRORS.

I find line 1-2, Apex lode, Sur.No.2379, to be S. 87° 10'W.1495.5 ft.instead of S.87° 14'W.1497.0 ft.

Line 2-3, and 1-4, Apex and Caravel lodes, Sur.
No.2379, to be S.10° 13'W.513.3 ft., instead of S.10°
09'W.515.4 ft.

Line 3-4, Apex lode, Sur.No.2379, to be S.89° 36'E.
1478.5 ft. instead of S.89° 36'E. 1480.5 ft.

Line 4-1 and 3-2 Apex and Fraction lodes, Sur.No. 2379, to be N.10° 13'E.598.9 ft., instead of N.10° 09' E.599.3 ft.

Line 1-2, Fraction lode, Sur. No. 2379; to be S.80° 58'W. 1042.4 ft.; instead of S.81° 05'W. 1043.0 ft.

Line 3-4, Fraction lode, Sur.No.2379 to be N.82° 36' E. 1032.5 ft., instead of N.82° 47'E. 1033.0 ft.

Line 4-1, Fraction lode, Sur: No.2379 to be N.10° 13'E. 630.2 ft., instead of N.10° 09'E, 631.6 ft.

W.603.9 ft., instead of S.10° 09'W.604.6 ft.

Line 2-3 and 1-4 Joe Bush and Copper Wonder lodes Sur. No. 2379, to be S.3° 04'W., instead of S. 3° 10'W.

Line 1-2, Copper Wonder Iode, Sur. No. 2379, to be N.88° 21'W., 1253.9 ft., instead of N.88° 18'W. 1250.3 ft.

Line 2-3 and 1-4 Copper Wonder and Colorado lodes, Sur. No. 2379, to be S.3° 04'W., instead of S. 3° 10'W.

Line 1-2, Colorado lode, Sur.No.2379, to be S.75° 47'W.952.1 ft., instead of S.75° 54'W. 954.38 ft.

Line 4-1, Louis lode, Sur. No. 2089, to be S.48°

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed	The Trank (Madox SITA)
	by Silving Sil
United States Mineral Surveyor, to assist in r	unning, measuring, and marking the lines, corners, and
	the survey of the mining claim of
Inspiration Con	their Company
known as the Apex and Fra.	chon Jodes,
and showing the respective capacities in which they	
	Le P. Hull , Chainman. Jas. Mwway , Chainman. J. Jonkins , Axman.
	Jas. Muvay, Chainman.
	J. Tonkins , Axman.
	, Flagman.
FINAL OATHS	S OF ASSISTANTS.
- In Phillips On W	
We, O. 1. 1900 Just 111	, do solemnly swear that we assisted Frank
	ates Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of 2.7100000	ration Copper Company
2	
1 Com and train	cher lader
known as the Spex and Frac	
represented in the foregoing field notes as having	g been surveyed by said mineral surveyor and under his
represented in the foregoing field notes as having direction; and that said survey has been in all res	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary many many many many many many many man	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions
represented in the foregoing field notes as having direction; and that said survey has been in all res	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary many many many many many many many man	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Aryona W.P. Mall, Chainman.
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary many many many many many many many man	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Aryona W.P. Mall, Chainman.
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary many many many many many many many man	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Aryona W.P. Mall, Chainman.
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary many many many many many many many man	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Argona Ohiology, Chainman. Chainman. Jonnan. Axman.
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary multiple furnished by the United States Surveyor-General	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Arysona, Chainman. Aman. Flagman.
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes are correctly directly and the corner and boundary management of the foregoing field notes are correctly directly directly and the corner and boundary management of the foregoing field notes are correctly directly dir	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Aryona, Chainman. Chainman. Flagman. He above-named persons before me this
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary multiple furnished by the United States Surveyor-General	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Aryona, Chainman. Chainman. Flagman. Telegman.
represented in the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and that said survey has been in all rescorrectly executed, and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes as having direction; and the corner and boundary management of the foregoing field notes are correctly directly and the corner and boundary management of the foregoing field notes are correctly directly directly and the corner and boundary management of the foregoing field notes are correctly directly dir	g been surveyed by said mineral surveyor and under his pects, to the best of our knowledge and belief, faithfully and nonuments established according to law and the instructions for Aryona, Chainman. Chainman. Flagman. He above-named persons before me this

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Nank (Malerson, U.S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Angona, dated
April 26, 1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Inspiration Copper Company , known as the Situate in Offster County, Inspiration County, Inspiration Mining District, County, Inspiration Mining District, Manuacy Township No. IN., Range No. 14E, G. & S. R. B. & M., and designated as Survey No. 2655 , as represented
, known as the
Apex and Naction Sodes,
situate in Offobe Mining District,
County, In Section County, In Section
unsurveyed Township No. IN., Range No. 14 E, G. & S. R. B. & M.,
and designated as Survey No. 2655, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Hank anderson
U. S. Mineral Surveyor.
Subscribed and sworn to by the said Franke Anderson
·
U. S. Mineral Surveyor, before me this
day of May , 1909.
konget tree
mmssion Egeris Jan 21.1910. Korge KArel Malary Sublic Mi and for Glei Commy
ni and for Sela Comby

Affidavit of Five Hundred Dollars Improvements.

vac, W. P. Hull and Jas Murray
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Ipex and Fachon mining claim,
situate in Shobe Mining district, Tha County,
Arizona Territory, for which Inspiration Copper Company
has_made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and so grantor sexceed Five Hundred
for each claim Dollars in value, and further that we are not personally interested in said mine.
W.P. Stull.
Jas Murray
TERRITORY OF ARIZONA,
County of County of
Sworn to and subscribed before me, this 1918
day of may, 1909
Chose R Africe
Commission Efficio Jan 211910 Porque Publica

NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

TERRITORY OF ARIZONA,

April, A. D. 190. 9.

This Mining Claim, the name of which is the Apex Mining Claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Inspiration Mining Company, a corporation, organized under the laws of the merritory of Arizona, the undersigned, on the 22nd day of December, 1906.

The length of this claim is 1481 feet, and it claims 300 feet

in a Westerly direction and 1181 feet, in a Easterly direction from the center of the discovery shaft monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Globe Mining District in Gila County, in the Territory of Arizona, about 9 miles in a Westerly direction from Globe and approximately in T.1 N.R.14 E.G.& S.R.B. & M. the East extension is the Fraction and the West extension is the Caravel same owner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a Westerly direction 300 feet from the discovery shaft monument (at which this notice is posted,) being in the center of the West end line of said claim; Thence N. 10° 09' _ 253.6 feet to a Post, being the North West corner of said claim; thence N. 87° 03' E. 1491 feet to a Post, being at the North East corner of said claim; thence S. 10° 09' W. 300 feet to a post, at the center of the East end of said claim; thence S. 10° 09' W. 300 feet to a Post, being at the South East corner of said claim; thence N. 89° 43' W. 1475 feet to a Post at the South West corner of said claim; thence N. 10° 09' E. 261.8 feet to the placeof beginning.

All done under the provisions of Chapter Six. of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, "approved March 16, 1901.

This is an Amended Location Notice of the Apex Mining Claim, The surface boundaries of the claim are marked upon the ground

This is an Amended Location Notice of the Apex Mining Claim, located by W.H.Woodson on the 4th day of April 1903 and recorded in Book 4 of Records of Mines, at page 451, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby, made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 22nd day of December, 1906

The Inspiration Mining Company, by J.D.Coplen, Manager.

Filed and recorded at the request of Geo.R.Hill, on the 24 day of December, A.D.1906, at - - minutes-past 11 o'clock A.M.

> W.D.Fisk County Recorder, by Richard Fleming, Deputy Recorder.

E. Suwars.

County Recorder, Gila County, A. T.

COUNTY OF GILA SS.					
I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above					
and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice					
of the "APEX" Mining Claim,					
as the same appears of record in my office in Book 12. Records of Mines, at page ; that I have compared the same with the original record, and that the same is a true transcript					
and of the whole thereof.					
Given under my hand and seal of office this 24th.					

NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Fraction Mining Claim, situate on lands, belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Inspiration Mining Company, a corporation, organized under the laws of the Territory of Arizona, the undersigned, on the 22nd day of December, 1906.

The length of this claim is 1038 feet, and it claims 50 feet, in a Easterly direction and 988 feet, in a Westerly direction from the center of the discovery shaft monument, at which this notice is posted, lengthwise of the claim, together with 300 feet, in width of the surface grounds, on each side of the center of said claim. The general

course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 9 miles in a Westerly direction from Globe approximately in T.l. N.R.14 E. G.& S.R.B.& M. the east extension is the Pinto and the West extension is the Apex same owner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a Easterly direction 50 feet from the discovery shaft monument (at which this notice is posted,) being in the center of the East end line of said claim; Thence N. 10° 09' E. 316.3 feet to a Post, being the North East corner of said claim; thence S. 80° 49' W. 10433 feet to a Post, being at the North West corner of said claim; thence S. 10° 09' W. 300 feet to a Post, at the center of the West end of said claim; thence S. 10° 09' W. North West corner of said claim; thence S. 10° 09' W. 300 feet to a
Post at the center of the West end of said claim; thence S. 10° 09' W.
300 feet to a Post, being at the South West corner of said claim;
thence N. 82° 31' E. 1033 feet to a Post at the South East corner of
said claim; thence N. 10° 09' E. 316.3 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII,
of the Revised Statutes of the United States, and of an Act of the
General Assembly of Arizona, entitled "An Act to Revise and Codify the
Taws of the Territory of Arizona." approved March 16. 1901

Laws of the Territory of Arizona, "approved March 16, 1901.

This is an Amended Location Notice of the Fraction Mining Claim, located by W.H. Woodson, on the 4th day of April, 1903, and recorded in Book 9 of Records of Mines, at page 134, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 22nd day of December, 1906.

> The Inspiration Mining Company by J.D.Coplen, Manager.

Filed and recorded at the request of Geo.R.Hill, on the 24 day of December, A.D.1906, at - - minutes-past-11 o'clock.A.M.

> W.D.Fisk, County Recorder, by Richard Fleming Deputy Recorder.

> > County Recorder, Gila County, A. T.

COUNTY OF GILA ss.
I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of
the "FRACTION" Mining Claim,
as the same appears of record in my office in Book 12, Records of Mines. at page ; that I have compared the same with the original record, and that the same is a true transcript
and of the whole thereof.
Given under my hand and seal of office thisday of
April, A. D. 190. 9 E. Stewart.

19

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	March 5, 1910. , 1
I II C Curreyor Conorel for	District of Arizona ,
- 10 10 10 10 10 10 10 10 10 10 10 10 10	ranscript of the Field Notes, return and approval
of the Survey of the mining claim of	
Inspirat	cion Copper Company
, known as the	Apex and Fraction
	situate in Globe
Mining District,	Gila County,
Arizona , i	n Section , Township No. 1 N
	and designated as Survey
No. 2655	has been correctly copied from the originals on
	tes furnish such an accurate description of said
	into a patent, serve fully to identify the premises,
	in to natural objects or permanent monuments as
will perpetuate and fix the locus there	
And I further certify that five h	undred doll <mark>ars'</mark> worth of labor has been expended
or improvements made upon said mi	ch of ning claim ⁸ by claimant or its grantors, and
	3 cuts, 2 tunnels and 1 shaft, total
value \$310.00. An undivid	led 1/16 interest, value \$1091, in
	ous lode, Sur. No. 2379, and an
undivided 1/8 interest, va	lue \$937.50, in shaft No. 8 on the
Joe Bush lode, Sur. No. 237	79, is properly credited to each of
the claims in this survey.	

	mprovements has been included in the estimate of
expenditures upon any other claim.	Dhaania
	reof, filed in the U.S. Land Office at Phoenix,
Arizona is correct and	in conformity with the foregoing Field Notes.
	Frank S. Ingalls,
United States	Surveyor General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General, Phoenix, Arizona. March 5, 1910 190 I, U. S. Surveyor-General for District of Arizona. do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of.... Inspiration Copper Company known as the Apex and Fraction situate in _____Mining District, Gila County, Arizona in Section , Township No. 1 N., Range No. 14 E., Unsur. , designated as Survey No. 2655 executed by ______, U.S. Deputy Mineral Surveyor, May 19, 1909 , 190 , under my instructions dated April 26, 1909 , 190 , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes. Jours of Sugare

7360b5m3-03

U. S. Surveyor-General for Arizona.