DEC 17.1909

4-683.

Mineral Survey No. 2656

Lot No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF	
COPPER COMPANY	
LNOWN AC DITE	
	lamada Sungat
to Copper lodes.	Torado, Sanset,
GLOBE	Mining District,
County,	ARIZONA
vnshin 1 N.	, Range 14E., G.&S.R.B. &M.
· ionip	within Crook Nat'l Forest
s dated May 14,	, 1 909,
byFRANK	ANDERSON.
	U. S. Deputy Mineral Surveyor
e location notic	es. , 1
May 16,1909	1
May 18,1909	1
	KNOWN AS THE Opper Wonder, Coto Copper lodes. GLOBE County, vnship 1 N. s dated May 14 by FRANK e location notic

Address of Claimant's Attorney, Curtis H. Lindley,

Mills Building,

San Francisco, Cal.

NAME OF LOCATION.

DATE OF LOCATION.

Joe Bush lode.

Pinto lode.

Copper Wonder lode.

Colorado lode.

Sunset lode

Monte Christo Copper lode.

Amended March 11,1907.

Amended Dec. 22,1906

Amended Dec. 22,1906.

Amended Dec. 22,1906.

Nov.18,1896.

Amended May 11,1909.

Toentical with Cor. Nos. 2 and I see Bush and Cop-

Feet.

Thence S. 3° 04'W.

Var. 13°20' E.

Intersect line 3-4 Fraction lode, Sur. No. 2379, and 94.3 line 3-4 Fraction lode Sur. No. 2655 at S. 82° 36' W. 530.0 ft. from Cor. Nos 4 and 4.

300.0 West End Center location to me 279, respectively; also

eco.o Lo Colennosi with Cor. Nos. 2 and 1 Joe Bush and Cop-

Jean's Loon line 421 Sunset lode, this survey.

Identical with Cor. Nos 3 and 4, Joe Bush and Copper Wonder lodes, Sur. No. 2379, respectively; also, with S. Wcorner of the location.

I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground, in mound of earth and stone, which I scribed 3-2656-J.B. and 4-2656-C.W.

No bearing object available.

Thence S. 87° 22' E.

Englise I. SY. IS. W.

Var. 13° 20'E.

1108.0 Cor. No. 1 Sunset lode, this survey, on line.

1261.0 Gulch, draining southeasterly.

To Cor. No. 4. 1495.6

> Identical with Cor. No. 4 Joe Bush lode Sur. No. 2379, also with S. Ecorner of the location.

A sawed pine post, 4 ins. square, extending 21 ft above the ground, properly set in mound of earth and stone, which I scribed 4-2656-J.B.

No bearing objects available.

District Contract

Thence N. 3° 04' E.

Var. 13° 30' E.

297.1 Intersect lode line, whence the discovery bears N.87° Feet.

Beginning at Cor. No. 1

On line 1-2 Joe Bush lode, Sur. No. 2379.

Identical with Cor. No. 3 Captain lode, Sur. No. 2373.

A sawed pine post, 4 ins. square, extending $2\frac{1}{2}$ ft. above the ground, properly set in mound of earth and stone, which I scribed 1-2656-J.B., whence,

The Section corner common to Secs. 19 and 30 on the west boundary of T.1 N., R.15 E., G. & S.R.B. and M. bears N. 81° 16' E. 1838.0 ft.

Cor. No.1 Joe Bush lode, Sur. No. 2379, identical with N.E. corner of the location, bears S. 87° 15' E.

No bearing objects available.

Thence N. 87° 15' W. Var. 13° 30' E.

morning to the St., To

500.0 Gulch, draining southeasterly.

720.0 Road, bearing northerly and southerly.

974.2 Intersect lines 4-1 and 2-3 Fraction and Pinto lodes
Sur. No. 2379 respectively, and line 4-1 Fraction lode,
Sur. No. 2655, at N. 10° 13' E. 0.9 ft. from Cor. Nos.
4,3, and 4; also line 2-3 Pinto lode, this survey.

1495.6 To Cor. No.2. PARECT TOGE THIS BALAGA.

Per Wonder lodes, Sur. No. 2379, respectively; also with N. Woorner of the location.

I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground, in mound of earth and stone, which I scribed 2-2656-J.B. and 1-2656-C.W.

No bearing objects available.

Alder The Til

5970CL

800*0

JOE BUSH LODE. Cont.

en then and Plate

Feet. 15' W. 10.9 ft.; and the East End Center locaion corner bears S. 87° 15' E. 0.5 ft.

340.1 Intersect line 3-4 Pinto lode Sur. No. 2379 at S. 72° 30' E. 1006.1 ft. from Cor. No. 3; also, intersect line 3-4 Pinto lode, this survey. But and stone Anion I

To Corming & The dest 34 into square restouting the also 597.1 Mo. The place of beginning council of the locations cop-1695.6 longer, Surro Me. 2579, and Cor. No. 4 Fraction lode, Sur.

925.2 It. From Come Mos Li Was will have

ting 1-2 Joe Bush lode, Dury No. 2379 et L. 87° 16' V. PINTO LODE.

Beginning at Cor. No.1.

TRANSPORT TICE T-S

A Laboration with the

To Copt do . o.

Identical with Cor. No. 1 Pinto lode, Sur. No. 2379, and with N.E. corner of the location.

I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground in mound of earth and stone, which I scribed 1-2656 P. whence,

The Section Cor. common to Secs. 19 and 30, on the west boundary of T. 1 N., R. 15 E., G.& S.R. B. and M. bears N. 85° 53' E. 1268.6 ft. plased and sorthed

Cor. No. 1 Hot Center lode, Sur. No. 2538 bears N.72° 23' W. 147.0 ft.

ing. In the ground in mound of anrich Cor. No. 3 St John's Fraction lode, Sur. No. 2339 bears S. 39° 27' W. 408.7 ft.

DELTAGOR TOD. No bearing objects available.

Fraction integ Ser. Shot tobb.

to cot. no.z.

Un'line 4-1 Fraction lode Sur. No. 2279 and line 4-1 Thence N. 72° 18' W.

Var. 13°25' E.

Intersect line 4-1 Hot Center lode Sur. No. 2538 at 147.0 N. 18° 23' E. O.2 ft. from Cor. No. 1; also, line 3-4 St John's Fraction lode, Sur. No. 2339, at N. 18°23'E. 379.6 ft. from Cor. No.3.

PORTO

100

BERT D

PINTO LODE. (Cont.)

gi syad ji to to-d

Feet.

874.4 Intersect line 1-2 Hot Center lode, Sur. No.2538 at N. 72° 17'W. 727.4 ft. from Cor. No.1.

1488.5 To Cor. No.2.

On line 4-1 Fraction lode Sur. No. 2379 and line 4-1 Fraction lode, Sur. No. 2655.

Identical with Cor. No. 2 Pinto lode Sur. No. 2379; also with N.W. corner of the location.

I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground in mound of earth and stone, which I scribed 2-2656-P.; whence,

An oak tree, 8 ins. in diameter blazed and scribed 2-2656-B.T. bears S. 38° 54' W. 77.8 ft.

The mention for norman to hear IS and 30, on the

Thence S. 10° 13'W.

Var. 13°15' E.

- 63.9 Road, bearing northwesterly and easterly.
- 273.9 Ridge, bearing easterly and westerly.
- 302.5 West End Center location corner.

The long A 18 Leng Line

- 1 Intersect line 1-2 Joe Bush lode, of this survey; also, line 1-2 Joe Bush lode, Sur. No. 2379 at N. 87° 15' W. 9742 7 975.2 ft. from Cors Nos 1:1 respectively.
- 603.9 To Cor. No. 3.

3 +30 OF

loge. I

Identical with Cor. Nos 4 and 3 Fraction and Pinto lodes, Sur. No. 2379, and Cor. No. 4 Fraction lode, Sur. No. 2655; also, with S.W. corner of the location,

A sawed pine post, 4 ins. square, extending 2½ ft. above the ground, in mound of earth and stone, which I scribed 3-2656-P.

Bross Clerc. Cont.

JOSEPH COLUMN

No bearing objects available.

perior 2 El Tay - 9 M

4 ins. square by

PINTO LODE. (Cont)

Feet.

Thence S. 72° 30'E.

Var. 13° 15' E.

- Road, bearing northerly and southerly. 175.0
- Gulch, draining southeasterly. 540.0
- Intersect line 4-1 Joe Bush lode, this survey, at 257ft. from Cor. No. 1. 1006.1
- 1006.6 Intersect line 2-3 Captain lode, Sur. No. 2373 at S.2° 58. W. 257.1 ft. from Cor. No. 3.
- Intersect line 4-1 Joe Bush lode, Sur. No. 2379 at 1006.7 S. 3° 10' W. 257.2 ft. from Cor. No.1. I and f -2 Aper and Fraction lodge
- 1487.8 To Cor. No.4.

Identical with Cor. No. 4 Pinto lode, Sur. No. 2379; also, with S.E. corner of the location.

I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground in mound of earth and stone, which I scribed 4-2656-P. whence,

Cor. No. 3 Red Rock lode, Sur. No. 2507 bears N. 18° and raction lodes for, do. 47' W. 138.7 ft.

Cor. No. 1 Joe Bush lode, this survey, identical with Cor. No.3 Captain lode Sur. No. 2373, bears N. 47° 59 W. 599.8 ft.

A cedar tree, 8 ins. in diameter, blazed and scribed 4-2656 B.T. bears South 74.8 ft.

degianing or cor. Wo. 1.

Thence N. 10° 13'E.

Var. 13°25'E.

- 91.8 Intersect line 3-4 Captain lode Sur. No. 2373 at S.56° 02' E. 557.0 ft. from Cor. No. 3; also, Intersect line 2-3 Red Rock lode Sur. No. 2507, at S. 56° 02' E. 73.5 ft. from Cor. No.3.
- Intersect line 2-3 St John's Fraction lode Sur. No. 2339 at S. 80° 05' E. 199.6 ft. from Cor. No. 3.
- East End Center location corner; whence the discovery 300.0 bears N. 72° 27' W. 1.5 ft.
- Intersect line 3-4 Red Rock lode, Sur. No. 2507 at 302.9

later seat line 3-4 had hook lodes dur. Fo. 25 7 at

PINTO LODE. (Cont.)

TEN. 18.25'E.

42 Thence M. 10 IN'E.

Feet.

N. 30° 33' E. 193.6 ft. from Cor. No. 3.

320.0

Ridge, bearing easterly and northwesterly. To Cor. No. 1.

598.6

The place of beginning. OR 19. BBY O Ch. INCH BOY 35 3; WING

COPPER WONDER LODE.

intersect line 2-4 Capterin Lane out. No. 1873 at 3.

Beginning at Cor. No. 1.

Identical with Cor. Nos 2 and 1 Joe Bush and Copper Wonder lodes Sur. No. 2379, respectively; and with Cor. No. 2 Joe Bush lode, this survey, corner heretofore described.

Sec. Cor. common to Secs. 19 & 30, on the west boundary of T. IN.R. 15E.G. & S.R.B. & M. bears N. 86°25!E. 3317.1 ft. Cor. Nos 4 and 3 Apex and Fraction lodes Sur. No. 2655, identical with Cor. Nos 4 and 3 Apex and Fraction lodes Sur. No. 2379, bears S. 72° 29' W. 527.8 ft.

Thence N. 88°21' W.

Var. 13° 20' E.

472.5

TOTAL D

1150.0

Intersect lines 4-1 and 2-3 Apex and Fraction lodes Sur. No. 2655, and lines 4-1 and 2-3 Apex and Fraction lodes, Sur. No. 2379, at N. 10° 13' E. 175.2 ft. from Cors. Nos. 4,3 and 4,3, respectively.

Ridge, bearing easterly and westerly. No. 2212 at 2.5. To Cor. No. 2.

1253.9

of Jone, le 1.

nor a puller ge ' maken

Identical with Cor. Nos. 1 and 2 Colorado and Copper Wonder lodes Sur. No. 2379; also, with N. W. corner of the location.

I set alongside, a sawed pine post, 4 ins. square by 4 ft long, 18 ins. in the ground in mound of earth and

CL Mar 1 1281

COPPER WONDER LODE (Cont.)

Feet

stone, which I scribed 2-2656-C.W. and 1-2656-C.; whence
An oak tree, 5 ins. in diameter, blazed and scribed
2-1-2656-B.T. bears N. 64° 10'E. 83.4 ft.

JIEO. O

Thence S.3° 04'W.

- 189.9 Intersect line 3-4 Apex lode Sur. No. 2655 and line 3-4
 Apex lode Sur. No. 2379 at N. 89° 36'W. 760.1 ft. from
 Cors. Nos. 4 and 4, respectively.
- 300.0 West End Center location corner. I cobbet source.

4-I fould lode lon

5,87° SI . 4567.2 (

- 433.1 Intersect line 4-1 Mexico lode Sur. No. 2382 at N.86° O6'W. 861.2 ft. from Cor. No.1.
- 592.7 To Cor. No.3.

Identical with Cor. Nos. 3 and 4 Copper Wonder and Colorado lodes Sur. No. 2379, respectively; also, with S.W.Corner of the location.

by 4 ft long, 18 ins. in the ground in mound of earth and stone, which I scribed 3-2656-C.W. and 4-2656-C. whence,

E. 873.6 ft. T. Marico lode, Sur. No. 2382 bears N.83° 23'

No bearing object available. Who we discount the discount to t

Thence S. 88° 01'E.

Var.13° 15'E.

- 863.1 Intersect line 3-4 Sunset lode, this survey.
- 867.3 Intersect line 1-2 Mexico lode, Sur. No. 2382 at S.0° 26' W. 130.7 ft. from Cor. No. 1.
- 1189.0 Gulch, draining southeasterly.
- 1253.7 To Cor. No. 4.

Wonder lodes, Sur. No. 2379 respectively; and with Cor.

COPPER WONDER LODE. (Cont.)

Feet

wonder loads, bur.

No. 3 Joe Bush lode, this survey; also with S.E. corner of the location.

Cor. No. 4 Sunset lode this survey bears N. 87° 22'
W. 390.8 ft.

Thence N.3° 04'E.

Mar The TOLK

Var. 13°20'E.

- 300.0 East End Center location corner, whence the discovery bears N.88° 21'W. 333.8 ft.
- Intersect line 3-4 Fraction lode Sur. No. 2655, and line 3-4 Fraction lode Sur. No. 2379, at N. 82° 36'E. 502.5 ft. from Cors. Nos. 3 and 3.
- 600.0 To Cor. No. 1. 18 Tri. The pre Shoome in member of eache

TOW

The place of beginning.

. . Corner of the location.

COLORADO LODE.

identical with Cor. Mor. & and a topper

Beginning at Cor. No.1.

A BOT'S LAT

0 TOL TO'S'

Identical with Cor. Nos. 2 and 1 Copper Wonder and Colorado lodes Sur. No. 2379 respectively; and with Cor. No. 2 Copper Wonder lode, this survey; also with N.E. Cor. of the location.

The section corner common to Secs. 19 and 30, on the west boundary of T.1 N., R.15E., C. S.R.B. and M. bears N.87° 51' E. 4567.2 ft.

Thence S. 75° 47' W. Neg Buy

Var. 13°10'E.

749.0 Intersect line 4-1 Louis lode, Sur. No. 2639, and line 4-1 Louis lode Sur. No. 2089 at N. 48° 08 W. 277.4 At.

COLORADO LODB. (Cont.)

Feet.

425.6

LAD'S

from Cors No. 1 and 1.

761.6 Cor. Nos 3 and 4 Apex and Caravel lodes Sur. No. 2579
respectively, identical with Cor. No. 3 Apex lode Sur.
No. 2655, on line.

Low COL' NO' E

952.1 To Cor. No.2.

Also with N.W. corner of the location.

I set alongside, a sawed pine post, 4 ins. square by
4 ft long, 18 ins. in the ground in mound of earth and
stone, which I scribed 2-2656-C., whence

Cor. No. 1 Louis lode Sur. No. 2639, identical with Cor. No. 1 Louis lode Sur. No. 2089, bears S. 71° 28'E. 425.6 ft.

No bearing object available.

lodes, Sur, 2-78 mapactitoly, on line.

Thence S. 3° 04'W.

Cor. Nos. 1 and 2 Quatantion and Contention Extension

Var. 13° 25'E.

- 2.6 Intersect line 3-4 Caravel lode Sur. No. 2379 at S.75°

 O4' W. 201.3 ft. from Cor. No.4.
- 191.0 Intersect line 1-2 Colorado lode Sur. No. 2382, and line 1-2 Colorado No. 2 lode Sur. No. 2639, at S.84° 30'W. 404.8 ft. from Cors. No. land 1.
- 227.2 West End Center location corner.

Trom Cor. No. S.

- Intersect line 2-3 Louis lode Sur. No. 2639, and line 2-3 Louis lode Sur. No. 2089, at N.54° 33'W. 213.3 ft. from Cors. No. 2 and 2; also,
 Intersect line 1-2 Bull Dog lode, Sur. No. 2639, and line 1-2 Bull Dog lode Sur. No. 2089 at N. 54°33'W. 68.2 ft. from Cors. No. 1 and 1.
- 527.2 To Cor. No. 3.

On line 4-1 Bull Dog lode Survey No. 2639, and on line 4-1 Bull Dog lode Sur. No. 2089 at S.34°55'W. 109.2 ft. from Cor. Nos.1 and 1; also, on line 1-2 Contention lode Sur. No. 2379.

COLORADO LODE (Cont.)

Feet

Identical with Cor. No. 3 Colorado lode Sur. No. 2379; also with the S.W.corner of the location.

I set alongside, a sawed pine post, 4 ins. square by 4 ft. long, 18 ins. in the ground in mound of earth and stone, which I scribed 3-2656-C., whence

Cor. No. 1 Colorado lode Sur. No. 2382, identical with Cor. No. 1 Colorado No. 2 lode Sur No. 2639, bears N.48°20'E. 563.4 ft.

No bearing object available.

50'T, 405,8 ft, from Cors No. 3.44

Southention lade Sur.

TOR' E LE' LAGE NO.

191.0 Intorsock line 1-

96 . N. ESST'S Es'

Thence N. 79° 37'E.

Var. 13° 25' E.

- 152.2 Intersect line 2-3 Louis lode Sur. No. 2639, and line 2-3 Louis lode Sur. No. 2089, at N. 54°33'W. 38.1 ft. from Cor. No. 2.
- 175.8 Cor. Nos. 1 and 2 Contention and Contention Extension lodes, Sur. 2379 respectively, on line.
- 204.6 Intersect line 1-2 Louis lode Sur. No. 2639 and line 1-2 Louis lode Sur. No. 2089, at S.33° 03'W. 422.6 ft. from Cors. No. 1 and 1,
- on line, also,
 Intersect line 4-1 Colorado lode Sur. No. 2382, and
 line 4-1 Colorado No.2 lode Sur. No. 2639 at S.O° 26'W.

 297.8 ft. from Cors. No. 1 and 1; also,
 Intersect line 3-4 Mexico lode Sur. No. 2382 at S.O°

 26'W. 285.8 ft. from Cor. No. 4.
- 934.7 To Cor. No. 4.

185.0

1000

Identical with Cor. Nos 3 and 4 Copper Wonder and Colorado lodes, Sur. No. 2379 respectively; and with Cor. No. 3 Copper Wonder lode, this survey; also with the S.E.Cor. of the location.

SURVEY TO T

to the second of the second of

COLORADO LODE. (Cont.)

Feet.

68,1

Thence N. 3° 04' E.

Var. 13°15'E.

- 159.6 Intersect line 4-1 Mexico lode Sur. No. 2382 at S.86°
 O6' E. 508.4 ft. from Cor. No. 4.
- 292.7 East End Center location corner, whence the discovery bears S. 75° 13' W. 238.1 ft.
- 402.8 Intersect line 3-4 Apex lode, Sur. No. 2655; and line 3-4 Apex lode Sur. No. 2379, at S. 89° 36' E. 718.4 ft. from Cors. No. 3 and 3.
- 592.7 To Cor. No. 1.

TIME: WISO

The place of beginning.

INCOLOGGE TIME J-S SUNSET LODE. CODE TOGE THE

day, no. A gonto Christo Copper lode this surrey on

Beginning at Cor. No. 1.

BOURT GATE LET LANDSCOL MC 9

On line 3-4 Joe Bush lode, Sur. No. 2379, and on line 3-4 Joe Bush lode, this survey.

The car, and south at a pr

Identical with the N.E. corner of the location.

A sawed pine post, 4 ins. square by 4 ft long, set 18 ins. in the ground, in mound of earth and stone, which I scribed 1-2656-S., whence

The section corner common to Secs. 19 and 30, on the west boundary line of T.1 N., R.15E., G. and S.R. B. and M. bears N.69° Ol'E. 2394.6 ft.

An oak tree, 12 ins. in diameter, blazed and scribed 1-2656-B.T., bears S. 37° 54'E. 159.6 ft.

A sunred pane pout, 4 ins. square by 4 ft. long, set

Lyentice 2. 0, 53, E.

gund in gound of seathdens prope, which

Cor. No.3 Jennie lode, Sur. No. 2604, on line.

23 Cor. No. 3 Jennie lode, Sur. No. 2604, on line.
298.9 East End Center location corner.

20 COE. 20.2.

550.0 Intersect line 3-4 Spring lode Sur. No. 2604 at N.88°
31'E. 96.2 ft. from Cor. No. 3; also Cor. No.2 Jennie

SUNSET LODE. (Cont.)

mende g. O. St. T

Feet.

lode, Sur. No. 2604, on line.

597.5

To Cor. No. 2.

IUCGLAGOR TING S-

Identical with the S.E. corner of the location.

A sawed pine post, 4 ins. square by 4 ft. long, set 18 ins. in the ground in mound of earth and stone, which I scribed 2-2656-S., whence

Cor. No. 3 Spring lode Sur. No. 2604 bears N.65° 01'
W. 106.5 ft.

An oak tree, 10 ins. in diameter blazed and scribed 2-2656-B.T. bears N. 8° 02' E. 48.2 ft.

18 das. in the ground, is mound of earth and stone,

Thence N. 83° 57'W.

Var.13° 30'E.

A sound pand rous, 4 thm, appare by 4-re long, set.

45.0 Gulch, draining southerly.

Identical with the

68.1 Intersect line 2-3 Spring lode Sur. No. 2604 at S.37° 20'E. 47.5 ft. from Cor. No. 3.

764.8 Intersect line 1-2 Monte Christo Copper lode, this survey.

1377.0 Cor. No. 7, Monte Christo Copper lode this survey on line; also,

W. 352.2 ft. from Cor. No. 1.

1506.2 To Cor. No. 3.

AND FOR

Identical with the S.W. corner of the location.

A sawed pine post, 4 ins. square by 4 ft.long, set
18 ins. in the ground, in mound of earth and stone, which
I scribed 3-2656-S., whence

Cor. No. 2 Mexico lode Sur. 2382 bears N. 2° 10'W. 64.6 ft.

the tel arise less total

A pine tree, 12 ins. in diameter blazed and scribed 3-2656-B.T., bears N. 67° 20'W. 20.6 ft.

SUNSET LODE. (Cont.)

	Feet.	Thence N. O° 23'W.
		Var. 13°30'E.
	63.1	Intersect line 4-1 Utah lode, Sur. No. 2382 at N.59°14'
		W. 502.2 ft. from Cor. No. 1.
	205.6	Bir, Ed. Ediby tremuditably, of Di-Op' 78 R. 108 B Ft.
	200.0	26' E. 141.1 ft. from Cor. No. 2.
	208.7	le ins. in the ground, in mount of carth and stone, which
	2001	bears S. 87° 22' E. 308.2 ft.
	502 1	Intersect line 3-4 Copper Wonder lode, this survey;
	303.1	also line 3-4 Copper Wonder lode Sur. No. 2379 at N.88°
1		
		01'W. 390.6 ft. from Cors No. 44 placed bud southed
	507.6	To Cor. No. 4.9 5-0879-1111 Agence
	1 .5	A sawed pine post, 4 ins. square by 4 ft long, set
1		18 ins. in the ground in mound of earth and stone,
ı	7 . 4	which I scribed 4-2656-S.
1	A MOVE	The N.W. Corner of the location bears N.O° 23'W.
1	27.32	90.0 ft.3, 4.39.1 42.
1	SIL.6.	No bearing objects available.
I	79. 2	Intersect line 2-5 Sunset leds pais survey,
1		Thence S. 87° 22' E.
1		Var. 13° 25'E.
1	4.3	Intersect line 1-2 Mexico lode Sur. No. 2382 at N.O°
1		26'E. 442:9 ft. from Cor. No.2.
1	326.0	Gulch, draining southeasterly.
1	356.0	Leave gulch, draining southeasterly.
1	390.8	Cor. Nos 3 and 4 Joe Bush and Copper Wonder lodes this
ı		survey, on line; also, Cor. Nos 3 and 4 Joe Bush and
		Copper Wonder lodes, Sur. No. 2379, on line.
ŀ	1498.8	To Cor. No. 1. Brame, is meand of surfaces and stole;
		The place of beginning. Demonstrate place of leginning.
		Identiona with the N.E. Jone and the location.
	Spol.	Seginaing ob Cor. No. 1.
1	Mar Division I	COLOR TO THE PROPERTY OF THE PARTY OF THE PA

SUEVIY BO , d656

Feet.

Beginning at Cor. No. 1

Identical with the N.E. Corner of the location.

A sawed pine post, 4 ins. square by 4 ft long, set 18 ins. in the ground, in mound of earth and stone, which I scribed 1-2656-M.C., whence

The section corner common to Secs. 19 and 30, on the west boundary of T.1 N., R. 15 E., G. and S.R.B. and M. bears N. 66° 39' E. 3269.1 ft.

> A pine tree, 6 ins. in diameter blazed and scribed 1-2656-B.T., bears N. 24° 42'E. 77.4 ft.

Internact line 1-2 mexico lode Saring. 2588 et 1.0"

Thence S: 6° 31'E.

Var. 13°30'E.

Intersect line 2-3 Sunset lode, this survey, at 7648 ft. from Cor. No. 2. 79.4

211.6 Intersect line 3-4 South Sun lode, Sur. No. 2629 at S. 69° 38'E. 425.1 ft. from Cor. No. 3.

To Cor. No. 2. The or the judget of peers and the 466.7

> Indentical with a east angle corner of the location. A sawed pine post, 4 ins. square by 4 ft long, set 18 ins. in the ground in mound of earth and stone. which I scribed 2-2656-M.C., whence

> A pine tree, 5 ins. in diameter, blazed and scribed 2-2656-B.T., bears S. 11° 34'E. 56.9 ft.

intersect line and Copper School Lode, this survey;

Thence S. 29° 45'E. Aget End Center least ce the discovery

Var. 13° 35'E. EDOS DESIS E'LE.

Intersect line 1-2 and 3-4 South Sun and Nettie lodes 311.2 Sur. No. 2629 respectively, at S. 69° 38'E. 103.8 ft. from Cor. Nos. 2 and 3.

731.7

508 A

Hears 5. 67° pr' A.

Identical with a east angle corner of the location. On line 3-4 Lone Star lode Sur. No. 2565; also, on line 2-3 Nettie lode, Sur. No. 2629.

AV. TV 40. 2556.

MONTE CHRISTO LODE. (Cont.)

Feet

A sawed pine post, 4 ins. square by 4 ft. long, set 18 ins. in the ground in mound of earth and stone, which I scribed 3-2656-M.C., whence

Cor. Nos 2 and 3 South Sun and Nettie Iodes, Sur. No. 2629 hears N. 37° 20'W. 504.6 ft, whence Cor. No. 3 South Sun lode brs. N. 37° 20'W. 7991 ft. Cor. No. 3 Lone Star lode Sur. No. 2565 bears S.74° 00'W. 315.8 ft.

A pine tree, 8 ins. in diameter, blazed and scribed 3-2656-B.T. bears S. 72° 30'W. 30.0 ft.

Thence, South. DIBBOG CHU BOLLING

6-2556-K. . , beere d. Wor Set N. 14941

Var. 13° 30'E.

295.5 To Cor. No. 4, 179300 Jone | Mar. 10; 18865 98033 11.4. 29

STATE CO.

On line 3-4 Dewey lode Sur. No. 2565, at S.88°38'W.

104.8 ft. from Cor. No.4.

Identical with the S.E. corner of the location.

A sawed pine post, 4 ins. square by 4 ft long, set

18 ins. in the ground in mound of earth and stone,

which I scribed 4-2656-M.C., whence

A pine tree, 7 ins. in diameter blazed and scribed 4-2656-B.T., bears N.13° 57'E. 100.6 ft.

Thence S. 88°38'W.

Thends B. 28° 48' W.

2-5000-E'3 60010 3 Var. 139 35'E. 6 LC

- 265.9 South End Center location corner. Dissess and solve page
- 285.2 Intersect line 2-3 Lone Star lode Sur. No. 2565 at S.

 4° 54' E. 216.0 ft. from Cor. No. 3.
- 315.0 Road, bearing southwesterly and northeasterly.
- 383.0 Gulch, draining southwesterly. The Took Follow
- whence, Point "A" bears N. 33° 07'W. 191.6 ft.
- 513.9 To Cor. No. 5.

On line 3-4 Dewey lode Sur. No. 2565; also, on line

MONTE CHRISTO LODE. (Cont.)

Feet.

2T2 a

TOU'S

283 C

515. O

986. 5

200年,华

3-4 California lode Sur. No. 2382.

To Cor, Joy o.

Identical with the S.W. corner of the location.

A sawed pine post, 4 ins. square by 4 ft long, set

18 ins in the ground in mound of earth and stone, which

I scribed 5-2656-M.C.; whence I are the sound of the scribed series of the scribed serie

An oak tree, 8 ins. in diameter blazed and scribed 5-2656-B.T. bears S. 77° 56' E. 21.8 ft.

Point "A" bears N.15°50'W. 168.3 ft.

Thence N. 29° 48' W.

- Nege-B. 1. Desile . Var. 13° 30'0E. La

Lo Cor. No. 2: 7 ins. in dismeter blased and periped 862.5

> On lines 4-1 and 1-2 California and Defience lodes, Sur. No. 2382, respectively, at N. 33° of W. 892 ft. from Cor. No. 4 California lode.

Identical with the west angle location corner.

A sawed pine post, 4 ins. square by 4 ft long, set 18 ins. in the ground in mound of earth and stone, which I scribed 6-2656-M.C.; whence

Cor. No. 1 Defience lode, Sur. No. 2382 bears N.4° 38' W. 317.5 ft.

A pine tree, 6 ins. in diameter blazed and scribed 6-2656-M.C., bears S. 70° 38' E. 149.1 ft.

Thence N. 6° 31'W. 394 Find Book page

Var. 13° 30'E.

Intersect line 2-3 Utah lode, Sur. No. 2382 at N.59° 71.5 14'W. 2.9 ft. from Cor. No. 2.

Intersect line 4-1 Defience lode, Sur. No. 2382 at N. 325.3 59° 14' W. 13.1 ft. from Cor. No.1.

To Cor. No. 7.8 Planing the months of seath and applied 648.1

S-2656-b. W. Dente B.

On line 4-1 Utah lode Sur. No. 2382, and on line 2-3 Sunset lode, this survey, at 1317 ft. from Cor. No. 2 Sunset lode.

PUBURY NO. 1056.

0.165

1,456

1.912

O. BTO wee.

MONTE CHRISTO LODE. (Cont.)

Feet.

Identical with the N.W. corner of the location.

A sawed pine post, 4 ins. square by 4 ft. long, set

18 ins in the ground in mound of earth and stone, which

I scribed 7-2656-M.C.; whence

Cor. No. 1 Utah lode Sur. No. 2382 bears S. 59° 14'E. 352.2 ft.

A pine tree, 10 ins. in diameter, blazed and scribed 7-2656-B.T., bears N. 59° 57'E. 143.1 ft.

Cor. No. 2 Utah lode brs. S. 30° 46' W. 458.8 ft.

Thence N. 88°38' E.

Var. 13° 25' E.

299.9 North End Center location corner, whence
The Discovery bears S. 6° 31' E. 556.6 ft.

600.0 To Cor. No. 1.

The place of beginning.

of the conflict with

All the end center monuments of location consist of a 4 x 4 pine post in a mound of stone, properly marked.

Sur, But 2578, Sinto lode.

LODE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in
this claim extend as follows from their respective
discovery points;

Joe Bush lode, N. 87° 15'W. 1484.7 ft., and S.87° 15'E. 10.9 ft.

Pinto lode, N.72° 27'W. 1486.5 ft. and S.72° 27'E.

1.5 ft.

Copper Wonder lode, N.88° 21'W. 920.1 ft. and S.88° 21'E. 333.8 ft.

Colorado lode, N.75° 13'E. 238.1 ft. and S. 81° 42'
W. 695.1 ft.

Sunset lode, N.87: 22'W. 308.2 ft. and S.87° 22'E. 1190.6 ft.

1790,6 ft.

ESE T LE

Monte Christo Copper lode, N. 6° 31'W. 556.6 ft.

and S.29°45'E. 780.2 ft., and thence South 163.2 ft.

The position of this lode line as above stated is verified by surface outcroppings at various points along the course thereof.

" "Into luas, T.72" 27'T. 1486, h ft. ant 3,72" 87'E.
AREA.
Total area, Joe Bush lode 20.550 Acs.
Area in conflict with;
Sur. No. 2379, Joe Bush lode 20.550 Acs.
Sur. No. 2379, Pinto lode 2.885 Acs.
Sur. No. 2379, Fraction lode 0.570 Acs.
Sur. No. 2655, Fraction lode 0.570 Acs.
Total area, Pinto lode 20.371 Acs.
Area in conflict with;
Sur. No. 2379, Pinto lode 20.371 Acs.
Sur. No. 2379, Joe Bush lode 2.890 "
Sur. No. 2656, Joe Bush lode 2.885
Sur. No. 2373, Captain lode 1.912 "
Sur. No. 2339, St John's Fraction lode 1.455
Sur. No. 2507, Red Rock lode 0.163 "
Sur. No. 2507, Red Rock lode exclusive
of its conflict with Sur. No. 2339, St
John's Fraction lode 0.148 "
Sur. No. 2538, Hot Center lode 0.002
A ping terest to imm, in dismotor, language and software.
Total area, Copper Wonder lode
Area in conflict with
Sur. No. 2379, Copper Wonder lode 17.161
Sur. No. 2379, Fraction lode 1.475
Sur. No. 2655, Fraction lode 1.475

Sur. No. 2379, Apex lode.

SURVEY DO WELL

	44 1000	
Sur. No. 2655, Apex lode	3.209	Acs.
Sur. No. 2382, Mexico lode	2.878	n
CALLSTON SAFE BUILDING A CONTRACTOR		
Total area, Colorado lode	11.686	Acs.
Area in conflict with	0.408	
Sur. No. 2379, Colorado lode	11.686	Acs.
Sur. No. 2379, Caravel lode	.0.006	nv
Sur. No. 2089, Bull Dog lode	0.086	n v
Sur. No. 2639, Bull Dog lode	0:086	" v
Sur. No. 2089, Louis lode : : : : :	3:519	m V
Sur. No. 2639, Louis lode	3.519	" X
Sur. No. 2639, Louis lode exclusive of	2,253	
its conflict with Sur. No. 2379, Cara-	0.564	
vel lode.,(:006) 6	3:513	n U
Sur. No. 2382, Colorado lode		11 /
Sur. No. 2639, Colorado No. 2 lode	2.974	nu
Sur. No. 2639, Colorado No. 2 lode ex-	1	at a
clusive of its conflict with Sur. No.		
2639, Louis lode, (2012)		
Sur. No. 2639 Colorado No. 2 lode, ex-	e/ 1999	won
clusive of its conflict with Sur. No.	The same of	
2639, Bull Dog lode (0.086)	2.888	A
Sur. No. 2639 Colorado No. 2 lode, ex-	0.000	
SOUR MONIEG TODS	0,090	n C
clusive of its conflicts with Sur. No.		
2639, Louis and Bull Dog lodes (2.098)	0.876	II e
Sur. No. 2382, Mexico lode	2.572	n V
Sur. No. 2379, Apex lode.	1.564	n 🗸
Sur. No. 2655, Apex lode	1.564	n D
Sur. No. 2655, Apex lode, exclusive of	0.093	1.0
its conflict with Sur. No. 2639, Louis		
lode, (nominal).	1.564	n X
MARKET SHOWS SHOWER BARANCE STATE OF THE STA	986	GB*

Total area, Sunset lode 18.986 Acs.	
Area in conflict with	
Sur. No. 2382, Utah lode 0.093	
Sur. No. 2382, Mexico lode 0.015	
Sur. No. 2379, Copper Wonder lode 0.020	
Sur. No. 2656, Copper Wonder lode 0.020	
Sur. No. 2656, Copper Wonder lode, ex-	
clusive of its conflict with Sur. No.	
2382, Mexico lode, (nacriinal) 0.020	
Sur. No. 2604, Spring lode 0.079	
#5390 Upil Des Jens Francisco	
electre of the conflict with Cur. no.	
Total area Monte Christo Copper lode 20.352 Acs.	
Area in conflict with	
Sur. No. 2382, Defiance lode 0.039 "	
Sur. No. 2382, Utah lode	
Sur. No. 2382, Utah lode, exclusive	
of its conflict with Sur. No. 2382	
Defience lode, (031)	
Sur. No. 2656, Sunset lode	
Sur. No. 2629, South Sun lode 2.233 "	
Sur. No. 2629, Nettie lode	
Sur. No. 2565, Lone Star lode 1.735	
Sur. No. 2382, California lode 0.512	
Sur. No. 2382, California lode, exclu-	
sive of tract enclosed within lines	
joining Cor. No. 5 - Point A. and Cor.	
No.4 California lode, Sur. No. 2382 0.402	
All location cors.were found standing in place except.	
the side center monuments to the Sun Set lode, which	
are missing.	
SHEARO, SERRY HEXTO COVIL O N	
This survey is located in unsurveyed T.1 N., R.14E.,	
G. and S.R. B. and M., Globe Mining District, Gila	
County Arizona, within Crook National Forest.Reserve.	

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim, by the claimant or its grantors, is not less than five hundred dollars; and that said improvements consist of:-

No.1

A discovery cut 4 x 4 x 2 ft.deep, the center of which, being the discovery point, is on the lode line at N. 87° 15'W. 10.9 ft.from a point on line 4-1, which is S.3° 04'W. 300.0 ft.from Cor.No.1.

No.2,

A shaft, 4 x 6 x 10 ft.deep, the center of which bears S. 80° 44'W. 671.4 ft.from Cor.No.1.

No.3,

A tunnel with cut approach thereto; the face of cut, 4 ft.wide, 14 ft.face, bears S.73° 24'E. 510.2 ft. from Cor.No.2, and runs thence S. 5° 53'W. 22 ft.to where it breaks ground. From the face of cut, a tunnel 4 x 6 ft., runs N. 5° 53'E. 78.5 ft.to face.

Value of cut and tunnel, \$500.00.

No.4,

Ho . A

ESPECIAL OF PROPERTY OF A

AS. SULE RULE

An open cut, averaging 4 ft.wide, 6 ft.deep, bears N.70° 32'E. 534.7 ft. from Cor.No.3, and runs thence S.83° 30'E. 40 ft.

Value of cut, \$200.00.

No.5,

An open cut, averaging 6 ft.wide, 8 ft.deep, bears N.79° 18'E. 617.5 ft.from Cor.No.3, and runs thence N.78° 29'E. 50 ft.

No.6,

An open cut, averaging 6 ft.wide, 8 ft.deep, bears N.79° 13'E. 686.5 ft.from Cor.No.3, and runs thence N. 78° 29'E. 56 ft.

Value of cut,\$400.00.

No.7,

An incline shaft and drift; the center of the incline shaft, 4 x 6 ft., bears N.76 10'E. 571.9 ft. from Cor.No.3, and runs thence S. 34° 30'E. 33 ft. to bottom, on a dip of 45. Beginning at the bottom of incline shaft is a drift, 4 x 6 ft., running thence S. 34° 30'E. 15 ft.to face.

Value of incline shaft and drift, \$400.00.

No.8,

The Joe Bush shaft, $6\frac{1}{2} \times 10\frac{1}{2}$ ft., 250 ft. deep, double compartment, in rock and well timbered. The center of the west compartment of shaft bears S. 80° 00' W. 785.5 ft. from Cor. No., 1 Joe Bush lode. Course of long side is N. 50° E., Value, \$7,500.00, Value of one-eighth interest, \$937.50 The above described improvement was made for the

The above described improvement was made for the benefit of the lodes embraced in this survey, and for the Apex and Fraction lodes, Sur. No. 2655, and an undivided one-eighth interest in said shaft is credited. to each of said lodes. This shaft tends to the development of these lodes, inasmuch as drifts run from the bottom of same will intersect at depth the veins of said lodes, and it is a most economical and practical method Note:

[for their development.]

An undivided one-sixteenth interest in the Woodson designated as Tunnel Na3 on the Americas lode, Sur. Na. 2379,
Tunnel, with its various crosscuts, drifts, and winzes,
is credited to this lode, the details of which are returned in my Supplemental Report of Improvements to
Sur.No.2379. The mouth of tunnel bears N.87° 47'W.
3063.2 ft.from Cor.No.2.

Value of tunnel, crosscuts, drifts and

THE WHAT IN TERPORTE

PINTO LODE:

No.1, Discovery point, on a mineralized outcrop of rock in place, bears N.72° 27'W. 1.5 ft.from the East End Center.

A sub 4 x 6 1 3 15. door, the femiles of Click

A cut 4 x 6 x 4 ft.deep, the center of which bears No.2, S.2°07'E. 259.7 ft.from Cor.No.2.

Value of cut,\$25.00.

A tunnel with cut approach thereto, the face of cut 5 ft.wide, 11 ft.face, bears S.34° 34'E. 387.3 ft. from Cor. No. 2, and runs thence S. 69°30'E. 25.0 ft. to where it breaks ground. From the face of cut a tunnel 4 x 6 ft.runs N.69° 30'W. 9.5 ft.to face.

Value of cut and tunnel,\$75.00.

A tunnel, with cut approach thereto, and a drift; the face of cut, 4 ft. wide, 11 ft. face, bears S.64° 49 E. 695.0 ft.from Cor. No. 2, and runs thence N. 53° 30'W. 25.0 ft. to where it breaks ground. From the face of cut a tunnel 4 x 6 ft., 35 ft.long, runs S.30°30'E.16 ft.to point "A"; thence S.49°30'W. 19 ft.to face.From point "A" a drift 4 x 6 ft. runs east 5.0 ft.to face.

Value of cut, tunnel, and drift, .. \$250.00.

A cut, 5 ft.wide, 9 ft.face, the face of which bears S.63°42'E. 731.3 ft.from Cor.No.2, and runs thence N.43°30'W.22.5 ft.to where it breaks ground. Walue of cut,\$40.00.

A shaft 5 x 7 x 10 ft.deep, the center of which bears S. 56°53'E. 446.5 ft.from Cor.No.2.

Value of shaft,\$100.00.

A tunnel with cut approach thereto, the face of cut 4 ft.wide, 10 ft.face, bears S.85° 39'W. 903.7 ft. from Cor. No.1, and runs thence S.26° 00'W. 16 ft.to where it breaks ground. From the face of cut a tunnel 4 x 6 ft., 85 ft.long, runs N.26°00'E. 44 ft.to a point, thence N.59° 00'E. 41 ft.to face.

No.4,

No.3.

No.5.

No.6,

No.7,

ten survey notsada.

Int, theore, A.59, go T. dl. It, to chos.

Value of cut and tunnel,\$550.00.

Note:

An undivided one-eighth interest in the Joe Bush shaft No.8 on the Joe Bush lode, Shaft, is credited to this lode, the details of which are returned in my Supplemental Report of Improvements to Survey No.2379.

a see to meaning them who were of the eminar

Value of shaft,\$7,500.00.

Value of one-eighth interest, \$937.50.

Note:

An undivided one-sixteenth interest in the Woodson delighting.

Tunnel, with its various crosscuts, drifts, and winzes, is credited to this lode, the details of which are returned in my Supplemental Report of Improvements to Survey No.2379.

Value of tunnel, crosscuts, drifts & winzes. \$17,456.00.

Value of one-sixteenth interest, \$1,091.00.

No.1,

A discovery tunnel with cut approach thereto, the face of cut, 4 ft.wide, 15 ft.face, bears N.47° 03'W., 436.5 ft.from Cor.No.4, and runs thence S.9°00'W. 16 ft. to where it breaks ground. From the face of cut a tunnel 4 x 6 ft.runs N.9°00'E. 38 ft.to face.

Value of cut and tunnel,\$250.00.

No.2,

A tunnel with cut approach there to, the face of cut 4 ft.wide, 10 ft.face, bears N.49°00'W. 252.2 ft. from Cor.No.4, and runs thence N.80° 15'E. 10.5 ft.to-where it breaks ground. From the face of cut a tunnel 4 x 6 ft. runs S.80° 15'W. 7.5 ft.to face......

· Value of cut and tunnel, \$60.00.

Mote: in the Joe Bush An undivided one-eighth interest in the Joe Bush Shaft is credited to this lode, the details of which

are returned in my Supplemental Report of Improvements to Sur. No. 2379.

Value of out and purned, Asocion.

Note: Total and the second product of the second

An undivided one-sixteenth interest in the Woodson Tunnel, with its various crosscuts, drifts, and winzes, is credited to this lode, the details of which are returned in my Supplemental Report of Improvements to Sur.No.2379.

No.1,

A discovery tunnel with cut approach thereto; the mounth of cut, where it breaks cover, being the discovery point, is on the lode line at S.75°13'W. 238.1 ft.from the East End Center location corner, which is S.3°04'W. 300.0 ft.from Cor.No.1. The cut, 5 ft.wide, 10 ft.face, runs S.77°40'E. 12 ft.to the face; whence a tunnel 5 x 6 ft. runs S.77°40'E. 26.5 ft.to face.

Value of cut and tunnel,\$150.00.

Mota.

An undivided one-eighth interest in the Joe Bush Shaft is credited to this lode, the details of which are returned in my Supplemental Report of Improvements to Survey No.2379.

Note:

An undivided one-sixteenth interest in the Woodson Tunnel with its various crosscuts, drifts, and winzes is credited to this lode, the details of which are re-

turned in my Supplemental Report of Improvements to Survey No.2379.

to the large we derive total transfer of the process of

secure further and notes

Value of tunnel, crosscuts, drifts, and

winzes,\$17,456.00.

AT BUT TO THE THE PROPERTY OF THE TOP BURN.

Value of one-sixteenth interest,\$1,091.00.

SUNSET LODE:

WORE:

No.1,

Discovery point, on a mineralized outcrop of rock in place, bears S.87°22'E. 308.2 ft.from the West End Center.

No.2,

A tunnel with cut approach thereto, and two drifts. The face of cut, 4 ft.wide, 10 ft.face, bears S.43°

32'E. 396.1 ft.from Cor.No.4, and runs thence N.89 51'

E.32 ft. to where it breaks ground. From the face of cut a tunnel 4 x 6 ft. 141.7 ft. long, runs S.89 51'

W.11.8 ft. to a point "B";

Thence N.1°50'W.24.8 ft.to a point;

Thence N.39°50'W. 27.8 ft.to a point;

There e N.79° 38'W. 59.8 ft.to a point;

Thence S.87°30'W. 17.5 ft. to face.

From point "B" a drift 4 x 6 ft., 40 ft.long runs S.

89 05'W.17.5 ft.to a point; thence N.37° 00'W. 22.5

ft.to face. At a point N.1°50'W. 14 ft.from point "B"

a drift runs N.69°30'W. 16 ft.to face.

Value of cut, tunnel and drifts,\$1,000.00.

No.3.

A tunnel with cut approach thereto; the face of cut 4 ft.wide, 12 ft.face, bears S.66° 11'E. 432.3 ft. from Cor.No.4, and runs thence S.81°27'W. 18 ft.to . where it breaks ground. From the face of cut a tunnel 4 x 6 ft., runs N.81°27'E. 36.5 ft.to face.

Value of cut and tunnel, \$200.00.

Note:

An undivided one-eighthinterest in the Joe Bush

Salet head on the load as .

Shaft is credited to this lode, the details of which are returned inthy Supplemental Report of Improvements to Sur.No.2379.

Value of shaft,\$7,500.00.

Value of one-eighth interest, \$937.50.

THE STREET SERVICE STREET

MONTE CHRISTO COPPER LODE:

god a from "The" but of

No.1 Discovery point, on a mineralized outcrop of rock in place, bears S.6° 31'E. 556.6 ft.from the North End Center.

No.2, A shaft 4 x 6 x 7 ft.deep, the center of which bears N.2°36'W. 115.5 ft.from Cor.No.5.

Value of shaft,\$50.00.

A shaft 4 x 6 x 10 ft.deep, the center of which bears S.68°58'E. 241.5 ft.from Cor.No.6.

Value of shaft, \$75.00.

A cut 4 ft.wide, 14 ft.fæe, the face of which bears N.86° 21'E. 373.7 ft.from Cor.No.6, and runs thence S.81° 30'W. 17 ft.to where it breaks ground.

Value of cut,\$35.00

A tunnel with cut approach thereto, the face of cut 4 ft.wide, 12 ft.face, bears N.79°00'E. 292.7 ft. from Cor.No.6, and runs thence N.87° 30'E. 20 ft. to where it breaks ground. From the face of cut a tunnel 4 x 6 ft., runs S.87°30'W. 10 ft.to face.

Value of cut and tunnel,.....\$75.00.

An undivided one-eighth interest in the Joe Bush Shaft is credited to this lode, the details of which are returned in my Supplemental Report of Improvements to Sur.No.2379.

Value of shaft, \$7,500.00.

Value of one-eighth interest, \$937.50.

No.3,

AGA .

No.4,

No.5,

to die . To . Esta

20121

10.17

INSTRUMENT.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian, as determined by direct solar observations, the details of which are returned herein. The distances were measured with two 300-ft.steel tapes.

About it health ground. From the thre of our & thankel

REPORT.

The section corner common to secs.19 and 30 on the west boundary of T. 1 N., R. 15 E., G. and S.R.B. and M., is a conglomerate stone 6 x 10 ins., extending 8 ins.above the ground, and is marked with 4 nicks on the north edge and two nicks on the south edge. A mound of stone alongside.

Sur. No. 2089, Louis and Bull Dog lodes:

or a alitable by a common and

All the corners of the Louis lode and Cor. Nos.1,

2, and 4 Bull Dog lode, are pine posts properly set

and scribed with the number of the corner and the survey.

Sur. No. 2639, Louis and Bull Dog lodes:

All the corners of the Louis lode and Cor. Nos.1, 2, and 4 Bull Dog lode are pine posts properly set and scribed with the number of the corner and the survey.

nraconald bouth on a single ray severation of sloke

Sur .No.2382, Colorado lode:

Cors.Nos.1,2, and 4 are pine posts, properly set and scribed with the number of the corner and survey.

Sur. No. 2639. Colorado No. 2 lode:

Cors. Nos. 1,2, and 4 are pine posts, properly set and scribed with the number of the corner and survey.

Sur. No. 2382. Mexico and Utah lodes:

All the corners are pine posts, properly set and

scribed with the number of the corner and the survey.

Sur. No. 2382, Defience and California lodes.

Cors. Nos. 1,2, and 4 Defience lode and Cors. Nos. 1,3, and 4 California lode are pine posts, properly set and scribed with the number of the corner and the survey.

Sur. No. 2565, Dewey and Lone Star lodes.

Cor. Nos 3 and 4 Dewey lode, and Cor. Nos. 2,3, and 4 Lone Star lode are pine posts, properly set and scribed with the number of the corner and the survey.

Sur. No. 2629, South Sun and Nettie lodes.

All the corners of the South Sun lode, and Cors.

Nos. 2,3, and 4 Nettie lode are pine posts properly

set and scribed with the number of the corner and the

survey.

Sur. No. 2604, Spring and Jennie lodes.

Cor. Nos 2,3, and 4 Spring lode and Cor. Nos. 2 and 3 Jennie lode are pine posts properly set and scribed with the number of the corner and the survey.

Sur. No. 2373, Captain lode.

cors. Nos 2,3, and 4 are pine posts properly set and scribed with the number of the corner and the survey.

Sur. No. 2507, Red Rock lode.

Cors. Nos. 2,3, and 4 are pine posts properly set and scribed with the number of the corner and the survey.

Sur. No. 2339, St. John's Fraction lode.

Cors. Nos. 2,3, and 4 are pine posts properly set and scribed with the number of the corner and the survey.

Sur. No. 2538, Hot Center lode.

BH LASS.

Cors. Nos. 1,2, and 4, are pine posts properly set and scribed with the number of the corner and the survey.

Sur. No. 2379, Joe Bush, Pinto, Copper Wonder, and Colorado lodes.

All the corners are pine posts properly set and scribed with the number of the corner and the survey.

Sur. No. 2379, Contention and Contention Extension lodes.

cors. Nos 1 and 2 Contention lode, and Cors. Nos.1, and 2 Contention Extension lode are pine posts properly set and scribed with the number of the corner and the survey.

Sur. No. 2379, Apex, Fraction, and Caravel lodes.

All the corners Apex and Fraction lodes, and Cors.

Nos. 3 and 4 Caravel lode, are pine posts, properly

set and scribed with the number of the corner and the

survey.

Sur. No. 2655, Apex and Fraction lodes.

Mar. Mo. Shop, Further and Labe Chas Ladas.

All the corners are pine posts properly set and scribed with the number of the corner and the survey.

1,5, and & Shifornia Lode are pine posts, property set and seribed with the number of the corner and the survey.

Enr. Mo. ESSE, Dell'unce and Delifornia lodes.

negibed with the number of the corner and the survey.

PRINCE NO STREET

77" 17'W, 1497,7 ft, instead of X, 72' 17'W, 1500.0

ERRORS.

I find line 1-2 Joe Bush lode Sur. No. 2379 to be N. 87° 15'W. 1496.6 ft. instead of N.87° 15'W. 1500.0 ft.

Line 2-3 and 1-4 Joe Bush and Copper Wonder lodes
Sur. No. 2379 to be S. 3° 04'W. 600.0 ft. instead of
S. 3° 10'W. 599.1 ft.

Line 3-4 Joe Bush lode Sur. No. 2379 to be S. 87° 22'E. 1495.6 ft. instead of S. 87° 18'E. 1500.0 ft.

Line 4-1 Joe Bush lode Sur. No. 2379 to be N. 3°

10'E. 597.1 ft. instead of N. 3° 10'E. 597.8 ft.

Line 1-2 Pinto lode Sur. No. 2379 to be N. 72° 18'

W. 1488.5 ft. instead of N. 72° 20'W. 1488.6 ft.

Line 2-3 Pinto lode, Sur. No. 2379 to be S.10° 13'W.

603.9 ft. instead of S. 10° 09'W. 604.6 ft.

Line 3-4 Pinto lode, Sur. No. 2379 to be S. 72° 30'

E. 1487.8 ft instead of S. 72° 32'E. 1487.8 ft.

Line 4-1 Pinto lode Sur. No. 2379 to be N. 10° 13'E.

598.6 ft. instead of N. 10° 09' E. 599.4 ft.

Line 1-2 Copper Wonder lode Sur. No. 2379 to be N.

88° 21'W. 1253.9 ft. instead of N. 88° 18'W. 1250.3 ft.

Line 2-3 and 4-1 Copper Wonder and Colorado lodes,

Sur. No. 2379 to be S. 3° 04' W.592.7 ft. instead of S. 3° 10'W. 594.3 ft.

Line 3-4 Copper Wonder lode Sur. No. 2379 to be S. 88° Ol'E. 1253.7 ft. instead of S. 88° O5'E. 1250.2

Line 1-2 Colorado lode Sur. No. 2379 to be S. 75°

47'W. 952.1 ft. instead of S. 75° 54'W. 954.38 ft.

Line 2-3 Colorado lode Sur. No. 2379 to be S. 3°

04'W. 527.2 ft. instead of S. 3° 10'W. 530.62 ft.

Line 3-4 Colorado lode Sur. No. 2379 to be N. 79°

37' E. 934.7 ft instead of N. 79° 37'E. 937.49 ft.

Line 4-1 Fraction lode Sur. No. 2379 to be N. 10° 13'E. instead of N. 10° 09'E.

Line 3-4 Fraction lode Sur. No. 2379 to be N. 82°

., 954, 7 Pt lightend of T. Tor STAR, 987,40 Pt.

36'E. 1032.5 ft. instead of N. 82° 47'E. 1033.00 ft.

Line 2-3 and 1-4 Fraction and Apex lodes Sur. No. 2379 to be S. 10° 13'W. instead of S. 10° 09'W.

Line 3-4 Apex lode, Sur. No. 2379 to be S. 89° 36'

E. 1478.5 ft.instead of S. 89° 36'E. 1480.5 ft.

Line 1-2 Contention Extension lode Sur. No. 2379 to be S. 79° 37' W. 249.8 ft. instead of S. 79° 37' W. 251.09 ft.

Line 1-2 Louis lode Sur. No. 2089 to be S. 33° 03'
W. instead of S. 33° 02'W.

Line 2-3 Louis lode Sur. No. 2089 to be N. 54° 33'

W. instead of N. 54° 35'W.

PAR.

IS'E. Instern of M. To" OS'R

Line 4-1 Louis lode Sur. No. 2089 to be S. 48° 08'

E. instead of S. 48° 18'E.

Line 1-2 Bull Dog lode Sur. No. 2089 to be N. 54°

Es. 2579 to be N. 10° 13'R

33' W. instead of N. 54° 35'W.

Line 4-1 Bull Dog lode Sur. No. 2089 to be N. 34° 55'E. instead of N. 34° 53'E.

Line 1-2 Mexico lode Sur. No. 2382 to be S. 0° 26'

W. 569.2 ft. instead of S. 0° 26' W. 570.0 ft.

Line 4-1 Mexico lode Sur. No. 2382 to be S. 86° 06 E.

1369.6 ft. instead of S. 86° 06'E. 1371.4 ft.

Line 1-2 Utah lode Sur. No. 2382 to be S. 30° 46'

W. 458.8 ft. instead of S. 30° 46'W. 459.7 ft.

Line 4-1 California lode Sur. No. 2382 to be N.

33° 07'W. instead of N. 33° 03'W.

Line 3-4 California lode Sur. No. 2382 to be N. 88° 38'E. instead of N. 88° 41' E.

Line 2-3 South Sun lode Sur. No. 2629 to be N. 37° 20'W. 799.1 ft. instead of N. 37° 20'W. 800.0 ft.

Line 1-2 Hot Center lode Sur. No. 2538 to be N. 72° 17'W. 1497.7 ft. instead of N. 72° 17'W. 1500.0 ft.

TA MO SPRY'

ERRORS. -Continued.

I find the Sec. Cor. connection to the Sec.Cor. common to Secs-19 and 30 on the West boundary of T. 1 N., R. 15 E. G. and S.R. B. and M. from Cor. No. 1 Joe Bush lode Sur. No. 2379 to be N. 81° 16'E. 1838.0 ft. instead of N. 81° 17'E. 1837.89 ft.

I find the Sec. Cor. connection to the Sec. Cor. common to Secs. 19 and 30, on the West boundary of T. 1 N. R. 15 E. G. & S.R. B. and M. from Cor. No. 1 Pinto lode, Sur. No. 2379 to be N. 85° 53'E. 1268.6 ft. instead of N. 85° 55'E. 1269.0 ft.

I find the Sec. Cor. connection to the Sec. Cor. common to Secs. 19 and 30, on the West boundary of T.

1 N. R. 15 E., G. & S.R. B. and M. from Cor. No. 1

Copper Wonder lode, Sur. No. 2379 to be N. 86° 25'E.

3317.1 ft. instead of N. 86° 26'E. 3321.38 ft.

I find the Sec. Cor. connection to the Sec. Cor. common to Secs. 19 and 30, on the West boundary of T. 1 N. R. 15 E., G. & S.R. B. and M. from Cor. No. 1 Colorado lode, Sur. No. 2379 to be N.87° 51'E. 4567.2 ft. instead of N. 87° 52'E. 4567.84 ft.

Adjoining Claims.

North: Caravel, Apex and Fraction lodes, Sur. No. 2379, Apex and Fraction lodes, Sur. No. 2655, claimant herein, Hot Center lode, Sur. No. 2538, Miami Copper Co., claimant.

East: St.Johns Fraction lode, Sur.No.2339, Miami Copper Co., claimant, Red Rock lode, Sur.No.2507, Captain lode, Sur.No.2373, Jennie lode, Sur.No.2604, Daniel D. Sullivan, claimant, South Sun and Nettie lodes, Sur. No. 2629, Daniel D. Sullivan, claimant.

South: Spring lode, Sur. No. 2604, Daniel D. Sullivan, claiment, Lone Star and Dewey lodes, Sur. No. 2565, Keystone Copper Co., claimant, Contention and Contention Extension lodes, Sur. No. 2379, claimant herein.

West: California, Defience, Utah and Mexico lodes, Sur. No. 2382, claimant herein. Louis, Colorado No. 2 and Bull Dog lodes, Sur. No. 2639, Bull Dog and Louis lodes, Sur. No. 2089, Colorado lode, Sur. No. 2382, claimant herein.

The Colorado, Copper wonder, Joe Bush and Pinto lodes cover practically the same ground covered by the claims of those names embraced in Mineral Sur. No. 2379, claimant herein.

DETERMINATION OF MERIDIAN.

The true meridian to which all courses herein given are referred, was determined by an observation on the sun, taken from Cor. No. 4 Sunset lode, this survey, on May 18,1909 at 8;35 A.M., Mountain Standard time.

From these data the true course to sun is calculated to be S. 89° Ol' E., from which I turn Right 1° 39' along line 4-1 Sunset lode, this survey, determining its true course to be S. 87° 22'E.

The latitude was determined by an observation made in survey of Survey No. 2639 Bull Dog, Louis, Bull Pup, and Colorado No. 2 lodes, and the notes of the determination thereof accompany the field notes of said survey.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Nank and accessor
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of Inspiration
Copper Company Known as the Joe Bush, Pinto, Copper Winder's Lopper Sodes.
MARINE AN NO Colorado, Sunsel and Monte Christo Copper Lodes
and showing the respective capacities in which they acted.
W. P. Hull, Chainman.
1. P. Hull , Chainman. Jas Murray , Chainman. J. Jonkens , Axman.
J. Jomkens Arman
· Flagman.
FINAL OATHS OF ASSISTANTS.
we, W. P. Hull, Jas, Murray and J. Somkins, do solemnly swear that we assisted Thank
and Jomkens, do solemnly swear that we assisted Trank
United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Inspiration Copper Company
the boundaries of the mining claim of Inspiration Copper Company Known as the Joe Bush, Pinto, Copper Wonder, Colorado, Junset
manualle and Monte Christo Copper Jodes.
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
Parama
furnished by the United States Surveyor-General for W.P. Mull, Chainman.
Jas Murray, Chainman. 9 Tomboho, Axman.
Jonnesho , Axman.
Flagman.
Subscribed and sworn to by the above-named persons before me this
day of May , 1909
The Reference
Commission Expuris Jan 21 1910
// / / / / / / / / / / / / / / / / / /

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Nank/ Anderson, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for ANDITA
May 14th , 1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Inspiration Copper Company
Claim of Inspiration Copper Company Known as the Joe Bush, Pinto, Copper Wonder, worm as the Colorado, Sunset and Monte Christo Copper Sodes,
Colorado, Gunset and Monte Christo Copper Sodes,
situate in Globe Mining District, Gla County, Anzona, in Section
Sua County, Ungona, in Section
approx., Township No. 1.N., Range No. 14E Unsurveyed,
and designated as Survey No. 2656, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant orgrantors
are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
of expenditures upon unity could contain a second contains a secon
Frank Anderson
U. S. Mineral Surveyor.
4
Subscribed and sworn to by the said Trank (Inderson
U. S. Mineral Surveyor, before me
this 19"
U. S. Mineral Surveyor, before me this day of May 1909 nums son Spiris lan 21. 1910. Storget Acce Moral Public m and for Scial and
man The Sand and Manage & Alico
women cypeus fund 1. 1410. Le ffrige Of the
6-1044 / Way Kubles mant
for delalounly

AMENDED NOTICE OF MINING LOCATION LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Joe Bush Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Inspiration Mining Company a corporation organized under the laws of the Territory of Arizona the undersigned, on the eleventh day of March 1907.

The length of this claim is 1500 feet, and we claim 1500 feet in a westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The course of the lode deposit and premises is from the east to the west. The general

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about nine in a westerly direction from Globe and approximately in T. 1 N.R. 15 E.G and S.R.B and M. The west extension is the Copper Wonder, same owner. This is a relocation of the Homestake mining claim and is relocated wholly as forfeited and abandoned property.

The surface boundaries of the claim are marked upon the ground as ws: Beginning at the discovery monument (at which this notice is posted) being the center of the East end line of said claim, thence N.3°10'E. 300 feet to a Post, being the N. E. corner of said claim, thence N.87°19'W. 1500 feet to a Post, being at the N. W. corner of said claim; thence S.3°10'W.300 feet to a Post at the center of the west end of said claim; thence S.3°10'W.

300 feet to a Post, being at the S.W. corner of said claim, Thence S.87°19'E.
1500 feet to a Post at the S.E. corner of said claim; thence N.3°10'E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Rrvised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Joe Bush Mining Claim, located by John Collins and Flavio Hayward on the first day of January 1905, and recorded in Book 10 of Records of Mines, at page 168, in the office of the . County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended location notice is made and Posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 11th day of March 1907.

Inspiration Mining Company By J. D. Coplen Manager

Filed and recorded at the request of Geo. R. Hill on the 11 day of March A.D. 1907 at 50 minutes past 3 o'clock P. M.

E. T. Stewart County Recorder. By Belle Maldonado Deputy Recorder.

TERRITORY OF ARIZONA,	
COUNTY OF GILA	SS.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "Joe Bush" Mining Claim, as the same appears of record in my office in Book 8, Records of Mines, ; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof. Given under my hand and seal of office this ----day of

April A. D. 190 9

E. J. Stewart.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Pinto Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Inspiration Mining Company, a corporation, organized under the laws of the Territory of Arizona, the undersigned, on the 22nd day of December, 1906..

The length of this claim is 1491 feet, and it claims 1491 feet in a Westerly direction and ---feet-in-a--- direction from the center of the discovery shaft monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general, course of the lode deposit and premises is from the East to

the West.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 9 miles in a Westerly direction from Globe and approximately in T.1, N.R.14 E.. G.&.S.R.B.& M. and is bounded on the West by the Fraction and on the

South by the Hometake.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at e---at-a-point-in-a----direction feet-from the discovery shaft monument (at which this notice is posted); being in the center of the east end line of said claim; Thence N. 10° 09' E. 300 feet to a Post, being the N.E. corner of said claim; thence N. 72° 28' W. 1492 feet to a Post, being at the N.W. corner of said claim; thence S. 10° 09' W. 303 feet to a Post at the center of the West end of said claim; thence S. 10° 09' W. at the center of the West end of said claim; thence S. 10° 09' W.
303 feet to a Post, being at the S.W. corner of said claim; thence
S. 72° 42' E. 1490 feet to a Post at the S.E. corner of said claim;
thence N. 10° 09' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII,
of the pevised Statutes of the United States, and of an Act of the
General Assembly of Arizona, entitled "An Act to pevise and Codify the
Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Pinto Mining Claim,
located by W.H.Beard and W.J.Brunson on the 1st day of January, 1893,
and recorded in Book 4 of Records of Mines. at page - - in the office

and recorded in Book 4 of Records of Mines, at page - - in the office of the County Recorder of the aforesaid County of Gila todwhich reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

nated and posted on the ground this 22nd day of December, 1906.

The Inspiration Mining Company, by J.D.Coplen, Manager.

Filed and recorded at the request of Gec.R.Hill, on the 24 day of December, A.D.1906 at - - minutes-past 11 o'clock A.M.

W.D.Fisk, County Recorder, By Richard Fleming, Deputy Recorder.

TERRITORY OF ARIZONA,	1
COUNTY OF GILA	ss.

COUNTY OF GILA Ss.
I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of
the "PINTO" Mining Claim,
as the same appears of record in my office in Book 12, Records of Mines,
at page; that I have compared the same with the original record, and that the same is a true transcript
and of the whole thereof.
Given under my hand and seal of office this 24th. day of
April A. D. 190 9
A. D. 190

County Recorder, Gila County, A. T.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Copper Wonder Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Inspiration Mining Company a corporation organized under the laws of the Territory of Arizona, the undersigned, on the 22nd day of December, 1906.

The length of this claim is 1242 feet, and it claims 345 feet in a Easterly direction and 897 feet, in a Westerly direction from the center of the discovery monument shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general, course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Globe Mining District in Gila County, in the Territory of Arizona, about 9 miles in a --direction from Globe approximately in T.1 N.R.14 E. G.&.S.R.B.& M., the East extension is the Home Stake and the West extension is the Colorado. same owner.

Colorado, same owner.

The surface boundaries of the claim are marked upon the The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a Easterly direction 345 feet from the discovery shaft monument, (at which this notice is posted), being in the center of the Fast end line of said claim; Thence N. 3° 10' E. 300 feet to a Post, being the N.E. corner of said claim; thence N. 88° 24' W. 1242 feet to a Post, being at the N.W. corner of said claim; thence S. 3° 10' W. 300 feet to a Post at the center of the West end of said claim; thence S 3° 10' W. feet to a Post, being at the S.W. corner of said claim; thence S. 88° 24' E. 1242 feet to a Post at the South East corner of said claim; thence N. 3° 10' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six. of Title XXXII.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to pevise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Wonder

Mining claim, located by Mrs. Lyman C. Woods, on the 7 day of March, 1903, and recorded in Book 9 of Records of Mines, at page 82, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

nated and posted on the ground this 22nd day of December, 1906.

The Inspiration Mining Company, By J.D. Coplen, Manager.

Filed and recorded at the request of Geo.R.Hill, on the 24 day of December, A.D.1906, at minutes-past 11 o'clock A.M.

> W.D. Fisk, County Recorder, by Richard Fleming, Deputy Recorder.

TERRITORY OF ARIZONA, COUNTY OF GILA	1
COUNTY OF GILA	SS.

COUNTY OF GILA
I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of
the "COPPER WONDER" Mining Claim,
as the same appears of record in my office in Book 12, Records of Mines,
at page; that I have compared the same with the original record, and that the same is a true transcript
and of the whole thereof.
Given under my hand and seal of office thisday of

April A. D. 1909 •

Ed Stewart County Recorder, Gila County, A. T.

NOTICE OF MIN ING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Colorado Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Inspiration

Mining Company, a corporation organized under the laws of the Territory of Arizona, the undersigned, on the 22nd day of December, 1906.

The length of this claim is 1500 feet, and it claims 254 feet, in a Easterly direction and 1246 feet, in a Westerly direction from the center of the discovery chaft manuscript at Thick this contact. center of the discovery shaft monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and ocated in the Globe Mining District, in Gile County in the Marritany of Arizona shout of miles in West.

in Gila County, in the Territory of Arizona, about 95 miles in a Westerly direction from Globe and approximately in T.1 N.R.14 E. G.& S.R.B.& M.; the mast extension is the Copper Wonder and same owner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at - - at a point in a Easterly direction ground as follows: Beginning at - - at a point in a Easterly direction 254 feet from the discovery shaft monument, (at which this notice is posted), being in the center of the Fast end line of said claim; Thence N. 3° 10' E. 300 feet to a Post being the N.E. corner of said claim; thence S. 79° 25' W. 1500 feet to a Post, being at the N.W. corner of said claim; thence S. 3° 10' W. 300 feet to a Post at the center of the West end of said claim; thence S. 3° 10' W. __ feet to a post, being at the S.W. corner of said claim; thence N. 79° 25' E. 1500 feet to a Post at the S.E. corner of said claim; thence N. 3° 10' E. 300 feet to the place of beginning. the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII,

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1900.

This is an Amended Location Notice of the Colorado Mining claim, located by W.H.Woodson and H.E.Wiley, on the 22 day of April, 1903, and recorded in Book 9 of Records of Mines at page 137 in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. tion Notice.

Dated and posted on the ground this 22nd day of December, 1906.

The Inspiration Mining Company, by J.D.Coplen, Manager.

Filed and recorded at the request of Geo.R.Hill on the 24 day of December, A.D.1906, at - - minutes-pest 11 o'clock A:M.

> W.D.Fisk, County Recorder, by Richard Fleming, Deputy Recorder.

> > County Recorder, Gila County, A. T.

TERRITORY OF ARIZONA, COUNTY OF GILA)
COUNTY OF GILA	Ss.

COUNTY OF GILA ss.
I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of
the "COLORADO" Mining Claim,
as the same appears of record in my office in Book 12, Records of Mines,
at page; that I have compared the same with the original record, and that the same is a true transcript
and of the whole thereof.
Given under my hand and seal of office thisday of
April A. D. 190. 9

NOTICE IS HEREBY GIVEN that the Sunset Mining Claim, containing mineral-bearing quartz, earth or rock in place, located by Lyman C. Woods on this 18th day of November 1896, has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode, deposit, or premises, is Northwest and S. East. This claim is situated in Globe Mining District, Gila County, Territory of Arizona, about 6 1/2 miles in a Westerly direction from Globe and South of Homestake Mine (adjoining it), about 1/2 Mile N. East of Oak Spring.

This claim is bounded and marked as follows, to wit: Beginning at the West center end post or monument, being 300 feet West from of the center of discovery shaftupon which the notice is pested; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in a Easterly direction to a post or monument at the center of the South side line of claim; thence 750 feet in a Easterly direction to a post or monument; thence 300 feet in a Northerly direction to a post or monument, being the center end post or monument of East end of claim and 1200 feet East from the center of discovery haft; thence 300 feet in a Northerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument, being the center of the North side line of claim; thence 750 feet in a Westerly direction to a post or monument; thence of beginning.

Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

Witness:

H. Higdon

Lyman C. Woods

Locators.

Filed and recorded at the request of John White at-minutes-past 1 o'clock P. M., Jan. 30, A.D., 1897.

G. M. Allison County Recorder.

TERRITORY	OF	ARIZONA,	1
COUNTY	OF	GILA	SS.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Location Notice of the "SUNSET" Mining Claim,

as the same appears of record in my office in Book 6, Records of Mines,

at page 110 ; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 24th day of

April A. D. 190. 9

E. C. Akew and County Recorder, Gila County, A. T.

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS, That INSPIRA) TION COPPER COMPANY, a corporation, the undersigned, a citizen of the United States, has this 11th day of May, 1909 amended, located and claimed and by these presents does amend, locate and claim by right of discovery and amended location, in compliance with the mining acts of Congress approved May 10, 1872, and all subsequent acts, and the Laws of Arizona, and with local customs, laws and regulations, fifteen hundred (1500) linear feet, horizontal measurement, on the MONTE CHRISTO COPPER lode claim, yein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with three hundred (300) feet on each side of the middle of said vein at the surface so far as can be determined from p present developments, and all veins, lodes and ledges or deposits and surface ground within the lines of said claim; said vein running 557 feet N. 6° 30' W. from the center of discovery cut at which this notice is posted, and 790 feet S. 29° 45' E., and thence S. 153 feet to the south end of claim, said claim being situate in Globe Mining District in Gila County, Arizona Territory, about six miles west of the Old Dominion Smelter and is bounded on the north by the Sun Set lede claim, and the surface boundaries whereof are more particularly described as follows:

Beginning at the north center each, being 557 feet
N. 6° 30' W. from the center of discovery shaft; thence
N. 88° 41' E. 300 Feet to Cor. No. 1; thence S. 6° 30' E.
468 feet to Cor. No. 2; thence S. 29° 45' E. 727 feet to
Cor. No. 3; thence south 297 feet to Cor. No. 4; whence

Cor. No. 4 Dewey Lode, Survey No. 2565, beard N. 88° 41' E. 105 feet; thence S. 88° 41' W. 259 feet to the south end center; thence same sourse 253 feet to Cor. No. 5; thence N. 29° 45' W. 863 feet to Cor. No. 6; thence N. 6° 30' W. 646 feet to Cor. No. 7; thence N. 88° 41' E. 300 feet to the place of beginning.

This being the same lode originally located the 1st day of January, 1905, and recorded the 20th day of January, 1905, in Book 10, page 167, Records of Mines of Gila Countym Arizona territory, and the name whereof is MONTE CHRISTO COPPER. As amended notice is recorded in Records aforesaid in Book 8 at page 612

This further and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors of the original location, description or record, to secure any abandoned or overlapping claims and to secure all the benefits of Section 3238 of the Revised Statutes of the Territory of Arizona.

> Said lode was discovered January 1st, 1905, INSPIRATION COPPER COMPANY.

> > BY Mike Shooling

Filed and recorded at the request of Geo. R. Hill on the 12 day of May, A.D.1909, at 45 minutes past 11 o'clock A.M.

E. T. Stewart, County Recorder.

TERRITORY OF ARIZONA,	OF ARIZONA,	
COUNTY OF GILA	ss.	
I D m omers		

COUNTY OF GILA
I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice
of the MONTE CHRISTO Mining Claim,
as the same appears of record in my office in Book 8, Records of Mines,
at page; that I have compared the same with the original record, and that the same is a true transcript
and of the whole thereof.
Given under my hand and seal of office this 12th. day of
May A P 100 9

County Recorder Gila County A T

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,		
April 15, 1910 , 1		
I, U. S. Surveyor General for District of Arizona,		
do hereby certify that the foregoing transcript of the Field Notes, return and approval		
of the Survey of the mining claim of		
Inspiration Copper Company		
, known as the Joe Bush, Pinto, Copper Wonder, Colorado,		
Sunset, Monte Christo Copper, , situate in Globe		
Mining District, Gila County,		
, in Section Approx., Township No. 1 N.,		
Range No. 14 E., Unsur, and designated as Survey		
No. 2656 , has been correctly copied from the originals on		
file in this office; that said Field Notes furnish such an accurate description of said		
mining claim as will, if incorporated into a patent, serve fully to identify the premises,		
and that such reference is made therein to natural objects or permanent monuments as		
will perpetuate and fix the locus thereof.		
And I further certify that five hundred dollars' worth of labor has been expended		
or improvements made upon said mining claiment or its grantors, and		
that said improvements consist of 17 cuts, 10 tunnels, 4 drifts and 6		
shafts, total value \$12365, together with 4/16 interest in		
tunnel No. 3 on the Americus lode, Sur. No. 2379, (an undivided		
1/16 interest therein, value \$1091, being properly credited to each the Joe Bush, Pinto, Copper Wonder and Colorado lodes of this survey.		
Shaft No. 8 on the Joe Bush lode being a common improvement for the benefit and development of each of the six claims of this survey and the Apex and Fraction lodes, Sur. No. 2655, an undivided 1/8 interest therein, value \$937.50, is properly credited to each of said lodes.		
and that no portion of said labor or improvements has been included in the estimate of		
expenditures upon any other claim.		
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,		
Arizona is correct and in conformity with the foregoing Field Notes.		
Frank S. Ingalls,		
United States Summares Consul for Arizona.		

0 6-169

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

Pno	cenix, Arizona,	
	April 15 1010 700	
	April 15, 1910, 190	
I, U. S. Surveyor-General for District of Ar	rizona	
do hereby certify that the foregoing and hereto attached Field	Notes and Return of the Survey of the	
	rotes and itelari of the survey of the	
Mining Claim of		
Inspiration Copper Company		
Inspiration Copper C	ompany	
	, known as the	
TOT DUGIN TO THE		
JOE BUSH, PINTO, COPPER WONDER, COLORA MONTE CHRISTO COPPE	DO, SUNSET,	
MONTE CHRISTO COPPE	R.	
situate in	Mining District	
	Mining District,	
Gila County,	Arizona	
County,	ATIZOIIA	
in G. J. Ammor		
in Section Approx , Township No. 1 N.,	Range No. 14 E., Unsur.	
	57	
designated as Survey No. 269	56	
executed by Frank Anderson	U. S. Deputy Mineral	
Surveyor, May 16,-18, 1909,	100 under my instructions data	
	, under my instructions dated	
May 14 1909		
May 14, 1909 , 190 , have been cri	itically examined and the necessary cor-	
rections and explanations made, and the said Field Notes and	Return, and the Survey they describe,	
are hereby approved. A true copy of the copy of the location	on certificate filed by the applicant, for	
survey is included in the field notes.		
A STATE OF THE PARTY OF THE PAR		
Mana P	malle	
II & Sarragan	or-General for Arizona.	
C. N. Surveye	, a civol we joi	

SUPPLEMENTAL REPORT OF IMPROVEMENTS MADE UPON OR FOR THE BENEFIT OF THE CLAIMS EMBRACED IN MINERAL SURVEY NO. 2656, BETWEEN THE 10TH DAY OF APRIL, 1909, AND THE 11TH DAY OF SEPTEMBER, 1910, BY EDWIN T.STEWART, UNITED STATES MINERAL SURVEYOR.

At the request of the claimant, the Inspiration Copper Company, and acting under the authority of and at the direction of the Surveyor General for Arizona, I have examined and surveyed the Joe Bush shaft and the workings therefrom, designated as improvement No. 8 in the official returns of said Survey 2656, situated upon the Joe Bush lode, one of the claims included in said Survey 2656, the center of the west compartment of which bears S.80°-00'W. 785.5 ft. from Cor. No.1 of said Joe Bush lode, to determine the amount of and procure a detailed description of the work performed in and from said shaft during the period above set forth, having relied upon the affidavit of T.R. Drummond, Thomas Tighe, and W.C.Browning, which accompanies this report and is made a part hereof, to the effect that the work herein reported was performed between the 10th day of April. 1909 and the 11th day of September, 1910; and I do hereby certify that the the value of the labor and improvements made upon or for the benefit of the claims embraced in Mineral Survey No. 2656, between the dates hereinbefore specified, by the claimant, is not less than five hundred dollars for each of said claims, and that said improvements are correctly depicted in red on the map which accompanied this report, and consist of: Sinking said Joe Bush shaft, which is a two compartment shaft, 6.5 x 10.5 ft., timbered, a distance of 343 ft., or from a depth of 57 ft. below the collar to a depth

of 400 ft. Value \$16567.27. 274

The 300 level, (270 ft. below the collar of said shaft)
1700 ft. of tunnel, 8 x 8 ft., all timbered, value
\$34000.00; 4306 ft. of drifting and crosscutting, 5 x 7
ft., partially timbered, and 730 ft. of drifting, 6.5 x
7 ft., timbered, value \$60734.16; and 390 ft. of raising, 5 x 7 ft., timbered, value \$4305.50. Said level
being particularly described as follows:

Beginning at the center of the north side of shaft; thence north 20 ft. to Pt. 1; thence east 145 ft. to Pt. 2; thence south 255 ft. to Pt. 3; thence east 150 ft. to Pt. 4; thence east 75 ft. to Pt. 5; thence east 75 ft. to Pt. 6; thence east 150 ft. to Pt. 7; thence east 100 ft. From the north side of the drift, opposite Pt. 1, a crosscut extends north 93 ft. From a point 6 ft. east of the northeast corner of shaft a crosscut extends S.20°-00'W. 35 ft. to Pt. 15; thence south 157 ft. to face. From the north side of the drift, opposite Pt. 2, a crosscut extends north 98 ft., and, from the east side of the crosscut, opposite Pt. 2, a drift extends east 55 ft. From a point on the west side of the crosscut, opposite Pt. 3,a drift extends west 94 ft. to face, and, from the south side of the drift, opposite Pt. 3, a crosscut extends south 63 ft. to face. Commencing at the north side of the drift, opposite Pt. 4, a crosscut extends north 195 ft. to Pt. 4a; thence north 21 ft., and, commencing on the west side of the crosscut, opposite Pt. 4a, a drift extends west 145 ft. and connects with crosscut between points 2 and 3. Commencing on the east side of the crosscut, opposite Pt. 4a, a drift extends east 11 ft. Commencing on the south side of the drift, opposite Pt. 4, a crosscut south 141 ft. Commencing on the north side of the drift, opposite Pt. 5, a crosscut

extends north 19 ft., and, commencing at the south side of the drift, opposite Pt. 5, a crosscut extends south 13ft. Commencing at the north side of the drift, oppsite Pt. 6, a crosscut extends north 169 ft., and, commencing at the south side of the drift, opposite Pt. 6, a crosscut extends south 120 ft. Commencing at the north side of the drift, opposite Pt. 7, a crosscut extends north 81 ft., and, commencing at the south side of the drift, opposite Pt. 7, a crosscut extends south 56 ft. Com encing at Pt. 1, drifts and crosscut extend thence west 229 ft. to Pt. 8; thence north 146 ft. to Pt. 9; thence west 155 ft. to Pt. 10; thence west 150 ft. to Pt. 11; thence west 75 ft. to Pt. 12; thence west 75 ft. to Pt. 13; thence west 150 ft. to Pt. 14; thence west 135 ft. Commencing at the north side of the drift, opposite Pt. 10, a crosscut extends north 63 ft., and, commencing at the south side of the drift, opposite Pt. 10, a crosscut extends south 739.5 ft.; thence S.039-25' W. 1474.5 ft. to mouth of tunnel. Commencing at the north side of the drift, opposite Pt. 11, a crosscut extends north 218 ft., and commencing at the south side of the drift, opposite Pt. 11, a crosscut extends south 89 ft. Commencing at the north side of the drift, opposite Pt. 12, a crosscut extends north 8 ft. Commencing at the north side of the drift, opposite Pt. 13, a crosscut extends north 158 ft., and, commencing at the south side of the drift, opposite Pt. 13, a crosscut extends south 40 ft. Commencing at the north side of the drift, opposite Pt. 14, a crosscut extends north 20 ft., and, commencing at the south side of the drift, opposite Pt. 14, a crosscut extends south 29 ft. Commencing at the south side of the drift, opposite Pt. 8, a crosscut extends south 94 ft., and, commencing . at Pt. 8, a drift extends west 152 ft. and connects

with crosscut south 146 ft. from Pt. 10.

At a point on the east side of the crosscut, south 150 ft. from Pt. 15, is a vertical raise, 5 x 7 x 32 ft., timbered. At a point on the east side of the crosscut, north 10 ft. from Pt. 2, is a vertical raise, 5 x 7 x 92 ft., timbered. At a point on the east side of the crosscut, north 80 ft. from Pt. 2, is a vertical raise, 4 x 7 x 12 ft., timbered. At a point on the east side of the crosscut, north 200 ft. from Pt. 4, is a vertical raise, 5 x 7 x 8 ft., timbered. At a point on the east side of the crosscut, south 30 ft. from Pt. 4, is a vertical raise 5 x 7 x 2 ft., timbered. At a point on the east side of the crosscut, north 150 ft. from Pt. 6, is a raise, 5 x 7 x 11 ft., timbered. At a point on the east side of the cross cut, south 35 ft. from Pt. 6, is a raise, 5 x 7 x 9 ft., timbered. At a point on the south side of the drift,, east 30 ft. from Pt. 3, is a raise, 5 x 7 x 7 ft., timbered. At a point on the north side of the drift, east 10 ft. from Pt. 8, is a raise, 5x7x211 ft., timbered. And at a point on the east side of the crosscut, east 5 ft. from Pt. 9, is a raise, 5 x 7 x 6 ft., timbered.

The 400 level: (400 ft. below the collar of said shaft)
4668 ft. of drifting and crosscutting, 5 x 7 ft., partially timbered, value \$59190.20; and 501 ft. of raising,
5 x 7 ft., timbered, value \$6933.84. Said level being
particularly described as follows:

Beginning at the center of the north side of shaft; thence north 20 ft. to Pt. 1. And, beginning at a point 6 ft. east of the northeast corner of shaft; thence S.20°-00'W. 25 ft. to Pt. 2; thence south 90 ft. to Pt. 3; thence south 125 ft. to Pt. 4; thence south 7 ft. Commencing on the east side of the crosscut, opposite.Pt. 7

4, a drift extends east 147 ft. to Pt. 5; thence east 150 ft. to Pt. 6; thence east 75 ft. to Pt. 7; thence east 75 ft. to Pt. 8; thence east 150 ft. to Pt. 9; thence east 150 ft. to Pt. 10; thence north 75 ft. Commencing on the north side of the drift, opposite Pt. 5, a crosscut extends north 174 ft., and, commencing on the south side of the drift, opposite Pt. 5, a crosscut extends south 82 ft. Commencing on the north side of the drift, opposite Pt. 6, a crosscut extends north 29ft., and, commencing on the south side of the drift, opposite Pt. 6, a crosscut extends south 19 ft. Commencing on the north side of the drift, opposite Pt. 7, a crosscut extends north 10 ft., and commencing on the south side of the drift, opposite Pt. 7, a crosscut extends south 24 ft. Commencing on the north side of the drift, opposite Pt. 8, a crosscut extends north 134 ft., and, commencing on the south side of the drift, opposite Pt. 8, a crosscut extends south 24 ft. Commencing at a point on the north side of the the drift, opposite Pt. 9, a crosscut extends north 133 ft., and, commencing at a point on the south side of the drift, opposite Pt. 9 a crosscut extends south 62 ft. Commencing on the north side of the drift, opposite Pt. 1, a crosscut extends north 140 ft. to Pt. 18; thence north 163 ft. Commencing on the east side of the crosscut, opposite Pt. 18, a drift extends east 475 ft., and, commencing on the west side of the crosscut, opposite Pt. 18, a drift extends west 219 ft. and connects with crosscut opposite Pt. 19. Commencing again at Pt. 1, drifts and crosscuts extend thence west 75 ft. to Pt. 12; thence west 75 ft. to Pt. 13; thence west 75 ft. to Pt. 14; thence west 160 ft. to Pt. 15; thence north 145 ft. to Pt. 16; thence north 195 ft. to Pt. 17; thence north 65 ft. Commencing at a point on the north side of the drift, opposite Pt. 12, a crosscut extends north 27 ft.

and, commencing on the south side of the drift, opposite Pt. 12, a crosscut extends south 29 ft. Commencing on the south side of the drift, opposite Pt. 13, a crosscut extends south 7 ft. Commancing on the north side of the drift, opposite Pt. 14, a crosscut extends north 140 ft. to Pt. 19; thence north 50 ft. Commencing at a point on the west side of the crosscut, opposite Pt. 19, a drift extends west 14 ft. Commencing on the west side of the crosscut, opposite Pt. 15, a drift extends west 140 ft. Commencing on the west side of the crosscut, opposite Pt. 16, a drift extends west 303 ft. Commercing on the west side of the crosscut, opposite Pt. 17, a drift extends west 39 ft. Commencing at Pt. 1, a drift extends east 75 ft. to Pt. 11; thence east 45 ft. Commencing on the north side of the drift, opposite Pt. 11, a crosscut extends north 12 ft., and, com encing on the south side of drift, opposite Pt. 11, a crosscut extends south 5 ft. Commencing on the east side of drift, opposite Pt. 3, a drift extends east 17 ft., and, commencing on the west side of the crosscut, opposite Pt. 3, a drift extends west 122 ft. Commencing at a point 15 ft. east of center of east side of shaft and 15 ft. below the level, a drift, used as a sump, extends east 40 ft.

At a point on the north side of the drift, east 185 ft. from Pt. 18, is a vertical raise, 5 x 7 x 60 ft., timbered, from the top of which a drift, 5 x 7 ft., extends east 18 ft. At a point on the south side of the drift, east 40 ft. from Pt. 5, is a vertical raise, 5x7x130 ft., timbered. At a point on the north side of the drift, 10 ft. east of Pt. 14, is a vertical raise, 5 x 7 x 130 ft., timbered, from which at a distance of 60 ft. above the floor of the drift, a drift extends east 18 ft.

At a point on the north side of the drift, east 10 ft.

from Pt. 19, is a vertical raise, 5 x 7 x 130 ft., timbered. At a point on the south side of the drift, west 45 ft. from Pt. 16, is a vertical raise, 5 x 7 x 51 ft., timbered.

It appearing that the Joe Bush, Copper Wonder, Pinto, Sunset, Monte Christo Copper and Colorado lodes, comprising Sur. 2656, and the Fraction and Apex lodes, comprising Sur. 2655, are held under one common ownership, and that the Joe Bush shaft and the workings from it is a common improvement, which benefits each of the eight claims embraced in said surveys 2656 and 2655, for the reason that said shaft and workings are at some depth below the surface of each of said claims and tends to develop and facilitate the mining and extraction of ore from them, and that the improvements herein described were actually made between the 10th day of April, 1909 and the 11th day of September, 1910, and prior to the date of expiration of the period of publication, the value thereof, \$181730.97, can be properly distributed to each claim, one eighth, or \$22716. 37, being credited to each.

United States Mineral Surveyor.

Subscribed and sworn to before me, L.M.Brookner, a Notary Public, this 20th day of May, 1911.

My commission expires December 12, 1912.

L'm Grochers

Notary Public, in and for Gila County, Arizona.

MAY.21.1911

AFFIDAVIT SHOWING WORK PERFORMED ON JOE BUSH SHAFT

BETWEEN APRIL 10, 1909, and SEPTEMBER 11, 1910.

Territory of Arizona,)
: ss.
County of Gila.

T. R. DRUMMOND, THOMAS TIGHE and W. C. BROWNING, being severally duly sworn, each for himself deposes and says: That said Drummond is the duly appointed Attorney-in-fact and Manager, said Tighe is Superintendent and said Browning is Assistant-Superintendent of Inspiration Copper Company, a corporation, claimant in Mineral Entry Oll655, embracing the Pinto, Joe Bush, Copper Wonder, Colorado, Sunset and Monte Christo Copper lodes, of survey 2656, and Mineral Entry Oll656, embracing the Apex and Fraction lodes of Survey 2655; that he is well acquainted with all of the mining claims and properties of said corporation in said Gila County, and particularly with the above named lodes, embraced in said entries, and with all of the workings and improvements, surface and underground, therein and thereon, and particularly with the shaft and workings hereinafter referred to, known as the Joe Bush shaft and workings;

That said Joe Bush shaft is situated on said Joe Bush lode of survey 2656; that the same is a double compartment shaft, $6\frac{1}{2}$ by $10\frac{1}{2}$ feet, in rock, well timbered throughout; and that the center of the West compartment of said shaft bears South 80 deg. 0 min. West 785.5 feet from corner No. 1 of said Joe Bush lode;

That said Joe Bush shaft and workings were designed and intended for the common benefit and development of the above named eight lodes of surveys 2655 and 2656, and said workings tend to and actually do benefit and develop said claims and each of them and will facilitate, in the most practical manner, the extraction of ore therefrom; that the drifting from said shaft has been done on two levels, - the 400 foot level and the 300 foot or tunnel lev-

el, so called from the fact that the main working or haulage tunnel, driven from the surface on the Monte Christo lode, survey 2656, connects with the Joe Bush workings on that level; that on
each level of said workings the drifting follows a rectangular system or plan, the main drifts from said shaft running due North,
East, South and West, respectively, and the side drifts or crosscuts running from said main drifts at right angles thereto;

That said main tunnel forms an integral part of the development plan of claimant for the lodes above named and said tunnel was entirely constructed within the period between April 10, 1909 and September 11, 1910; that said tunnel is 8 by 8 feet in the clear, well timbered throughout, and is 1700 feet in length from the portal to the connection with the Joe Bush workings, and was driven at a cost to claimant of \$20.00 per foot, or a total cost of \$34,000.00;

That the work done by claimant, Inspiration Copper Company, in and from said Joe Bush shaft, in further sinking said shaft and in drifting and raising therein and therefrom, between April 10, 1909, and September 11, 1910, the latter date being the end of the period of publication of the notice of application for patent for the claims above named embraced in said Mineral Entries Oll655 and Oll656, the first publication of said notices having been on July 11, 1910, was and is as follows, viz.

1.- On the 300 or tunnel level.

North:

Main North drift, North 2nd East, North 3rd West,	83 feet. 98 " 146 "
North 5th West,	209 "
North 7th West,	307 "
North 9th West,	198 "
North 11th West,	49 "
Station, Total	30 " 1128 feet.

300 level continued.

1 4 12

```
South:
     Main South drift,
                           192 feet.
                                318 "
     South 2nd East,
     South 4th East,
South 5th East,
South 6th East,
                                357 "
32 "
                              289 "
                                137 "
     South 8th East,
                                94 "
     South 3rd West,
                                      - 11
     South 5th West,
                                 368
                                         ...... 1787 feet.
                Total.....
East:
     Main East drift, 200 feet.
     East 1st South,
East 2nd South (East of
                                 156
     Raise 19),
East 2nd South (West of
                                522 "
                      132 "
          Raise 19),
           Total.....1010 feet.
West:
    Main West drift, 381 feet.
West 1st North, 730 "
Total......1111 feet.
Sinking:
                         198 feet.
 Joe Bush shaft,
               Total..... 198 feet.
      aise 3 Main South, 32 feet.

" 1 North 2nd East, 92 "

" 2 North 2nd East, 12 "

" 1 South 4th East, 8 "

" 5 South " " 2 "

" 6th " 11 "

Raise 19, 7 "
Raising:
     Raise 3 Main South,
       Raise 19,
                                211 "
          25,
             12,
                                  6
                 Recapitulation 300 foot level:
          Drifting, 5036 feet. 198 " 390 "
          Raising,
                       5624
                       ***********
          2.- On the 400 foot level.
North:
     Main North Crift, 323 feet.
North 1st West, 27 "
North 1st East, 12 "
     North 1st East,
     North 3rd West,
                                 190 "
                                      11
     North 5th West,
                                405
                  Total..... 957 feet.
```

400 level continued:

DRIFTING:

RAISING:

```
South:
                           247 feet.
    Main South,
     South 1st East,
                             5
                          256
48
     South 2nd East,
    South 4th East,
South 6th East,
                          158 "
                          34 "
     South 5th East,
                         195
     South 8th East,
    South 10th East,
South 1st West,
South 2nd West,
                           75
29
                           7
               Total......1054 feet.
East:
                         120 feet.
    Main East drift,
    East 1st North,
East 1st South,
East 2nd South,
                           475
                             17
                           747
    East 2nd South,
Drift from Raise 28, 18 "
40 "
    Sump,
                             40
              Total.....1417 feet.
West:
                         525 feet.
536 "
39 "
    Main West drift,
West 1st North,
                             39 "
    West 2nd North,
West 1st South,
                          122 "
    Drift from Raise 25, 18 "
               Total.....1240 feet
Sinking:
                aft, <u>145</u> feet.
Total.....145 feet.
     Joe Bush shaft,
Raising:
    Raise 28,
                             60 feet.
          19,
      11
                            130
          25,
      11
                            130
                           130 "
      11
          12,
         36,
                            51 "
              Recapitulation 400 foot level.
    Drifting,
                       4668 feet.
                        145 "
     Sinking,
                         501
    Raising,
                       5314
                      That the cost to claimant of said work was and is as fol-
ows, to-wit:
```

300 foot level, 5036 feet, \$12.06 per foot, \$60,734.16 400 foot level, 4668 feet, \$12.68 per foot, \$59,190.20

300 foot level, 390 feet, \$11.04 per foot, ... 4,305.50 400 foot level, 501 feet, \$13,84 per foot, 6933.84

1 900

SINKING:

300 foot level, 198 feet, \$48.30 per foot, \$9,563.40 400 foot level, 145 feet, \$48.30 per foot, \$7,003.87

That the total footage of work done upon said common excluding said tunnel improvement by claimant during the period aforesaid, was and is 10938, including said main tunnel, 12638 feet; that the total cost of said work, excluding said tunnel, was \$147,730.97, and including said main tunnel, was \$181,730.97.

That all of said drifts are 5 by 7 feet, except the West 1st North drift, which is 6 1/2 by 7 feet in the clear and timbered, and the main tunnel, which is 8 by 8 feet in the clear and timbered, all of the other of said drifts being timbered only where deemed necessary; that all of said raises are 5 by 7 feet and are timbered.

Subscribed and sworn to before me this Indentiday of May, 1911, by T. R. Drummond, Thomas Tighe and W. C. Browning.

Public

In and for the County of Gila, Territory of Arizona.

Earse

DEPARTMENT OF THE INTERIOR. CERTIFICATE OF U. S. SURVEYOR-GENERAL

AS TO

EXPENDITURES REPORTED AFTER RETURNS OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the work performed in and from the Joe Bush shaft designated as Improvement No. 8 on the Joe Bush lode of Mineral Survey No. 2656, between April 10, 1909 and September 11, 1910, consists of sinking said shaft 343 feet, workings from the 300 foot level; - 1700 feet of tunnel, 5036 feet of drifting and crosscutting, and 390 feet of raising and from the 400 foot level; -4668 feet of drifting and crosscutting and 501 feet of raising, total value, \$181,730.97, as fully described in the Supplemental Report of Edwin T. Stewart, dated May 20, 1911, copy hereto attached, and that the value of said workings is properly distributed equally among the six claims of said Mineral Survey No. 2656, namely, the Pinto, Joe Bush, Copper Wonder, Colorado, Sunset, and Monte Christo Copper lodes, and the two claims of Mineral Survey No. 2655, namely the Apex and Fraction lodes, as stated in said Supplemental Report, for the reason that said shaft and workings are at some distance Welow the surface of each of the said claims and tends to develop and facillitate the mining and extraction of ore therefrom.

I further certify that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

Charlie galls
T. S. Surveyor-General for Arizona.

Office of B. S. Surveyor-General,

Phoenix, Arizona,

May 24, 1911.