

orig. 3752

4-683.

MINERAL SURVEY No. 2657

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

James S. Graham and Mike Shaya

KNOWN AS THE

TURF

Turquoise Mining District,

Cochise County, Arizona

Section approximately, Township 19 S, Range 25 E, unsurveyed

Surveyed under instructions dated April 21, 1909

by John A. Rockfellow
U. S. Mineral Surveyor.

Claim located *See location notice*, 19

Survey commenced June 4, 1909

Survey completed June 4, 1909

6-622

Address of claimants' atty.,

J. F. Ross,

Douglas, Arizona.

S U R V E Y . N O . 2 6 5 7 .

Turf lode.

Beginning at corner No 1, on line 3-4 Copper Chief lode, Survey No 2661, at S 11°24'E, 18.6 ft from Cor. No 4, set a pine post 4 ins square, 4 ft long, 8 ins in ground to hardpan, in a mound of earth and stone, scribed NEC-T-1-2657, whence:-

U.S.M.M., No 1, Turquoise^{Mining} District bears N 64°14'E, 2460.1 ft.

Cor. of location, a post in mound of stone, bears N 70°15'E, 2.95 ft,

A cross (x) and BR - 1-2657 chiseled on a granite rock 30 X 24 X 14 ins bears S 56°02'E, 89.8 ft.

A cross (x) and BR-1-2657 chiseled on a granite rock 40x30x18 ins bears N 88°23'W, 51.3 ft,

-Thence S 11°24'E, Va 12°50'E,

1451.1 to Cor No 2, on line 3-4 Copper Chief lode Survey No 2661, at N 11°24'W, 10.3 ft from Cor No 3, set a pine post 4 ins square, 4 ft long, 10 ins in ground to hardpan, scribed SEC-T-2-2657,

Whence, Corner of location a post in mound of stone bears S 11° 24'E, 34.3 ft.

A cross (x) and BR-2-2657 chiseled on a granite rock 12 x 18 x 2 ins bears S 11°24'E, 6.3 ft.

No other rock or tree bearings available.

303.0 Thence S 70°15'W, Va 12°55'E, S.C.E. of cor No 3, identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone scribed SCE-T- add 3-2657, whence:

A cross and BR-3-2657 chiseled on a granite rock 10x8x1 ins bears N 19°55'W, 8.7 ft.

Thence S 76°52'W, Va 13°E,

381.5 to Cor No 4, identical with location, a 3 x 4 in post in a mound of stone; set a pine post 4 ins square, 4 ft

long 14 ins in the ground to hardpan in a mound of earth and stone, scribed SWC-T-4-2657,

whence a cross^(X) and BR (not room for more) chiseled on a granite rock 5x5x1 ins bears N 64°35'E, 11.95 ft.

No other nearby bearings available.

College Peak bears S 51°54'E,

Thence N12°02'30"W, Va 13° E,

1416.1 to Cor. No 5, identical with location, a post in a mound of stone, set a pine post 4ins square, 4 ft long, 10 ins in ground to hardpan, in a mound of stone and earth, scribed NWC-T-5-2657, whence:

A cross (x) and BR (not room for more) chiseled on a granite rock, 10 x 4 x 6 ins bears S 11°19'E, 33.4 ft,

No other rock or tree bearings available.

U.S.GS monument on Dragoon Divide bears N 74°22'W,

Thence N 70°15'E, Va 12°50'E,

303.1 north center end identical with location, a post 4 ins square, 3 ft above ground in a mound of stone scribed NCE-T, add 2657,

603.4 to Cor No 1, the place of beginning.

Area19.512 acres.

Ledge.

The presumed course of the vein is from Cor. No. 3, the S.Center End, N. 11° 18' W. 1451.5 ft. to the N. Center End.

Location.

This survey is located in approximately Tp 19 S, R 25 E, unsurveyed, and is probably within the

boundaries of the Coronado Forest Reserve, unsurveyed, in Turquoise Mining District, Cochise County, Arizona.

Expenditure of Five Hundred Dollars.

I certify that the amount of labor and improvements performed upon this claim by the claimant or his grantors is not less than Five Hundred Dollars, and that said improvements consist of:

No. 1, Discovery shaft on the lode line at N 11°18'W, 211 ft from the south center end, 9 1/2 x 3 1/2 x 8 ft, bottom, 8 ft deep, value.....\$100.00

Cor. N° 3, the
 No2- A shaft which bears from south center end, N 30°05'W,
 88 ft, 6x4 ft, 5 ft deep, value.....\$50.00

Cor. N° 3, the
 No-3, a shaft which bears from the south center end
 N 11°20'W, 221.5 ft, 5½x3½ ft, 7½ ft deep,
 Value.....\$45.00

No 4- A shaft which bears from Cor. No 4, N 12°20'E,
 63.5 ft, 6x4 ft, 51½ ft deep, 6 ft of lagging,
 3 ft to surface and 6 ft to rock.

Value of timber and labor.....\$ 20.00

" of first three ft 5.00

" of 48½ ft at \$10. per ft. 485.00

Total value.....510.00 -

Adjoining claims

On the east the Copper Chief lode, Survey No 2661.

On the south the Daisy lode unsurveyed, Luis Musso,
 claimant.

Instrument.

This survey was made with a Young & Sons mountain
 transit No 6855, provided with a Smith Solar attachment,
 The courses were deflected from the true meridian as
 determined by direct solar observations. The distances
 were measured with 500ft and 50ft steel tapes.

Tombstone, Arizona,

June 9, 1909.

John A. Rockefeller
 U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

John A. Rockefeller

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

James S. Graham and Mike Shaya
known as the *Turf*

and showing the respective capacities in which they acted.

H. M. Katz, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

I *H. M. Katz*
We, _____

and _____, do solemnly swear that we assisted

John A. Rockefeller, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of *James S. Graham and Mike Shaya* known as the *Turf*

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona
H. M. Katz, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 5

day of _____, 1909

John A. Rockefeller
Notary Public

My Commission expires Mar 14 1911

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
April 28, 1908, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of James S. Graham and Mike Shaya
, known as the
Turf
situate in Turquoise Mining District,
Cochise County, Arizona, in Section
approximate, Township No. 19S, Range No. 25E unsurveyed
and designated as Survey No. 2657, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow,
U. S. Mineral Surveyor, before me Frances J. Abell, Notary Public in
and for Cochise County, Arizona, this 9th
day of June, 190 9.

My commission expires
Dec. 22, 1909.

Frances J. Abell
Notary Public.

Affidavit of Five Hundred Dollars Improvements.

We, A. M. Katz and Joseph Holzman

of lawful age, being first duly sworn according to law, depose and say: That we are

acquainted with the Turf mining claim,

situate in Tuquoise Mining district, Cochise County,

Arizona Territory, for which James S. Graham and

Mike Shaya

have made application for survey prior to application for patent under the provisions

of the act of Congress, approved May 10, 1872; and that the labor done and improve-

ments made thereon by the applicants and ~~them~~ grantors exceed Five Hundred

~~Upon each claim,~~
Dollars in value, and further that we are not personally interested in said mine.

A. M. Katz
Joseph Holzman

TERRITORY OF ARIZONA, }
County of Cochise } ss:

Sworn to and subscribed before me, this 5

day of June, 1909

John A. Rockefeller
Notary Public



27669b1m2-07

My Commission expires Mar 14 1911

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Turf Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Jahn Gaijs

Citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 15 day of Feb. 1909.

The length of this claim is 1300 feet,

and 1300 claim 1300 feet,

in a Northerly direction and

200 feet in a Southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

North to the South

The claim is situated and located in the Turquoise Mining District, in

Cochise County, in the Territory of Arizona, about 1/2 mile

in a Northerly direction from Glesson

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Monument of Stone

at a point in a Northerly direction 1300 feet from

the discovery shaft (at which this notice is posted), being in the center of the North

end line of said claim; thence 300 feet to a em. stone

, being the ep E corner of said claim; thence

1500 feet to a em. stone, being at the

S. E corner of said claim; thence 300 feet

to a em stone at the center of the South end of said claim;

thence 300 feet to a em. stone, being at the

S. W. corner of said claim; thence 1300

feet to a em stone at the ep W corner of said claim;

thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 15 day of February 1909

Jahn Gaijs

2657

TERRITORY OF ARIZONA,
County of..... **COCHISE** } ss.

I, Ed M. Donald, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at 9:20 o'clock, a M., on this MAR 4-1909 day of 1909, and duly recorded in Book No. 43 of MINING Records of COCHISE County, Arizona, at pages 374

WITNESS my hand and official seal the day and year first above written.

Ed M. Donald
County Recorder.

COMPARED

Notice of Location

LODE CLAIM

Dated..... 190.....

Filed and Recorded at request of

Louis Huns

MAR 4-1909 A. D. 190.....


at..... 9:20 a M.

Book 43 Records of Mines

Pages 374

Ed M. Donald
County Recorder.

By.....
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

64

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 24, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

James S. Graham and Mike Shaya

known as the TURF

situate in TURQUOISE

Mining District, COCHISE County, ARIZONA

in Section APPROX., Township No. 19 S., Range No. 25 E., Unsur., and

designated as Survey No. 2657, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or their grantors, and that said improvements consist of 4 shafts, value \$705.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 24, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

James S. Graham and Mike Shaya

, known as the

T U R F

situate in Turquoise mining district,

Cochise

County,

Arizona.

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur.

, designated as Survey No. 2657

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, June 4, 1909, under my instructions dated

April 28,

1909, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lyell

U. S. Surveyor-General for Arizona.