Plattoda

M1/26 1909 JUL 8 - 1909

4-683

MINERAL SURVEY No. 26 59

LOT No.

Augonie Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Hornes Heley

Mining District,

Prival County, Origonic

Section Affrox, Township 3 S., Range / 3 & Unsurveys

Surveyed under instructions dated May 5 to 1909

by J. Feiler

U. S. Mineral Surveyor.

Claim located See location natice, 19

Survey commenced May 6

Survey completed " 7, 1909

-822

Address.
R. E. Morrison

alterney for cleanment

Prescott

Original

Feet

BUFFALO MINE LODE

Beginning at cor. No. 1, which is also cor. No. 2-2614
Wedge lode, situate on line 4-5 Native Copper lode,
Sur. No. 2573 A.

A pine post 4 x 4 ins. 4 ft. above ground surrounded by mon. of stones, post marked B. 1-2659, also W 2-2614. Whence a X on a granite rock in place marked B. R. B. 1-2659 brs. N. 5 deg. 45' W. 20.6 ft.

U. S. M. M. No. 1 - M. C. M. D. brs. S. 20 deg. 54' 36" E. 4632.08 ft.

Original cor. of loc. brs. S. 6 deg. 57 36" E. 114.2 ft., a pine post 4 x 4 ins. 4 ft. above ground set in mon. of stones.

The transmite have been an entry of the and a

Thence S. 74 deg. 26' 36" W.

. CdBC-E .E foursus

575 To/Mineral Creek, course S. E., channel 100 ft. wide.

922.36 To cor. No. 4, Native Copper, Sur. No. 2573 A. Said to have been a pine post, post removed, nothing left but hole in the ground where post was set and bearings.

964.08 To cor. No. 2, original cor. of loc, a pine post

4 x 4 ins. 4 ft. above ground surrounded by mon. of
stones brs. S. 74 deg. 26' 36" W. 110 ft.

Set a quartzite stone 24 x 10 x 6 ins., 12 ins. in
ground, alongside raised a mon. of stones 3 x 3 ft.

Stone marked B. 2-2659.

A DANGER . seeds at hear although a seed as

182 9.0 S 100 Nob Pt . 0 . 0 . 1 . 1

trouted to place, marked H.

. 56 deg. . Da.7 It.

Whence a X on a granite rock in place, marked B. R. B. 2-2659 brs. S. 70 deg. W. 11.5 ft.

A X on a granite rock in place marked B. R. B. 2-2659 brs. S. 23 deg. 30' E. 5 ft.

J. OUO. - L. Look hear three ..

3

FEET Thence N. 39 deg. 53 W. To cor. No. 4 Esperanza mine lode, Sur. No. 2573 A. a 48.34 pine post 4 x 4 ins. 4 ft. above ground, surrounded by mon. of stones, post marked E 4- 2573 A. To W. C. E. and vein. Whence W. C. E. of location, a 140.00 mon. of stones, 2 ft. base, 12 feet high, brs. S. 74 deg. 26' 36" W. 96 ft. To cor No. 3, situate on line 1-2 Iron King lode, Sur. 405.94 No. 2605, and line 3-4 Esperanza Mine lode Survey No. 2573 A. original cor. of loc, a pine post 4 x 4 ins. 4 ft. above ground, surrounded by mon. of stones brs. S. 75 deg. 08' W. 125 ft. Set a granite stone 24 x 10 x 6 ins. in ground, alongside raised a mon. of stones 3 x 3 ft. Stone marked B. 3-2659. Whence a X on a granite rock in place marked B. R. B. 3-2659 brs. S. 19 deg. 20' W. 10.6 ft. A X on a granite rock in place marked B. R. B. 3-2659 brs. N. 77 deg. 55' E. 40.8 ft. of the ser, we may be that for, of last man post Thence N. 75 deg. 08' E. 525 To center Mineral Creek, channel 100 ft. wide. Course S. E. of .. unbar a ni e. 12 anote atlattoup a to 969.42 To cor. No. 4, original cor. of loc. which is also cor. No. 1 Iron King lode, Sur. No. 2605, a pine post 4 x 4 ins. 4 ft. above ground, surrounded by mon. of stones, brs. N. 75 deg. 08' E. 215 .15 ft. Set a granite stone 24 x 16 x 8 ins. 12 ins. in ground, alongside raised a mon. of stones 3 x 3 ft. Stone marked B. 4-2659. Whence a X on a granite rock in place, marked B. R. B. 4-2659 brs. S. 49 deg. 30' E. 9.9 ft. A X on a granite rock in place, marked B. R.

B. 4-2659, brs. S. 36 deg. W. 29.7 ft.

SURVEY NO. 2659

Thence S. 39 deg. 53' E.

The blander of 028 T on the ball of one

253.15 To E. C. E. and supposed vein.

arribed with the

393.15 To cor. No. 1, the place of beginning.

Containing 8.057 acres.

Variation at all the corners 14 deg. 30' E.

LODE LINE

As near as can be determined from present developments of the vein embraced in this claim extends as follows from the discovery point and initial mon.

maner . The Theorems

Buffalo Mine Lode - 60 ft. S. 74 deg. 26' 36" W. and 904.08 ft. N. 74 deg. 26' 36" E.

LOCATION.

This claim is located on unsurveyed public land, approximately in T. 3, S. R. 13 E. in Mineral Creek Mining District, Pinal County, Arizona.

ADJOINING CLAIMS

The adjoining claims are on the North, the Iron King, Sur. No. 2605, Gila Copper Co. Claimant; on the East by J. Sherlock's claim, unsurveyed, and Wedge lode Sur. NO. 2614, W. H. Grizzelle, Claimant; on the South by Native Copper lode Sur. No. 2573 A. Ray Consolidated Copper Co. Claimant; and on the West by Esperanza, lode Sur. No. 2573 A. Ray Consolidated Copper Co. Claimant.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimant or his grantors is not less than Five hundred dollars, and said improvements consist of:

No. 1. The discovery tunnel which brs. from cor.

No. 4 S. 58 deg. 30' W. 830 ft. Tunnel 4 x 6 ft.

Course S. 36 deg. 45' W. 21 ft. Thence S. 39 deg.

E. 28 ft.

No. 2 Tunnel W 8 ft. running 5 56' W. 10 ft. which bis from cor. no 4.5 56° W 8057±, \$100.00

INSTRUMENT

ton you bi stoomer old fis to colforal.

This survey was made with a W. & L. E. Gurley solar transit. The courses were deflected from the true meridian as determined by solar observations. The distances were measured with a 66 foot steel tape.

Cor. No. 2, Iron King lode, Sur. No. 2573 A is a pine post 4 x 4 ins. 4 feet above ground, surrounded by monument of stones, properly scribed with the number of corner and survey. Cor. No. 3, Esperanza Mine lode, Survey No. 2573 A is a pine post properly set and scribed with the number of the corner and survey.

The disagreement between these field notes and the location certificate of the Buffalo Mine lode is due to errors in the latter. I could only find the four corners of location and the west center end mon. the side monuments have been destroyed, as also the east center end monument.

Prescott, Arizona, May 24, 1909.

line while with middle and

J. S. Wineral Surveyor.

the Jaranon educative of

LIST OF NAMES.

(() tradie
A list of the names of the individuals employed by
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
Thomas Haley Anomes Many
known as the Buffield Mine
and showing the respective capacities in which they acted.
R.M. Hickey, Chainman.
J. Sherloch , Chainman.
A Sha de To
J. Sherlock, Axman. R. M. Leckey, Flagman.
Heckey, Flagman.
FINAL OATHS OF ASSISTANTS.
We, R.M. Hickey
and I Sherloch , do solemnly swear that we assisted I.
Terlies, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Thomas Haley
known as the Ouffalo Mine
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Quegona
RM Kiekey, Chainman.
A shoulded
Sherlock Axman. R M Hickey Flagman
D W 1/:
18 Mickly Flagman
Subscribed and sworn to by the above-named persons before me this
day of Way, 1909
Ew French
My oministral & le Wolain Public
Hy commission experies 6-1013

FINAL OATH OF U.S. MINERAL SURVEYOR.

	(////////////////////////////////////
	I, J. Dierlie , U. S. Mineral Surveyor,
	do solemnly swear that, in pursuance of instructions received from the United States
	Surveyor General for Olfond, dated
	Miley 5-109 (), , I have, in strict conformity to the laws of the
	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of Thomas Haley
	, known as the
	Reffele Mine
	situate in Minieuel Creek Mining District, County, August in Section
	County, August, in Section
f	fry, Township No. 3 S, Range No. 13 &
	and designated as Survey No. 2659, as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or Wis grantors
	are as therein fully stated, and that the character, extent, location, and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
11	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	$O(2^{-1})$
	J. J'eilie U. S. Mineral Surveyor.
	O. S. Mineral Surveyor.
	Q Q Fisher
	Subscribed and sworn to by the said
	U. S. Mineral Surveyor, before me for the formal surveyor
	a vointy (notes) this 20
	My of france house however 29-1910
	Subscribed and sworn to by the said U. S. Mineral Surveyor, before me J. Co. Faulkner a Notary Public this 25 th day of May , 1909 My communication explines howenther 29-1910 E. Faulkner hotary Public
	1 1 1 0 0 °
	6-1044

Affidavit of Five Hundred Dollars Improvements.

mar. E.M.	1. Hickey and I Sherlock
	first duly sworn according to law, depose and say: That we are
acquainted with the	Buffalo Mine mining claim, it af Creek Mining district, Canal County,
situate in Muu	haf Creek Mining district, Cinal County,
Arizona Territory, fo	or which Thomas Haley
ha1_made application	on for survey prior to application for patent under the provisions
	s, approved May 10, 1872; and that the labor done and improve-
ments made thereon	by the applicant and his grantor exceed Five Hundred
Dollars in value, an	d further that we are not personally interested in said mine.
	RM Hickey
	I Sherlock
TERRITORY OF	FARIZONA,
County of Pina	$\left\{ S_{ss} = \left\{ S_{ss} = \left[S$
	Sworn to and subscribed before me, this
SEAL.	day of Way , 1909
‰ చేంచేంచేందేందేందేం	E. W. Freuch notary Oublie
27669b1m2-07	notary Oublie
Tery 24.	1910

LOCATION NOTICE.

Notice is Hereby Given, that the Buffalo Mine Mining Claim containing mineral-bearing quartz, earth or rock in place, located by Thomas Haley, on this first 1 day of July, 1901; has been located for mining purposes. Said claim is 1500 feet in length, and we claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode; deposit or premises is Easterly and Westerly.

The claim is situated in Mineral Creek Mining District, Pinal County, Territory of Arizona, about one 1 mile in a Easterly direction from the Sharke Mine and joines the Neatife Copper Mine on the South Side and the Iron King on the North side and crosses Mineral Creek from West to East it lies East of the Esperanza claim about one half mile in a Northerly direction from the Ray Mine.

This claim is bounded and marked as follows, to-wit:

Beginning at the West center end post or monument, being 1 one

100 feet West of the center of discovery shaft upon which this

notice is posted; thence 300 feet in a North West direction, to a

post or monument; thence 750 feet in a North East direction, to a

post or monument at the center of the North side, line of claim;

thence 750 feet in a North East direction to a post or monument;

thence 300 feet in a East direction to a post or monument, being

the center end post or monument of East end of said claim and 1400

feet in Easterly ... from the center of discovery shaft; thence

300 feet in a South East direction to a post or monument; thence

750 feet in a South West direction to a post or monument, being

the center of the South side line of claim; thence 750 feet in a

South West direction to a post or monument; thence 300 feet in a

West direction to the place of beginning.

Done under and by virtues of the laws of the United States and the laws of the Territory of Arizona.

Witness

Thomas Haley

Wm. Souffrien

Locators.

W.J. Mac Neil

Filed and recorded at request of Geo. A. Browm, on the 4th day of Oct. A. D. 1901, at 11 o'clock, A. M.

Thos. G. Peyton,

Recorder.

by T. A. Lonergan,

Dep'ty.

Territory of Arizona,)

County of Pinal.)

I, G. F. Watson, County Recorder in and for the County of Pinal, Territory of Arizona, hereby certify that the within and foregoing is a full, true and correct copy of the Buffalo Mine as the same appears of record in Book No.19 Records of Mines, at pages 114 & 115, Records of Pinal County, Arizona.

Witness my hand and seal of office, this 29th day of March, A. D. 1909.

Recorder, Pinal County, Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Pho	oenix, Arizona,				
		August 12 , 190	9.			
I II C Common Common I	light of Ani	irono				
I, U. S. Surveyor-General for	TECTION OF ALI	rzona.				
do hereby certify that the foregoing and h	ie <mark>reto</mark> atta <mark>ched F</mark> ield N	Notes and Return of the Survey of the	,			
Mining Claim of						
	Thomas Halev					
	•					
		, known as the	•			
Buffalo Mine						
situate in	Mineral Creek	Mining District				
Pinal			,			
in Section Approx., Township	No. 3 S.,	Range No. 13 E., Unsu	r.			
, designated as Survey	No. 2659					
executed byJJ	Fisher	II C Dante Mineral				
Surveyor, May 6 - 7,	·,	, 1909, under my instructions dated	l			
May 5th,	, 190 2, have bee n c	critically examined and the necessary	•			
corrections and explanations made, and the						
are hereby approved. A true copy of the	copy of the location of	certificate filed by the applicant for				
survey is included in the field notes.		. O				
	Chank	Defigalla				
	TT 0 0	Arizona				

21811b3m2-06