

4-683.

MINERAL SURVEY No. 2660

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

G. I. Van Meter

KNOWN AS THE

Oaks and Meadow

Turquoise Mining District,

Cochise County, Arizona

Section approximately, Township 19 S., Range 25 E., unsurveyed

Surveyed under instructions dated May 10, 1909

by John A. Rockfellow

U. S. Mineral Surveyor.

Claim located See location notices, 1900

Survey commenced June 1, 1909

Survey completed June 5, 1909

6-822

Address of Claimant's Attorneys:

Pickett & Bowman,

Tombstone, Arizona.

Oaks Lode.

Beginning at Cor No 1, the northeast corner of location, on line 4-3 Little Rock lode Survey No 2391, at S 25°42'E, 147.5 ft from Cor No 4, a pine post 4 ins square 3½ ft above ground in a mound of earth and stone. Scribe NEC-0-1-2660, whence:
 U.S.G.M, No 1, Turquoise^{Minings} District Bears N 16°48'E, 5212.5 ft.

A cross (x) and BR-1-2660 chiseled in two places on porphyry bed rock bears N 66°34'W, 110.3 ft and S 83°42'W, 82;85 ft.

Thence S 25°42'E, Va 13°00'E,

823.0 a barbed wire fence bears NW & SE.

830.5 center of gulch 50 ft wide, course ESE,

1290.5 to Cor No 2, identical with location and with Cor No 3, Little Rock lode, Survey No 2391, and with the north west corner of the Elephant lode, unsurveyed; a pine post 4 ins square, 3½ ft above ground in a mound of stone, scribed SWC-LR-3-2391, add Δ Cor-0-2-2660,

Whence U.S.GS. Monument on Dragoon Divide bears N 20°56'E, (no nearby bearings available)

Thence S 10°05'E, Va 12°50'E,

203.1 to Cor. No. 3, identical with location, a pine post 4 ins square, 3½ ft above ground in a mound of stone, scribe SEC-0-3-2660, whence:

A cross (x) and BR-3-2660 chiseled on a granite rock 16 x 16 x 14 ins bears S 41°28'W, 23.5 ft. (no other nearby bearings available)

Thence S 72°19'W, Va 12°50'E,

268.0 South center end identical with location, a pine post 4 ins square, 3½ ft above ground in a mound of stone, scribe SCE-0-2660,

568.0 to Cor No 4, identical with location, a pine post 4 ins

square, $3\frac{1}{2}$ ft above ground in a mound of stone, scribe
SWC-0-4-2660,

Whence, A cross (x) and BR-4-2660 chiseled on a
granite rock 18 x 15 x 5 ins bears N $40^{\circ}11'W$, 15.8 ft
(no other nearby bearings available)

Thence N $19^{\circ}12'W$, Va $12^{\circ}50'E$,

27.5 Cor No 2, Meadow lode of this survey,

802.5 center ~~66~~ gulch, course easterly 20 ft wide,

1498.8 to Cor No 5, identical with location, a pine post 4 ins
square, $3\frac{1}{2}$ ft above ground in a mound of earth and stone,
scribe NWC-0-5-2660,

whence:

A cross (x) and BR-5-2660 chiseled on a granite rock
12x10x2 ins bears N $38^{\circ}15'W$, 15 ft,

Cor No 1, Meadow lode this survey bears N $19^{\circ}12'W$, 28.7 ft

Thence N $72^{\circ}19'E$, Va $12^{\circ}50'E$,

300.0 to Cor No 6, identical with ^{North center end of} location, a pine post 4 ins
square $3\frac{1}{2}$ ft above ground in a mound of earth and stone,
scribe NCE-0-6-2660, whence:

A cross (x) and BR-6-2660 chiseled on a porphyry reef
bears N $70^{\circ}05'E$, 59.8 ft, (no other bearings available)

Thence N $79^{\circ}25'E$, Va $13^{\circ}00'E$,

155.6 to Cor No 1, the place of beginning.

Meadow lode,

Beginning at Cor. No.1, the north east corner of
location, a pine post 4 ins square, $3\frac{1}{2}$ ft above ground
in a mound of stone and earth, scribe NEC-M-1-2660,

Whence U.S.H.M., No 1, Turquoise ^{Mining} district bears N 21°
 $02'E$, 5445.2 ft,

A cross (x) and BR-1-2660 chiseled on a granite rock
12x10x2 ins bears S $0^{\circ}20'E$, 15.3 ft.

Thence S $19^{\circ}12'E$, Va $12^{\circ}50'E$,

28.7 Cor No 5, Oak's lode of this survey,

continue S 19°12'E along line 5-4 Oaks lode of this survey,
 725.0 center of gulch, 20 ft wide, course easterly,
 1500.0 to Cor No 2, identical with location, a pine post 4 ins square, 3 ft above ground in a mound of earth and stone, scribe SEC-M-2-2660, Whence:
 Cor No 4, Oaks lode of this survey ^{W 1/2} bears S 19°12'E, 27.5ft,
 A cross(x) and BR-2-2660 chiseled on a granite rock 18 x 15 x 5 ins bears S 5°12'W, 14.05 ft.
 (no other bearings available)
 Thence S 70°55'W, Va 12°50'E,
 300.0 south center end identical with location, a pine post 4 ins square in a mound of stone, scribe SCE-M-2660.
 600.0 to Cor No 3, identical with location, a pine post 4 ins square, 3 1/2 ft above ground, in a mound of earth and stone scribe SWC-M-3-2660,
 Whence:
 A cross (x) and BR-3-2660, chiseled on a granite reef in two places, bear S 58°30'W, 34.8 ft, and N 47°15'W, 37.3 ft,
 Thence N 19°12'W, Va 12°50' E,
 930.0 center of a gulch, 20 ft wide, course easterly,
 1500.0 to Cor No 4, identical with location, a pine post 4 ins square, 3ft above ground in a mound of stone, scribe NWC-M-4-2660, Whence:
 U. S. G. S. monument on Brown's peak bears N 30°04'E,
 U. S. G. S. monument on Dagoon Divide bears N 59°31'W,
 Thence N 70°55'E, Va 12°50'E,
 300.0 north center end, identical with location, a pine post in a mound of stone, scribe NCE-M-2-2660,
 600.0 to Cor No 1, the place of beginning.

Area.
 Oaks lode.....18.326 acres
 Meadow lode.....20.661 "

Location,

This survey is located in approximately Tp 19 S, R 25 E, unsurveyed, and is probably without the boundaries of the Coronado Forest Reserve, unsurveyed.

Presumed courses of the lode lines are , on the Oaks lode S 19°12'E, 1498.8 ft from the north center end to the south center end;

on the Meadow lode S 19°12'E, 1500. ft from the north center end to the south center end.

Adjoining claims.

On the east: The Little Rock lode, Survey No 2391, and the Elephant lode, unsurveyed, J.M.Hefley claimant.

On the west an unknown lode unsurveyed, Sidney Ridgway claimant.

Expenditure of Five Hundred Dollars.

Incertainly that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

On the Oaks:

No 1 - Discovery cut, the mouth of which is on lode line at S 19°12'E, 195 ft, from north center end, cut extends easterly 25 ft, thence NE 10 feet to face, 7 ft high, average width 6 ft, from bend in cut an incline shaft extends NW 6x4 ft, 25 ft deep,

Value of cut.....	\$100.00
Value of Incline.....	250.00
Total	<u>\$350.00</u>

From a point on line 4-5 at N 19°12'W, 619.5 ft from Cor No 4:

No 2- N 8°00'E, 479. ft a shaft 5 x 4 1/2 ft, 20 ft deep in rock, Timbered first 6 feet,

Value, timber and labor....	\$ 10.00
Value of shaft.....	200.00
Total	<u>\$210.00</u>

No 3- N 5° 20'W, 178 ft a shaft 4½ X 4½ ft, 6 ft to rock, 30 ft to bottom, timbered.

Value of timber and labor.....	\$ 40.00
" 6 ft in earth.....	12.00
" 24 ft in rock.....	240.00
Total	<u>\$292.00</u>

No 4- S 42° 30'E, 8 ft, a shaft 5 x 5ft, 5 ft deep in rock Value.....\$50.00

From Cor No 5,

No 5- S 65° 00'E, 459 ft mouth of cut 5½ x 18 ft northerly to face of 5 ft, in rock, value.....\$50.0

No 6- S 66°50'E, 519 ft a shaft 6 x 4ft, 8 ft deep in rock, Value.....\$80.00

From a point on line 1-2 at S 25° 42'E, 922.4 ft from Cor No 1:

No 7- N 55°00'W, 235 ft, shaft 6 X 5 ft, Collar to surface 7 ft, to rock 14 ft, to bottom 50 ft, timbered for 30 ft.

Value of ^{7ft} timber and labor.....	\$40.00
Value of 36 ft in rock #.....	360.00
Value of 7 ft in earth	15.00
Value of total.....	<u>\$415.00</u>

On the Meadow

No 1 Discovery shaft on lode line at S 19°12'E, 682 ft from north center end, 6 x 4 ft, 6ft to surface of ground, timbered, 46 ft to bottom,

Value of 6ft timber and labor.....	\$ 10.00
value of shaft 40 ft in rock.....	400.00
Total	<u>\$410.00</u>

From a point on lode line at S 19°12W, 675 ft from north center end,

No 2- A cut the mouth of which bears S 40° 00'W, 98 ft, cut 4 x 20 ft westerly to face of 6 ft, in rock,

Value	\$60.00
-------------	---------

No 3- S 48° 00'W, 160 ft, a shaft 6 x 4 ft, 20 ft deep in rock, Value

Value	\$200.00
-------------	----------

Other improvements.

On the Oaks,

From a point on line 1-2 at S 25° 42'E, 922.4 ft from

Cor No 1,

N 47°50'W, 523.5 ft the SE corner of a frame house, 16 x 16 ft N & S, G. I. Van Meter, Claimant.

N 76°44'W, 141.8 ft, the SW Corner of a frame house, 18 x 18 ft, N & S, G. I. Van Meter claimant.

N 88°01'W, 196.5 ft to S E Corner of a frame house 14 x 28^{ft} E & W, G. I Van Meter, claimant.

S 82°59'W, 76 ft to N E Corner of a frame house, 14 x 24^{ft} N & S, G. I Van Meter, Claimant,

S 38° 40'W, 185.5 ft to the N E Corner of a frame house 18 x 30^{ft} N & S, J. Balina, claimant,

S 9°30'W, 143.6 ft to N W corner of frame house 12 X 34^{ft} N & S, G. I. Van Meter claimant.

S 7°10'E, 136.3 ft N W corner of frame house, 12 x 18 ft N & S, J. Holzner, claimant,

A frame house, 12 x 30^{ft} E & W, the S E corner of which bears N 41°10'W, 65.5 ft from corner No 3, J. Pucket Claimant.

From the south center end,

N 40°10'E, 213.8 ft to the S W Corner of a frame house 12 x 30 ft E & W, Ed Murtha, claimant.

N 4°28'E, 249.8 ft S W Corner of a frame house, 12 x 16^{ft} E & W, John Bright claimant.

Instrument.

This survey was made with a Young & Sons mountain transit No 6855, provided with a Smith solar attachment. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 500 ft and 50 ft steel tapes.

* Tombstone, Arizona;
June 9, 1909.
John A. Rockfellow,

U. S. Mineral Surveyor.

*The Oaks and Meadow lodes were located in accordance with the law requiring center side monuments. As this law has been repealed the monuments were not perpetuated, and were not found on this survey.

Any discrepancies between this survey and the location notices are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____

 known as the Oaks & Meadow
 and showing the respective capacities in which they acted.

- E. L. Robinson, Chainman.
- M. H. O'Connor, Chainman.
- H. M. Katz, Axman.
- _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, E. L. Robinson, M. H. O'Connor
 and H. M. Katz, do solemnly swear that we assisted John A
Rockfellow, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of G. L. Van Meter

known as the Oaks and Meadow
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

- E. L. Robinson, Chainman.
- M. H. O'Connor, Chainman.
- H. M. Katz, Axman.
- _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 5

day of June, 1909

My Commission
Expires Mar 14 1911

John A. Rockfellow
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockfellow, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 10, 1909, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of G. J. Van Meter

....., known as the

Oaks and Meadow, situate in Turquoise Mining District,

Cochise County, Arizona, in Section

approximate Township No. 19S, Range No. 25E unsurveyed,

and designated as Survey No. 2660, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow,

U. S. Mineral Surveyor, before me Frances J. Abell, Notary Public in and for Cochise County, Arizona, this 9th day of June, 1909.

My commission expires Dec. 23, 1909

Frances J. Abell
Notary Public.

Affidavit of Five Hundred Dollars Improvements.

We, M. H. O'Connor, and E. L. Robison

of lawful age, being first duly sworn according to law, depose and say: That we

are acquainted with the Oaks & Meadow mining claim,

situate in Turquoise Mining district, Cochise County,

Arizona Territory, for which J. J. Van Meter

has made application for survey prior to application for patent under the provisions

of the Act of Congress, approved May 10, 1872; and that the labor done and improve-

ments made thereon by the applicant and his grantor exceed Five Hundred

Dollars in value ^{for each claim} and further that we are not personally interested in said mine.

M. H. O'Connor

E. L. Robison

TERRITORY OF ARIZONA,

County of Cochise } ss:

Sworn to and subscribed before me, this 5

day of June, 1909



John A. Rockwell
Notary Public

69861500-2-03

My Commission
Expires Mar 14 1911

Notice of Mining Location

LODE ~~QUARTZ~~ CLAIM

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Oaks Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

J. F. Wright and Paul H Tilley
the undersigned, on the 13th day of May 1900

The length of this claim is 1500 feet, and we claim 750 feet, in a Southerly direction and 750 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 1/2 mile in a Southerly direction from The Silver Bill Mine and about 500 yards in a Westerly direction from Supt's house of the Copper Belle Mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A monument of stones

at a point in a Southerly direction 750 feet from the discovery shaft, at which this notice is posted, being in the center of the South end line of said claim; thence 300 feet to a Monument of stones being the S E corner of said claim; thence 750 feet to a monument of stones at the center of the East side line of said claim; thence 750 feet to a monument of stones being at the N E corner of said claim; thence 300 feet to a monument of stones at the center of the North end of said claim; thence 300 feet to a monument of stones, being at the N W corner of said claim; thence 750 feet to a monument of stones being at the center of the West side line of said claim; thence 750 feet to a monument of stones at the S W corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895. and amended, approved March 2nd 1899.

Dated and posted on the ground this 13th day of May 1900
J F Wright 1/2
Paul H Tilley 1/2

Witness Mrs J F Wright

Filed and recorded at request of J F Wright, May 23rd A D 1900 at 1 P M Book 18 Records of Mines at page 42.

Territory of Arizona
County of Cochise) ss

I, C. A. McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, do hereby certify that I have compared the annexed and foregoing copy with the original location notice of the Oaks Mining Claim filed in my office on the 23rd day of May A D 1900 and Recorded in Book 18 Record of Mines at page 42 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 1st day of May A D 1900.

C. A. McDonald
County Recorder

Notice of Mining Location

13

QUARTZ CLAIM

MAY 5- 1909

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the Meadow Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J F Wright

the undersigned, on the 18th day of June 1900

The length of this claim is 1500 feet, and I claim 750 feet, in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 1/2 mile in a Westerly direction from Gleeson's dwelling House

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Southerly direction 750 feet from the discovery shaft, at which this notice is posted, being in the center of the South end line of said claim; thence East 300 feet to a monument of stone being the South East corner of said claim; thence North 750 feet to a monument at the center of the East side line of said claim; thence North 750 feet to a monument being at the North East corner of said claim; thence West 300 feet to a monument at the center of the North end of said claim; thence West 300 feet to a monument, being at the North West corner of said claim; thence South 750 feet to a monument of stones being at the center of the West side line of said claim; thence South 750 feet to a monument at the S W corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895. also under the provisions of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," Approved March 2nd 1899 Dated and posted on the ground this ----- day of ----- 190-----

J F Wright

Mrs E F Wright Witness

Filed and recorded at request of J F Wright July 27 A D 1900 at 9 AM Book 18 Record of Mines page 171.

Territory of Arizona)
County of Cochise) ss

I, C. A. McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, do hereby certify that I have compared the annexed and foregoing copy with the original location notice of the Meadow Mining Claim filed in my office on the 27th day of July A D 1900 and Recorded in Book 18 Record of Mines at page 171 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 1st day of May A D 1909.

--- *C. A. McDonald* ---
County Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

August 28, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

G. I. Van Meter,

known as the Oaks and Meadow

situate in Turquoise

Mining District, Cochise County, Arizona

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur., and

designated as Survey No. 2660, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 8 shafts and 3 cuts, total value \$2117.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 28, 1909.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

G. I. Van Meter

, known as the

Oaks and Meadow

situate in Turquoise mining district,

Cochise

County,

Arizona

in Section APPROX., Township No. 19 S., Range No. 25 E., Unsur.

, designated as Survey No. 2660

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, June 1-5, 1909, under my instructions dated

May 10, 1909, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona.