4-683.

MINERAL SURVEY No. 2665

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

A. J. Benedict and D. W. E	rown			
KNOWN AS	THE			
Banner				
Turquoise				
Cochise County	,Arizona			
Sectionar proximately, Township 19 S	, Range 25 E Unsur			
Surveyed under instructions dated	May 26 19 09			
surveyed ander instructions dated, 1900				
by	ohn A. Rockfellow			
	U. S. Mineral Surveyor.			
Claim located See loca	tion notice , 19			
Survey commenced duly 13	, <i>19</i> 00			
Survey completed July 14	19 09			
ddwar of platerstand a				

Address of claimant: A. J. Benedict,
Tombstone,
Ariz.

Banner lode,

Beginning at Cor. No. 1, a pine post, 4 ins square,

4 ft long, set 18 ins in ground to hardpan, in a mound of
stone, scribed NWC-B-1-2665, whence:
Mining

U. S. M. M., No 2, Turquoise District bears N 22°27'W,

NW Cor of location, a monument of stone bears N 35° 35'W, 59.5 ftp

A cross (X) and BR-1-2665 chiseled on a quartzite rock 6 x 6 x 6 ins bears N 22°40'E, 10.95 ft.

A post in mound of stone scribed NWCESD bears N 38° 15'W, 37.3 ft.,

A post in mound of stone scribed NEC-Bo bears
N 2°47'W- 40.5 ft.

Thence S 82°29'E, Va 13°E,

304.6 to Cor. No. 2, identical with the north center end of location, a 2x4 post in a mound of stone; set a pine post 4 Ins square, 4 ft long, 18 ins in ground to hed in a mount of stone, scribed NCE-B-2-2665, Whence:

a cross (x) and BR-2-2665 chiseled on a quartzite rock 14 x 9 x 5 ins bears S 86°58'W, 66.2 ft.,

A cross (x) and BR-2-2665 chiseled on a quartzite rock13 x 12 x 18 ins bears S 47°38' W, 123.25 ft,

Thence S 81°11'E, Va 13° E,

300.0 to Cor. No. 3, set a pine post 4ins square, 14 ins in ground to hard pan, in a mound of stone, scribed NEC-B-3-2665, whence:

The north east corner of location, a post in mound of stone, bears S 81°11'E, 2.0 ft,

A cross (x) and BR-3-2665, chiseled on a quartzite rock 18 x 12 x 4 ins bears N 59°22'W, 16.6 ft,

A pross (x) and BR-3-2665 chiseled on a quartzite rock 8 x 8 x 3 ins bears \$ 50°16'E, 56.75 ft.

A 2x4 post in a mound of stone marked NEC-SD bears N 87°22'W, 31.9 ft,

Thence S 2°38'E, Va 13° E,

475.0 center of wagon road, bears E & W,

1255.4 to Cor No. 4, identical with location, a monument of stone; set a pine post 4 ins square, 4 ft long, 18 ins in the ground to hard pan, scribed SEC-B-4-2665,

Whence:

A cross (x) an BR-4-2665 chiseled on a quartzite rock 3x2x1 ft bears N 45° W, 213.3 ft,

No other rock or tree bearings available,

U. S. G. S. monument on Brown's peak bears N 81°25'V, about one mile.

Thence N 82°29'V, Va 13° E,

300.0 south center end, identical with location, a 2x4 post in a mound of stone, scribed SCE-B- add 2065,

Whence, a 2 x 4 post in a mound of stone, marked NEC-FT bears N 69°E, 4.4 ft,

in a mound of stone, scribed SWC-B; set a pine post, 4 ins square, 4 ft long, 16 ins in ground to hard pan, in a mound of stone, scribed SWC-B-5-2665, whence:

A cross (x) and BR-5-2665 chiseled on a quartzite rock 10 x 8 x 1 ins bears N 44°44'W, 10.2 ft,

A cross (x) and BR-5-2665 chiseled on a quartzite rock 10 x 6 x 2 ins bears N 13° 30'E, 95.2 ft.

Cor. No. 3 of Turqueise No. 2 lode, Sur. No. 2658, brs. N. 59° 43'W. 1454.9 ft.

Thence N 2°47'W, Va 13°E,

768.0 wagon road bears E & W,

1262.9 to Cor. No. 1, the place of beginning.

, gold to LOCATION.

This claim is located in Turquoise Mining District, Cochise ©. probably in TP 19 S, R 25 E, unsurveyed, and is without the boundaries of the Coronado Forest Reserve, unsurveyed

The presumed course of the lode line is N 2°35'W, 1262.1 ft from south center end to Corner No. 2:

ADJOINING CLAIMS.

On the north, the Saginaw lode, unsurveyed, Mitchell

& Sanford claimants;

On the east, the Buffalo lode, unsurveyed, Mitchell

& Sanford claimants;

On the south, the Fox Terrier lode, unsurveyed, Lloyd,

& Maguire claimants;

On the west, Boulder lode, unsurveyed, D.W.Brown & A.J.Benedict Claimants;

also on the west, covering pretically the same ground as the Boulder lode, the Turquoise Gem No 2 lode, unsurveyed, Blackburne, Tabor and White, claimants;

The Square Deal lode, unsurveyed, covering practically the same ground as the Banner lode, survey No 2665,

Lloyd, Maguire & Kaneaster, claimants.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimants and their grantors is not less than one hundred dollars, and said improvements consist of:

No 1-Discovery shaft on the lode line at N 2°35'W, 426 ft from the south centerend, shaft circular 5½ ft in diameter, 30 ft in cement to rock, thence 28 ft in rock to bottom; at a point 46 ft from the top a drift, 4 x 6 ft extends southerly 18 ft to face.

Value of 30 ft in cement at \$4. per ft...\$120.00

- " " 28 ft in rock at \$10. per foot.. 280.00
- " 18 ft of drift in rock at \$10. 180.00

 Total value of shaft and drift..... \$580.00

Np. 2- A shaft which bears from south center end,

OTHER IMPROVEMENTS.

A shaft which bears from the south center end, N 0° 15' W, 414. ft, 6 x 4 ft, 10 ft deep. this is the discovery shaft of the Square Deal lode claim, unsurveyed; Lloyd, Maguire & Kaneaster, Claimants.

INSTRUPENT.

This survey was made with a Young & Sons mountain transit, No. 6855, provided with a Smith solar attachment. The courses were deflected from the true meridian as determined by direct solar obs rvations. The distances were measured with 500 ft and 100 ft steel tapes.

Any discrepancies between this survey and the location notice are due to errors in the latter.

Tombstone, Ariz., August 2, 1908.

John A. Rockfellow,

U. S. Mineral Surveyor.

eri dalmiste v

A Paris No.

SAME TO THE MOST

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by four a, Nochfellow
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
known as the Banner
and showing the respective capacities in which they acted.
EL Robinson, Chainman.
a aRenedict, Chainman.
Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
We, E.L. Rolmson
and aimaBenealist, do solemnly swear that we assisted John
A Rose la le lla a reconstruction, do solemnly swear that we assisted
A. Rochfellow, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of A. J. Beneauch
and D. W. Blown
known as the Barrer
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Control of Control
E.L. Robinson, Chainman.
da Benedict, Chainman.
, Flagman
Subscribed and sworn to by the above-named persons before me this 3
day of August, 1909
John Jakelow
my commission expires than theolice
1 mai-14 1911

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, John a Nockfreeoce, U. S. Mineral Surveyor,	
do solemnly swear that, in pursuance of instructions received from the United States	
Surveyor General for Angelone, dated,	
May 26 1909; , I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of The Bundiet and IM Brown	
, known as the	
Danner,	
situate in Junguaiae Mining District,	
Opprox, Township No. 190, Range No. 25 E mounty	
porox, Township No. 190, Range No. 25 I mounty	
and designated as Survey No. 2665 , as represented	0.
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or thun grantors	
are as therein fully stated, and that the character, extent, location, and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
·	
Colon Marsher an	•
U. S. Mineral Surveyor.	
Subscribed and sworn to by the said Johna Rocksference	
U. S. Mineral Surveyor, before the Samuel & Parkfuson	
this 3 d	
day of August, 1909	
My Commission offices Oct 15 flotary Duolie	W
My Commission loke a. not . To	
16-104 The form yours bot 15 1912 any motice	-

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Januar
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Rayuel Demadich
Ce Cologne of the Muled States." or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the first day of January 190 8
The length of this claim is of flower Aundred - 1500 - feet,
and of claim Hortfundred - 000feet,
in a Southerly direction and One Thousand
- 1000 - feet in a Northerly - direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Jorques Mining District, in
Cochiese County, in the Territory of Arizona, about Que Wills
in a South seestily direction from US Muurdle
Monnecut No-2-
The second secon
they to perfect the March DI War and aread Vallach
this Location is Made on abandoned Profesty
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a Southerly direction — 500 — feet from
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Working Early of Shows at a point in a Southerly direction — 500 — feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Morcanic Early of Shows at a point in a Southerly direction—500—feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Early—300—feet to a Morcanic Early—
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Working Early of Stories at a point in a Southerly direction—500—feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Early—300—feet to a Morrison feet , being the Southerly—corner of said claim; thence
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Morecus East of Stories at a point in a Southerly direction—500—feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Easthry - 300—feet to a Morecus Easthry Market Double of Said claim; thence Market upon the ground as follows: Beginning at feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Easthry - 300—feet to a Morecus East heing the Southerly feet to a Morecus East, being at the
The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a Southerly direction—500—feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Evertry—300—feet to a Mouranterl— , being the Southerst—corner of said claim; thence Matthey—1500—feet to a Mouranterl—, being at the Molliant—corner of said claim; thence Westerly—300—feet
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Morrow Early Store at a point in a Southerly direction—500—feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Early - 300—feet to a Morrow Early being the Southerly—corner of said claim; thence Morthurly—1500—feet to a Morrow Early—being at the Morthurly—1500—feet to a Morrow Early—being at the Morthurly—corner of said claim; thence Westerly—300—feet to a Morrow Early—at the center of the Morthurly-end of said claim;
The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a Southerly direction — 500 — feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Coestry — 300 — feet to a Monument ———————————————————————————————————
The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a Southerly direction— 500— feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Every—300— feet to a Morrowerl— , being the Southerly—corner of said claim; thence Morlow Corner of said claim; thence Wisterly—300—feet to a Morrowerl—at the center of the Morlow of said claim; thence Million — 300—feet to a Morrowerl—, being at the Morlow Corner of said claim; thence Wisterly—heing at the Morlow Corner of said claim; thence South corner, being at the Morlow Corner of said claim; thence South corner, being at the
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A More Level of Stores at a point in a Southerly direction—Soo—feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Easterly—Joo—feet to a More Level— being the Southerly—corner of said claim; thence Molloat corner of said claim; thence Wisherly—Joo—feet to a More Line at the center of the More Line, being at the Mollowth—at the center of the More Line, being at the More More Level—feet to a More Level—being at the More More Level—feet to a More Level—being at the More More Level—feet to a More Level—for feet to a M
The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a Southerly direction— 500— feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Every—300— feet to a Morrowerl— , being the Southerly—corner of said claim; thence Morlow Corner of said claim; thence Wisterly—300—feet to a Morrowerl—at the center of the Morlow of said claim; thence Million — 300—feet to a Morrowerl—, being at the Morlow Corner of said claim; thence Wisterly—heing at the Morlow Corner of said claim; thence South corner, being at the Morlow Corner of said claim; thence South corner, being at the
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Morecone Culf of Soo — feet from the discovery shaft (at which this notice is posted), being in the center of the Southursy end line of said claim; thence Coestry — Joo — feet to a Morecone — , being the Southurst — corner of said claim; thence Molloast — corner of said claim; thence Wisherd — Joo — feet to a Morecone of said claim; thence Wisherd — of feet to a Morecone of said claim; thence Morecone — being at the Morloast — corner of said claim; thence South Endy — being at the Morloast — corner of said claim; thence South Endy — being at the Morloast — corner of said claim; thence South Endy — Soo — feet to a Morecone — feet to a Morecone — being at the Morloast — corner of said claim; thence South Endy — Isoo feet to a Morecone — feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on
The surface boundaries of the claim are marked upon the ground as follows: Beginning at O Morecone Sulf Store at a point in a Southing direction — 500 — feet from the discovery shaft (at which this notice is posted), being in the center of the Southing end line of said claim; thence Coestray — Joo — feet to a Morecone of said claim; thence Morthury — 1500 — feet to a Morecone of said claim; thence Morthury — 500 — feet to a Morecone of said claim; thence Morthury — 300 — feet to a Morecone of said claim; thence Northury — heing at the Morthury — 300 — feet to a Morecone of said claim; thence Morthury — 300 — feet to a Morecone of said claim; thence Morecone — feet to a Morecone — heing at the Morthury — 300 — feet to a Morecone — heing at the Morthury — 300 — feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
at a point in a Southerly direction. — Soo — feet from the discovery shaft (at which this notice is posted), being in the center of the southerly end line of said claim; thence to a More to a More to a More to a More to a the More to a the corner of said claim; thence to a More to a the Corner of said claim; thence to a More to a the center of the More to a the center of the More to a the corner of said claim; thence to a More to a the Corner of said claim; thence to a More to a the Corner of said claim; thence to a More to being at the More to a More to a the Corner of said claim; thence to a More to be said claim; thence to a More to be said claim; thence to a More to be said claim; thence to a More to said claim; thence to a More the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
at a point in a Southerly direction. — Soo — feet from the discovery shaft (at which this notice is posted), being in the center of the southerly end line of said claim; thence to a More to a More to a More to a More to a the More to a the corner of said claim; thence to a More to a the Corner of said claim; thence to a More to a the center of the More to a the center of the More to a the corner of said claim; thence to a More to a the Corner of said claim; thence to a More to a the Corner of said claim; thence to a More to being at the More to a More to a the Corner of said claim; thence to a More to be said claim; thence to a More to be said claim; thence to a More to be said claim; thence to a More to said claim; thence to a More the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
at a point in a Southerly direction. — Soo — feet from the discovery shaft (at which this notice is posted), being in the center of the southerly end line of said claim; thence to a More to a More to a More to a More to a the More to a the corner of said claim; thence to a More to a the Corner of said claim; thence to a More to a the center of the More to a the center of the More to a the corner of said claim; thence to a More to a the Corner of said claim; thence to a More to a the Corner of said claim; thence to a More to being at the More to a More to a the Corner of said claim; thence to a More to be said claim; thence to a More to be said claim; thence to a More to be said claim; thence to a More to said claim; thence to a More the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Morecure Early Store at a point in a Southerly direction — 500 — feet from the discovery shaft (at which this notice is posted), being in the center of the southerly end line of said claim; thence Early — 300 — feet to a Morecure of heing the Southerly — corner of said claim; thence Moreliant — corner of said claim; thence Mustary — 300 — feet to a Morecure of the Morecure of the Moreliant — at the center of the Morecure of said claim; thence Mustary — 300 — feet to a Morecure of said claim; thence Mustary — 300 — feet to a Morecure of said claim; thence Mustary — 300 — feet to a Morecure of said claim; thence Could — Joo — feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

	4		10 to 10 kg/y)
TERRITORY OF ARIZONA,			
COCHISE	> ss.	1 2 2 2 2 2 2	
1. 0000	nald	, County Recorder in	and for the County and
Territory aforesaid, do hereby certify t.	hat the within instrument wa	s filed for record at	20 o'clock, W M.,
on thisday	of MAR 23 1908	190, and duly recorded	d in Book No.
of KINNING K	Records of COCHIS	ECounty, Arizona	a, at pages HOG
	and and official seal the day		

Summer Thotice of Thocation

Some claim

Summer 1990

ated 1990

Filed and Recorded at request of

C. L. Randluck

C. L. 20 at M.

ook M. H.- Wendly M. M.

ook M. H.- Wendly Recorder.

The Magnet Property Recorder.

The Modell Co., Printers, PHOENIA. ARIZONA.

Monument

Monume

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

TOMBETONE ARIZ.

Affidavit of Five Hundred Dollars Improvements.

Total, & L. Robinson and P & Brough
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Barrer mining claim,
situate in Turquoise Mining district, Cochise County,
Arizona Territory, for which I. J. Benedict and W. Brown
W. Brown.
haremade application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant Land their grantor sexceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
E. L. Robinson
la de Brown
County of lovelise Ss:
Sworn to and subscribed before me, this 24th
SEAL. E day of 1909
MT COMMISSION EXPIRES SEPT. 10TH, 1912
27669b1m2-07 notarp Publie
In and for above Can to a their
July and Vibrillay

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,					
October 14, , 190 S					
I, U. S. Surveyor-General for District of Arizona,					
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey					
of the mining claim of					
A. J. Benedict and D. W. Brown					
known as the Banner					
situate in Turquoise					
Mining District, Cochise County, Arizona,					
n Section Approx., Township No. 19 S., Range No. 25 E., Unsur., and					
lesignated as Survey No. 2665 has been correctly copied from the originals on file in					
this office; that said Field Notes furnish such an accurate description of said mining claim as will, i					
ncorporated into a patent, serve fully to identify the premises, and that such reference is made therein					
o natural objects or permanent monuments as will perpetuate and fix the locus thereof.					
And I further certify that five hundred dollars' worth of labor has been expended or improve-					
ments made upon said mining claim by claimant. or their grantors, and that said improvements					
consist of 2 shafts and 1 drift, total value \$590.00					
nd that no portion of said labor or improvements has been included in the estimate of expenditures					
pon any other claim.					
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix,					
Arizona, is correct and in conformity with the foregoing Field Notes.					
, Total and in conformity with the foregoing Pield Notes.					
Frank S. Ingalla,					
United States Surveyor-General for. Arizona.					

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	1	Phoenix, Arizona,
		October 14 , 190 9.
I, U. S. Surveyor-Genera	al forDistric	et of Arizona,
do hereby certify that the for	regoing and hereto attached Fi	eld Notes and Return of the Survey of the
Mining Claim of		
A. J	. Benedict and D. W.	, Brown
		, known as the
	Banner	
situate in	Turquoise	Mining District,
Cochise	County,	Arizona,
in Section Approx.	, Township No. 19 S.	Range No. 25 E., Unsur.
, designate	ed as Survey No.2665,	
executed by	John A. Rockfellow	, U. S. Deputy Mineral
Surveyor, Jı	uly 13-14	, 190.9, under my instructions dated
May 26	, 1909 have be	een critically examined and the necessary
corrections and explanations	made, and the said Field Notes	and Return, and the Survey they describe,
are hereby approved. A true	c copy of the copy of the locat	ion certificate filed by the applicant for
survey is included in the field	I notes.	A Dongalle
	. U. S. S	urveyor-General for Arizona.

21811b3m2-06