JUL 6- 1909

4-683.

### MINERAL SURVEY No.2670

LOT No.

Arizona Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R. J. Holmes,		
	KNOWN AS THE	
		Mining District,
		zona. Ange 20 W. Unsurveyed.
V V	nstructions dated May 29	
	by Peter	Mc Cardell  U. S. Mineral Surveyor.
Claim locar	ted See location no	
Survey com	menced June 5th.	, 19 09
Survey com	pleted June 7 th.	, 19 09
Addesses	(C)	

Address, Chas. W. Miller, Jr., Attorney-in-fact.
Needles, California.

Tee report of me Candell me error tie line of line 1-2 Jack Pot.

Ft.

SURVEY No. 2670.

JACK POT LODE.

Beginning at Cor. No.1.

A quartz stone, 8 X 12 X 30 ins., set 12 ins. in the ground, mound of stone, chiseled 1-2670 J. P., cross (X) at corner point, whence

A cross (X) and B. R. 1-2670 chiseled on porphyry rock

4 ft. above the ground, bears S. 60° 03' E. 77.6 ft.,

U. S. M. M. No.2670, San Francisco Mining District,

bears S. 49° 01' W. 425.45 ft. No other bearing objects

available.

Thence S. 00° 48' W.

Va. 14° 40' E.

300

To east end center.

A porphyry stone, 7 X 16 X 36 ins., mound of stone, chiseled E. E. C. J. P. 2670, cross for line point.

600 To Cor. No.2:

A granite stone, 6 X 12 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 2-2670 J. P., cross at corner point, whence

A cross and B. R. 2-2670 chiseled on a granite cliff 4 ft. above the ground, bears S. 84° 46' E. 139.2 ft. No other bearing objects available.

Thence N. 89º 12' W.

Va. 15° 18' E.

1500

To Cor. No.3.

Identical with Cor. No.2 Homestake lode of this survey.

A porphyry stone, 4 X 8 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled 3-2670 J. P. and 2-2670 H. on N. E. and N. W. faces respectively, cross

(X) at corner point, whence

SURVEY No.2670 - continued.

JACK POT LODE - continued.

A cross (X) and B. R.23-2670 chiseled on a porphyry-rock 7 ft. above the ground, bears N. 3° 17' W. 21.9 ft., and a cross (X) and B. R. 2-3-2670 chiseled on a porphyry cliff 4 ft. above the general surface, bears S. 88° 26' E. 24.5 ft., Thumb Butte bears N. 00° 12°W.

Thence N. 00° 48' E.

Va. 14° 53' E.

Along line 2-1 Homestake lode of this survey.

300 To west end center.-

A cross (X) for line point, and W. E. C. J. P., and E. E. C. H. 2670 chiseled on the east face of a porphyry cliff.

600 To Cor: No:4:

Identical with Cor. No.1 Homestake lode of this survey. A porphyry stone, 4 X 10 X 28 ins., set 6 ins. to bedrock, mound of stone, chiseled 4-2670 J. P., and 1-2670 H. on S. E. and S. W. faces respectively, cross (X) at corner point, whence

A cross (X) and B. R. 1-4-2670 chiseled on a granite rock 2 ft. above the ground, bears N. 6° 53' E. 36.55 ft. and a cross (X) and B. R. 1-4-2670 chiseled on a granite rock, 2 ft. above the general surface, bears S. 34° 23' E. 10.8 ft.

Thence S. 89° 12' E.

Va. 14° 48' E.

1500 To Cor. No.1 the place of beginning.

SURVEY No.2670 - continued. HOMESTAKE LODE.

Beginning at Cor. No.1.

Identical with Cor. No.4 Jack Pot lode of this survey, and heretofore described, whence

U. S. M. M. No.2670, San Francisco Mining District, bears S. 75° 43' 17" E. 1216.2 ft.

Thence S. 00° 48' E.

Va. 14º 48' E.

Along line 4-3 Jack Pot lode of this survey.

300 Tó east end center and heretofore described.

600 To Cor. No.2.

Identical with Cor. No.3 Jack Pot lode of this survey and heretofore described.

1. 17 10 五百十

LEGILET NO.

Thence N. 72° 24' W. Va. 14° 53' E.

1478.9 To Cor. No.3.

A cross (X) for corner point on top and 3-2670 H. chiseled on west face of a granite rock in place, showing 1 1/2 X 6 X 2 ft. above the ground, whence A cross (X) and B. R. 3-2670 chiseled on a granite rock 3 ft. above the ground, bears N. 72° 03' W. 23.52 ft., and a cross (X) and B. R. 3-2670 chiseled on a granite 3 ft. above the general surface, bears S. 70° 34' E. 29.27 ft., Thumb Butte bears N. 1° 51' E., Cor No.1 Oregon lode, Survey No.2669, bears N. 77° 48' 50" W. 1144.1 ft.

Thence N. 00° 48' E.

Va. 14° 34' E.

300 To west end center.

A granite stone, 3 X 12 X 30 ins., set 4 ins. to bedrock, mound of stone, chiseled W. E. C. H. 2670, cross (X) for line point.

(3)

SURVEY No.2670 - continued.

HOMESTAKE LODE - continued.

586.61 Witness Cor. to Cor. No.4.

A cross (X) for line point on top and W. C. 4-2670 H. chiseled on the east face of a granite cliff. No bearing objects available.

Turi o ruri o ortoni

600 To Cor. No.4.

On face of inaccessible granite cliff.

Thence from witness corner run S. 89° 12' E., Va. 14° 42' E. 44.35 ft. to a point on line 4-1, at S. 72° 24' E. 46.32 ft. from Cor. No.4: Thence S. 72° 24' E. To Cor. No.1 the place of beginning, making total length of line 4-1, 1478.9 ft.

1432.58

This survey is identical with the respective locations.

### LODE LINES.

As near as can be determined from present developments the veins of these locations embraced in this claim extend as follows from their respective discovery points.

Jack Pot Lode, 1301 ft. S. 89° 12' E. and 199 ft.

N. 89° 12' W.

Homestake lode, 443 ft. S. 72° 24' E. and 1035.9 ft. N. 72° 24' W.

#### AREA.

Total and net area Homestake lode..... 26.661 Acres

#### LOCATION.

This survey is located approximately in T. 20 N. R. 20 W., G. & S. R. B. & M., Unsurveyed, in San Francisco Mining District, Mohave County.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improve -

SURVEY NO.2670 - continued.

ments made upon, or for the benefit of, each of the locembraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

Jack Pot lode.
No.1. The discovery shaft of the Jack Pot lode, on the center line 199 ft. from the west end center, 4 X 6 ft., 50 ft. deep, at the bottom of this shaft is a drift running N. 89° W. 70 ft., all in rock.

Value of shaft and drift \$1,200

No.2. A shaft on the lode line of the Jack Pot lode,

329 ft. from the east end center 2, 4 X 6 ft., 10 ft.

deep, in rock.

No.3. A shaft which bears from Cor. No.2, N. 59° 04' W. 570.2 ft., 4 X 6 ft., 50 ft. deep, at the bottom of this shaft is a drift running east 18 ft., all in rock.

Value \$100

Value, \$3,000

Value of shaft and drift, \$680

No.4. A two copartment shaft, which bears from Cor. No.

4 S. 59° 26' E. 525.4 ft., 4 X 9 ft., 160 ft. deep,
timbered, in rock.

No.5. A tunnel, the mouth of which bears from Cor.

No.4, S. 66° 32' E. 497.6 ft., 4 X 6 ft., running S. 29°

24' W. 93 ft., thence S. 59° 10' W. 18 ft., thence S.

5° W. 27 ft., all in rock. Value, \$1,380

No.6. A tunnel, the mouth of which bears from Cor.

No.4, S. 55° 28' E. 481.9 ft., 4 X 6 ft., running S.

W. 29 ft., in rock. Value, \$250

Homestake lode.

No.1. The discovery shaft of the Homestake lode,
on the center line 443 ft. from the east end center

- 4 X 6 ft., 25 ft. deep, in rock.

Value, \$250 No.2. A tunnel, the mouth of which bears from Cor. No. SURVEY No.2670 - continued.

1, S. 69° 50' W. 465.8 ft., 4 X 6 ft., running S. 75° E. 34 ft., thence S. 47° E. 229 ft., in rock.

Value, \$2,400

### INSTRUMENT.

This survey was made with a Buff and Berger Transit.

The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100 ft. and 500 ft. steel tapes.

## REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by offsets from the lode line. All the tie lines were run directly upon the ground or by traverses, run upon the ground and submitted in a seperate report herewith.

#### ADJOINING CLAIMS.

The adjoining claims are the Mascot'lode, unsurveyed, on the east end of the Jack Pot lode and the Midnight lode, unsurveyed, on the west end of the Homestake lode. The corners to both of these claims could not be found, but they are supposed to be near the corners of the Jack Pot and Homestake lodes. The names of the claimants to these lodes are Geo. Miller of the former and R. J. Holmes of the latter.

he - m - m - yang, and upuran'-

The Land State of the Transfer of

DESCRIPTION OF U. S. M. M. No.2670.

San Francisco Mining District,

Mohave County, Arizona.

This monument is a quartz stone, 8 X 20 X 36 ins., set 14 ins. to bedrock, surrounded with a mound of stone, chiseled on the south face U. S. M. M. No.2670, cross (X) on the top for transit point, whence A cross (X) and B. R. U. S. M. M. No.2670 chiseled on a quartz rock 4 ft. above the ground, bears S. 40° 57' W. 143.3 ft. and a cross (X) and B. R. U. S. M. M. No.2670, chiseled on a porphyry rock 1 ft. above the ground, bears N. 33° 59' W. 42.75 ft., Thumb Butte bears N. 36° 03' W. U. S. L. M. No.1699 A., San Francisco Mining District, bears S. 65° 29' E. 15093.04 ft. A stone monument, oft. base, 5 1/2 ft. high, bears N. 30° W. 4 ft.

This monument is established in a conspicuous place on the top of a mountain overlooking the surrounding country, about 3/4 of a mile so south of Silver creek, approximately in section 32 T. 20 N. R. 20 W., G. & S. R. B. & M.

U. S. Mineral Surveyor.

#### \*\*\*\*\*

I hereby certify that the courses S. 40° 57' W. and N. 33° 59'W. from U.S.M.M. No. 2670 to certain bearing rocks, above reported, are incorrect, and that the correctcourses therefor are S. 75° 11' W. and N. 0° 5' W., respectively, as reported by Peter McCardell, U. S. Mineral Surveyor, under date of July 8, 1911.

U. S. Surveyor General.

Phoenix, Arizona, August 14, 1911.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

	ployed by SEter MCCardell
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field not	tes of the survey of the mining claim of
R. J. Holmes, by	Chas W. Willy In atterney in fact
known as the Jack Pot a	Char, W. Miller for Attorney in fact and Homestake
and showing the respective capacities in which	they acted.
	for Cornelius, Chainman.
· ·	Chainman.
	H.B. Morse, Axman.
	, Flagman.
-	
FINAL OATH	S OF ASSISTANTS.
We & M. Cornelius	
and HB Marso	, do solemnly swear that we assisted
Det meh 111	, do solemnly swear that we assisted
	s Mineral Surveyor, in marking the corners and surveying
	A olmer, by Char W. Miller
attorny in fact	U V
known as the Jack Pot a	nd Homestake
known as the sack (Fot a	nd Homestake ing been surveyed by said mineral surveyor and under his
represented in the foregoing field notes as have	
represented in the foregoing field notes as have direction; and that said survey has been in all r	ing been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instruc-
represented in the foregoing field notes as have direction; and that said survey has been in all r	ing been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instruc-
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instructure of the stable of
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instructure of the stable of
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound	ing been surveyed by said mineral surveyor and under his respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instruc-
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instructural for aryona Chainman.  Chainman.  Chainman.
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound tions furnished by the United States Surveyor-Go	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instructural for aryona Chainman.  Chainman.  Flagman  Flagman
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound tions furnished by the United States Surveyor-Go	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instructional for ary one of the conclusion, Chainman.  Chainman.  Flagman  the above-named persons before me this
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound tions furnished by the United States Surveyor-Go	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instructional for ary one of the conclusion, Chainman.  Chainman.  Flagman  the above-named persons before me this
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound tions furnished by the United States Surveyor-God Subscribed and sworn to by day of	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instruction of the constant of the above-named persons before me this  1999  1999  1999
represented in the foregoing field notes as have direction; and that said survey has been in all rand correctly executed, and the corner and bound tions furnished by the United States Surveyor-God Subscribed and sworn to by day of	respects, to the best of our knowledge and belief, faithfully ary monuments established according to law and the instructional for ary one of the conclusion, Chainman.  Chainman.  Flagman  the above-named persons before me this

# FINAL OATH OF U.S. MINERAL SURVEYOR.

	1, Peter Mc Cardell , U. S. Mineral Surveyor,
	do solemnly swear that, in pursuance of instructions received from the United States
	Surveyor General for, dated
	May 29 th. 1909 , I have, in strict conformity to the laws of the
	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of R. J. Holmes, by Chas. W. Miller, Jr., Attorney-in-fact
	, known as the
	Jack Pot and Homestake ,
	situate in San Francisco Mining District,
	Mohave County, Arizona , in Section
app	proximately inTownship No. 20 N., Range No. 20 W. unsur.
	and designated as Survey No. 2670 , as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or his grantors
	are as therein fully stated, and that the character, extent, location, and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	of expenditures upon any other claim.
	•
	Poles MCandell
	U. S. Mineral Surveyor.
- 7	Subscribed and sworn to by the saidPeter_Mc_Cardell
	U. S. Mineral Surveyor, before me, a notary public
	this 16th.
	day of, 1909
	Thank metcach
	Notary Public.
	6-1044

My commission expires

Aug 5, 1909.

## Affidavit of Five Hundred Dollars Improvements.

one, J. H. Cornelius and H. B. Mosse
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Jack Pot and Homestake mining claim,
acquainted with the Jack Pot and Homestake mining claim, situate in San Francisco Mining district, Mohare County,
Arizona Territory, for which R. J. Holmes, by Chas. W. Miller A.,
Arizona Territory, for which R. J. Holmes, by Chas. W. Millafr., altomey in fact
has made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
26.B. Anover
Ho.D./work
MUDDIMODY OF ADIZONA
County of Mohare \\ ss:
Sworn to and subscribed before me, this
**************************************
SEAL G. Addy of J.
27669b1m2-07  Motary Public  Bbl 15-" 1912
y Sommision Expires Apl. 15" 1912.

# NOTICE OF MINING LOCATION

....

MINERAL CLAIM		
To All Whom It May Concern:	7 11	
This mining claim, the name of which is the		
Mining Claim, situate on the lands belonging to the United States of America, and in		
mining deposits, was extered upon and located for the purpose of exploration and purc		
1 0 11 11		
1) The Shirted Class of There	ica	
the undersigned citizen, on the Hoth day of Jefun	20 /	
The length of this claim is Fifteen Hundred (1500) feet and	11	
claim /210 feet in a 56 asky	direction and	
feet in a fishily	direction	
from the center of the discovery sheft, at which this notice is posted, lengthwise of the c		
Hundred (300) feet in width of the surface grounds, on each side of the center of said of the lode deposit and premises is	laim. I ne general course	
of the four deposit and premises is		
The claim is stuated and located in the Sau Francisco	Mining District,	
inCounty) in the Territory of Arizona, about	1/2 miles	
in a Prefix direction from	the grand	
Gad finie 5 /2 forghe in -	a & mul	
Mughan of samplant one	-and	
adjus the Indi	my the	
the and and the	relocating	
y ou mmy claim.		
The surface boundaries of he claim are marked upon the ground as follows: B	eginning at a pronument	
of stone at a point in a Gashely direction webset he		
feet from the discovery short (at which this notice is posted), being in the genter of the	East	
	Three Hundred (300) feet	
to a monument of stone being the cor	ner of said claim; thence	
Seven Hundred and Fifty (750) feet to	a monument of stone, at	
the center of the side line of said claim; thence	2 2 - 2	
Seven Hundred and Fifty (750) feet to a monument of stone, being at the	1 x mex	
corner of said claim; thence Three Hundred (300) feet at the center of the end of said claim; thence	11	
Three Hundred (300) feet to a monument of stone, being at the	) (2	
claim; thence Seven Hundred and Fifty (750) feet t		
being at the center of the side line of said claim; thence	10 (1	
Seven Hundred and Fifty (750) feet to a monument of stone at t	he (nn)	
Corner of said claim; thence Three	ee Hundred (300) feet to	
the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statu	utes of the United States.	
and of an Act of the General Assembly of Arizona, entitled,"An Act Concerning Mines,"	approved March 2, 1899,	
and March 16, 1901, and all acts and parts of acts enacted up to and including the date	-ay 190 L	
at atrut so nin. past 10 " clock a.M.		
L. E. Tousla	<del>2</del>	
In In	ln	
Filed and Recorded at request of La & Juneau this	Z 6 day	
A. D. 190 /, at o'clock /5 minut	es $\Theta \cdot M$ .	
Nova D. page 8.2. Jus G. Fee	County Recorder.	
	County Recorder.	

# NOTICE OF MINING LOCATION

MINERAL CLAIM

2. 211 341	" -11	MAY 23 009
To All Whom It May Concern:	10/-	- b. "
This mining claim, the name of which is the		
Mining Claim, situate on the lands belonging to		
mining deposits, was entered upon and located f	for the purpose of explorat	ion and purchase by
C. G. Histo	<u>a</u>	1,
	1/1/1	
The Spick	J. Malos V.	murica
the undersigned citizen,, on the	day of Ja	uguary 190
The length of this claim is Fifteen Hundre	// 1	100
	4	Jelly 1
claim / 2v		direction and
	feet in a	direction direction
from the center of the discovery dist, at which t		
Hundred (300) feet in width of the surface group		nter of said claim. The general course
of the lode deposit and premises is Thum	The back of	to the trust
The claim is situated and located in the	Van Tra	Mining District,
in Mohane County in	the Territory of Arizona, a	bout 5-/2 miles
ina	Thirty directi	R
In a Mary of 1/2 22	silet Dest	h 6 -H - 1
See .	ing reac	
2-1 1 my	- paul	aray a mu
History of the old	Indy Ilm	<i>'</i> ,
· <i>V</i> .		
The surface boundaries of the claim are p	arked upon the ground a	s follows: Beginning at a monument
600 = 1	,	9 1
of stone at a point in a	direction	070
of stone at a point in a bull of the discovery sheft (at which this notice	direction	
feet from the discovery shaft (at which this notice	ce is posted), being in the	Center of the 628
feet from the discovery shaft (at which this notice and line of said claim; t	ce is posted), being in the	Center of the Last Three Hundred (300) feet
end line of said claim; to a monument of stone, being the	hence hence	center of the
end line of said claim; to a monument of stone, being the	hence hence	Center of the Last Three Hundred (300) feet
end line of said claim; to a monument of stone, being the	hence hence	center of the
end line of said claim; to a monument of stone, being the	hence hence ween Hundred and Fifty (	center of the
end line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monument of stone.	hence hence and Fifty ( side line of said claim; ment of stone, being at the	center of the
end line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monument of said claim; thence	even Hundred and Fifty ( ment of stone, being at the Three Hund	center of the
end line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monument of said claim; thence at the center of the	even Hundred and Fifty ( ment of stone, being at the Three Hund end of said claim; the	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monument of stone at the center of the  Three Hundred (300) feet to a monument of stone at the center of the	even Hundred and Fifty (  ment of stone, being at the  ment of said claim;  ment of said claim;  ment of said claim;  here, being at the	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the  Three Hundred (300) feet to a monument of stoclaim; thence	even Hundred and Fifty (  ment of stone, being at the  Three Hund  end of said claim; the  one, being at the  Seven Hundred and Fifty	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the  Three Hundred (300) feet to a monument of stoclaim; thence	even Hundred and Fifty (  ment of stone, being at the  Three Hund  end of said claim; the  one, being at the  Seven Hundred and Fifty	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the  Three Hundred (300) feet to a monument of stoclaim; thence	even Hundred and Fifty (  ment of stone, being at the  Three Hund  end of said claim; the  one, being at the  Seven Hundred and Fifty  side line of said	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monument of stone at the center of the  Three Hundred (300) feet to a monument of stone claim; thence being at the center of the  Seven Hundred and Fifty	even Hundred and Fifty ( ment of stone, being at the ment of said claim; ment of said claim; the ment of said claim;	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the  Three Hundred (300) feet to a monument of stoclaim; thence being at the center of the	even Hundred and Fifty ( ment of stone, being at the ment of said claim; ment of said claim; the ment of said claim;	center of the
feet from the discovery shaft (at which this notice————————————————————————————————————	even Hundred and Fifty (  ment of stone, being at the ment of said claim; ment of said claim; the ment	center of the
deet from the discovery shaft (at which this notice————————————————————————————————————	even Hundred and Fifty (  ment of stone, being at the ment of said claim; ment of said claim; the ment	center of the
deet from the discovery shaft (at which this notice and line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the Three Hundred (300) feet to a monument of stocklaim; thence being at the center of the Seven Hundred and Fifty corner of said claim; thence the place of beginning.  All done under the provisions of Chapter Si and of an Act of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act	even Hundred and Fifty (side line of said claim; ment of stone, being at the	Three Hundred (300) feet  corner of said claim; thence  750) feet to a monument of stone, at thence  red (300) feet to a monument of stone ence  corner of said  (750) feet to a monument of stone, claim; thence of stone at the  Three Hundred (300) feet to  Revised Statutes of the United States, ning Mines," approved March 2, 1899, ing the date of this location.
deet from the discovery shaft (at which this notice and line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the Three Hundred (300) feet to a monument of stocklaim; thence being at the center of the Seven Hundred and Fifty corner of said claim; thence the place of beginning.  All done under the provisions of Chapter Si and of an Act of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act	even Hundred and Fifty (side line of said claim; ment of stone, being at the	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monument of said claim; thence at the center of the  Three Hundred (300) feet to a monument of stoclaim; thence being at the center of the  Seven Hundred and Fifty  Seven Hundred and Fifty  Corner of said claim; thence the place of beginning.  All done under the provisions of Chapter Si and of an Act of the General Assembly of Arizons and claim.	even Hundred and Fifty (side line of said claim; ment of stone, being at the	center of the
deet from the discovery shaft (at which this notice and line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the Three Hundred (300) feet to a monument of stocklaim; thence being at the center of the Seven Hundred and Fifty corner of said claim; thence the place of beginning.  All done under the provisions of Chapter Si and of an Act of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act	even Hundred and Fifty (side line of said claim; ment of stone, being at the	Three Hundred (300) feet  corner of said claim; thence  750) feet to a monument of stone, at thence  red (300) feet to a monument of stone ence  corner of said  (750) feet to a monument of stone, claim; thence of stone at the  Three Hundred (300) feet to  Revised Statutes of the United States, ning Mines," approved March 2, 1899, ing the date of this location.
deet from the discovery shaft (at which this notice and line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the Three Hundred (300) feet to a monument of stocklaim; thence being at the center of the Seven Hundred and Fifty corner of said claim; thence the place of beginning.  All done under the provisions of Chapter Si and of an Act of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act	even Hundred and Fifty (side line of said claim; ment of stone, being at the	center of the
deet from the discovery shaft (at which this notice and line of said claim; to a monument of stone, being the Seven Hundred and Fifty (750) feet to a monumer of said claim; thence at the center of the Three Hundred (300) feet to a monument of stocklaim; thence being at the center of the Seven Hundred and Fifty corner of said claim; thence the place of beginning.  All done under the provisions of Chapter Si and of an Act of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act	even Hundred and Fifty (side line of said claim; ment of stone, being at the	center of the
deet from the discovery shaft (at which this notice————————————————————————————————————	even Hundred and Fifty (  ment of stone, being at the  ment of said claim;  ment of said claim;  ment of said claim;  the  ne, being at the  Seven Hundred and Fifty  side line of said  (750) feet to a manument  ax, of Title XXXII, of the a, entitled, "An Act Concers s enacted up to and included and said of a claim;  day of	center of the
end line of said claim; to a monument of stone, being the  Seven Hundred and Fifty (750) feet to a monument of said claim; thence at the center of the  Three Hundred (300) feet to a monument of stoclaim; thence being at the center of the  Seven Hundred and Fifty  Seven Hundred and Fifty  Corner of said claim; thence the place of beginning.  All done under the provisions of Chapter Si and of an Act of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act  Dated and posted on the ground, this said claim; thence the place of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground, this said claim; thence the place of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground, this said claim; thence the place of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground, this said claim; thence the place of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground and Recorded at request of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground and Recorded at request of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground and Recorded at request of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground and Recorded at request of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground and Recorded at request of the General Assembly of Arizona and Recorded at request of the General Assembly of Arizona and March 16, 1901, and all acts and parts of act the ground and Recorded at request of the General Assembly of Arizona and Assembly of Arizon	even Hundred and Fifty (  ment of stone, being at the  ment of said claim;  ment of said claim;  ment of said claim;  the  ne, being at the  Seven Hundred and Fifty  side line of said  (750) feet to a manument  ax, of Title XXXII, of the a, entitled, "An Act Concers s enacted up to and included and said of a claim;  day of	center of the

I, R. A. Robertson, Recorder of the County of Mohave, Territory of Arizona, do hereby certify that I have compared the foregoing copy of Locations Notices, of the "HOMESTAKE" and "JACK POT" Mining Claims, and of the endorsements thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS, my hand and seal of said office, this

26th day of May A. D. 1909.

COUNTY RECORDER

By Marie Carrow DEPUTY

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
August 17,	190.9
I, U. S. Surveyor-General for District of Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the	survey
of the mining claim of	-
R. J. Holmes	
known as the Jack Pot and Homestake	
situate in San Francisco	
Mining District, Mohave County, Arizona	
in Section Approx., Township No. 20 N., Range No. 20 W., Unsur.	w.
designated as Survey No. 2670 , has been correctly copied from the originals on	
this office; that said Field Notes furnish such an accurate description of said mining claim as	
incorporated into a patent, serve fully to identify the premises, and that such reference is made	
to natural objects or permanent monuments as will perpetuate and fix the <i>locus</i> thereof.	merem
And I further certify that five hundred dollars' worth of labor has been expended or imments made upon said mining claims by claimant. or his grantors, and that said improve	prove-
A CONTRACTOR OF THE CONTRACTOR	
consist of 5 shafts, 3 tunnels and 2 drifts, total value \$9260	,00
(*)	
7	
***************************************	
and that no portion of said labor or improvements has been included in the estimate of expend	litures
upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,	
Arizona, is correct and in conformity with the foregoing Field Notes.	
Frank S. Ingalls,	
United States Communa Command Com	

31099b5m8-07

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	************
	August 17,	, 190 <u>9</u> .
I, U. S. Surveyor-General for	District of Arizona	
do hereby certify that the foregoin	ng and hereto attached Field Notes an	d Return of the Survey of the
Mining Claim of		
	R. J. Holmes	
	www.company	, known as the
	Jack Pot and Homest	ake
situate in	San Francisco	mining district,
Mohave	County,	Arizona
in Section Approx., T	ownship No. 20 N., Re	ange No. 20 W., Unsur.
, designated :	as Survey No. 2670	
executed by Pe	eter Mc Cardell,	, U. S. Deputy Mineral
Surveyor, June 5-7	, 190 <u>9</u>	, under my instructions dated
May 29th,	, 1909, have been critically exa	amined and the necessary cor-
rections and explanations made, as	nd the said Field Notes and Return,	and the Survey they describe,
are hereby approved. A true copy	y of the copy of the location certificat	te filed by the applicant for
survey is included in the field note	<b>8.</b>	0
	Trans I in	ing all
	U. S. Surveyor-General	for Arizona.

KINGMAN, ARIZONA. May 19 1917. BOX 514

Mr. Frank P. Trott,
U. S. Surveyor General,
Phoenix, Arizona.

Sir:-

I find that line 1-2 Jack Pot lode to be S. 0° 45' W. and the tie line from Cor. No.1 of said Jack Pot lode to U. S. M. M. No.2670 to be S. 48° 59' W. instead of S. 0° 48' W. and S. 49° 01' W. respectively. I believe this error to be due in taking deflecting angles:

Subscribed and sworn to before me this 19 th. day of May, A. D. 1917.

Ausmal Smith

U.S. Commissione