(4-683.)

Mineral Survey No. 2674

Lot No. Arizona ____Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF Charles Clason. KNOWN AS THE Morning Star No. 2 Warren Mining District, Cochise County, Arizona. Section approx. Township 23 S. , Range 24 E. G & S. R B & M unsurveyed. Surveyed under instructions dated June 5 , 1909. by Franklin W. Smith U. S. Deputy Mineral Surveyor Claim located see location notice. 1 Survey commenced August 30 1909. Address of claimant:

Charles Clason.

Bisbee, Arizona.

Survey No. 2674.

Morning Star No. 2 lode.

Beginning at Cor. No. 1, the S.E.Cor,, identical with location and with Cor. No. 7 Sur. No. 2133 Morning Star lode, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 1-2674 M. S. No.2 L., whence apine post of same dimensions and scribed B.P. 1-2674 brs. N 6° 42' E 17.2 ft., and asecond pine post of same dimensions and scribing brs. N 74° 54' W 25 ft. No bearing monuments available, and U. S. M.M. No. 1 Warren Mining District brs. S 81° 20' E 3872.40 ft.

Thence N 74° 54' W

1448.48 along line 6-7 Mcrning star lode Sur. No. 2133 to Cor. (identical with location)
No. 2, the S.W.Cor, a pine post 4 ft. long 4 ins. sq.
set 18 ins. in the ground in a mound of stones and scribed
2-2674 M.S.No.2 L., whence a pine post of same dimensions
and scribed B.P. 2-2674 brs. S 74° 54' E 25 ft. and a second
pine post of same dimensions and scribing brs. N 6° 42' E
25 ft. No bearing monuments available and Cor. No. 6
Sur. No. 2133 Morning Star lode Brs. N 74° 54' W 33.52 ft.

Thence N 6º 42' E

- 249.12 to original location for W.E.C. being a mound of stones
 3 ft. high and with a 3 ft. base.
- with location, a pine post 4 ft. long 4 ins. sc. set 18 ins. in the ground in a mound of stones and scribed 3-2674 M. S. No. 2 L., whence a pine post of same dimensions and scribed B.P. 3-2674 brs. S 6° 42' W 25 ft. and a second pine post of same dimensions and scribing brs. S 66° 06'

 E 25 ft. No. bearing monuments available.

Thence S 66° 06' E

- 9.0 to Cor. No. 4 Bisbee Townsite patent.
- 1232.33 same bearing to the intersection of line 2-3 Sur. No. (Quartzite Strip lode)
 2010, at N 25° o' 30" E 30.04 ft. from Cor. No. 2.
- 1430.28 same bearing to the intersection of line 4-1 Sur. No.

 2010 Quartzite Strip lode at N 24° 45' E 60.63 ft. from

 Cor. No. 1. Course of line 1-2 Sur. No. 2010 Quartzite

 Strip is N 37° 20' W 199.0 ft.

1500.0 same bearing along line 3-4 Bisbee Townsite Patent to
Cor. No. 4, the N.E.Cor., identical with location and
situated at the intersection of line 3-4 Bisbee Townsite
patent and line 6-7 Al Hassan lode Sur. No. 1387, a pine
post 4 ft. long 4 ins. sq. set 18 ins. in the ground in
a mound of stones and scribed 4-2674 M.S.No. 2.L., whence

a pine post of same dimensions and scribed B. P. 4-2674 brs. N 66° 06' W 25 ft. and a second pine post of same

the transfer of the sales that the sales and the

STATES TO COUNTY THE

dimensions and acribing brs. S 6° 42' W 50 ft. No bearing

monuments available. Cor. No. 7 Al Hassan lode brs. S. 6° 42' W. 81.23 ft.
Thence S 6° 42' W

50.0 to original location for E.E.C being a monument of stone 3 ft. high and with a 3 ft. base.

67.23 same bearing to Cor. No. 1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the W. E. C S 66° 06' E 1500.0 ft.

Area.

Total and net area 6.026 ac.

Area in conflict with Sur. No. 2010 Quartzite Strip lode
is 0.206 ac.

Improvements.

No.1. Discovery cut and tunnel. Discovery cut 4 x 13 x 23 ft. the mouth of which brs. from Cor. No. 4 N. 67° 34' W 642.6 ft. Tunnel 4 x 6 x 38.6 ft. long brs. S 13° 35' W from face of open cut.

Value of open cut, \$100.00; tunnel, \$386.00

Total value, \$486.00

EXPENDITURE OF FIVE HUNDRED DOLLARS.

Affidavit of \$500.00 improvements will be filed prior to the expiration of the period of publication.

Adjoining Claims.

North. Bisbee Townsite patent, Quartzite Strip lode, Sur. No. 2010.

East. Al Hassan lode Sur. No. 1387 owned by T. Higgins. South. Morning Starclode Sur. No. 2133 owned by A. Daley and C. Clason.

West. Unsurveyed ground. Claims and claimants unknown.

Location.

This claim is located in the Warren Mining District Cochise County, Territory of Arizona, about 3/4 miles in southwesterly direction from the postoffice at Bisbee

in Tp. 23 S. R. 24 E. G & S R B & M

unsurveyed. The discrepancies between the location notice and the survey are due to errors in the location notice.

Instrument.

This survey was made with a C. L. Berger & Sons No. 1.6 transit. The courses were deflected from the true meridian as determined by a Solar observation checked by an observation on Polaris. The distances were measured with a 300 ft. steel tape. Magnetis variation 12° 30' E at all corners.

U. S. Mineral Surveyor.

Bisbee, Arizona.

August 31, 1909.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

		loyed by Plankiin W. Smit	
United States Mineral Su:	veyor, to assist in 1	running, measuring, and marking	the lines, corners, and
boundaries described in the	e foregoing field note	s of the survey of the mining clair	n of
	Charles Clase	on	
known as the	Morning	Star No. 2.	
and showing the respective	capacities in which	they acted.	
		R. L. Motz.	, Chainman.
		K. H. Acord	, Chainman.
			, Awman.
			, Flagman.
FI	NAL OATHS	S OF ASSISTANTS.	
We	R. L. Mo	tz	
and K. H. Acord		, do solemnly swear that we assisted	
	ng claim of	Mineral Surveyor, in marking the o	
	27		
known as the	Morning	Star No. 2	
represented in the foregoin	g field notes as havi	ng be <mark>en surveye</mark> d by said mineral su	irveyor an <mark>d under his</mark>
lirection; and that said sur	<mark>vey has</mark> been in all re	espects, to the best of our knowledge	and belief, faithfully
and correctly executed, and t	he corner and bounda	ry monuments established according	to law and the instruc-
ions furnished by the Unite	d States Surveyor-Ge	neral for Arizona	
		R. L. Moto	. Chainman.
		R. L. Mots	, Chainman.
	_		
Subscri		the above-named persons before me	9
			VALES
da	y oroeprembe:	r, 1909.	Walt
		NOTARY PUBL In and for the County of Cochise Te	ritory of Arizona.
		My Commission Expire	may 10,1/12

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR


, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Arizona. , dated
June 5, 1909. , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Charles Clason
, known as the
Morning Star No. 2
situate in Warren Mining District,
Cochise County, Arizona in Section
approx., Township No. 23 S, Range No. 24 E G.& S.R.B.& M. unsur.,
and designated as Survey No. 2674 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Mauble hothist
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Franklin W. Smith
U.S. Deputy Mineral Surveyor, before me J. W. Ross, Notary Public
this 4th.
day of September 1909.
111 To
my commission 100 11000
vires treli. 20,1912. Notary Public
In and for the County of Cod
Territory of Arizona.

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Morning Star no.
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Charles Clason
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of Yau. 190 9
The length of this claim is feet,
and & claim 800 feet,
in a Westerly direction and
You feet in a lasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
West to the Cost
The claim is situated and located in the Warren Mining District, in
County, in the Territory of Arizona, about / wite
in a westury direction from Town of Bisber
and adjoins The Morning Slar
lode Survey 2/33
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
The surface boundaries of the claim are marked upon the ground as follows. Beginning as
a monument
a monument
at a point in a Wester by direction 800 feet from
at a point in a Wester of the discovery shaft (at which this notice is posted), being in the center of the Westerly
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the sterrby end line of said claim; thence 300 feet to a Monument
at a point in a Westerly direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence 300 feet to a Monument, being the South West corner of said claim; thence
at a point in a Westerly direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence 300 feet to a Monument of said claim; thence heing the south west corner of said claim; thence feet to a monument, being at the
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Wester by end line of said claim; thence 300 feet to a Monument corner of said claim; thence heet to a monument, being at the feet to a monument, being at the feet to a monument feet to a monument feet to a feet to a feet
at a point in a Wester y direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Westersly end line of said claim; thence 300 feet to a Morrison , being the South West corner of said claim; thence /500 feet to a Morrison , being at the Aputh east corner of said claim; thence 300 feet to a Morrison at the center of the lasterly end of said claim;
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Wester by end line of said claim; thence 300 feet to a Monument of said claim; thence seet to a Monument, being at the feet to a Monument, being at the feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument, being at the
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the steer by end line of said claim; thence 300 feet to a Monument of the south west corner of said claim; thence 1500 feet to a Monument of the south east corner of said claim; thence 300 feet to a Monument of the said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 1500
at a point in a Wester of direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Wester of the Mester of the Month west of the feet to a Month west of the feet to a Month of the feet to a Mont
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the steer by end line of said claim; thence 300 feet to a Monument of the south west corner of said claim; thence 1500 feet to a Monument of the south east corner of said claim; thence 300 feet to a Monument of the said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 300 feet to a Monument of said claim; thence 1500
at a point in a Wester y direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the westerly end line of said claim; thence 300 feet to a Manual thence 1500 feet to a Manual thence 1500 feet to a Manual the shouth east corner of said claim; thence 300 feet to a Manual the seet to a Manual at the center of the lasterly end of said claim; thence 300 feet to a Mona at the Month east corner of said claim; thence 300 feet to a Mona at the Month east corner of said claim; thence 1500 feet to a Mona at the Month east corner of said claim; thence 1500 feet to a Mona at the Month east corner of said claim; thence 1500 feet to a Mona at the Month east corner of said claim; thence 1500 feet to a Mona at the Month east corner of said claim;
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Wester by end line of said claim; thence 300 feet to a Montanian peing at the south west corner of said claim; thence feet to a feet to the place of beginning.
at a point in a Wester direction good feet from the discovery shaft (at which this notice is posted), being in the center of the Wester directly end line of said claim; thence 300 feet to a Manual feet to a Manual feet to a Manual feet 1500 feet to a Manual feet 1500 fe
at a point in a Wester of the direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Wester of end line of said claim; thence 300 feet to a Monument , being the South west corner of said claim; thence feet to a Monument, being at the South east corner of said claim; thence 300 feet to a Monument at the center of the laster of end of said claim; thence 300 feet to a Monument, being at the Month east corner of said claim; thence 1500 feet to a Monument at the feet to a Monument, being at the Month east corner of said claim; thence 1500 feet to a Monument at the feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Wester by end line of said claim; thence 300 feet to a Montument of said claim; thence 4500 feet to a Montument of said claim; thence 4500 feet to a Montument of said claim; thence 4500 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 100 feet to 1900 feet to
at a point in a Wester by direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the Wester by end line of said claim; thence 300 feet to a Montument of said claim; thence 4500 feet to a Montument of said claim; thence 4500 feet to a Montument of said claim; thence 4500 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to a Montument of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 100 feet to 1900 feet to
at a point in a Wester direction good feet from the discovery shaft (at which this notice is posted), being in the center of the Wester directly end line of said claim; thence 300 feet to a Manual feet to a Manual feet to a Manual feet 1500 feet to a Manual feet 1500 fe

Ten on	I,rritory aforesa	MINING	ss. Myona certify that the v	AR 29 1909	nt was filed for 190.	r record at	orded in Book No	3.V	
7757	Potice of Location	Norming Starman	harles Claren	ted 1 2 y - gam , 190 g	Filed, and Recorded at request of	MAR 29 1909 A. D. 190 C. M.	ges Lynn Land M. County Recorder.	Deputy Recorder.	ETSBEE, ARIZ.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoeni	x, Arizona,				
		December 23,	, 1 909			
I, U.S. Surveyor General for	Distric	t of Arizona				
do hereby certify that the foregoin			· ·			
of the Survey of the mining claim						
Cha						
, known as the						
Mining District						
Arizona						
Range No. 24 E., G. & S. R.						
No. 2674						
file in this office; that said Field Notes furnish such an accurate description of said						
mining claim as will, if incorporated into a patent, serve fully to identify the premises,						
and that such reference is made therein to natural objects or permanent monuments as						
will perpetuate and fix the <i>locus</i> thereof. And I further certify that five hundred dollars' worth of labor has been expended						
or improvements made upon said						
that said improvements consist of						
<u>value</u> \$486.00						
		*				
Management of the second secon						

**************************************		•	***********************			
and that no portion of said labor or	r improvemen	ts has been included i	in the estimate of			
expenditures upon any other claim						
I further certify that the plat the			-			
Arizona, is correct an	ad in <mark>confo</mark> rm	ity with the foregoing	Field Notes.			
	F	rank S. Ingalls,				
United Sta	stan Cumanan Con	and for Arizona				

0 6—168

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Pho	enix, Arizona,
		December 23, , 1909.
I, U. S. Surveyor-Genera	d for. District of Ar	izona,
do hereby certify that the for	egoing and hereto attached Field	Notes and Return of the Survey of the
Mining Claim of		
	Charles Clason	
		, known as the
		, known as the
		Mining District,
		cizona,
in Section Approx. R. B. & M., Unsur.,	Township No. 23 S.	Range No. 24 E., G. & S.
, designate	d as Survey No. 2674	
executed by Fr.	anklin W. Smith	, U. S. Deputy Mineral
Surveyor, Aug	ust 30	, 1909., under my instructions dated
June !	5 , 190_9, have been	reritically examined and the necessary
corrections and explanations i	nade, and the said Field Notes ar	nd Return, and the Survey they describe,
		n certificate filed by the applicant for
survey is included in the field		a continue and all approaches for
sarvey to moradou in the herd	Mores.	had been the
	C/Inno	Mangach veyor-General for_Arizona.
	U. S. Sur	veyor-General for Arizona.

21811b3m2-06