JUL **1**. 1909 JUL 31. 1909

1−683.

MINERAL SURVEY No. 2683

LOT No.

Aryona Land District.

FIELD NOTES

INOWN AS THE

HNOWN AS THE

Analy

Walker Mining District,

Marchar County, Angera

Sections george 4 was would Township 13 N., Range I. W.

Surveyed under instructions dated from 16, 1909

by Walkan Mining District,

U. S. Mineral Surveyor.

Claim located Section water 19

Survey commenced from 19, 1909

Survey completed from 19, 1909

Address of Claimant

Feet

Beginning at Cor.No.1

Identical with the loo.

A Porphyry stone 6 X 10 X 24 ins.set 12 ins.in the ground With mound of stones chiseled A-1-2683, Whence:-

The S.W.Cor.of sec.33 T.13 N.R.1 W.brs.S 66:54:W 4879.ft. An Oak tree 20 ins.diam.scribed B-T-A-1-2683 brs.

18 0 0 N 65900 W 12.2 ft.

A Pine tree 12 ins.diam.scribed X-B-T-A-1-2683 brs. S88,00 E 8.9 ft. Loc. cor. mound of stones 2 X 3 ft. high.

obol tel

Thence N 53°15'E

SULESS & PAR

988.55 Intersect line between secs.33 & 34 T.13 N.R.1.W.at South 134,31 2505.69 ft. to see cor. and North 134.35 to 1/4 see cor. a mound of stones.

87 161

interest

Identical with the loo.

A Porphyry stone 8 X 10 X 24 ins. set 12 ins. in the ground with mound of stones chiseled A-2-2683. whence:-

attended Annoak tree 18 ins.diam.scribed X-B-T-A-2-2683 brs.

eral for a forms 23,25 W 33,20 feet and

An oak tree 18 ins.diam scribed X-B-T-A-1-2685 brs. N 46°35'E 23.2 feet.Loc.cor mon.of stones 2 X 3 ft.high

bol and work find with Thence S 36015 E.

300. Identical with the loc. of the E.C. End a monument of stones 2 X 3 ft. high more, and

To Cor. No. 3. CO. JOOL S. Sent av 600

. I dentical with the loc.

A Porphyry stone 10 X 10 X 24 ins. set 12 ins. in the ground with mound of stones chiseled A-3-2683 whence:-

An oak tree, 5 ins.diam.scribed X-B-T-A-3-2683 brs.

S.77234 W 9.8 ft.

n RE THE RESERVE

An oak tree 10 ins.diam.scribed X-B-T-A-3-2683 brs.

N 46°17'W 42.ft. Loc.cor.mon.of stones 2 X 3 ft high

Thence S 53°15'W

934.23

CAL HOUSE

Intersect the line between secs. 33 & 34 T.13 N.R.1 W.at North 883.14 to 1/4 sec. cor. and South 1756.9 to sec cor.

1480 To Cor. No. 4 with mound of stones chiseled A-4-2683.whence:

An oak tree 14ins.diam.scribed X-E-T-A-4-2683 brs.

S 68200'W 6.5 feet.

An oak tree 8 ins.diam.scribed X-B-T-A-4-2683 brs.

N 42° W 12.2 ft.Loc.cor.mon.of stones 3 X 3 ft.

Thence N 36°15'W

300 W.C. End identical with the loc.'a monument of stones 3 X 3 ft.

600. To Cor. No. 1 the place of beginning.

Variation at all corners 139E

Total area of Amulet lode

20.384 acres.

The lode extends from the discovery point N 53915 E 730 ft.

Location

Lode -

This claim is located part on surveyed and part on unsurveyed land in secs ,33, & 34, T.13, N.R.1.W. Walker Mining District,
Yavapai County Arizona. In the Prescott National Forest.

-: EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon this claim by the claimant or his grantowis not less to than five hundred dollars and that said improvements consist of :-

Nol Dis. shaft the center of which is on the lode line 750

ft.from the W.C. End. 4X6X45 ft.deep value \$450.00

No.2 shaft which bra.from the W.C. End N 53915 E 240.ft.

4 X6X100 ft. value \$1000.00.

No.3 shaft which brs.from W.C. End. N 53915 E 970 ft.

10. 4X6X 187 ft.deep value 2805.00

No.4 shaft which bra.from the W.C. End N 53215'E 1130 ft!

4X6X60-ft.deep value, \$600.00

Adjoining Claims
This claim is bounded on the northeast by unknown claim, dain and on all other sides by U.S.Land.

This survey was made with a Gurley solar transit. The courses

were deflected from the true meridian as determined by direct solar observations. The distances were measured with lao-ft and 500-ft steel tapes.

U.S. Mineral Surveyor.

mor by the same of

T. C. End ide

Note:South east side center monument a mound of stones 24 X 18 inches
high brs.from cor.No.3 S 52030'W 740 feet.

I tied to the S.W.Cor.of sec. 33 Tp.13 N.R.1.W, because 1 of at the S.E.Cor.of this section and the 1/4 cor.between secs.33 & 34 I found only a mound of stones, no marked stone of bearings.

Note :-

The disa greement between these field notes and the location notice as to the end centers is do to errors in the the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals emp	ployed by Walliam H Menutt
	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field not	es of the survey of the mining claim of
Nana an	hvore
and showing the respective capacities in which	they acted.
	, Chainman.
	Richard Lo Assist, Chainman.
	, Axman.
	, Flagman.
FINAL OATH	S OF ASSISTANTS.
we Richard Lo	
A. Mariana and a series of the	0
and	, do solemnly swear that we assisted William
Harritt, United State	s Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Mr. W. Brown
J	
known as the An	rulet
	ving been surveyed by said mineral surveyor and under his
	respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and bound	dary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-C	deneral for Arynna
	, Chain <mark>man.</mark>
	Richard I MErritt, Chainman.
	, Axman.
	"Flagman
Subscribed and sworn to b	y the above-named persons before me this 3
day of July	111 Month
my Carmina	
1 Expurpme 28 m 1913	1 y oran Harrie

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, William A	January J., U. S. Mineral Surveyor,
do solemnly swear that, in pursuance o	f instructions received from the United States
	na dated
	, I have, in strict conformity to the laws of the
A second	nd instructions thereunder, and the instructions
	d correctly executed the survey of the Mining
Claim of My W	More
	, known as the
Emmed	ego,
	Ler Mining District,
13 of Janapa	County, Jayru, in Sections
30000 x xxx June Township No. 12 302/ ,]	Range No. 2
and designated as Survey No. 2.6	, as represented
in the foregoing field notes, which accur	ately show the boundaries of said mining claim
as distinctly marked by monuments on t	the ground, and described in the attached copy
of the location certificate, which was rec	ceived by me from the Surveyor General with
said instructions, and that all the corners	s of said survey have been established and per-
petuated in strict accordance with the	law, official regulations and instructions there-
under; and I do further solemnly swear	r that the foregoing are the true and original
field notes of said survey and my repo	ort therein, and that the labor expended and
improvements made upon said mining c	laim by claimant or his grantors
are as therein fully stated, and that the	e character, extent, location, and itemized value
thereof are specified therein with partic	ularity and full detail, and that no portion of
said labor or improvements so credited	to this claim has been included in the estimate
of expenditures upon any other claim.	
	William & Meritt U. S. Mineral Surveyor.
	U. S. Mineral Surveyor.
Subscribed and sworn to by the said	William A ment
U. S. Mineral Surveyor, before me	a Notary Public in and
for yavapai Countr	Largon this second
day of, 19	paryons this second
9	Jela O Brown
	m - 2 (4)

Affidavit of Five Hundred Dollars Improvements.

Torace Jonans F. C. Moon
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Annules mining claim,
situate in Walker Mining district, Garapai County,
situate in Walker Mining district, Garapai County, Arizona Territory, for which M. M. Marre
has made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Horase Deomans
County of farafaci See:
Sworn to and subscribed before me, this
SEAL. See day of My , 190.9 27669b1m2-07 Augustus Marit
Influe June 28 16/9/3 (Natory Publice

Amulet

Location Notice of the Amulet Mine.

Notice is hereby given, That the undersigned in compliance with the requirements of the Revised Statutes of the United States, Have this day located and claim 1500 hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Walker Mining District, County of Yavapai Territory of Arizona, and more particularly described as follows to wit:

Commencing at a monument of stone on the East boundary line of the claim & 300 feet Easterly from discovery shaft & monument of stone where this notice is posted. Running thence from said Side Monument 750 feet in a Northerly direction parallel with the ledge to a Monument of Stone at N.E.Corner, thence Westerly 600 feet across & right angles to ledge to Monument of Stone at N.W.Corner, thence South Westerly 1500 feet parallel with the Ledge to Monument of Stone at S.W.Cor thence Easterly 600 feet across ledge at right angles to stone Monument at S.E.Cor. thence Northeasterly & parallel with ledge 750 feet to place of beginning.

This claim is situated about \$\frac{3}{4}\$ of a Mile in Easterly direction from the Howell Smelter & about 350 East of what was Known as the Sullivan Coal Camp on the Silver Belt trail between Howells Smelter & the Iron Mine, and shall be known as the Amulet Mine.

Located July 19th 1886.

Frank Daggett J.M.W.Moore,

Recorded at Request of J.M.W.Moore July 26th A.D.1886 at 9. O'clock A.M. in in Book 22, of Mines at pages 387 & 388, Records of Yavapai County Arizona.

William Wilkerson County Recorder

9

TERRITORY OF ARIZONA, county of yavapai, ss.

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the forgoing copy with, and that the same is a full, true and correct copy of the Notice of Location of the ANULET Lode mining claim, in Walker Mining District, Yavapai Co., filed for record on July 26, A.D. 1886, and as the same appears of record in my office in Book 22 of Mines, at pages 387-388, and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 14th day of June, A. D., 1909.

J. C. Badbury, County Recorder,

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

•	Phoenix, Arizona,	-
	September 16	, 190 <u>9</u> .
I, U.S. Surveyor-Gene	eral for District of Arizona	
do hereby certify that the f	foregoing transcript of the Field Notes, return and approv	
	о с т	
	J. M. W. Moore	
	AMULET	
	Walker	
Mining District, 33 in Sections Approx. 34 designated as Survey No this office; that said Field incorporated into a patent, s to natural objects or perman And I further certify to ments made upon said min consist of 4 shafts,	Yavapai County, Notes furnish such an accurate description of said mining serve fully to identify the premises, and that such reference ment monuments as will perpetuate and fix the locus thereof that five hundred dollars' worth of labor has been expending claim by claimant or his grantors, and that said total value \$4855.00	rizona, and iginals on file in claim as will, if is made therein f. ded or improve-
	,	
and that no portion of said	labor or improvements has been included in the estimate of	of expenditures
	e plat thereof, filed in the U.S. Land Office at Phoen	iv
Andraga	is correct and in conformity with the foregoing Field N	
	with the foregoing Field P	TOLES.
	Frank S. Ingalls,	54222 <u>000</u> 2
	United States Summan Commal for Arizona	

0-2

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of J. M. W. Moore , known as the AMULET situate in Walker mining district,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of
Mining Claim of J. M. W. Moore , known as the AMULET situate in Walker mining district,
J. M. W. Moore
AMULET situate in mining district,
AMULET situate in mining district,
AMULET situate in mining district,
situate in mining district,
Varianci
Yavapai County, Arizona
in Section s Approx. 34, Township No. 13 N., Range No. 1 W., Unsur. , designated as Survey No. 2683
executed by William H. Merritt,, U. S. Deputy Mineral
Surveyor, June 19 , 190_9, under my instructions dated
June 16, , 1909, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Trank & Ingalls
U. S. Surveyor-General for Arizona.