

SEP 24 1909

*Plotted
and
checked*

4-683.

MINERAL SURVEY No. 2715

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Joseph Stamford and David McBride

KNOWN AS THE

Corona

Turquoise Mining District,

Cochise County, Arizona

Section Approx., Township 19 S., Range 25 E. unsurveyed.

Surveyed under instructions dated August 21, 1909.

by H. W. Jorgensen
U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced September 1, 1909.

Survey completed September 2, 1909.

6-822

Claimants' attorneys, Cunningham & Riggs, Tombstone, Arizona.

SURVEY NO. 2715.
Corona lode.

Feet.

Beginning at Cor. No. 1, the N.E. corner, a corner of location a stake driven in the ground in a monument of stones $2\frac{1}{2}$ ft. high. I mark the corner with a pine post 4 ft. long, 4 ins. sq. set 18 ins. in the ground in a monument of stones and scribe the post on its S.W. side, 1-2715 CL, whence a granite boulder 10 ins. X 14 ins. and 3 ins. above ground, chiseled X-1-2715 BR brs N. $55^{\circ}23'$ E. 102.10 ft. and a granite boulder 8 ins. X 12 ins. and 4 ins. above the surface of the ground chiseled the same, brs N. $47^{\circ}34'$ W. 119.73 ft., and U.S.M.M. N. 1 brs N. $75^{\circ}30'$ E. 2919.6 ft.

Thence S. $4^{\circ}17'$ E.

268.0 Intersect barb wire fence, course easterly and westerly.

509.3 Same bearing, to Cor. No. 2, a corner of location, and probably a corner of America lode, unsurveyed, a stake in the ground under a monument of stones 2 ft. high. I mark the corner with a pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground surrounded by a monument of stones and scribe the post 2-2715 CL, whence a granite boulder 10 ins. X 3 ins. and 6 ins. above ground, chiseled X-2-2715 BR brs S. $11^{\circ}35'$ E. 68.12 ft., and a granite boulder 10 ins. X 12 ins. and 5 ins. above ground, chiseled the same, brs N. $66^{\circ}13'$ E. 132.60 ft.

Thence S. $12^{\circ}03'$ E.

34.6 To Cor. No. 5 Turf lode, Survey No. 2657, and S.W. corner of America lode, unsurveyed.

943.0 Same bearing to Cor. No. 3, the S.E. corner, identical with location corner and with the N.E. corner of Blanche lode, unsurveyed, and on line 5-4 Turf lode, Survey No. 2657, a pine post 4 ft. long, 4 ins. sq. set 18 ins. in the ground in a monument of stones and scribed SECC. I add to scribing, 3-2715 CL, whence a granite boulder 6 ins. X 8 ins. and 3 ins. above ground, chiseled X-3-2715 BR brs N. $47^{\circ}37'$ E. 42.96 ft., and a granite boulder 12 ins. X 12 ins. and 12 ins.

- Feet. above ground, chiseled the same brs N.75°24'W. 176.20 ft.
 Thence S.74°25'W.
300. Location monument for S. end center, a pine post 4 ft. long
 4 ins. sq. set 1 ft. in the ground in a monument of stones
 and scribed SCEC. I add to scribing 2715.
- 600.0 Same bearing to Cor. No. 4, the S.W. corner, identical with
 the S.E. corner of Ohio lode, unsurveyed, and on the N. side
 line of Blanche lode, unsurveyed, a pine post 4 ft. long
 4 ins. sq. set 18 ins. in the ground in a monument of
 stones and scribed SWCC, 4-2715 CL, whence a granite boulder
 10 ins. X 15 ins. and 5 ins. above ground, chiseled
 X-4-2715 BR brs N.32°31'W. 52.60 ft. and a granite boulder
 2 ft. X 2 ft. and 6 ins. above ground, chiseled the same
 brs S.43°30'W. 26.0 ft. The location monument for S.W. Cor.
 a pine post 4 ft. long 4 ins. sq. set 1 ft. in the ground
 in a monument of stones, scribed SWCC, bears S.74°25'W.
 14.0 ft.
 Thence N.12°03'W.
- 943.0 To Cor. No. 5, a corner of location, a monument of stones
 2 ft. high. I mark the corner with a pine post 4 ft. long
 4 ins. sq. set 1 ft. in the ground in a monument of stones
 and scribe the post 5-2715 CL, whence a granite boulder
 8 ins. X 10 ins. and 4 ins. above ground, chiseled X-5-2715
 BR bears N.75°50'E 114.80 ft., and a granite boulder 12
 ins. X 15 ins. and 12 ins. above ground, chiseled the same
 brs S.28°40'W. 82.75 ft.
 Thence N.4°17'W.
302. Intersect barb wire fence, course easterly and westerly.
- 509.3 Same bearing to Cor. No. 6, the N.W. corner, a pine post 4 ft.
 long, 4 ins. sq. set 1 ft. in the ground to bedrock in a
 monument of stones and scribed 6-2715 CL, whence a granite
 boulder 12 ins. X 18 ins. and 8 ins. above ground, chiseled
 X-6-2715 BR brs S.29°25'W. 44.73 ft., and a granite boulder
 14 ins. X 18 ins. and 6 ins. above ground, chiseled the

Feet.

SURVEY NO.2715 continued.

same, brs N.46°23'W. 49.80 ft. The N.W. corner of location, a monument of stones 2½ ft. high brs N.4°17'W. 44.0 ft.

Thence N.74°25'E.

300. To N.end center, a pine post, 4 ft. long, 4 ins. sq. set 1 ft. in the ground to bedrock in a monument of stones, scribed on its S. side, 2715. The location monument for N. end center, a monument of stones 2 ft. high brs N.4°17'W. 22 ft.

600.0 Same bearing to Cor.No.1, the place of beginning.

Ledge.

The presumed course of the ledge on this claim is from the S. end center, N.12°03'W. 943.0 ft., thence N.4°17'W. 509.3 ft.

Area.

Total area Corona lode, 19.844 Acres.

Improvements.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimants and their grantors is not less than Five Hundred Dollars, and that the said improvements consist of:

No.1	Discovery shaft, 4 X 6 X 20 ft. brs from Cor.No.2, S.74°25'W. 300. ft., value,	\$ 200.00
No.2	Shaft, 4 X 6 X 3 ft., partly filled in, brs from Cor.No.2, S.81°W., 304 ft., value,	80.
No.3	Shaft, 4 X 6 X 30 ft., partly filled in, brs from Cor.No.2, S.48°25'W., 489 ft., value,	300.
	Total value of improvements,	\$ 580.00

Adjoining claims.

- North. Unsurveyed. Name of claim unknown. Gid. Graham, said to be claimant.
- East. America, unsurveyed, H. Durant, claimant. Turf lode, Survey No. 2657, Jas. Graham and M. Shea, claimants.
- South. Blanche, unsurveyed, J. R. Cowan, claimant.
- West. Ohio, unsurveyed, Joseph Stamfeld, claimant. A claim, Unsurveyed, name of claim and claimants unknown.

Location.

This survey is located approximately in T.19 S.R.25 E.,

G. & S.R.B. & M., unsurveyed, in the Turquoise Mining District, Cochise County, Arizona, within the boundaries of the Coronado National Forest.
Instruments.

This survey was made with a Buff & Buff transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with 100 ft. and 500 ft. steel tapes.

Variation.

Variation at all corners, $12^{\circ}30' E$.

Note. I was not able to determine the position of the N.E. corner of the Ohio lode, unsurveyed, which adjoins this survey on the west. The claim has been recently located and is not fully monumented.

The discrepancy between this survey and the location notice upon which it is based is due to errors in the location notice. The lines of this survey are entirely within the lines of the location as marked by monuments on the ground.


A. W. Jorgensen
U. S. Mineral Surveyor.

Bisbee, Arizona, September 20, 1909.

FINAL OATHS FOR SURVEYS.


LIST OF NAMES.

A list of the names of the individuals employed by H. W. Jorgensen
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Joseph Stamfeld and David McBride
 known as the Corona
 and showing the respective capacities in which they acted.


_____, Chainman.

 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

I
 We, Jno. Chris. Radovich
 and _____, do solemnly swear that ^Iwe assisted _____
H. W. Jorgensen, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Joseph Stamfeld and David McBride
 known as the Corona
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ^{my}our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

 _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd
 day of September, 1909.

 _____, Notary Public
 in and for Cochise County, Arizona.
 My Commission expires Feb. 27, A. D. 1911

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, H.W. Jorgensen, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
August 21, 1909., I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Joseph Stamfeld and David McBride
, known as the
Corona
situate in Turquoise Mining District,
Cochise County, Arizona, in Section
approximately Township No. 19 S., Range No. 25 E., unsurveyed
and designated as Survey No. 2715, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

H.W. Jorgensen
U. S. Mineral Surveyor.

Subscribed and sworn to by the said
U. S. Mineral Surveyor, before me

H.W. Jorgensen
J. D. Burdick
this 22 d

day of Sept, 190 9

J. D. Burdick Notary Public
in and for Cochise County, Arizona.
My Commission expires Feb. 27, A. D. 1911

Affidavit of Five Hundred Dollars Improvements.

We, Fred Herold and James Jones

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Corona mining claim, situate in Turquoise Mining district, Cochise County, Arizona Territory, for which Joseph Stamfeld and David McBride

have made application for survey prior to application for patent under the provisions of the act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Fred Herold

James Jones

TERRITORY OF ARIZONA,

County of Cochise

} ss:

Sworn to and subscribed before me, this

4th

day of Sept, 1909

A. K. Raymond
Notary Public



400 21.1909

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Corona Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Joseph Stamfeld a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 15th day of Feby 1909

The length of this claim is 1500 feet, and I claim 510 feet in a Northerly direction and 990

feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about a half a mile in a Northerly direction from Gleeson Fifteen Hundred feet in a westerly direction from the N. W. Corner of the "Mill Site" a patented claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Monument of Stone

at a point in a Northerly direction 510 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to a Monument of stone, being the N. E. corner of said claim; thence 1500 feet to a Monument of Stone, being at the S. E. corner of said claim; thence 300 feet to a Monument of stone at the center of the South end of said claim; thence 300 feet to a Monument of stone, being at the S. W. corner of said claim; thence 1500 feet to a Monument of Stone at the N. W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 15th day of February 1909

Joseph Stamfeld

Filed and recorded at request of Joseph Stamfeld Mar 11 1909 at 1:40 P.M.
Book 43 Records of Mines, page 469.

Territory of Arizona,)
)ss
County of Cochise.)

I, C. A. McDonald, County Recorder in and for the County and Territory aforesaid, do hereby certify that I have compared the annexed and foregoing copy with the original Notice of Location of the Corona Mining Claim filed for record in my office on the 11th day of March A. D. 1909 and recorded in Book 43 Records of Mines, at page 469 and that the same is a full, true and correct copy of said original notice and of the whole thereof.

Given under my hand and seal of office this 7th day of August A.D. 1909.

C. A. McDonald
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 25, 1909.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Joseph Stamfeld and David McBride

, known as the CORONA

, situate in Turquoise

Mining District, Cochise County,

Arizona, in Section Approx., Township No. 19 S.

Range No. 25 E., Unsur., and designated as Survey

No. 2715, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said

mining claim as will, if incorporated into a patent, serve fully to identify the premises,

and that such reference is made therein to natural objects or permanent monuments as

will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended

or improvements made upon said mining claim by claimants or their grantors, and

that said improvements consist of 3 shafts, value \$580.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 25, 1909.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of _____

Joseph Stamfeld and David McBride

_____, known as the

CORONA

situate in Turquoise Mining District,

Cochise County, Arizona,

in Section Approx., Township No. 19 S., Range No. 25 E., Unsur.

_____, designated as Survey No. 2715

executed by H. W. Jorgensen, U. S. Deputy Mineral


Surveyor, Sept. 1-2, 1909, under my instructions dated

Aug. 21, 1909, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicants for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.