SEP 20 1000

4-683.

MINERAL SURVEY No. 2729

LOT No.

Anzona

_Land Distr<mark>ict.</mark>

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMSOF

Arizona Gold-Copper Mining Company

KNOWN AS THE

Obling and Little Tony

Walker Mining District,

Marapar County, Arizona

Section 3/ , Township 14 N , Range / W, S. Y. S. R. B. M.

Surveyed under instructions dated Septi 14 , 1909

Claim located See location notices, 19

by Milliam & Munith

U. S. Denty Mineral Surveyor.

Survey commenced Suplember 17 , 1909

Survey completed 11 /8 — , 1909

Address of Blannand's atty.;

Prescott Angona.

Feet	Beginning at Cor. No. 1847
3",4"("	A granite stone 8X10 X 30 ins. set 15 ins. in the ground
	with mound of stones, chiseled 1-0-2729 Whence:-
100	S.E.Cor.of Sec.32 T.14.N.R.1.W.brs. S 69.50 E 5833.4 ft.
	X-B-R-1-0-2729 chiseled on rock in place brs N 44°.W 60 ft.
900	X-B-R-1-0-2729 chiseled on rock in place brs.N 71°E 39 ft.
200	Loc, cor, a mon. of stones 3X3 ft, brs. S 70°E 60 ft.
300	Thence S 65°.W Va.14°30'E S.C.End.identical with the loc, a monument of stones3X3 ft.
600	To Cor.No.2 identical with the loc.and with cor.No.1 of
	Little Tony lode of this survey.
	X-2-01-L-T-2729 chiseled on granite rock in place
	14 X 12 X 24 ins. above the ground with mound of stones.
	Whence:
	X-B-R-2-01.L-T-2729 chiseled on rock in place brs.
	S 46.38 W 14.ft.
	X-B-R-2-01-L-T-2729 chiseled on rook in place brs.
	N 71227 W 18.6 ft.
	Loc.a monument of stones 6 ft.base by 8 ft.high
ę	To doe,
REC	Thence N 25° W Va.14° 30° E
1500	To Cor.No.3.
	Identical with the loc. and with cor. No. 4 Little Tony
	lode of this survey. E'Col.
	A Granite stone 6X6X26 ins.set 14 ins.in the ground ,
	with mound of stones, chiseled 3-0.4-L-T-2729 on the sides
	facing these claims.Loc.cor.mon.of stones 3 X 3 ft.
Since de	No bearings available.
	Thence N 65°E Va.14°30 'E
300	N.C. End identical with the loc, a mound of stones 3 X 3 ft.
550	To Cor.No.4
	A granite stone 6 X 10 X 24 ins.set 12 ins.in the ground,

3

Survey No.2729 Continued.

with mound of stones chiseled 4-0-2729.

No bearings available.Loc.cor amound of stones 3 X 3 ft.

brs. N 26:55'W 65 ft.

Thence S 26°55 E Va.14°30 E

1500.84 To Cor. No. 1 the place of beginning.

LITTLE TONY LODE.

Beginning at cor.No.1 identical with the location and with cor.No.2 of Oblong lode of this sur.hereinbefore described ,Whence: - S.E.Cor.of sec.32.T.14.N.R.1.W brs. S 73.43 L 6271.05 ft.

Thence S 87950 W Va.14930 E

300 S.C. End. identical with the loc.a monument of stones 3 X 3 ft.

600 To Cor.No.2.

1 ((

A quartzite stone 6X6X24 ins.set 12 ins.in the ground, with mound of stones, chiseled 2-L-T-2729. No bearings available. Loc.cor. an oak post 6ins.diam.4 ft.above the ground in mound.brs. S 87.50 W 32 ft.

Thence N 25°W Va.14.30'E

There is the "Marked".

1500 To Cor.No.3

Identical with the loo.

Malpai stone 4 X 7 X 24 ins.set 12 ins in the ground, with mound of stones, chiseled 3-L-T-2729.

No bearings available.Loc.cor.mon.of stones 3 X 3 ft.

Thence N 87250'E

300 N.C. End, identical with the loc, a monument of stones 3X3 ft.

600 To Cor. No. 4

Identical with the loc. and with cor. No. 3 Oblong lode of this Sur. hereinbefore described.

giden pier de Sucia, il oper par gat, gaze ga <mark>ga</mark>t

Thence S 25° E Va.14.50 E

1500 To Cor.No.1 the place of beginning.

Total area Oblong lode 19.798 acres

" Little Tony lode 19.042

LOCATION

This claim is located in sec 31 T.14.N.R.1 W., G. & S. R. B. & M., Walker Mining District, Yavapai County, Arizona.

Lode lones.

As near as can be determined from Present developments the the veins of the several lodes embraced in this claim extend as follows from their respective discovery points: Oblong lode 280 ft.S 25 E and 1220 ft.N 25 W Little Tony lode 535 ft. S25°E and 965 ft. N25°W

ADJOINING CLAIMS.

This claim is bounded on the East & South by unknown claims unsurveyed claimant unknown and on the West and North by U.S.Land.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of: Oblong lode.

No.1 discovery shaft of the Oblong lode on the center line 280 ft. from the S.C. End. 4X6X10 ft. value \$50.00

No.2 shaft which is on the genter line 196 ft from the value

No. 3 shaft which is on the center line 560 ft.from the S.C. end

\$650.00

aceded to request

4X6 X 85 ft. Value \$850.00

8.0.end. 4X6X65 ft...

No.4 shaft which bears from cor.No.3 S 83°E 340 ft.4 X6X 85 ft.timbered , value\$1700.00

This shaft was sunk for a common improvement and \$850.00

of the work in it is credited to each lode in this claim. Note: (See * below) | Little Tony lode.

No.1 dis shaft of the Little Tony lode on the center line

535 ft. from the S.C. end 4X6X10 ft. value \$50.00

No.2 shaft which brs from cor No.4 S-14° E 525 ft. 4 X 6X 20 ft.value \$200.00.

Survey No. 2729 continued

one half of the improvements in No.4 shaft Oblong lode is credited to this lode. Value, \$850.00

Other improvements.

swear of which A house brs from cor. No. 2 Oblong lode N 14°W 143 ft.

16 X 20 ft.course of long side N 17°W

INSTRUMENT. This survey was made with a Gurley solar transit. The courses were deflected from the true meridian as determined by dir rect solar observations. The distances were measured with The ser of the service to 100-ft.and 500-ft.steel tapes.

I tied to the s.e.cor.of sec. 32 T.14.N.R.1.W.as

it is the nearest corner that I could find; I could not find the N. E., S.E., S.W. and N. W. Cors., the $\frac{1}{4}$ Cors. on the west and south boundaries, and the closing corners for fractional subdivisions of sections on the east and north boundaries of Sec. 31, as well as the $\frac{1}{4}$ Cor. on the south boundary of Sec. 32.

> William & Charit U.S. Mineral Surveyor.

> > THE RESERVE OF THE PARTY OF

* Note: Shaft No. 4 on the Oblong lode is being sunk on a large deposit of mineral and when this shaft is of sufficient depth can crosscut into the Little Tony lode and develop both claims with one shaft. The surface ground, rises from the Oblong to the Little Tony lodes.

11 IV

t (1997 a. – migramieriji (1914) b. – 125. grijot (1986), i suski i suski

The party Rolling No. 10 of the Atlanta Rolling State of the

CHARLEST ON THE PROPERTY OF THE STAND OF THE PROPERTY OF THE P

The Confidence around the for some while to trible a confidence of the first

ହି, ଓ । ଦୁର୍ଗ ପରୁ ହେଥିବା ଓ ଅନ୍ତିକ । ଏହି କରା କରାହିନ ।

_ 1 2 10 13

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William Hymn	I
United States Mineral Surveyor, to assist in running, measuring, and marking the line	es, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of	
Aryona Gold-Copper hining Company	
Aryona Gold-Copper luning Company known as the Oblong and Sittle Dony	
and showing the respective capacities in which they acted.	
The Morritt	Chainman.
	Chainman,
	Axman.
***************************************	Flagman.
FINAL OATHS OF ASSISTANTS.	
wo I fu Munity	
and , do solemnly swear that we assisted Ma	
H Menutt, United States Mineral Surveyor, in marking the corners	
the boundaries of the mining claim of Aryma Gold-Copper Musin	
known as the Obling and Little Dony	
represented in the foregoing field notes as having been surveyed by said mineral surveyor	and under his
direction; and that said survey has been in all respects, to the best of our knowledge and be	elief, faithfully
and correctly executed, and the corner and boundary monuments established according to law	and the instruc-
tions furnished by the United States Surveyor-General for Angerra	
At 12 Built	, Chainman.
	, Chainman.
	Axman.
Subscribed and sworn to by the above-named persons before me this	Flagman.
and the state of t	f
day of Bywarran, 1907	f
July 28-1993 rolong Publi	181h

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, William H Mes	M	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance		
Surveyor General for Arra	ma)	, dated
Surveyor General for Ary September 15 1909,	, I have, in st	crict conformity to the laws of the
United States, the official regulations	and instructions	thereunder, and the instructions
of said Surveyor General, faithfully a	and correctly exe	cuted the survey of the Mining
Claim of Arrana Gold	Copper (1	mining Company
Claim of Aryrna Gold- Oblong and situate in Walk		known as the
Obling and	Little I)
situate in Walk	ser	Mining District,
Zavakai	County,	arizona, in Section
Zavapai 31 , Township No. 142.	, Range No. 1 2	My G+S. R. B. Xm.,
and designated as Survey No. 2172	29	as represented
in the foregoing field notes, which acc	curately show the	boundaries of said mining claim
as distinctly marked by monuments or	n the ground, an	d described in the attached copy
of the location certificate, which was	received by me	from the Surveyor General with
said instructions, and that all the corn	ers of said surve	y have been established and per-
petuated in strict accordance with th	e law, official re	gulations and instructions there-
under; and I do further solemnly sw	ear that the for	egoing are the true and original
field notes of said survey and my re	eport therein, an	d that the labor expended and
improvements made upon said mining	g claim by claima	ant or to grantors
are as therein fully stated, and that	the character, ext	tent, location, and itemized value
thereof are specified therein with par	ticularity and fu	ll detail, and that no portion of
said labor or improvements so credite		
of expenditures upon any other claim.		
	Will	lam H. Mersett U. S. Mineral Surveyor.
	. 11/80	HAM. In the
Subscribed and sworn to by the sa	and Maran	Cullia in and las
U. S. Mineral Surveyor, before a day of September,	me so voco	18"
Ashlamlus	1000	this
day of the transfer of the tra	1909.	
	Zila	Jolany Public
my Commission	() h	Solary Public
1014 1-1909		

Affidavit of Five Hundred Dollars Improvements.

oue, Ben Selvennan and John fruit
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Obling and Little Dorry mining claim,
acquainted with the Obling and Little Torry mining claim, situate in Walker Mining district, Garahai County,
Arizona Territory, for which Arizona Cold-Copper Mining
Company
hasmade application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and its grantors exceed Five Hundred
Dollars in value and further that we are not personally interested in said mine.
Ben Silverman
Fich, Munit
County of Garapa:
Sworn to and subscribed before me, this 18th
SEAL day of September, 1909
27669b1m2-07 UAMerrit Valang Public
1 Valory Fraker June 28-1913
Jam Commen and Com 12-1413

Motice of Mining Location

LODE CLAIM

To all Milhom at Man Concern:
To All Whom It May Concern:
This Mining Claim, the name of which is the Little Tony
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Anton J.R.Peter
(Lecator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States,")
the undersigned, on the 9" day of April 19.96.
The length of this claim is Fifteen Hundred feet,
and I claim 550 feet,
in a Northerly direction and
950 feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Three Hundred (300) feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Northerly to the Southerly
The claim is situated and located in the Walker Mining District, in
Yavapai County, in the Territory of Arizona, about Four mites
in a East direction from Prescott and two hundred yds
North East from the four mile house bouned on the E by oblong mine
NOT CHE BASE I TOM CHE TOUT MILES MOUNT ON MINE AND
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones
at a point in a Northerly direction 550 feet from
the discovery shaft (at which this notice is posted), being in the center of the North
end line of said claim; thence Easterly 300 feet to a monument of stone
, being the Northeast corner of said claim; thence
Southerly 1500 feet to a monument of stones , being at the
Southeast corner of said claim; thence Westerly 300 feet
to a monument of stones at the center of the South end of said claim;
thence Westerly 300 feet to amonument of stones, being at the
Southwest corner of said claim; thence Northerly 1500
feet to a monument of stones at the Northwest corner of said claim;
thence Easterly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to" An Act Concerning Mines" approved March 20th, 1895, and amended March 2d 1899, and March 16th, 1901.

Dated and posted on the ground this 9" day of April 1906

Anton J.R.Peter

recorded at request of A Peter June 2"A.D.1906 at 3:10 o'clock P.M., In Book 76 of Mines, page 181, Records of Yavapai County, Arizona.

(Seal) Roland Mosher County Recorder.

Motice of Mining Location

LODE CLAIM

SEP 15 1900

To	All	Tabom	It	May	Concern	•
----	-----	-------	----	-----	---------	---

This Mining Claim, the name of which is the Oblong
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by J.C. Engle
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the first day day of January 19.05
The length of this claim is firteen Hundred (1500) feet,
and I claim Twelve Hundred 1300 feet,
in a Northerly direction direction and Three hundred
300 feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with three hundred (300) feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
northerly to the southerly
The claim is situated and located in the Walker Mining District, in
Yavapai County, in the Territory of Arizona, about nine Hundred feet
in a easterly direction from the four mile House and East
of Prescott four miles
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1300 feet from
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1200 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones , being the northeast corner of said claim; thence
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1200 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones being at the south end of said claim; thence westerly 300 feet to a monument of stones being at the
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones being at the Southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones heing at the center of the South end of said claim; thence westerly 300 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones being at the northwest corner of said claim;
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northerly direction Twelve hundred 1900 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Mortherly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the Morth end line of said claim; thence easterly 300 feet to a monument of stones , being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the Southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones heling at the northwest corner of said claim; thence easterly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled 'An Act to
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction Twelve hundred 1300 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones being at the northwest corner of said claim; thence easterly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled the said claim is the center of the South and the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled the said claim is the center of the South and the said claim; thence are said claim; thence assembly of Arizona, entitled the said claim is the said claim is the said claim; thence are said claim; then

pated and posted on the ground this this first day of January

J.C. Engle

recorded at request of J C Engle Jan 2 A.D.1905 at 9.00 o'clock
A M., Book 72 of Mines, Page 439, Records of Yavapai County, Arizona.

(Seal) Roland Mosher County Recorder.

Territory of Arizona,)
) ss.
County of Yavapai.

I,J.C.Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copies with, and that the same are full true and correct copies of the location notices of the following named mining claims, to-wit:-

Little Tony, Mining Claim, notice of location whereof is of record in Book 76 of Mines, page 181, Records of Yavapai County, Arizona.

Oblong, Mining Claim, notive of location whereof is of record in Book 72 of Mines, page 439, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 14th day of September, A.D. 1909.

County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix,	Arizona,
O	ctober 23 , 1909 .
I, U. S. Surveyor General for District o	f Arizona, ,
do hereby certify that the foregoing transcript of the	Field Notes, return and approval
of the Survey of the mining claim of	
Arizona Gold-Copper Mini	ng Company
, known as the OBIONG and LI	
, situate in	Walker
Mining District, Yavap	Zounty,
Arizona , in Section 3	1 , Township No. 14 N ,
Range No. 1 W., G. & S. R. B. & M.	and designated as Survey
No. 2729 , has been corre	ctly copied from the originals on
file in this office; that said Field Notes furnish such	
mining claim as will, if incorporated into a patent, ser	
and that such reference is made therein to natural obj	
will perpetuate and fix the <i>locus</i> thereof.	
And I further certify that five hundred dollars' w	vorth of labor has been expended
or improvements made upon said mining claim by cla	
that said improvements consist of 6 shafts, to	
Shaft No. 4 on the Oblong lode, being t	
opment of both the Oblong and Little To	ony lodes, an undivided
one-half interest therein, value \$850.0	00, is credited to each
of the claims in this survey.	
<u></u>	
and that no portion of said labor or improvements has	s been included in the estimate of
expenditures upon any other claim.	
I further certify that the plat thereof, filed in the I	U.S. Land Office at Phoenix,
Arizona, is correct and in conformity wi	th the foregoing Field Notes.
Fra	nk S. Ingalls,
United States Surveyor General fo	r Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Pho	penix, Arizona,
		October 23 , 1909
I, U.S. Surveyor-General for	Distric	t of Arizona,
do hereby certify that the foregoing	and hereto attached Fig	eld Notes and Return of the Survey of the
Mining Claim of		
Arizona (Gold-Copper Min	ing Company
		, known as the
C	BIONG and LITT	LE TONY
situate in	Walker	Mining District,
Yavapai	County,	Arizona
in Section31, To	ownship No. 14 N.	, Range No. 1 W., G. & S.
B. & M. , designated as S	Survey No2729	-
executed by Willi	am H. Merritt	, U. S. Deputy Mineral
Surveyor, Sept.	17-18	, 1909, under my instructions dated
Sept. 14	, 190.9, have been	critically examined and the necessary cor-
rections and explanations made, and	d the said F <mark>ie</mark> ld Notes a	and Return, and the Survey they describe,
are hereby approved. A true copy	of the copy of the loca	tion certificate filed by the applicant for
survey is included in the field notes	400	I on jalls
		peyor-General for Arizona.
	U. S. Suri	regor- General for At A AU 1150

12779 b 5 m 4 - 04