

Drawn Feb 15 1910
E. V.

JAN 24 1910

4-683.

MINERAL SURVEY No. 2734

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Clara Kinney

KNOWN AS THE

Ben Hur No. 6 and Rosaline No. 12

Globe Mining District,

Gila County, Arizona,

Section 5, Unsur., Township 1 N., Range 15 E., G. & S. R. Mer

Surveyed under instructions dated September 27, 1909

by Howard C. Hopkins
U. S. Deputy Mineral Surveyor.

- Claim located See location notices, 19
- Survey commenced October 1, 1909, 19
- Survey completed October 5, 1909, 19

6-822
Address of claimant,
Rawlins & Little, Attys.,
Globe, Arizona.

1-2734

SURVEY NO. 2734.
BEN HUR NO.6 LODE.

Beginning at Cor. No.1.

A pine post, 4-1/2 ft. long, 4 ins. sq., set 18 ins. in the ground in a mound of stone, scribed 1-2734-BH6. whence

A dacite boulder, 1 x 2 x 3 ft. above the ground, chiseled B R-x-1-2734-BH6, bears S.89° 20'W. 18.2 ft.

The 1/4 Cor. between Secs. 5 and 8 T.1 N. R.15 E. G.& S. R. Mer., bears S.22° 12'E. 2728.3 ft.

-
- FEEET Thence S.89° 20'W.
- 1280.28 Intersect line 4-1 Sur. No. 2496 Ben Hur No.2 lode, claimant herein, at S.11 40'E. 21.00 ft. from Cor. No. 4.
- 1344.44 Intersect line 3-4 Sur. No. 2496 Ben Hur No.2 lode at S.70° 25'W. 63.58 ft. from Cor. No.4.
- 1379.85 Intersect line 4-1 Sur. No. 2496 Ben Hur No.1 lode, claimant herein, at N.52° 00'W. 13.59 ft. from Cor. No.1.
- 1500 To Cor. No.2.
A pine post, 4-1/2 ft. long, 4 ins. sq., set 18 ins. in the ground in a mound of stone, scribed 2-2734-BH6. whence
The S. W. Cor. of the Thanksgiving lode, unsurveyed, A.M. Lockwood and Thomas Fuller claimants, bears N.74° 52'W. 91.04 ft.
No bearings available.
-
- 96.14 Intersect line 4-1 Sur. No.2496 Ben Hur No.1 lode, at N.52° 00'W. 167.47 ft. from Cor. No.1, also the southerly line of the Thanksgiving lode, ^{unsurveyed} at N.50° 10'E. 112 ft. from the S. W. Cor.
- 300 West end center of the location, a mound of stone 3 ft. high.
- 600 To Cor. No.3.
A pine post, 4-1/2 ft. long, 4 ins. sq., set 18 ins. in the ground in a mound of stone, scribed 3-2734-BH6.
No bearings available.
-
- 618.52 Intersect southerly line of Thanksgiving lode, at N.50° 10'E. 910.79 ft. from the S.W. Cor.
- 1500 To Cor. No.4.
A pine post, 4-1/2 ft. long, 4 ins. sq., set 18 ins in the ground in a mound of stone, scribed 4-2734-BH6. whence
A dacite boulder, 2 x 2 x 4 ft. above the ground, chiseled BR-x-4-2734-BH6 bears N.00° 40'W. 9.2 ft.
-
- 300 East end center of the location, a monument of stone 3 ft. high.
- 600 To Cor. No.1. Place of beginning.
-

Magnetic Variation at all corners, 14° 10'E.

2-2734

ROSALINE NO.12 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Sur. No.2491 Rosaline No.8 lode claimant herein and Cor. No.4 Sur. No. 2493 Ben Hur No.3 lode claimant herein.

A quartzite rock, 7 x 9 x 12 ins above the ground chiseled iv-2493-BH3, iii-2491-R8. to which I added 1-2734-R12. whence

The 1/4 Cor. between Secs. 5 and 8 T.1 N. R15 E. G.& S. R. Mer., bears S.19° 35'E. 2057.4 ft.

A mesquite tree, 14 ins. in diam. blazed and scribed B T -x-iv-2493-BH3, iii-2491-R8, to which I added. 1-2734-R12, bears S.6° 57'E. 29.2 ft.

Thence S.89° 20'W.

1500 To Cor. No.2.

Identical with Cor. No.3 Sur. No.2493 Ben Hur No 3 lode and on line 1-2 Sur. No.2493 Rosaline No.4 lode, claimant herein at S.11 40'E. 19.00 ft. from Cor. No.1.

A redwood post, 4 -1/2 ft. long, 4 ins. sq., set 18 ins in the ground in a mound of stone, scribed iii-2493-BH3, to which I added 2-2734-R12. whence

A dacite rock 4 x 4 x 4 ft. above ground, chiseled BR-x-1-iii-2493-1-2496, bears N.62° 32'E. 16.5 to which I added 2-2734-R12.

Thence N.11° 40'W.

19 Cor. No.1 Sur. No. 2493 Ben Hur No.2 lode, Cor.No.1, Sur.No. 2493, Rosaline No.4 lode.

301.5 West end center of the location, a mound of stone 3 ft. high.

603 To Cor. No.3.

On line 1-2 Ben Hur No.6 lode of this survey and on line 4-1 Sur. No.2496 Ben Hur No.2 lode.

A pine post, 4-1/2 ft. long, 4 ins. sq., set 18 ins in the ground in a mound of stone, scribed 2-2734-R12. whence

A dacite rock, 12 x 12 x 8 ins. above the ground chiseled BR-x-3-2734-R12, bears S.10° 20'E. 35 ft.

Thence N.89° 20'E.

1280.280 Cor. No.1 Ben Hur No.6 lode of this survey.

1500 To Cor. No.4.

A pine post, 4-1/2 ft. long, 4 ins. sq., set 18 ins. in the ground in a mound of stone scribed 4-2734-R12.

No bearings available.

Thence S.11 40'E.

301.5 East end center of the location, a monument of stone 3 ft. high.

603 To Cor.No.1. Place of beginning.

Magnetic Variation at all corners, 14 10'E.

LODE LINES

As near as can be determined from present developments, the lode line of the Ben Hur No.6 lode bears S.89° 20'W. 310 ft. and N.89° 20'E. 1190 ft. from its discovery shaft. Rosaline No.12 lode bears S.89° 20'W 45 ft. and N.89° 20'E. 1455 ft. from its discovery shaft.

AREA.

Total area of the Ben Hur No.6 lode	20.661 acres.
Area in conflict with Sur. No.2496 Ben Hur No.2 lode	0.015 acres.
Area in conflict with Sur. No.2496 Ben Hur No.1 lode	0.132 acres.
Area in conflict with Thanksgiving lode unsurveyed	3.577 acres.
Total area Rosaline No.12 lode	20.382 acres.

The survey of the Ben Hur No.6 and Rosaline No.12 lodes is identical with their respective locations.

LOCATION.

This claim is located approximately in Sec.5 unsurveyed, T.1 N. R.15 E. G. & S. R. Mer.Globe Mining District, Gila County Arizona, Crook National Forest.

IMPROVEMENTS

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or her grantors, is less than five hundred dollars for each lode, and that said improvements consist of;

Ben Hur No.6 lode.

No.1 The discovery shaft, which is on the lode line 310 ft. from the center of the west end. 4 x 6 x 10 ft. deep in earth and rock. Value \$25.00

No.2. A tunnel, the mouth of which bears from Cor. No.2, N.24° 30'E. 172 ft. Course S.45° 00'E. 50 ft. 4 x 6 ft. in rock. timbered 12 ft. Value \$500.00

No.3 A shaft which bears from the east end center S.86° 40'W. 295 ft. 4 x 6 x 10 ft. deep in earth and rock. Value \$25.00

Rosaline No.12 lode.

No.1. The discovery shaft, which is on the lode line 45ft. from the center of the west end, 4 x 6 x 10 ft. deep in earth and rock. Value \$25.00

INSTRUMENT.

This survey was made with a Gurléy Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 650-ft. steel tape.

ADJOINING CLAIMS.

On the north and east by vacant land, and Thanksgiving, ^{lode} Unsur
On the south by Surs. No.2493 and 2496, Ben Hur No.3 and Ben Hur No.2 lodes.
On the west Sur. No. 2496 Ben Hur No.1 and Ben Hur No.2 lodes and the Thanksgiving lode unsurveyed.

NOTE:

The 1/4 Cor. between Secs. 5 and 8 T.1 N. R.15 E. G.& S.R. Mer., is a quartzite rock chiseled x- 1/4-S, 5 on the north side and 8 on the south side.

The disagreements between this survey and the location certificates are due to errors in the latter.

Cor. No. 3 Sur. No. 2496 Ben Hur No. 2 lode is a monzonite rock properly set and chiseled.

Cor. No. 2 Sur. No. 2496 Ben Hur No. 1 lode is a redwood post properly set and scribed.

Cor. No. 1 Sur. No. 2496 Ben Hur No. 1 lode is a redwood post properly set and scribed.

Cor. No. 4 Sur. No. 2496 Ben Hur No. 2 lode is a dacite rock in place properly chiseled.

The Cors. of the Thanksgiving lode unsurveyed, are monuments of stone.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Howard C. Hopkins
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

Clara Kinney

known as the BEN HUR No. 6 and ROSALINE No. 12
and showing the respective capacities in which they acted.

S. A. Hart _____, *Chainman.*

E. H. Hetherington _____, *Chainman.*

_____, *Axman.*

_____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, S. A. Hart
and E. H. Hetherington _____, do solemnly swear that we assisted
Howard C. Hopkins _____, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of _____

Clara Kinney

known as the BEN HUR No. 6 and ROSALINE No. 12
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona _____

S. A. Hart _____, *Chainman.*

E. H. Hetherington _____, *Chainman.*

_____, *Axman.*

_____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 13th

day of January _____, 19 10

My Commission Expires February 11th, 1911.

Allen A. Little

Notary Public.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Howard C. Hopkins, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
September 27, 1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Clara Kinney
, known as the
BEN HUR No. 6 and ROSALINE No. 12,
situate in Globe Mining District,
Gila County, Arizona, in Section
5 Unsur., Township No. 1 N., Range No. 15 E., Q. & S. R. Mer.,
and designated as Survey No. 2734, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or her grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Howard C. Hopkins
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Howard C. Hopkins
U. S. Mineral Surveyor, before me, Cullen A. Little, a Notary Public in
and for Gila County, Arizona Territory this 12th
day of January, 1910
My Commission Expires February 11th, 1911.

Cullen A. Little
Notary Public.

NOTICE OF MINING LOCATION

SEP 27 1909

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the ROSALINE NO.12 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Clara Kinney a citizen of the United States, the undersigned, on the 5th day of April, 1909.

The length of this claim is 1500 feet and I claim 45 feet in a westerly direction and 1455 feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west.

The claim is situated and located in the Globe Mining District in Gila County, in the Territory of Arizona, about 6 miles in a north west direction from Globe, Ariz. and joins the Ben Hur No. 2 and Ben Hur No. 3 patented claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a westerly direction - - feet from the discovery shaft (at which this notice is posted, being in the center of west end line of said claim; thence N. 11_ 40_ W. 304 feet to a - - being the north west corner of said claim; thence N. 89_ 20_ E 1500 feet to a - - , being at the north east corner of said claim; thence S. 11_ 40_ E. 304 feet to a - - at the center of the east end of said claim; thence S. 11_ 40_ E. 304 feet to a - - being at the south east corner of said claim; thence S. 89_ 20_ W. 1500 feet to a - - at the south west corner of said claim; thence N. 11_ 40_ W. 304 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 5th day of April, 1909.

Clara Kinney.

Filed and recorded at the request of Clara Kinney on the 27 day of May, A.D.1909 at 30 minutes past 3 o'clock P.M.
E.T.STEWART, County Recorder..

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Location Notice of the "ROSALINE NO.12" Mining Claim,

as the same appears of record in my office in Book 19, Records of Mines, at page 293; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 23rd. day of September A. D. 1909.

E.T. Stewart,
County Recorder, Gila County, A. T.
by M. Brooks Deputy Recorder.

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM..

SEP 27 1909

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Ben Hur No 6 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchas by Clara Kinney a citizen of the United States the undersigned on the 6 day of April 1909.

The length of this claim is 1500 feet, and I claim 310 feet in a westerly direction and 1190 feet in an easterly direction from the center of the discovery shaft, at which this notice is posted lengthwise of the claim,, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the east.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 7 miles in a north-westerly direction from Globe and joins the Ben Hur No 1 Ben Hur No 2 Rosaline No 12. and Thanksgiving claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a westerly direction 310 feet from the discovery shaft, (at which this notice is posted) being in the center of the west end line of said claim, thence N. 00 40' W. 300 feet to a post being the northwest corner of said claim, thence N. 89 20' E. 1500 feet to a post being at the northeast corner of said claim, thence S. 00 40' E. 300 feet to a post at the center of the east end of said claim. thence S. 00 40' E. 300 feet to a post being at the southeast corner of said claim, thence S. 89 20' W. 1500 feet to a post at the southwest corner of said claim, thence N. 00 40' W 300 feet to the place of beginning..

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901..

This is an Amended Location Notice of the Ben Hur No 6 Mining Claim, located by Clara Kinney on the 6th day of April 1909.. and recorded in Book 19 of Records of Mines, at page 292, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated and posted on the round this 22 day of September 1909.

Clara Kinney..

Filed and recorded at the request of Clara Kinney at 10 minutes past 1 o'clock P.M., on the 22 day of September A.D.1909.

E.T.Stewart County Recorder,
by L.M.Brookner, Deputy Recorder..

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of.....

Amended Notice of Mining Location of the "Ben Hur No 6"

as the same appears of record in my office in Book..... 15b Records of Mines.....

at page..... 380.....; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this..... 23.....day of

September..... A. D. 190.9

E. T. Stewart,
County Recorder, Gila County, A. T.
By L.M. Brookner Deputy Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

March 26, 1910.

I, U. S. Surveyor General for Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of Clara Kinney, known as the BEN HUR NO.6 and ROSALINE NO.12, situate in Globe Mining District, Gila County, Arizona, in Section 5, Unsur. Township No. 1 N. Range No. 15 E., G. & S. R. Mer., and designated as Survey No. 2734, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof. And I further certify that five hundred dollars' worth of labor has been expended or improvements made by the claimant or her grantors upon the BEN HUR NO.6 lode, and that less than five hundred dollars' worth of labor has been expended or improvements made by the claimant or her grantors upon the ROSALINE NO.12 lode, and that said improvements consist of three shafts and one tunnel, total value \$575.00, and that no portion of said labor or improvements has been included in the estimate of expenditure upon any other claim.

I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

March 26, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Clara Kinney,

, known as the

BEN HUR NO. 6 and ROSALINE No. 12

situate in Globe Mining District,

Gila County, Arizona,

in Section 5, Unsur., Township No. 1 N., Range No. 15 E., G. & S. R. Mer.

, designated as Survey No. 2734,

executed by Howard C. Hopkins, U. S. Deputy Mineral

Surveyor, Oct. 1-5, 1909, under my instructions dated

September 27, 1909, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Mark S. Dyck

U. S. Surveyor-General for Arizona.

SUPPLEMENTAL REPORT OF IMPROVEMENTS.

Mineral Survey No.2734.

BEN HUR No.6 and ROSALINE No.12 Lodes.

Ben Hur No.6 Lode.

- No.1. The discovery shaft, which is on the lode line 310 ft. from the center of the west end, 4x6x10 ft. deep in earth and rock. Value \$25.00
- No.2. A tunnel, the mouth of which bears from Cor. No.2 N.24° 30' E. 172 ft., course S.45° E. 30 ft. to face, 4x6 ft., timbered first 12 ft., and from mouth N.45° W. 15 ft. to mouth of cut, 5 ft. wide. Value \$960.00
- No.3. A shaft which bears from the east end center S.86° 40' W. 295 ft., 4x6x10 ft. deep in earth and rock. Value \$25.00

This survey is located on a high hill, rising abruptly from the north to the south. The ground can be most economically prospected and developed through a tunnel or tunnels driven from the lower slopes of the hill in under the higher portions. Tunnel No.2 on this claim is so situated and will open the ground of both locations at considerable depth and will develop them and is being driven for that purpose. I credit an undivided 1/2 interest in it to each location of this survey.

Value of portion credited to this location \$480.00

Rosaline No.12 Lode.

- No.1. The discovery shaft, which is on the lode line 45 ft. from the center of the west end, 4x6x10 ft. deep in rock and earth. Value \$25.00

An undivided 1/2 interest in tunnel No.2 on Ben Hur No.6 lode is credited to this location.

Value \$480.00

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or her grantors, upon ^{or for each of} the mining claims of
Clara Kinney

known as the Ben Hur No. 6 and Rosaline No. 12,
situate in Globe mining district,
Gila County, Arizona

in Section 5 Unsur., Township No. 1 N., Range No. 15 E.;
that said improvements consist of 3 shafts, 1 tunnel and 1 cut, total
value \$1035.00. Tunnel No. 2 on the Ben Hur No. 6 lode, being so
situated that it may also develop the Rosaline No. 12 lode, an
undivided 1/2 interest therein, value \$480.00 is properly
credited to each the Ben Hur No. 6 and Rosaline No. 12 lodes.

I further certify
, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
Howard C. Hopkins, U. S. Deputy Mineral Surveyor, dated
July 16, 1910., is hereto attached.

Frank S. Ingalls,

U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,
Phoenix, Arizona.

July 20, 1910., 1