

3-1-1910.

O.M.C.

NO. 30, 1909

JAN. 29, 1910

4-683.

MINERAL SURVEY No. 2738

LOT No. ....

Arizona Land District.

**FIELD NOTES**

OF THE SURVEY OF THE MINING CLAIM OF

Thomas F. Gibbane, Trustee

KNOWN AS THE

Trapezoid

Turquoise Mining District,

Cochise County, Arizona

Section Approx., Township 19 S, Range 24 E unsurveyed

Surveyed under instructions dated Oct 21<sup>st</sup>, 1909

by John A. Rockefeller  
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced Nov 17, 1909

Survey completed Nov 19, 1909

6-822

Address of Claimants Attorneys  
Cunningham & Riggs  
Tombstone, Ariz.

Trapezoid Lode.

Begin at Cor No. 1 the NE Corner of claim, at intersection of lines 1-4 Standard Copper lode and 3-4 Lone Star lode both of survey No. 1727 A, set a pine post 3 1/2 ft. long 4 ins. sq. six inches in the ground to bed rock in a mound of stone, scribed N E C- T 1-2738.

Whence:

Cor of location, a pine post 3 ft above ground in a mound of stone scribed N E C-T bears N 38°02' E 249.5 ft.

U.S. Location Monument No. 1727 bears S 78°40' E 2175.1 ft.

Cor Nos 1-4 Standard Copper and Copper Standard lodes Sur. No. 1727A Bears S 81°19' E 80 ft.

Thence S 57°23' W Va. 13° 15' E

155.3 ECE drive a stake and enclose in a mound of stone 4ft base and 3ft. high.

Whence ECE- T of location bears S 79° 26' E 225.1 ft a post in a mound of stone, scribed ECE-T.

280.3 To Cor No. 2, identical with Cor Nos. 3 Lone Star and 2 Keystone lodes both of survey No. 1727A a pine post 4 ins. sq. 3 ft above ground in a mound of stone scribed NWC-LS, NEC-K and 3-2-1727A to which add SEC-T 2-2738.

Whence:

Cor of location a mound of stone, with post lying down scribed SEC-T bears S 39°03' E 379.3ft.

A cross (x) and BR 22738 chiseled on a porphyry face 18x14ins. bears S 21°00' E 41ft.

A cross (x) and BR 2-2738 chiseled on a lime stone 20x15x5ins. bears S 67°28' E 36ft.

Thence N 79°56' W Va. 13° 29' E

R 415 Wash 20 ft. wide course NE.

717 Post scribed NCS-K 1727 A.

7747.6 To Cor No. 1 Hobson Lode Survey No. 1727A.

1025.4 To Cor No. 3, set a pine post 4ins. sq. 3ft. long 4ins. in ground to bed rock, in a mound of stone scribed SWC-T 3-2738.

Whence:

Cor of location a post in a mound of stone scribed SWC-T bears S 52°29'W 313.1ft.

A cross (x) and BR 3-2738 chiseled on a porphyry rock 12x6x4ins bears N 41°17' E 43.2 ft.

A cross (x) and BR 3-2738 chiseled on a porphyry rock 14x12x6ins. bears S 60°20'E 42.7ft.

Thence N 57°23' E Va 13°25' E.

145.1 WCE Drive a stake and enclose in a mound of stone 4ft. base 3ft. high.

Whence WCE of location a post in a mound of stone scribed WCE-T bears N 79°26' W 307.3ft.

249.9 To Cor No. 4 At intersection of lines 1-4 Standard Copper lode and 1-4 Hobson lode both of survey No. 1727A Set a pine post 4ins. sq. 3ft. long 4ins in the ground to bed rock in a mound of stone, scribed NWC-T 4-2738.

Whence:

Cor of location a post in a mound of stone scribed NWC-T bears N 81°19' W 465.7ft.

Cor No. 4 Standard Copper lode bears N 81°19' W 366.7ft.

Cor No. 1 Hobson lode bears S 19°00'E 193.8ft.

A cross (x) and BR 4-2738 chiseled on a porphyry rock 16x10x6ins. bears S 63°25' W 49.2ft.

A cross (x) and BR 4-2738 chiseled on a porphyry rock 10x10 x4ins. bears N 7°30' W 19.35ft.

Thence S 81°19' W Va 13° 25' E

R495. sand wash 20 ft, wide course NE.

1053.3 TO Cor No./ the place of begining.



AREA

Total area Trapezoid lode	4.291 A
Area in conflict with Hobson lode Sur.No. 1727 A.	0.540 A

Location

This claim is situated in approximately Tp 19 S R 24 E unsurveyed in Turquoise Mining District Cochise County Arizona, within the boundary of the National Coronado Forest Reserve, unsurveyed.

The presumed course of the lode <sup>Vein</sup> is N 79° 26' W 1015.9ft. from East Center End to West Center End. The point of discovery is a blow-out several feet in width which extends both side of lode line at discovery shaft.

Adjoining Claims.

On the North: Standard Copper Lode.

On the East: Lone Star Lode.

On the South: Keystone Lode.

On the West: Hobson Lode,

All of Survey No. 1727A Copper King Co. Claimants.

Expenditure of \$500.

I certify that the value of labor and improvements made upon or for the benefit of said mining claim by the claimant or his grantors is not less than five hundred dollars and said improvements consist of:

From east center end

No. 1 Discovery shaft which bears N 88° 20' W 68ft, Shaft 4x6 10ft deep value at \$10 per foot	\$100
--	-------

No. 2 Shaft which bears N 67° 45' W 103ft. Shaft 4x6 8ft. deep formally deeper, Value at \$7.50 per foot	\$60
--	------

No. 3 Shaft which bears N 68° 30' W 134ft Shaft 6x4 Now seven feet deep formally deeper: Value at \$7.50	\$52
--	------

No. 4 Shaft which bears N 75° 30' W 184 ft. Shaft	
---	--

6x4 now 15ft. deep formally deeper. Value at \$10 per foot 150  
 No. 5 Shaft the mouth of which bears N 77° W 180ft  
 course southerly 20ft. x 5ft. face 4ft. Value 50  
 No. 6 Shaft which bears N 49° 20' W 149 ft. Shaft  
 6x4 ft. 12½ft. deep; Value at \$10 per foot 125

#### Instrument.

This survey was made with a Young & Sons Mountain  
 Transit No. 8855. The courses were deflected from the true  
 meridian as determined by direct solar observations  
 The distances were measured with 50ft. and 500ft. steel  
 tapes

Note: the discrepancies between the location  
 notice and the survey of this lode are due to errors in the  
 the location notice.

#### Report.

Survey No. 1727A includes Standard Copper and Hobson Lodes.  
 All corners are pine posts properly set and  
 scribed with the number and corner of the survey.

I find all courses and distances to be correct as  
 approved.

Tombstone Arizona.

November 27 1909.

  
 U.S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A Rockfellow  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
Thomas F Gibane Trustee  
 known as the Trapezoid  
 and showing the respective capacities in which they acted.

L. D. Mars, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

I, L. D. Mars  
 and \_\_\_\_\_, do solemnly swear that we assisted John A  
Rockfellow, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Thomas F Gibane,  
Trustee  
 known as the Trapezoid  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of <sup>my</sup> our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona

L. D. Mars, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

NOTARY

Subscribed and sworn to by the above-named persons before me this 27<sup>th</sup>  
 day of November, 1909

John A Rockfellow  
My Commission Notary Public  
expires March 14 1911.



# Notice of Mining Location

QUARTZ,  
#404# CLAIM

NOV 20 1902

To All Whom It May Concern:

This Mining Claim, the name of which is the "TRAPEZOID"  
Mining Claim, situate on lands belonging to the United States of America, and in which there  
are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
purchase by The Copper King of Arizona, a corporation

by Martin Scherwin, Agt.  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21st day of November 1902

The length of this claim is 1500 ft. feet,  
and we claim 750 feet,  
in an Easterly direction and 750

feet in a Westerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
with 300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the

East to the West

The claim is situated and located in the Turquoise Mining District, in  
Cochise County, in the Territory of Arizona, about 2110 ft.  
in a Westerly direction from the location monument of  
Barrett Camp and about 100 ft. south of the South east end of the  
"Standard" Copper Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A. Monument of stones.

at a point in an Easterly direction 750 feet from  
the discovery shaft (at which this notice is posted), being in the center of the East  
end line of said claim; thence North 11° E. 300 feet to a Monument of stones  
, being the N. E. corner of said claim; thence  
West 79° 56' 1500 feet to a Monument of Stones, being at the  
N. W. corner of said claim; thence South 11° W. 300 feet  
to a Monument of stones at the center of the West end of said claim;  
thence South 11° W. 300 feet to a Monument of stones, being at the  
South West corner of said claim; thence S. 79° 56' East 1500  
feet to a Monument of stones at the South East corner of said claim;  
thence North 11° East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to  
Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 21st day of November 1902.

Copper King of Arizona

By Martin Scherwin, Agt.

Filed and recorded at request of Louis B. Moller, Feb. 13, 1903 at  
2 P. M. in Book 41 Records of Mines at Page 140.



Filed and recorded at request of Louis P. Millers, Feb. 13, 1903, at  
2 P. M. in Book 23, Records of Mines at page 140.

TERRITORY OF ARIZONA)

COUNTY OF COCHISE )

ss.

I, C. A. McDonald, County Recorder, in and  
for said County, DO HEREBY CERTIFY that I have compared the annexed  
and foregoing copy with the original Notice of Location, of the  
"TRAPEZOID" Mining Claim, , filed for record in my office in my  
Office on the 13th day of February, A. D. 1903, and recorded in Book  
23, Records of Mines, at Page 140, and that the same is a full, true  
and correct copy of said original, and of the whole thereof?  
Given under my Hand and Official Seal, this the 15th day of Octo-  
ber, A. D. 1909.

  
County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

March 30, 1910.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of Thomas F. Gilbane, Trustee,

, known as the Trapezoid  
, situate in Turquoise

Mining District, Cochise County,  
Arizona, in Section Approx., Township No. 19 S.,

Range No. 24 E. Unsurveyed, and designated as Survey  
No. 2738, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon said mining claim by claimant or his grantors, and  
that said improvements consist of five shafts and one cut, total  
value, \$537.00

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona.

March 30, 1910.

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of Thomas F. Gilbane, Trustee,

known as the  
Trapezoid

situate in Turquoise Mining District,  
Cochise County, Arizona

in Section Approx., Township No. 19 S., Range No. 24 E. Unsurveyed.  
designated as Survey No. 2738

executed by John A. Rockfellow, U. S. Deputy Mineral  
Surveyor, Nov. 17-19, 1909, under my instructions dated  
October 21st, 1909, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,  
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for  
survey is included in the field notes.

*Mark D. Leggett*

U. S. Surveyor-General for Arizona.