

United States Department of the Interior

IN REPLY REFER TO

9183.1 (942) M.S. #2745

BUREAU OF LAND MANAGEMENT Arizona State Office 3022 Federal Building Phoenix, Arizona 85025

MS PLat Status PLat May 7, 1974

Memorandum

To : Chief, Branch of Records & Data Management (952)

From : State Director, Arizona

Subject: Mineral Survey No. 2745

This memorandum cancels the survey of the following lode claim, Mineral Survey No. 2745:

Side Line

The following notation should be made on the plat of Mineral Survey No. 2745:

"Survey of Side Line lode claim canceled by State Director's memorandum dated May 7, 1974."

A notation of this cancellation should also be made on the Mineral Mining District sheets.

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes.

By relinquishment of mining claims, dated March 20, 1973, the Miami Copper Operations, Cities Service Company, relinquished to the United States all right, title and interest in and to the Side Line lode claim.

Lands embraced by part of this claim is scheduled for disposal under Forest Exchange Application A 1532.

(Lamolacher Acting

cc: Director (420)

Chief, Office of Cadastral Survey, DSC

IN 14E 12,7=

F. L. .

MINERAL SURVEY No. 2745

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM	OF
Jermiah T. Harrington and George P.	Baldwin.
KNOWN AS THE	
SIDE LINE and CEDAR TREE.	
Globe.	Mining District,
Gila County, Arizona	a
Sections 12 & 13 , Township 1 N , Ra	nge 14 E unsurveyed
Surveyed under instructions dated Feb 23 1910.	., 19
by Howard T. Wayn	ne.
	U. S. Mineral Surveyor.
Claim located See location notices	, 19
Survey commenced Mar 11 1910.	, 19
Survey completed Mar. 13 1910.	, 19
Address of Claimants' Attorneys,	
Rawlins & Little	

Globe, Arizona.

-CEDAR TREE LODE MINING CLAIM.

Beginning at corner No. 1., the S.E. corner, identical with location, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground and scribed 1-2745-C.T.L., whence the #.1/4 corner of sections 18 and 19, T I N R 15 E, G& S R B & M., bears S.35° 46'E. 7275.8 feet. No available witness.

Thence S.71° 00'W.

1462.2 to corner No. 2., the S.W. corner, identical with location, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 2-2745-C.T.L. No available witness.

Thence N. 18° 35!W.

298.0 to5.W.E.C., a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 2745, identical with end center of location. to corner No. 3., the N.W. corner, identical with location, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 3-2745-C.T.L., whence rock croppings chiseled B R-X-2745 bears N.78° 35'W. 30.0 feet. 588.5

Thence N.71° 03'E.

to corner No. 4., the N.E. corner, identical with location, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and acribed 4-2745-C.T.L. No available witness.

Thence S.18° 35'E.

to E.E.C., a nail, in a pine post, 4feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 2745, identical with end center of location to corner No. 1., the point of beginning.

'Variation 13° 30' to 14° E. at all corners.

Ledge.

The presumed course of the vein on this claim is from the E.E.C. of location S.71° 25'W. 1462.1.

SIDELINE LODE MINING CLAIM.

Beginning at corner No. 1., the S.E. corner, identical with location, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 1-2745-S.L., whence the \$.1/4 corner of sections 18 and 19, T 1 N R 15 E, G & S R B & M., bears S.34° 21'E. 6704.5 feet. No available witness.

Thence S.71° Ol'W.

to corner No. 2., the S.W. corner, identical with location, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone 1232.0 and scribed 2-2745-S.L. No available witness.

1462.1

300.0

587.4

Thence N.51° 47'W.

596.1 V

to S.W.E.C., a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 2745, identical with end center of location to corner No. 3., identical with location, and on line 1-2 Cedar Tree lode, this survey, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 3-2745. L. No available witness.

Thence N.719 00'E. . .

1231.8

along line 1-2 Cedar Tree lode, this survey. to corner No. 4., identical with location and with corner No. 1., Cedar Tree lode, this survey, a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 4-2745-S.L No available witness.

Thence S.51° 47'E.

301.5

to N.E.E.C., a nail, in a pine post 4 feet long, 4 inches square, set 18 inches in the ground in a mound of stone and scribed 2745, identical with end center of location to corner No. 1.; the point of beginning.

596.7 V

Variation 13° 30' to 14° E. at all corners.

Ledge.

The presumed course of the vein on this claim is from N.E.E.C. of location S.71° 00'W. 1231.8, feet.

AREA.

Total and net area Cedar Tree lode

Acres. 19,736

HATTENY K

Total and net area Side Line lode

LOCATION.

These claims are located approximately in sections 12 & 13 Tp. 1 N, R 14 E, G & S R B & M, unsurveyed. in the Globe Mining District, Gila County, Arizona, within the Crook National Forest. Adjoining claims unknown.

THE EXPENDITURE OF FIVE HUNDRED DOLLARS.

I do hereby certify that the value of labor and improvements made upon or for the benefit of these claims by the claimant or their grantors is not less than five hundred dollars and that said improve ments consist of the following:-

Cedar Tree lode

No.1. A discovery shaft 4 x 6 - 10 ft. the center of which bears from the S.W.E.C., N 71° 25' E 285.0 ft.

No.2. A tunnel, the mouth of which bears from the S.W.E.C., N 66° 10 E 292.0 ft., 3 x 6 - 45 ft. with a bearing to the south.

Value of tunnel

\$250.00

No.3. A tunnel, the mouth of which is at the S.W.E.C. is 3 1/2 x 6 1/2 - 260 ft with a bearing to the east. Three cross cuts, - 2 south and 1 north aggregate 85 ft. At a point 210 ft. from the mouth a winze 4 x 7 - 45 ft has been sunk giving a total depth from the surface of about 150 ft. Total value of improvement \$3500.00.

This tunnel and winze are designated as a common improvement and an undivided one half interest will be allotted to each of the two claims of this survey. *(See next page.)

Value of 1/2 interest \$1750.00

No.4. A tunnel, the mouth of which bears from the N.E.E.C., N 88° 03' W 582.0 ft 3 x 6 - 205 ft. with a bearing N 40° W. Only 130 ft including a cross cut of 30#to the north starting 30 ft. in from the mouth lie within the lines of this claim.

Value of 130 ft.

^{\$}900**.0**0

SIDE LINE LODE.

No.1. A discovery shaft, the center of which bears from the S.W.E.C. of location N 71° E 140 ft. ν 4 x 6 - 10 ft.

Value of shaft

\$30.00

An undivided one half interest in tunnel and winze designated as a common improvement and described as improvement No.3 Cedar Tree lode.

Value of 1/2 interest \$1750.00

INSTRUMENT.

This survey was made with a W.& L.E.Gurley Mountain transit fitted with a Burt solar by which the true meridian was obtained and checked upon previously determined courses. Measurements were made with a 500 foot steel tape.

REPORT.

All lines of this survey were run directly upon the ground, and it is tied to the closest corner of the public land survey I was able to locate, the corner to Secs. 13, 18, 19 and 24, T. 1 N., Rs. 14 and 15 E., being missing.

Houard

U. S. Mineral Surveyor.

Globe. Arizona.

* Topographical features are such that depth may be obtained on both claims through this tunnel, the highest point being near the common side line. The direction of the tunnel is tending toward that point that will give the greatest depth. Several true fissure veins traverse these claims with numerous cross stringers. Gold is the principal mineral found in pockets and along the stringers, and the tunnel and winze are practical both from a development and extraction stand point for both claims. Considerable commercial ore has already been taken from the Cedar Tree, some \$2000 having been spent in this work during the past year.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by Howard T. way	ne.
United States Mineral Surveyor, to assist in	running, measuring, and marki	ng the lines, corners, and
boundaries described in the foregoing field not	tes of the survey of the mining	claim of
Jermiah T. Harrington	and Geo. P. Baldwin	
known as the SIDE LINE an	d CEDAR TREE.	
and showing the respective capacities in which		
	J. H. Harper	. Chainman.
		$\dots, Flagman.$
FINAL OATH	IS OF ASSISTANT	AS.
Wax I, J.H.Harper		
and	I , do solemnly swear that xx assis	ted Howard T. Wayne
, United State	es Mineral Surveyor, in marking	the corners and surveying
the boundaries of the mining claim of Jer	miah T. Harrington and	deo. P. Baldwin
known as the SIDE LINE and C	EDAR TREE	
		and and and and his
represented in the foregoing field notes as har		
direction; and that said survey has been in all		
and correctly executed, and the corner and boun	dary monuments established accor	ding to law and the instruc-
tions furnished by the United States Surveyor-C	General for Arizona	
	J. Harpar	, Chainman.
		, Chainman.
		, Axman.
		- 77
	by the above-named persons befor	e me uns
day of	, 19/ 0	
	- ^2	
1	- Dre	nlerge
My commission expires March 26, 1914.	J.M.	ortan Public

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Howard T. Wayn	e	, U. S. Mineral Surveyor,
	ursuance of instructions received	
	Arizona	
	, I have, in strict cor	
	rulations and instructions thereus	
	thfully and correctly executed t	
	h T. Harrington and Geo	-
	E and CEDAR TREE.	
	Globe	
	County, Arizon	
	1 N , Range No. 14 E u	
	2745	
	hich accurately show the bounds	
	ments on the ground, and descri	9
	ch was received by me from th	_ v
		•
	the corners of said survey have	*
	with the law, official regulation	
under; and I do further solen	nnly swear that the foregoing a	are the true and original
field notes of said survey and	d my report therein, and that	the labor expended and
improvements made upon said	mining claim by claimants or	their grantors
are as therein fully stated, and	d that the character, extent, loc	ation, and itemized value
,	vith particularity and full detail	
	credited to this claim has been	-
	claim.	
1 1 1		
CTIVAL PROTUPENCE PROTUPENCE AND ADDRESS OF THE PROTUPENCE AND ADD	· · · · · · · · · · · · · · · · · · ·	
	7	De la secono de la companya della companya della companya de la companya della co
	a soudies	U. S. Mineral Surveyor.
Subscribed and sworn to b	before me & Meine Charles the the the said of the said	1. Hayne
U. S. Mineral Surveyor,	before me & Mein	beign
a notary	Public 1	7^{α}
day of July	1980	
	, ~~,	
My commission exp	nines Me	nberge
March 26, 1914	· Na	nterger tan Public

AMENDED NOTICE OF MINING LOCATION LODE CLAIM.

rEB.23.1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the SIDE LINE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by C.S.McHenry and A. Hoover, Citizens of the U.S., the undersigned on the lat day of Jan. 1908.

on the 1st day of Jan. 1908.

The length of this claim is 1231 feet, and we claim 140 feet in a S. 71° W. direction and 1091 feet in a N. 71° E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with as described below feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1 and 1/2 miles in a northerly direction from Warrior P.O. It is about 1500 feet North of the Yellow Metal lode (patented) and is bounded on the North by the Cedar Tree.

the North by the Cedar Tree.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a 4 x 4 post at a point in a S. 71°W. direction 140 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence N. 51° 47°W. 301.5 feet to a 4 x 4 pine post, being the N.W. corner of said claim; thence N. 71°E. 1232. feet to a 4 x 4 pine post, being at the N.E. corner of said claim; thence S. 51° 47°E. 301.5 feet to a 4 x 4 pine post at the center of the N.E. end of said claim; thence same course 295 feet to a 4 x 4 pine post, being at the S.E. corner of said claim; thence S. 71°W. 1232 feet to a 4 x 4 pine post at the S.W. corner of said claim; thence 295 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Side Line lode

This is an Amended Location Notice of the Side Line lode Mining Claim, located by C.S.McHenry and A. Hoover on the lst. day of Jan. 1908, and recorded in Book - - of Records of Mines, at page - -, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 19th day of Feb. 1910.

J.T.Harrington George P. Baldwin.

Filed and recorded at the request of Rawlins & Little, at 30 minutes past 2 o'clock P.M. Enther 191day of February, A.D. 1910.

E.T.Stewart, County Recorder,

By L.M.Brookner, Deputy Recorder.

TERRITORY OF ARIZONA,) County of GILA.

I, E.T.STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing contains and constitutes a full, true and correct copy of the AMENDED LOCATION NOTICE OF THE SIDE LINE LODE MINING CLAIM as the same appears of record in my office in Book 15, Records of Mines, at page 469; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office this 21st. day of February, A.D. 1910.

E.T.STEWART, County Recorder,

By L. m. Browhener.
Deputy Recorder.

AMENDED NOTICE OF MINING LOCATION LODE CLAIM.

i-EB.23.1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the CEDAR TREE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Jermiah T. Harrington, a citizen of the United States, the undersigned, on the -- day of -- 1909.

chase by Jermiah T. Harrington, a citizen of the United States, the undersigned, on the - - day of - - 1909.

The length of this claim is 1462 feet, and I claim 300 feet in a S. 71° 30' W. direction and 1162 feet in a N. 71° 30' E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises, is from the Southwest to the Northeast.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about one miles in a westerly direction from Gold Hill and about one half mile north of Lost Gulch and was formerly known as Little Cedar claim, now known as the Cedar Tree claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at 4 x 4 post at a point in a S. 71° 30' W. direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence N. 18° 30' W. 300 feet to a 4 x 4 pine post, being the N.W. corner of said claim; thence N. 71° 30' E. 1462 feet to a 4 x 4 pine post, being at the N.E. corner of said claim; thence S. 18° 30' E. 300 feet to a 4 x 4 pine post, at the center of the N.E. end of said claim; thence same course 288 feet to a 4 x 4 pine post, being at the S.E. corner of said claim; thence S. 71° 30' 1462.0 feet to a 4 x 4 pine post at the S.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

March 16, 1901.

This is an amended Location Notice of the Cedar Tree
Mining Claim, located by E.R.Spencer on the 1st. day of January
1885 190 and recorded in Book 2 of Records of Mines, at page
381, in theoffice of the County Recorder of the aforesaid County
of Gila, to which reference is hereby made, and this amended
Location Notice is made and posted to correct errors in the description in the said original Location Notice,
Dated and posted on the ground this 18th day of Nov. 1909.

J.T. Harrington.

Filed and recorded at the request of Howard T. Wayne at 55 minutes past 2 o'clock P.M. on the 19 day of November, A.D. 1909.

E.T. Stewart, County Recorder,

By Belle Maldonado,

Deputy Recorder.

TERRITORY OF ARIZONA,) : SS. County of GILA.

I, E.T.STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing contains and constitutes a full, true and correct copy of the AMENDED LOCATION NOTICE of the CEDAR TREE Lode Mining Claim, as the same appears of record in my office; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office this 21st. day of February, A.D. 1910.

E.T.STEWART, County Recorder,

By A. M. Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,		
		September 21, 1910 ,	190
I, U. S. Surveyor-	General for Arizona,		
do hereby certify that	the foregoing transcript of the	e Field Notes, return and approval of the	survey
		gton and George P. Baldwin.	
		ad CEDAR TREE	
situate in	Glo	obe	
Mining District,	Gila	County, Arizona,	
in Sections 12 and	13 Township No. 1 N.	, Range No. 14 E. unsurveyed	l, and
designated as Survey N	vo. 2745 , has t	been correctly copied from the originals on	i file in
this office; that said F	field Notes furnish such an acc	ecurate description of said mining claim as	will, if
incorporated into a pate	ent, serve fully to identify the	premises, and that such reference is made	therein
to natural objects or pe	ermanent monuments as will p	perpetuate and fix the locus thereof.	
		s' worth of labor has been expended or in their grantors, and that said improve	
consist of 2 shaft	ts, 3 tunnels, 3 cr	cosscuts and 1 winze, total	value
\$4710.00. Tur	nel No. 3 on the C	edar Tree lode being a com	mon
improvement for	the development a	nd benefit of both of the	claims
of this survey,	, an undivided one-	half interest therein, valu	ue
\$1750, is prop	perly credited to a	ach of said lodes.	
and that no portion of	said labor or improvements h	nas been included in the estimate of expend	dituras
upon any other claim.	·	we seem instituted in the assimate of expent	arrarcs
-	at the plat thereof, filed in the	e U. S. Land Office at Phoenix, Ari	zona.
		formity with the foregoing Field Notes.	
	F	rank S. Ingalls.	
	United States Surve	eyor-General for Arizona.	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

Phoenix, Arizona,

	54	eptember 21,1910, 190
I, U. S. Surveyor-Gen	eral for Arizona,	
do hereby certify that the	foregoing and hereto attached Field Not	tes and Return of the Survey of the
Mining Claim of Je:	rmiah <mark>T, Har</mark> ringt <mark>on and</mark> G	eorge P. Baldwin.
	·	, known as the
	SIDE LINE and C	EDAR TREE.
situate in	Globe	Mining District,
Gila	County,	Arizona.
in Sections 12 and 13	3, Township Nol.N.	, Range No.14 E. Unsurveyed.
, desig	nated as Survey No. 2745.	
executed by	Howard T. Wayne.	, U. S. Boyany Mineral
Surveyor,	March 11 - 13	1910, under my instructions dated
Febr	uary 23 , 1910. have been critical	ly examined and the necessary cor-
rections and explanations	made, and the said Field Notes and Ret	turn, and the Survey they describe,
are hereby approved. A t	rue copy of the copy of the location ce	rtificate filed by the applicant. for
survey is included in the fi	eld notes.	
	chant Du	Ingalle
	U. S. Surveyor-Ge	meral for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 2745

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Cedar Tree lode, Mineral Survey No. 2745, located in sections 12 and 13, Township 1 North, Range 14 East and section 7, Township 1 North, Range 15 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Cedar Tree lode, M.S. 2745 was canceled March 9, 1999, by memo 9605 (952) M.S. 2745, which is now a part of the original field notes."

<u>March 9, 1999</u>

Date

Chief Cadastral Surveyor of Arizona