

3-28-1910.

O. M. C.

1

FEB 28 1910  
MAR 18 1910

*platted*

4-683.

MINERAL SURVEY No. 2750

LOT No.

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Arizona Gold Mines Co.

KNOWN AS THE

Bi-Metal, Mineral Point, Oro Fino, Unaweeep and Cadillac

Maynard and Wallapai Mining District,

Mohave County, Arizona,

Section 34 3., Township 20 N., Range 17 W., unsurveyed

Surveyed under instructions dated February 15 th 1910

by Peter Mc Cardell,  
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced February 18 th., 1910

Survey completed February 24 th., 1910

6-322

Address of Attorney for claimant,

E. S. Clark,

Prescott, Arizona.

(S)

Feet. SURVEY No. 2750.-  
 BI-METAL LODE.  
 Beginning at Cor. No. 1. X 30 100' set 13 100' in the  
 identical with Cor. No. 2, Oro Fino lode of this survey,  
 400 and is identical with the S. E. and S. W. corners of Dump  
 and Klondyke lodes respectively, both unsurveyed.  
 A malpais stone, 5 X 12 X 24 ins., set 12 ins. in the  
 300 ground, mound of stone, chiseled 1-2750 B. M. and 2-2750  
 O. F. on their respective faces, cross (X) at corner  
 point, whence  
 1/4 Sec. Cor. between Sec's 3 and 34, Tps. 20 and 21 N.,  
 R. 17 W., G. & S. R. B. & M., bears N. 81° 57' 46" W.  
 587.58 ft. No other bearing objects available.  
 Thence N. 51° 53' E.  
 Va. 14° 59' E.  
 Along the south end line of Klondyke lode, unsurveyed.  
 153.5 Intersect the south boundary of Township 21 N., R. 17 W.,  
 G. & S. R. B. & M., at S. 89° 00' W. 1893.07 ft. from  
 Cor. to Sec's 2 and 3, 34 and 35 Tps. 20 and 21 N., R.  
 17 W. and N. 89° 00' E. 702.76 ft. from 1/4 corner betw-  
 1200 een Sec's 3 and 34 Tps. 20 and 21 N., R. 17 W.  
 300 To north end center.  
 A malpais stone, 7 X 11 X 24 ins., set 12 ins. in the  
 ground, mound of stone, chiseled N. E. C., B. M. 2750.  
 600 To Cor. No. 2.  
 224.83 Identical with Cor. No. 1, Mineral Point lode of this  
 33 survey, and the S. E. and the S. W. corners of Klondyke  
 and March lodes respectively, both unsurveyed.  
 A malpais stone, 9 X 11 X 24 ins., set 12 ins. in the  
 ground, mound of stone, chiseled 1-2750 M. P. and 2-2750  
 B. M. on their respective faces, cross (X) at corner  
 point. No bearing objects available.

(1)

Feet. SURVEY No. 2750 - Continued.  
 Bi-Metal lode - Continued.  
 Thence S. 38° 07' E.  
 Va. 15° 20' E.  
 32 A. T. & S. F. R. R. track.  
 337.89 Intersect south boundary of T. 21 N., R. 17 W. at S. 89°  
 00' W. 1333.13 ft. from Cor. to Sec's 2 and 3, 34 and 35  
 Tps. 20 and 21 N., R. 17 W., and N. 89° 00' E. 1262.7 ft.  
 from 1/4 Sec. Cor. between Sec. s 3 and 34 Tps. 20 and 21  
 N., R. 17 W.  
 1500 To Cor. No. 3.  
 Identical with Cor. No. 2 Cadillac and Cor. No. 4 Mineral  
 Point lodes, both of this survey.  
 A cross (X) and 2-3-4-2750 C., B. M., M. P., chiseled  
 on a malpais rock, showing 8 X 12 X 1 ft. above the  
 general surface, whence  
 A cross (X) and B. R. 2-3-4-2750, chiseled on a malpais  
 rock 2 1/2 ft. above the ground, bears S. 48° 25' E. 12.9  
 ft., and a cross (X) and B. R. 2-3-4-2750, chiseled on  
 a malpais rock 3 ft. above the ground, bears N. 1° 20'  
 W. 34.85 ft.  
 Thence S. 51° 53' W.  
 Va. 15° 16' E.  
 Along line 2-1 Cadillac lode of this survey.  
 300 To south end center.  
 A granite stone, 8 X 14 X 22 ins., set 12 ins. in the  
 ground, mound of stone, chiseled S. E. C., B. M., 2750.  
 600 To Cor. No. 4.  
 Identical with Cor. No. 3 Oro Fino lode of this survey.  
 A granite stone, 7 X 12 X 26 ins., set 12 ins. in the  
 ground, mound of stone, chiseled 3-2750 O. F. and 4-2750  
 B. M. on their respective faces, cross (X) at corner

Feet. SURVEY No. 2750 - Continued.  
 BI-METAL LODE - Continued.  
 point, whence  
 A cross (X) and B. R. 3-4-2750, chiseled on a malpais  
 rock 3 ft. above the ground, bears S. 44° 57' E. 42.15 ft.  
 and a cross (X) and B. R. 3-4-2750, chiseled on a malpais  
 rock 4 ft. above the ground, bears N. 6° 23' E. 26.3 ft.  
 Thence N. 38° 07' W.  
 Va. 16° 16' E.  
 1375.6 At T. & S. F. R. R. track.  
 1500 To Cor. No. 1, the place of beginning.  
 MINERAL POINT LODE.  
 Beginning at Cor. No. 1.  
 Identical with Cor. No. 2 Bi-Metal lode of this survey,  
 and S. E. and S. W. corners of Klondyke and March lodes  
 respectively, and heretofore described, whence  
 1/4 Sec. Cor. between Sec. s 3 and 34, Tps. 20 and 21 N.  
 R. 17 W., bears S. 74° 42' 18" W. 1092.5 ft.  
 Thence N. 51° 53' E.  
 Va. 15° 20' E.  
 Along the south end line of March lode, unsurveyed.  
 300 To north end center.  
 A malpais stone, 8 X 10 X 22 ins., set 12 ins. in the  
 ground, mound of stone, chiseled N. E. C., M. P., 2750.  
 600 To Cor. No. 2.  
 Identical with the S. E. corner of March lode, unsurveyed.  
 A malpais stone, 8 X 8 X 24 ins., set 12 ins. in the  
 ground, mound of stone, chiseled 2-2750 M. P., cross at  
 corner point, whence  
 A cross (X) and B. R. 2-2750, chiseled on a malpais ro-

Feet.

SURVEY No. 2750 - Continued.

## MINERAL POINT LODGE - Continued.

ck 2 1/2 ft. above the ground, bears S. 29° 53' E. 93.75 ft. No other bearing objects available.

Thence S. 38° 07' E.

Va. 14° 50' E.

117.7 A. T. & S. F. R. R. track.

791.94 Intersect south boundary of T. 21 N., R. 17 W. at S.

89° 00' W. 530.69 ft. from Cor. to Sec's 2 and 3, 34 and 35, Tps. 20 and 21 N., R. 17 W., and N. 89° 00' E.

2015.14 ft. from 1/4 Sec. Cor. between Sec's 3 and 34, Tps. 20 and 21 N., R. 17 W.

1500 To Cor. No. 3.

A malpais stone, 6 X 16 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-2750 M. P., cross (X) at corner point. No bearing objects available.

Thence S. 51° 53' W.

Va. 15° 06' E.

300 To south end center.

A malpais stone, 6 X 10 X 18 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. C., M. P., 2750.

600 To Cor. No. 4.

Identical with Cor. No. 3 Bi-Metal and Cor. No. 2 Cadillac lodes both of this survey, and heretofore described.

Thence N. 38° 07' W.

Va. 15° 16' E.

Along line 3-2 Bi-Metal lode of this survey.

1162.11 Intersect south boundary of T. 21 N., R. 17 W., and heretofore described.

1463 A. T. & S. F. R. R. track.

(4)

Feet.

SURVEY No. 2750 - Continued.

MINERAL POINT LODE - Continued.

1500

To Cor. No. 1, the place of beginning.

ORO FINO LODE.

Beginning at Cor. No. 1.

1200

Identical with Cor. No. 1 Unawep lode of this survey,

1500

and the S. E. and S. W. corners of Paradox and Dump lodes respectively, both unsurveyed.

A malpais stone, 4 X 14 X 22 ins., set 12 ins. in the ground, mound of stone, chiseled 1-2750 O. F. and 1-2750 U. on their respective faces, cross (X) at corner point, whence

A cross (X) and B. O. 1-1-2750 scribed on Maguire Station Post, along side of A. T. & S. F. R. R., bears S. 31° 25' E. 209 ft., 1/4 Sec. Cor. between Sec's 3 and 34, Tps. 20 and 21 N., R. 17 W, G. & S. R. B. & M., bears N. 13° 38' W. 465.63 ft. No other bearing objects available.

Thence N. 51° 53' E.

Va. 15° 30' E.

Along the south end line Dump lode, unsurveyed.

300

To north end center.

A malpais stone, 8 X 12 X 22 ins., set 12 ins. in the ground, mound of stone, chiseled N. E. C., O. F., 2750.

600

To Cor. No. 2.

Identical with Cor. No. 1 Bi-Metal lode, and the S. E. and the S. W. corners of Dump and Klondyke lodes respectively, both unsurveyed. And heretofore described.

1200

Thence S. 38° 07' E.

1500

Va. 14° 59' E.

Along line 1-4 Bi-Metal lode of this survey.

SURVEY No. 2750 - Continued.

ORO FINO LODE - Continued.

124.4 A. T. & S. F. R. R. track.  
 1500 To Cor. No. 3.  
 Identical with Cor. No. 4 Bi-Metal lode of this survey, and heretofore described.

900 Thence S. 51° 53' W.  
 Va. 16° 16' E.  
 Along line 2-1 Cadillac lode of this survey.

300 To south end center.  
 A porphyry stone, 4 X 12 X 18 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. C., O. F., 2750.

600 To Cor. No. 4.  
 On line 1-2 Cadillac lode of this survey, identical with Cor. No. 2 UnawEEP lode of this survey.  
 A granite stone, 8 X 12 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 2-2750 U. and 4-2750 O. F. on their respective faces, cross (X) at corner point, whence  
 A cross (X) and B. R. 2-4-2750, chiseled on a malpais rock 4 ft. above the ground, bears S. 77° 41' E. 83.5 ft. No other bearing objects available.

Thence N. 38° 07' W.

Va. 15° 14' E.

1276.5 A. T. & S. F. R. R. track.  
 1500 To Cor. No. 1, the place of beginning.

UNAWEEP LODE.

Beginning at Cor. No. 1.  
 1100 Identical with Cor. No. 1 Oro Fino lode and the S. E. and the S. W. corners of Paradox and Dump lodes respectively, both unsurveyed, and heretofore described.

(3)

Feet. SURVEY No. 2750 - Continued.  
 UNAWEEP LODGE - Continued.

1/4 Sec. Cor. between Secs 3 and 34, Tps. 20 and 21 N.,  
 R. 17 W., G. & S. R. B. & M., bears N. 13° 38' W. 465.63  
 ft.

Thence S. 33° 07' E. 30  
 Va. 15° 30' E.

Along line 1-4 Oro Fino lode of this survey,  
 A. T. & S. F. R. R. track,  
 To Cor. No. 2,  
 223.5  
 1500  
 Identical with Cor. No. 4 Oro Fino lode of this survey,  
 and heretofore described.

Thence S. 51° 53' W.  
 Va. 15° 14' E.

Along line 2-1 Cadillac lode of this survey,  
 To south end center. Identical with Cor. No. 1 Cadillac  
 lode of this survey.  
 300  
 A granite stone, 7 X 18 X 22 ins., set 12 ins. in the  
 ground, mound of stone, chiseled S. E. C., U., 2750 and  
 1-2750 C on their respective faces, cross (X) at corner  
 point, whence  
 A cross (X) and B. R. 1-2750, chiseled on a granite  
 rock 1 ft. above the ground, bears S. 78° 53' W. 15.45  
 ft. No other bearing objects available.

To Cor. No. 3,  
 600  
 A granite stone, 7 X 16 X 26 ins., set 12 ins. in the  
 1200  
 ground, mound of stone, chiseled 3-2750 U., cross (X)  
 1100  
 at corner point, whence  
 A cross (X) and B. R. 3-2750, chiseled on a granite rock  
 2 ft. above the ground, bears N. 69° 23' W. 22.45 ft.  
 No other bearing objects available.

UNAWEEP LODGE - continued\*  
 SURVEY No. (2) - continued\*

Leaf\*



Feet.

SURVEY No. 2750 - Continued.

UNAWEEP LODE - Continued.

~~No other bearing objects available.~~

Thence N. 33° 07' W. 22.1' 38" 18'

V close (X) and B. Va. 13° 03' E. 20.1' 38" 18'

1167 A. T. & S. R. R. R. track.

1500 To Cor. No. 4. of stone' situated 2-2420 2" close (X)

Identical with S. W. corner Paradox lode, unsurveyed.

900 A malpais stone, 6 X 12 X 26 ins., set 12 ins. in the ground, mound of stone, chiseled 4-2750 U., cross (X) at corner point, whence

A cross (X) and B. O., scribed on a telegraph pole 5 ft. above the ground, bears S. 26° 40' E. 306 ft. No other bearing objects available.

~~Thence N. 51° 53' E. 12.1' 38" 18'~~

~~V close (X) and B. O., scribed on a telegraph pole 5 ft. above the ground, bears S. 26° 40' E. 306 ft. No other bearing objects available.~~

Thence N. 51° 53' E. 12.1' 38" 18'

Va. 16° 19' E.

300 To north end center. Along the south end line of Paradox lode, unsurveyed.

A malpais stone, 8 X 12 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled N. E. C., U., 2750.

600 To Cor. No. 1, the place of beginning.

~~No other bearing objects available.~~

CADILLAC LODE

1700 Beginning at Cor. No. 1.

332' 2 On line 2-3 UnawEEP lode, of this survey and identical with the south end center of that lode, and heretofore described, whence

1/4 Sec. Cor. between Sec's 3 and 34, Tps. 20 and 21 N., R. 17 W., G. & S. R. B. & M., bears N. 23° 44' 37" W. 1985.91 ft.

~~V close (X) and B. O., scribed on a telegraph pole 5 ft. above the ground, bears S. 26° 40' E. 306 ft. No other bearing objects available.~~

Thence N. 51° 53' E. 12.1' 38" 18'

Va. 15° 18' E.

1500' Along the south end lines of UnawEEP, Oro Fino and

Feet.

SURVEY No. 2750 - Continued.

Bi-Metal lode of this survey.

1500

To Cor. No. 2.

Identical with Cor. No. 3-4 Bi-Metal and Mineral Point lodes respectively, and heretofore described.

Thence S. 38° 07' E. 30' 00"

Va. 15° 16' E. 30' 00"

300

To east end center.

A malpais stone, 15 X 12 X 20 ins., set 10 ins. in the ground, mound of stone, falls at the foot of a malpais cliff. Chiseled C., E. E. C., 2750.

600

To Cor. No. 3.

A malpais stone 4 X 12 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-2750, C., cross (X) at corner point, whence

A cross (X) and B. R. 3-2750, chiseled on a malpais rock 3 ft. above the ground, bears N. 27° 40' E. 29.11 ft., no other bearing objects available.

Thence S. 51° 53' W. 20' 00"

20' 00"

Va. 15° 06' E.

1500

To Cor. No. 4.

A schist stone, 8 X 20 X 30 ins., set 12 ins. in the ground, mound of stone, chiseled 4-2750, C., cross (X) at corner point, whence

A cross (X) and B. R. 4-2750 chiseled on a schist rock

600

left above the ground, bears S. 84° 41' W. 69.3 ft.

No other bearing objects available.

200

Thence N. 38° 07' W.

Va. 15° 53' E.

Feet.

(9) - continued.

Feet.

SURVEY No. 2750 - Continued.

Cadillac Lode, Continued.

300

To west end center

A granite stone, 6 X 8 X 22 ins., set 12 ins. in the ground, mound of stone, chiseled W. E. C., C., 2750.

600

To corner No. 1, the place of beginning.

Y close (X) and B\* B\* 2-3420' oriented on a surface of corner before space

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

1200

Bi-Metal lode, 360 ft. N. 38° 07' W., and 1140 ft. S. 38° 07' E.

Mineral Point lode, 300 ft. N. 38° 07' W., and 1200 ft. S. 38° 07' E.

Oro Fino lode, 750 ft. N. 38° 07' W., and 750 ft. S. 38° 07' E.

Unawep lode, 500 ft. N. 38° 07' W., and 1000 ft. S. 38° 07' E.

Cadillac lode, 300 ft. S. 51° 53' W., and 1200 ft. N. 51° 53' E.

900

Area of Bi-Metal lode, 20.661 Acres.

Area of Mineral Point lode, 20.661 "

200	Area of Oro Fino lode, .....	20.661	"
	" of Unawep lode, .....	20.661	"
	" of Cadillac lode, .....	20.661	"

This survey is identical with the respective locations.

1200

BI-Metal lode of this location.

This survey is located as follows: The north east

leaf

(18)

SURVEY No. 2750 - Continued.

corner of the Bi-Metal and the north 1/3 of the Mineral Point lodes are located in section 34 T. 21 N., R. 17 W. and the remainder of the area of the survey is located in Section 3, T. 20 N., R. 17. W., Unsurveyed. All the area south of the A. T. & S. F. R. R. track is located in Maynard Mining District, and that portion north of the A. T. & S. F. R. R. track is located in Wallapai Mining District. All in Mohave County, Arizona.

**ADJOINING CLAIMS**  
 The adjoining claims are the March, Klondyke, Dump and Paradox lodes, unsurveyed, The Arizona Gold Mines Company, claimants, on the north end of the Mineral Point, Bi-Metal, Oro Fino and Unaweeep lodes respectively.

**EXPENDITURE OF FIVE HUNDRED DOLLARS.**

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim by the claimants or its grantors is not less than five hundred dollars, and that said improvements consist of:

Bi-Metal lode, No. 1. The discovery shaft, on the center line 360 ft. from the center of line 1-2, 4 X 6 ft. and 60 ft. deep, in rock.

Value, \$720

No. 2. An open cut, the mouth of which bears from Cor. No. 1, S. 76° 29' E. 351 ft., the lines of this cut are of an irregular shape of a mean width of 100 ft. north and south by 125 ft. east and west, by an average depth of 15 ft., all in rock.

Value, \$7,000

No. 3. An open cut, the face of which bears from Cor. No. 1 S. 56° 30' E. 378 ft., 4 ft. wide, 9 ft. face,

SURVEY No. 2750 - Continued.  
running N 40° W 18 ft., in rock. Value, \$50

No. 4. A shaft, which bears from Cor. No. 2, S. 15° 19' E. 377 ft., 4 X 9 ft., 135 ft. deep, timbered, at the bottom of this shaft are drifts, 4 X 6 ft. running as follows: north 26 ft., south 24 ft., east 24 ft. and west 95 ft., all in rock. Value of shaft and drifts \$4390

Note- A 1/5 interest of this shaft and drifts to be credited to this location. Value, \$878

Mineral Point lode. No. 1. The discovery shaft, on the center line 300 ft. from the center of line 1-2, 4 X 6 ft., 10 ft. deep. Value \$40

Note- A 1/5 interest in shaft No. 4 and its drifts, Bi-Metal lode, to be credited to this location. Value, \$878

Oro Fino lode. No. 1. The discovery shaft, on the center line 750 ft. from the center of line 1-2, 4 X 6 ft., 10 ft. deep. Value, \$40

Note- A 1/5 interest in shaft No. 4 and drifts, Bi-Metal lode, to be credited to this location. Value, \$878

Unawep lode, No. 1. The discovery shaft, on the center line 500 ft. from the center of line 1-4, 4 X 6 ft., 10 ft. deep. Value, \$40

Note- A 1/5 interest in shaft No. 4 and drifts, Bi-Metal lode, to be credited to this location. Value, \$878

Cadillac lode, No. 1. The discovery shaft, on the center line 300 ft. from the center of line 1-4, 4 X 6 ft., 10 ft. deep. Value, \$40

Note- A 1/5 interest in shaft No. 4 and drifts, Bi-Metal lode, to be credited to this location. Value, \$878

BARBARA No. 2750 - Continued. Value, \$878

## SURVEY No. 2750 - Continued.

## OTHER IMPROVEMENTS.

A ten stamp mill, the north west corner of which bears from Cor. No.1, Bi-Metal lode, S. 37° 07' E. 265 ft., 45 X 67 ft., course of long side, S. 52° 12' W. A boarding house, the north east corner of which bears from Cor. No.1, Bi-Metal lode, S. 32° 21' E. 519 ft., 16 X 50 ft., course of long side, W. 50° 30' E. An office, the north east corner of which bears from Cor. No.1, Bi-Metal lode, S. 58° 05' E. 420 ft., 16 X 28 ft., course of long side, S. 37° 50' E.

---

Note- Owing to the position of shaft No.4, Bi-Metal lode, and its drifts, and on account of its greater depth than the other improvements, and that it is the means of draining all the veins and ground in this claim, it is a common improvement, and a 1/5 interest is credited to each location.

---

 INSTRUMENT.

This survey was made with a Buff & Berger Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100-ft. and 500-ft. steel tapes.

---

 REPORT.

The lode lines of each location of this survey was run directly upon the ground, and the several corners established by means of offsets from the lode lines.

All tie lines were run either directly upon the ground or by traverse, run upon the ground and submitted in a separate report herewith.

SURVEY No. 2750 - Continued.  
(12)

The 1/4 Sec. Cor. between Sec's 3 and 34, Tps. 20 and 21 N., R. 17 W. is a malpais stone, chiseled 1/4 S. C. on its north face.

Before making this survey I searched for corner to sections 2, 3, 34 & 35, T. 20 and 21 N., R. 17 W., but was unable to find it, it being covered up with a dense growth of underbrush and weeds. I then ran to the 1/4 section corner between Secs. 2 and 35, T. 20 and 21 N., R. 17 W., and found it. I then proceeded to survey out the claims and tied all of them to the 1/4 section corner between Secs. 3 and 34, T. 20 and 21 N., R. 17 W. Then after I had finished surveying the claims I made further search for the section corner and found it as described above, this being the cause of my marking the corners as given in my notes and preliminary plat of said survey.

of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...

of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...  
corner of 1/4 sec. 2, T. 20, R. 17 W. ...

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by PETER McCARDELL,

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

THE ARIZONA GOLD MINES COMPANY

known as the Bi-Metal, Mineral Point, Oro Fino, Unaweep and Cadillac

and showing the respective capacities in which they acted.

Oliver K. Lewis, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

~~We~~, I, Oliver K. Lewis,

~~and~~ \_\_\_\_\_, do solemnly swear that <sup>I</sup> we assisted Peter

McCardell, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of THE ARIZONA GOLD MINES COMPANY,

known as the Bi-Metal, Mineral Point, Oro Fino, Unaweep and Cadillac

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

Oliver K. Lewis, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 26th

day of February, 1910.

O. G. Hook

Notary Public.

Mohave County, Arizona.



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter Mc Cardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 15 th. 1910., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Arizona Gold Mines Co.

known as the Bi-Metal, Mineral Point, Oro Fino, Unaweep, Cadillac.

situate in Maynard and Wallapai Mining District,

Mohave County, Arizona, in Sections

34 Township 5 No. 20 N., Range No. 17 W., G. & S. R. B. & M. unsurveyed

and designated as Survey No. 2750, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell  
U. S. Mineral Surveyor, before me C. G. Krook  
a Notary Public. this 26<sup>th</sup>  
day of February, 1910.

C. G. Krook  
Notary Public.  
Mohave County,  
Territory of Arizona.

My Commission  
expires March 9, 1913.

FEB. 15 1910

( COPY )

# Amended Location Certificate

Know All Men by these Presents, That The Arizona Gold Mines Co.,  
by E.M.Lamont, General Manager,

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of

Maynard Mining District, hereby make and file this its amended location of the BI-METAL Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 360 feet along the ledge in a Northwest direction from the discovery stake and 1140 feet along the ledge in a Southeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Maynard Mining District, County of Mohave, Territory of Arizona ~~and~~ and more particularly described as follows, to-wit:

Beginning at Cor. No. 1, whence 1/4 Sec. Cor. between Secs. 3 and 34, Tps. 20 and 21, N., R. 17 W., bears N. 81° 57' 46" W., 587.58 ft., thence N. 51° 53' E. 300 ft. to North end center monument; whence discovery shaft bears S. 38° 07' E. 360 ft., 600 ft. to Cor. No. 2; thence S. 38° 07' E. 1500 ft. to Cor. No. 3; thence S. 51° 53' W. 300 ft. to South end center monument, 600 ft. to Cor. No. 4; thence N. 38° 07' W. 1500 ft. to Cor. No. 1, the place of beginning.  
The courses were determined by direct solar observation.

THIS AMENDED LOCATION is made in conformity with the original location, made September 10th, 1898, recorded September 13th 1898, in Book N, Page 314, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, September 10th, A. D. 1898.  
Date of Amended Location, February 7th, A. D. ~~1898~~ 1910.

Attest: The Arizona Gold Mines Co.,  
E.M.Lamont,  
Gen.Mngr.

Copy

No. ....

# Amended Location Certificate

LODE.

Recorded at the request of

**F. MacCardell,**

at 30 minutes past 9 o'clock

**A.M., Feb'y., 8th., 1910.**

in Book D D of Mining Claims,

page 82 & 83.

Records of Mohave County, Arizona.

**J. W. Morgan,**

County Recorder.

By

Deputy.

Transferred ..... 190

Book Mining Claims, page

County Recorder.

By

Deputy.

The H. M. McNeill Co., Printers, Phoenix, Arizona

TERRITORY OF ARIZONA,

ss.

I, ..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at ..... o'clock, ..... M., on this ..... day of ..... 190..., and duly recorded in Book No. .... of ..... County, Arizona, at pages ..... of ..... WITNESS my hand and official seal the day and year first above written.

County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF MOHAVE. } ss.

I, J. W. Morgan Recorder of Mohave County, Territory  
of Arizona, do hereby certify that I have compared the foregoing copy of Amended  
Location Certificate of Bi-Metal mining claim  
and of the endorsement thereupon with the original records of the same on file in this  
office, and that the same are correct transcripts therefrom and  
of the whole of said original records.

WITNESS my hand and the seal of said office, this  
10th day of February 1910.

By Ross H. Blakely  
Deputy.

J. W. Morgan  
Recorder of Mohave County.

FEB 15 1910

( COPY )

# Amended Location Certificate

Know All Men by these Presents, That The Arizona Gold Mines Co.,  
by E.M.Lamont, General Manager,

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of

Maynard Mining District, hereby make and file this its amended location of the MINERAL POINT Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 300 feet along the ledge in a Northwest direction from the discovery stake and 1200 feet along the ledge in a Southeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Maynard Mining District, County of Mohave, Territory of Arizona, ~~XX~~ and more particularly described as follows, to-wit:

Beginning at Cor. No. 1, whence 1/4 Sec. Cor. between Secs. 3 and 34, Tps. 20 and 21, N., R. 17 W., bears S. 74° 42' 18" W. 1092.56 ft., thence N. 51° 53' E. 300 ft. to North end center monument; whence discovery shaft bears S. 38° 07' E. 300 ft., 600 ft. to Cor. No. 2; thence S. 38° 07' E. 1500 ft. to Cor. No. 3; thence S. 51° 53' W. 300 ft. to South end center monument, 600 ft. to Cor. No. 4; thence N. 38° 07' W. 1500 ft. to Cor. No. 1, the place of beginning.

The courses were determined by direct solar observations.

THIS AMENDED LOCATION is made in conformity with the original location, made October 28th, 1901, recorded November 7th, 1901, in Book 0, Page 768, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, October 28th A. D. 1901  
Date of Amended Location, February 7th A. D. ~~1901~~ 1910.

Attest: The Arizona Gold Mines Co.,  
E.M.Lamont,  
Gen.Mngr.

No. ....

# Amended Location Certificate

LODE.

Recorded at the request of

P. McCarrdell

at 30 minutes past 9 o'clock

A. M., Feb'y. 8th, 1910.

in Book D D of Mining Claims,

page 84 & 85

Records of Mohave County, Arizona.

J. W. Morgan.

County Recorder.

By

Deputy.

Transferred ..... 190

Book Mining Claims, page

County Recorder.

By

Deputy.

The H. H. McNeill Co., Printers, Phoenix, Arizona

TERRITORY OF ARIZONA,

ss.

I, ..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at ..... o'clock, ..... M., on this ..... day of ..... 190, and duly recorded in Book No. .... of ..... County, Arizona, at pages ..... of ..... WITNESS my hand and official seal the day and year first above written.

County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF MOHAVE. } ss.

I, J. H. Morgan Recorder of Mohave County, Territory  
of Arizona, do hereby certify that I have compared the foregoing copy of Amended  
Location Certificate of Mineral Point mining claim,  
and of the endorsement thereupon with the original records of the same on file in this  
office, and that the same are correct transcripts therefrom and  
of the whole of said original records.

WITNESS my hand and the seal of said office, this  
10<sup>th</sup> day of February 1910

By Ross H. Alskely  
deputy,

J. H. Morgan  
Recorder of Mohave County.

FEB 15 1910

(COPY)

# Amended Location Certificate

Know All Men by these Presents, That The Arizona Gold Mines Co.  
 by E.M.Lamont, General Manager,  
 the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Maynard Mining District, hereby make and file this its amended location of the ORO FINO Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 750 feet along the ledge in a Northwest direction from the discovery stake and 750 feet along the ledge in a Southeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Maynard Mining District, County of Mohave, Territory of Arizona, ~~XX~~ and more particularly described as follows, to-wit:

Beginning at Cor.No.1, whence 1/4 Sec.Cor.between Secs.3 and 34, Tps.20 and 21 N.R.17,W., bears N.13° 38' W. 465.63 ft., thence N. 51° 53' E. 300 ft. to North end center monument, whence discovery shaft bears S. 38° 07' E. 750 ft, 600 ft. to Cor.No.2; thence S. 38° 07' E. 1500 ft. to Cor.No.3; thence S. 51° 53' W. 300 ft. to South end center monument, 600 ft. to Cor.No.4; thence N.38° 07' W. 1500 ft. to Cor.No.1, the place of beginning.

The courses were determined by direct solar observations.

THIS AMENDED LOCATION is made in conformity with the original location, made October 10th 1901, recorded November 7th 1901, in Book 0, Page 767, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original locatic n and this certificate an original certificate.

Date of Original Discovery, October 10th A. D. 1901  
 Date of Amended Location, February 7th A. D. ~~190~~ 1910.

Attest: The Arizona Gold Mines Co.  
E.M.Lamont

Gen.Mngr.



No. ....

# Amended Location Certificate

LODE.

Recorded at the request of

**P. McCardell,**

at 30 minutes past 9 o'clock

**A. M., Feb'y. 8th, 1910.**

in Book D D of Mining Claims,

pages 83 & 84

Records of Mohave County, Arizona.

**J. W. Morgan**

County Recorder.

By .....

Deputy.

Transferred ..... 190

Book Mining Claims, page

County Recorder.

By .....

Deputy.

The H. M. McNeill Co., Printers, Phoenix, Arizona

TERRITORY OF ARIZONA,

ss. }

I, ..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at ..... o'clock, ..... M., on this ..... day of ..... 190..., and duly recorded in Book No. .... of ..... County, Arizona, at pages ..... of ..... WITNESS my hand and official seal the day and year first above written.

County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF MOHAVE. } ss.

I, J. W. Morgan Recorder of Mohave County, Territory  
of Arizona, do hereby certify that I have compared the foregoing copy of Amended  
Location Certificate of Oso Puro mining claim,  
and of the endorsement thereupon with the original records of the same on file in this  
office, and that the same are correct transcripts therefrom and  
of the whole of said original records.

WITNESS my hand and the seal of said office, this  
10th day of February, 1910

By Rosa H. Blodely J. W. Morgan  
Deputy Recorder of Mohave County.

( COPY )

# Amended Location Certificate

Know All Men by these Presents, That The Arizona Gold Mines Co.,  
by E.M.Lamont, General Manager,

the undersigned citizens of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of

Maynard Mining District, hereby make and file this its amended location of the UNAWEEP Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 500 feet along the ledge in a Northwest direction from the discovery stake and 1000 feet along the ledge in a Southeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Maynard Mining District, County of Mohave, Territory of Arizona, ~~XX~~ and more particularly described as follows, to-wit:

Beginning at Cor. No. 1, whence 1/4 Sec. Cor. between Secs. 3 and 34, Tps. 20 and 21, N., R.17 W., bears N. 13° 38' W. 465.63 ft.; thence S. 38° 07' E. 1500 ft. to Cor.No. 2; thence S. 51° 53' W. 300 ft. to South end center monument; whence discovery shaft bears N. 38° 07' W. 1000 ft., 600 ft. to Cor. No. 3; thence N.38° 07' W. 1500 ft. to Cor.No. 4; Thence N. 51° 53' E. 300 ft. to North end center monument, 600 ft. to Cor. No. 1, the place of beginning.

The courses were determined by direct solar observations.

THIS AMENDED LOCATION is made in conformity with the original location, made March 11th, 1907, recorded June 8th, 1907, in Book "Y", Page 235, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, March 11th A. D. 1907.

Date of Amended Location, February 7th A. D. ~~1907~~ 1910.

Attest:

The Arizona Gold Mines Co.

E.M.Lamont,

Gen.Mngr.

No. ....

# Amended Location Certificate

LODE.

Recorded at the request of

P. McCordell

at 30 minutes past 9 o'clock

A. M., Feb'y. 8th, 1910.

in Book D D of Mining Claims,  
page s 81 & 82.

Records of Mohave County, Arizona.

J. W. Morgan,  
County Recorder.

By .....  
Deputy.

Transferred ..... 190

Book ..... Mining Claims, page

County Recorder.

By .....  
Deputy.

Use H. M. McNeill Co., Printers, Phoenix, Arizona

TERRITORY OF ARIZONA,

County of ..... } ss.

I, ..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at ..... o'clock, ..... M., on this ..... day of ..... 190..., and duly recorded in Book No. .... of ..... County, Arizona, at pages .....  
WITNESS my hand and official seal the day and year first above written.

County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF MOHAVE. } ss.

I, J. H. Morgan Recorder of Mohave County, Territory  
of Arizona, do hereby certify that I have compared the foregoing copy of Amended  
Location Certificate of Unacorp mining claim,  
and of the endorsement thereupon with the original records of the same on file in this  
office, and that the same are correct transcripts therefrom and  
of the whole of said original records.

WITNESS my hand and the seal of said office, this  
10th day of February 1910.

By Ross H. Blakely  
Deputy.

J. H. Morgan  
Recorder of Mohave County.

FEB 15 1910

(COPY) Amended Location Certificate

Know All Men by these Presents, That The Arizona Gold Mines Co., by E.M.Lamont, General Manager, the undersigned citizens of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Maynard Mining District, hereby make and file this its amended location of the CADILLAC Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 300 feet along the ledge in a Southwest direction from the discovery stake and 1200 feet along the ledge in a Northeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Maynard Mining District, County of Mohave, Territory of Arizona and more particularly described as follows, to-wit:

Beginning at Cor. No. 1, whence 1/4 Cor. to Secs. 3 - 34, Tps. 20 and 21, N., R. 17 W., bears N. 23° 44' 37" W. 1985.91 ft.; thence N. 51° 53' E. 1500 ft. to Cor. No. 2; thence S. 38° 07' E. 300 ft. to East end center monument, 600 ft. to Cor. No. 3; thence S. 51° 53' W. 1500 ft. to Cor. No. 4; thence N. 38° 07' W. 300 ft. to West end center monument, whence discovery shaft bears N. 51° 53' E. 300 ft., 600 ft. to Cor. No. 1, the place of beginning.

The courses were determined by direct solar observations.

THIS AMENDED LOCATION is made in conformity with the original location, made April 5th 1907, recorded June 8th, 1907, in Book "Y", Page 234, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, April 5th, A. D. 1907. Date of Amended Location, February 7th, A. D. 1910.

Attest: The Arizona Gold Mines Co., E.M.Lamont, Gen. Mngr.

No. ....

# Amended Location Certificate

LODE.

Recorded at the request of

**P. McCordell,**

at 30 minutes past 9 o'clock

**A. M. Peby, 8th, 1910.**

in Book D D of Mining Claims,

page 85 & 86.

Records of Mohave County, Arizona.

**J. V. Morgan,**

County Recorder.

By .....

Deputy.

Transferred ..... 190

Book ..... Mining Claims, page .....

County Recorder.

By .....

Deputy.

The H. H. McNeil Co., Printers, Phoenix, Arizona

TERRITORY OF ARIZONA,

ss.

The Arizona Gold Mines Co.

I, **J. V. Morgan,** County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at ..... o'clock, ..... M.,

on this ..... day of ..... 190..., and duly recorded in Book No. ....

of ..... County, Arizona, at pages .....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

April 28th 1910

TERRITORY OF ARIZONA, }  
COUNTY OF MOHAVE. } SS.

27

I, J. H. Morgan Recorder of Mohave County, Territory

of Arizona, do hereby certify that I have compared the foregoing copy of Amended  
Location Certificate of Cadillac mining claim

and of the endorsement thereupon with the original records of the same on file in this  
office, and that the same are correct transcripts therefrom and  
of the whole of said original records.

WITNESS my hand and the seal of said office, this  
10th day of February 1910

By Ross H. Blakely Deputy J. H. Morgan  
Recorder of Mohave County.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

April 26, 1910, 190

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The Arizona Gold Mines Co.

known as the Bi-Metal, Mineral Point, Oro Fino, Unawweep and Cadillac situate in Maynard and Wallapai

Mining District, Mohave County, Arizona, in Section 34, Township No. 21 N., Range No. 17 W. Unsur.

designated as Survey No. 2750, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 2 cuts, 6 shafts and 169 ft. of drifts, total value \$12320.00. Shaft No. 4 and drifts therefrom, on the Bi-Metal lode being a common improvement for the benefit and development of all of the claims in this survey, an undivided 1/5 interest therein, value \$878, is properly credited to each claim of this group.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

April 26, 1910., 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Arizona Gold Mines Co.

known as the Bi-Metal, Mineral Point, Oro Fino, Unaweeep and Cadillac

situate in Maynard and Wallapai Mining District,

Mohave County, Arizona,

in Sections 34 21 N. 17 W. 3 20 N. 17 W. Unsur.

designated as Survey No. 2750

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, February 18, -24, 19010, under my instructions dated

February 15, 19010, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.