platted

1 1970 1970

4-683.

MINERAL SURVEY No. 2756

LOT No.

ARIZONA .

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Old Dominion Copper Mining & Smelting Company							
KNOWN AS THE							
TUNNEL, BADGER, DEWEY, NORTH PACIFIC, HOBO, 96, BALTIMORE,							
SUMMIT, BEAR, BULL, BOSTON, ARGUS, STANDARD, DIRECTOR, SELBY and UNITED STATES FRACTION							
Globe Mining District,							
Gila County, Arizona, approximately in							
Sections 17, 19 and 20Township 1 North , Range 14 East Line							
Surveyed under instructions dated January 7, , 1910.							
by Edwin I. Stewark							
by U. S. Mineral Surveyor.							
Claim located See location notices , 19							
Survey commenced February 19, , 19 10							
Survey completed February 28, , 19 10.							
682%							

Claimant's Attorney's Address:

Herring & Sorin,

Tucson, Arizona.

Mineral Survey No. 2756.

Tunnel Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location, Cor. IV, Continental lode, Lot 37 A and U.S.M.M. No. 3.

On, line 3-4, Badger lode, this survey.

A pine post, 8 ft. long, 6 ins. sq., with nail driven at the exact corner, set 3 ft. in the ground, with mound of earth and stone, scribed T-1-2756 for this claim, whence

The standard section corner of sections 31 and 32, T.1 N., R. 14 E., Gila and Salt River Base and Meridian, bears S.02°-37'-10" W. 14526.3 ft.

A cedar tree, 1.2 ft. in diameter, blazed and scribed on the north side cross (+) B.T.-2756 bears S.05°-19'E. 69.2 ft.

The left hand peak of the Four Peaks bears N.50°-33'W.

The Highest Peak of the Sierra Ancha Mountain bears
N.32°-53'W.

Thence N. 45°-00' W.

Along line 4-3, Badger lode, this survey.

- 247.4 To Cor.3 of said Badger lode.
- To S.W.E.C., identical with monument of the location.

 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground with mound of stone, scribed S.W.E.C.-T-2756.
- A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed T-2-2756.

Thence N.45°-00'E.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 20 ins. in the ground, with mound of stone, scribed 3-T-2756, whence

A limestone boulder 1.5 x 2 x 2.5 ft. out of the ground

chiseled cross (+) B.R.-2756, bears N.88°-56'E. 15.0 ft. Thence S. 45°-00'E. To N.E.E.C., identical with monument of the location. 300.0 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 20 ins. in the ground, with mound of stone, scribed N.E.E.C.-T-2756. To Cor. No. 4, identical with N.E.Cor. of the location, 600.0 Cor. 2, Baltimore lode, this survey, and Cor. III, Continental lode, Lot 37 A. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-T-2756 for this claim. Thence S. 45°-00' W. Along line III-IV, Continental lode, Lot 37 A. To Cor. No. 1, the place of beginning. 1500.0 Badger Lode. Beginning at Cor. No. 1, identical with S.E.Cor. of the location and Cor. 2, Dewey lode, this survey. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 4 ins. in the ground, on bed rock, with mound of stone, scribed 1-B-2756 for this .claim, whence The standard corner of sections 31 and 32 T. 1 N., R.14 E., Gila and Salt River Base and Meridian bears S.000-37'-10" E. 13211.3 ft. U.S.M.M. No. 3, bears N.31°-48'-20"E. 1531.0 ft. Thence N.45°-00'W. To S.W.E.C., identical with monument of the location. 300.0 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.W.E.C.-B-2756, To Cor. No. 2, identical with S.W. Cor. of the location. 596.8 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B-2756, whence A cedar tree, 2 ft. diameter, blazed and scribed on

the west side cross (+) B.T.-2756, bears N.879-58'E. 52.6 ft.

Thence N.459-00'E.

1490:7 To Cor: No: 3, identical with M.W.Cor. of the location.
On line 1-2, Tunnel lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-B-2756.

Thence S. 45°-00'E.

Along line 2-1, Tunnel lode, this survey.

277.4 To Cor. No. 1 of said Tunnel lode, U.S.M.M. No. 3 and Cor. IV, Continental lode, Lot 37 A.

Along line IV-I of said Continental lode.

296.8 Tc.N.E.E.C, identical with monument of the location.

Appine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.E.C.-B-2756.

547.4 To. S.W.E.C., Continental lode, Lot 37 A.

596.8 To Cor. No. 4, identical with N.E. Cor. of the location and Cor. 3, Dewey lode, this survey.

On line I-IV, Continental lode, Lot 37 A.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-B-2756 for this claim.

Thence -S. 45°-00' W.

Along line 3-2, Dewey lode, this survey.

1490.7 To Cor. No. 1, the place of beginning.

Dewey Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location and Cor. No. 2, North Pacific lode, this survey.

A pine post, 4 ft. long, 4 ins. sq.; with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 1-D-2756 for this claim, whence

The standard section corner of sections 31 and 32 T. 1
N., R. 14 E., Gila and Salt River Base and Meridian

bears S. 01°-13'-40"W. 12796.2 ft.

U.S.M.M. No. 3 bears N.12°-47'-00" E. 1762.0 ft.

A porphyry boulder .8 x 2.0 x 3.0 ft. out of the
ground, chiseled cross (+) B.R.-2756, bears N.36°-52'E.

7.1 ft.

Thence N. 45°-00'W.

290.0 To S.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. eq., with nail driven at the exact point, set 3 ins. in the ground, on bed rock, scribed S.W.E.C.-D-2756.

590.0 To Cor. No. 2, identical with S.W.Cor. of the location and Cor. 1, Badger lode, this survey.

Corner previously described, and to which I add 2-D for this claim.

Thence N.45°-00'E.

Along line 1-4, Badger lode, this survey.

1490.7 To Cor. No. 3, identical with N.W.Cor. of the location

and Cor. 4, Badger lode, this survey.

Corner previously described, and to which I add 3-D for this claim.

Thence S.45°-00'E.

Along line IV-I, Continental lode, Lot 37 A.

250.6 To Cor. I of said Continental lode.

Along line 2-1, 96 lode, this survey.

300.0 To N.E.E.C, identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.E.C.-D-2756.

545.0 To.S.W.E.C., 96 lode, this survey.

551.0 Cross road, course north.

590:0 To Cor. No: 4, identical with N.E.Cor. of the location, and Cor. No. 3, North Pacific lode, this survey.
On line 1-2, 96 lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-D-2756.

Thence S. 45°-00' W.

Along line 3-2, North Pacific lode, this survey.

1490.7 To Cor. No. 1, the place of beginning.

North Pacific Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location and S.W.Cor. of the Central Pacific lode, unsurveyed.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-N.P.-2756, whence

The standard section corner of sections 31 and 32 T. 1 N., R. 14 E., Gila and Salt River Base and Meridian, bears S.039-14'-00" W. 12388.6 ft.

U.S.M.M. No. 3 bears N.00°-55'-10" W. 2142.9 ft.
Thence N.45°-00'W.

To S.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set18 ins. in the ground, with mound of stone, scribed S.W.E.C.-N.F.-2756.

600.0 To Cor. No. 2, identical with S.W.Cor. of the location and Cor. 1, Dewey lode, this survey.

Corner previously described, and to which I add 2-N.P. for this claim.

Thence N. 45°-00'E.

Along line 1-4, Dewey lode, this survey.

1465.0 Cross road, course north.

1490.7 To Cor. No. 3, identical with N.W.Cor. of the location and Cor. 4, Dewey lode, this survey.

Corner previously described, and to which I add 3-N.Pi-for this claim.

Thence S. 45°-00'E.

Along line 2-1, 96 lode, this survey.

255.0 To Cors. 1, and 2, 96 and Hobo lodes, this survey.

Along line 2-1 of said Hobo lode.

To N.E.E.C., identical with monument of the location.

A pine post, 4 ft long, 4 ins.sq. with nail driven at the exact point, set 18 ins. in the ground, with

mound of stone, scribed N.E.E.C.-N.P.-2756.

555.0 To S.W.E.C., Hobo lode, this survey.

600.0 To Cor. No. 4, identical with N.E.Cor. of the location and N.W.Cor., Central Pacific lode, unsurveyed.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-N.P.-2756.

On line 1-2, Hobo Icde, this survey, N.45°-00'W. 255.0 ft. from Cor. 1.

Thance S. 45°-00'W.

Along northwest side line Central Pacific lode, unsurveyed.

1490.7 To Cor. No. 1, the place of beginning.

96 Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location and Cor. 2, Hobo lode, this survey.

On line 3-4, North Pacific lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-93-2756 for this claim, whence The standard corner of sections 31 and 32 T. 1 N., R. 14 E., Gila and Salt River Dase and Meridian, bears \$1.06°-18'-00"W. 13750.0 ft.

U.S.M.M. No. 3 bears N.45°-00'W. 1194.4 ft.

Thence N. 45°-00'W.

Along line 4-3, North Pacific lode, this survey.

- 255.0 To Cors 3 and 4, North Pacific and Dewey lodes, this sur.
 Along line 4-3, said Dewey lode.
- 293.0 Cross road, course north.
- 300.0 To S.W.E.C., identical with monument of the location.

 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.W.E.C.-96-2756.
- 545.0 To N.E.E.C., Dewey lode, this survey.
- 594.4 To Cor. No. 2, identical with S.W.Cor. of the location and Cor. I, Continental lode, Lot 37 A.

On line 3-4, Dewey lode, this survey.

A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-96-2756 for this claim. Thence N. 45°-00'E.

Along line I-II, Continental lode, Lot 37 A.

- Cross road, course north. 245.0
- Cross road, course southeast. 464.0
- 1500.0 To Cor. No. 3, identical with N.W.Cor. of the location, Cor. II, Continental lode, Lot 37 A and Cors 1 and 2 of Baltimore and Summit lodds, this survey.
 - A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-96-2756 for this claim. Thence S. 45°-00'E.

Along line 2-1, Summit lode, this survey.

- To N.E.E.C., identical with monument of the location 294.4 and S.W.E.C., Summit lode, this survey.
 - A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.E.C.-96-2756 for this claim.
- To Cor. No. 4, identical with the N.E.Cor. of the loc-594.4 ation and Cors 1, 2 and 3 of Summit, Bear and Hobo lodes, this survey, a pine post 4 ft. long,4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-2756 for this claim. Thence S. 45° W.

Along line 3-2 Hobo lode, this survey.

- 446.0 Cross road, course southwest.
- To Cor, No. 1, the place of beginning. 1500.0

Hobo Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location and Cor. 2, Standard lode, this survey.

On northeast end line of Central Pacific lode, unsurveyed. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-H-2756 for this claim, whence The standard corner of sections 31 and 32 T.1 M, R. 14

E., Gila and Salt River Base and Meridian, bears S.08°-18'-20" W. 13383.2 ft.

U.S.M.M. No. 3 bears N.45°-00'W. 1794.4 ft.

Thence N.45°-00'W.

Along northeast end line Central Pacific lode, unsurveyed.

255.0 To Cor. 4, North Pacific lode, this survey.

Along line 4-3 of said North Pacific lode.

To S.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed C.W.E.C.-H-2756.

555.0 To N.E.E.C., North Pacific lode, this survey.

600.0 To Cor. No. 2, identical with S.W.Cor. of the location and Cor. 1, 96 lode, this survey.

Corner previously described, and to which I add 2-H for this claim.

Thence N. 45°-00'E,

Along line 1-4, 96 lode, this survey.

1500.0 To Cor. No. 3, identical with N.W.Cor. of the location and Cors 1, 2 and 4 of Summit, Bear and 96 lodes of this survey.

Corner previously described, and to which I add 3-H for this claim.

Thence S. 45°-00'E.

Along line 2-1, Bear lode, this survey.

300.0 To N.E.E.C., identical with monument of the location and S.W.E.C. of said Bear lode.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.E.C.-H-2756 for this claim.

Cor. 1, Bear lode and N.W.E.C., Boston lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail dri en at the exact corner, set 18 ins. in the ground, with

mound of stone, scribed 4-H-2756 for this claim.

Thence S.45°-00'W.

Along line 3-2, Boston lode, this survey.

300.0 To Cors 2 and 3 of Boston and Argus lodes, this survey.

Along line 2-3 of said Argus lode.

530.0 Cross road, course southeast.

600.0 To N.W.E.C., Argus lode, this survey.

900.0 To Cors 2 and 3, Aggus and Standard lodes, this survey.

Along line 2-3, said Standard lode.

1200.0 To N.W.E.C., said Standard lode.

1500.0 To Cor. No. 1, the place of beginning.

Baltimore Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location, Cor II, Continental lode, Lot 37 A and Cors 2 and 3, Summit and 96 lodes, this survey.

Corner previously described, and to which I add 1-B for this claim, whence

The standard corner of sections 31 and 32 T. 1 N., R. 14 E., Gila and Salt River Base and Meridian bears S.08°-04'-30" W. 15299.7 ft.

U.S.M.M. No. 3 bears \$.66°-48'-00" W. 1615.5 ft.
Thence N.45°-00'W.

Along line II-III, Continental lode, Lot 37 A.

300.0 To S.W.E.C., identical with monument of the location.
and N.E.E.C. of said Continental lode.

600.0 To Cor. No. 2, identical with S.W.Cor. of the location,

Cor. 4, Tunnel lode, this survey and Cor. III, Con
tinental lode, Lot 37 A.

Corner previously described, and to which I add 2-B for this claim.

Thence N.45°-00'E.

1500.0 To Cor. No. 3, identical N.W.Cor. of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 3-B-2756.

A cross (+) on dacite in place, about which is chiseled B.R.-2756, bears S.50°-58'W. 7.9 ft.

Thence S. 45°-00'E.

- 300.0 To N.E.E.C., identical with monument of the location.

 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set on bed rock with mound of stone, scribed N.E.E.C.-B-2756.
- 600.0 To Cor. No. 4, identical with northeast Cor. of the location and Cor. No. 3, Summit lode, this survey.

 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 4-B-2756 for this claim, whence

 A dacite boulder 1 x 2.5 x 3.0 ft. out of the ground, chiseled cross (+) B.R.-2756; bears S.22°-18'W. 12.3 ft.

 Thence S.45°-00'W.

Along line 3-2, Summit lode, this survey.

1500.0 To Cor. No. 1, the place of beginning.

Summit Lode.

Beginning at Cor. No. 1, identical with S. E. Cor. of the location and Cors 2,3 and 4 of Bear, Hobo and 96 lodes of this survey.

Corner previously described, and to which I add 1-S for this claim, whence

The standard corner of sections 31 and 32 of T. 1 N., R. 14 E., Gila and Salt River Base and Meridian bears S.092-53'-50"W. 14950.2 ft.

U.S.N.M. No. 3 bears S.83°-31'-40"W. 1917.4 ft.
Thence N.45°-00'W.

Along line 4-3, 96 lode, this survey.

300.0 To S.W.E.C., identical with monument of the location and N.E.E.C. of said 96 lode.

Point previously described, and to which I add S.W.E.C.-S-2756 for this claim.

594.4 To Cor. No. 2, identical with S.W.Cor. of the location, Cor. II, Continental lode, Lot 37 A. and Cors 1 and 3

of Baltimore and 96 lodes, this survey.

Corner previously described, and to which I add 2-S for this claim.

Thence N. 45°-00°E.

Along line 1-4, Baltimore lode, this survey.

1500.0 To Cor. No. 3, identical with N.W.Cor. of the location and Cor. 4 of said Baltimere lode.

> Corner previously described, and to which I add 3-S for this claim.

> > Thence S. 45°-00'E.

294.4 To N.E.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 5 ins. in the ground, on bed rock, with mound of stone, scribed N.E.E.C.-S-2756.

594.4 To Cor. No. 4, identical with N.E.Cor. of the location and Cor. 3, Bear lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 6 ins. in the ground, on bed rock, with mound of stone, scribed 4-S-2756 for this claim.

Thence S. 45°-00' W.

Along line 3-2, Bear lode, this survey.

1500.0 To Cor. No. 1, the place of beginning.

Bear Lode.

Beginning at Cor. No. 1, identical with S.E.Cor. of the location, Cor. 4, Hobo lode and N.W.E.C., Boston lode, this survey.

Corner previously described, and to which I add 1-Bear for this claim, whence

The standard corner of sections 31 and 32, T.1 N, R. 14 E., Gila and Salt River Base and Meridian, bears S.11°-49'-20"W. 14613.4 ft.

U.S.M.M. No. 3 bears N.84°-53'-30"W. 2338.8 ft.

Thence N. 45°-00'W.

Along line 4-3, Hobo lode, this survey.

300.0 To S.W.E.C., identical with monument of the location and

N.E.E.C., Hobo lode, this survey.

Point previously described, and to which I add S.W.E.C.-B for this claim.

600.0 To Cor. No. 2, identical with S.W.Cor. of the location and Cors 3, 4 and 1 of Hobo, 96 and Summit lodes of this survey.

Corner previously described, and to which I add 2-B for this claim.

Thence N. 45°-00'E.

Along line 1-4 Summit lode, this survey.

1500.0 To Cor. No. 3, identical with N.W.Cor. of the location and Cor. 4 of said Summit lode.

Corner previously described, and to which I add 3-B for this claim.

Thence S. 45°-00'E.

300.0 To N.E.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.E.C.-B-2756.

600.0 To Cor. No. 4, identical with N.E.Cor. of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 4-B-2756.

Thence S.45°-00'W.

600.0 To Cor. No. 3, Bull lode, this survey.

Along line 3-2 of said Bull lode.

900.0 To N.W.E.C. of said Bull lode.

1200.0 To Cors 2 and 3, Bull and Boston lodes, this survey.

Along line 3-2 of said Boston lode.

1500.0 To Cor. No. 1, the place of beginning.

Bull Lode.

Beginning at Cor. No. 1, identical with S.W.Cor. of the location, and Cor. 4, Boston lode, this survey.

On line 3-2, United States Fraction lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at exact corner, set 18 ins. in the groun with

mound of stone, scribed 1-Bull-2756 for this claim, whence
The standard corner of sections 31 and 32 T. 1 ... R.
14 E., Gila and Salt River Base and Meridian, bears
S.17°-35'-40"W. 14115.2 ft.

U.S.M.M. No. 3 bears N.73°-39'-10"W. 3754,1 ft.
Thence N.45°-00'W.

Along line 4-3, Boston lode, this survey.

1500.0 To Cor. No. 2, identical with N.W.Cor. of the location and Cor. 3 of said Boston lode.

On line 4-1, Bear lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone scribed 2-Bull-2756 for this claim.

Thence N.45°-00'E.

Along line 4-1, Bear lode, this survey.

300.0 To N.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 10 ins. in the ground, on bed rock, scribed N.W.E.C.-B-2756.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 6 ins. in the ground, on bed rock, with mound of stone, scribed 3-B-2756.

Thence S. 45°-00'E.

1500.0 To Cor. No. 4, identical with S.E.Cor. of the location.

On line 2-3, United States Fraction lode, this survey,
S.45°-00'W. 12.0 ft. from Cor. 3.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 4-B-2756, whence

A dacite boulder .6 x 1.5 x 3.0 ft. out of the ground, chiseled cross (+) B.R.-2756 bears N.67°-41'W. 6.71 ft.

Thence S. 45°-00' W.

Along line 3-3, United States Fraction lode, this survey. 300.0 To S.E.E.C., identical with monument of the location.

1

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.W.E.C.-B-2756.

382.3 To N.E.C., United States Fraction lode, this survey.

600.0 To Cor. No. 1, the place of beginning.

Boston lode.

Beginning at Cor. No. 1, identival with S.W.Cor. of the location and Cor. 4, Argus lode, this survey.

On line 2-3, Selby lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 1-B-2756 for this claim, whence The standard corner of sections 31 and 32 T. 1 N, R.

14 E., Gila and Salt River Base and Meridian bears S.16°-25'-40"W. 13585.3 f5.

U.S.M.M. No. 3 bears N.65°-00'-50"W. 3506.1 ft.

A cross (+) on limestone in place, about which is chiseled B.R.-2756 bears N.45°-00'E. 34.65 ft.

Thence N. 45°-00'W.

Along line 4-3, Argus lode, this survey.

1500.0 To Cor. No. 2, identical with N.W.Cor. of the location and Cor. 3 of said Argus lode.

On line 4-1, Hobo lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B-2756.

Thence M. 45°-00'E.

Along line 1-4, Hobo lode, this survey.

To N.W.E.C., identical with monument of the location and 300.0 Cors. 4 and 1, Hobo and Bear lodes, this survey.

> Corner previously described, and to which I add N.W.E.C. -B-for this claim.

Along line 1-4, Bear lode, this survey.

To Cor. No. 3, identical with N.E.Cor. of the location. 600.0 and Cor. 2, Bull lode, this survey.

16

Corner previously described, and to which I add 3-B for this claim.

Thence S. 45°-00'E.

Along line 2-1, Bull lode, this survey.

1500.0 To Cor. No. 4, identical with S.E.Cor. of the location and Cor. 1 of said Bull lode.

Corner previously described, and to which I add 4-B for this claim.

Thence S. 45°-00'W.

Along line 3-2, United States Fraction Lode, this survey.

176.6 To Cors. 2 and 3, United States Fraction and Selby lodes, this survey.

Along line 3-2 of said Selby lode.

A pire post, 4 ft. long, 4 ins. Sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed S.W.E.C.-B-2756.

570.9 To N.E.C., Selby lode, this survey.

600.0 To Cor. No. 1, the place of beginning.

Argus Lode.

Beginning at Cor. No. 1, identical with S.W.Cor. of the location and Cor. 4, Standard lode, this survey.

On line, 2-3, Director lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-A-2756 for this claim, whence The standard corner of sections 31 and 32 T. 1 N. R. 14 E., Gila and Salt River Base and Meridian Bears S.15°-10'-10"W. 13061.5 ft.

U.S.M.M. No. 3 bears N.55°-19'-20"W. 3348.5 ft.

Thence W. 45°-00'W.

Along line 4-3, Standard lode, this survey.

1500.0 To Cor. No. 2, identical with N.W.Cor. of the location and Cor. 3 of said Standard lode.

On line 4-1, Hobo lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, scribed 2-A-2756 for this claim.

Thence N. 45°-00'E.

Along line 1-4, Hobo lote, this survey.

300.0 To N.W.E.C., identical with monument of the location.

A pine post, 4 ft. Long, 4 ins. sq., with nail driven at the exact point, set 24 ins. in the ground, scribed N.W.E.C.-A-2756.

370.0 Cross road, course southeast.

and Cor. 2, Boston lode, this survey.

Corner previously described, and to which I add 3-A for this claim.

Thence S. 45°-00'E.

Along line 2-1, Boston lode, this survey.

1500.0 To Cor. No. 4, identical with S.E.Cor. of the location and Cor. 1 of said Boston lode.

Corner previously described, and to which I add 4-A for this claim.

Thence S. 45°-00'W.

Along line 3-2, Selby lode, this survey.

300.0 To S.E.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.E.C.-A-2756.

365.2 To Cors. 2 and 3, Selby and Director lodes, this survey.

Along line.3-2, said Director lode.

511.2 Cross road, course southeast.

600.0 To Cor. No. 1, the place of beginning.

Standard Lode.

Beginning at Cor. No. 1, identical with S.W.Cor. of the location.

On northeast end line of Raliroad lode, unsurveyed.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed, 1-S-2756, whence

The standard corner of sections 31 and 32, T. 1 N., R. 14
E., Gila and Salt River Base and Meridian bears S.13048'-20"W. 12544.5 ft.

U.S.M.M. No. 3 bears N.45°-00'-00"W. 3294.4 ft.

Thence N. 45°-00' W.

Along northeast end line of Railroad lode, unsurveyed.

267.4 To N.E.E.C of said Railroad lode.

555.0 To N.W.Cor. of said Railroad lode and N.E.Cor. of South

Pacific lode, unsurveyed.

Along northeast end line of said South Pacific lode.

55.0 To N.E.E.C. of said South Pacific lode.

1155.0 To N.W.Cor. of said South Pacific lode and N.E.Cor. of Central Pacific lode, unsurveyed.

Along northeast end line of said Central Pacific lode.

1455.0 To N.E.E.C. of said Central Pacific lode.

1500.0 To Cor. No. 2, identical with N.W.Cor. of the location and Cor. 1, Hobo lode, this survey.

Corner previously described, and to which I add 2-S. for this claim.

Thence N. 45°-00'E.

Along line 1-4, Hobo lode, this survey.

To N.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 24 ins. in the ground, with mound of stone, scribed N.W.E.C.-S-2756.

600.0 To Cor. No. 3, identical with N.E.Cor. of the location and Cor. 2, Argus lode, this survey.

Corner previously described, and to which I add # -- 3-S for this claim.

Thence S. 45°-00'E.

Along line 2-1, Argus lode, this survey.

1500.0 To Cor. No. 4, identical with monument of the location and Cor. 1 of said Argus lode.

> Corner previously described, and to which I add 4-S for this claim.

> > Thence S. 45°-00' W.

Along line 3-2, Director lode, this survey.

- 159.5 To N.E.C. of said Director lode.
- 300.0 To S.E.E.C., identical with monument of the location. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.E.C.-S-2756.
- 553.8 To Cor. 2, Director lode, this survey.
- 600.0 To Cor. No. 1, the place of beginning.

Director Lode. . . .

Beginning at Cor. No. 1, from which the monument of the location; a mound of stone, 2 ft. base and 2 ft. high bears S.04°-32'E. 243.0 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-D-2756, whence

The standard corner of sections 31 and 32 T. 1 N., R. 14 E., Gila and Salt River Base and Meridian bears S.150-10'-50"W. 11804.9 ft.

U.S.M.M. No. 3, bears N.37°-53'-40"W. 3951.9 ft.

An oak tree, 12 ins. diameter, blazed and scribed on southwest side cross (+) B.T.-2756 bears N.420-46'E. 85.6 ft.

Thence N. 64°-32' W.

420.71 Intersect northwest side line of Arizona Wonder No. 1 lode, unsurveyed, N.76°-50'E. 122.25 ft. from N.W.Cor.

824.39 To Cor. No. 2, identical with N.W.Cor. of the location: On line 1-4, Standard lode, this survey N.45°-00'E. 46.2 ft. from Cor. 1.

> A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-D-2756.

Thence N. 450-00'E.

Along line 1-4, Standard lode, this survey.

- 253.8 To S.E.E.C. of said Standard lode.
- 394.3 To N.E.C., identical with monument of the location.

 A pine post 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.C.-D-2756.
- 553.8 To Cors. 4 and 1 of Standard and Argus lodes, this survey.

 Along line 1-4 of said Argus lode.
- 788.6 To Cor. No. 3, identical with N.E.Cor. of the location and Cor. 2, Selby lode, this survey.

 On line 4-1, Argus lode, this survey.
 - A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 10 ins. in the ground, on bed rock, with mound of stone, scribed 3-D-2756 for this claim.

 Thence S.049-32'E.

Along line 2-1, Selby lode, this survey.

- 157.1 Cross road, course southeast.
- 824.39 To Cor. No. 4, from which the monument of the location, a mound of stone 2.5 ft. base and 2.5 ft. high bears S.04°-32'E. 243.0 ft.

At the intersection of line 1-2, Selby lode, this survey, with the northwest sideline of Arizona Wonder No. 1 lode, unsurveyed, being N.76°-50'E. 729.07 ft. from N.W.Cor. of said Arizona Wonder No. 1 lode and N.76°-50'E. 606.82 ft. from the intersection of line 1-2 of this claim with the northwest side line of said Arizona Wonder No. 1 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-D-2756

Thence S. 450-00'W.

394.3 To S.E.C., from which the monument of the location, a Mound of stone, 2.5 ft. base and 2.5 ft. high bears

S.04°-32'E. 243.0 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 10 ins. in the ground, on bed rock, with mound of stone, scribed S.E.C.-D-2756.

788.6 To Cor. No. 1, the place of beginning.

S.17°-42'-40"W. 12104.9 ft.

Selby Lode.

Beginning at Cor. No. 1, from which the southwest corner of the location, a mound of stone 2.5 ft. high and 2.5 ft. base bears S.04°-32'E. 176.2 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 1-S-2756, whence
The standard corner of sections 31 and 32 T. 1 M., R.
14 E., Gila and Salt River Base and Meridian bears

U.S.M.M. No. 3 bears N.45°-21'-40"W. 4241.7 ft.

A dacite boulder, 3.0 x 3.5 x 6.0 ft., chiseled cross

(+) B.R.-2756 bears S.10°-45'W. 20.25 ft.

Thence N. 04°-32'W.

177.71 To S.E.Cor. of the location of Director lode, this survey.

420.71 To Cor. 4 of said Director lode and intersect northeast sideline of Arizona Wonder No. 1 lode, unsurveyed, at S.76°-50'W. 770.93 ft. from N.E.Cor. and N.76°-50'E. 729.07 ft. from N.W.Cor.

Along line 4-3, Director lode, this survey.

1245.1 To Cor. No. 2, identical with N.W.Cor. of the location and Cor. 3 of said Director lode.

Corner previously described, and to which I add 2-S for this claim.

Thence N.45°-00'E.

Along line 1-4, Argus lode, this survey.

65.2 To.S.E.E.C. of said Argus lode.

365.2 To Cors. 4 and 1, Argus and Boston lodes, this survey.
Along line 1-4 of said Boston lode.

394.3 To N.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set on bed rock, with mound of stone, scribed N.E.C.-S-2756, whence

A cross on limestone in place, about which is chiseled B.R.-2756, bears N.45°-002E. 5.55 ft.

665.2 To S.E.E.C, Boston lode, this survey.

788.6 To Cor. No.3, identical with N.E.Cor. of the location and Cor. 2, United States Fraction lode, this survey.

On line 4-1, Eoston lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-S-2756 for this claim.

Thence S. 04°-32'E.

Along line 2-1, United States Fraction lode, this survey.
666.0 Cross road, course northeast.

1245.1 To Cor. No. 4, from which the southeast corner of the location, a mound of stone, 2.5 ft. base and 2.5 ft. high bears S.04°-32'E. 176.2 ft.

At the intersection of line 1-2, United States Fraction lode, this survey, with northwest side line of Arizona Wonder No. 1 lode, unsurveyed, being S.76°-50'W. 164.11 ft. from N.E.Cor. and N.76°-50'E. 606.82 ft. from the intersection of line 1-2 of this claim with the northwest side line of said Arizona Wonder No. 1 lode.

A pine post, 4 ft. long, 4 ins, sq. with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-S-2756.

Thence S. 45°-00' W.

- 394.3 To S.E.E., from which the monument of the location, a mound of stone, 2.5 ft. base and 2.5 ft. high bears S.04°-32'E. 176.2 ft.
 - A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, scribed S.E.C.-S-2756.

788.6 To Cor. No. 1, the place of beginning.

United States Fraction Lode.

Beginning at Cor. No. 1, identical with S.W.Cor. of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-U.S.Fr.-2756, whence

The standard corner of sections 31 and 32 T. 1 N., R. 14 E., Gila and Salt River Base and Meridian bears S.190-39'-00"W. 12649.9 ft.

U.S.M.M. No. 3 bears N.54°-06'-00"W. 4431.5 ft.

Thence N.04°-32'W.

176.2 To Cor. 4, Selby lode, this survey and intersect north-west side line of Arizona Wonder No 1 lode, unsurveyed, at S.76°-50'W. 164.11 ft. from N.E.Cor.

Along line 4-3, Selby lode, this survey.

Cross road, course h. 6

1421.3 To Cor. No. 2, identical with N.W.Cor. of the location and Cor. 3 of said Selby lode.

Corner previously described, and to which I add 2-U.S.Fr. - for this claim.

Thence N. 45°-00'E.

Along line 1-4, Boston lode, this survey.

- 176.6 To Cors. 4 and 1, Boston and Bull lodes, this survey.

 Along line 1-4 of said Bull lode.
- 394.3 To N.E.C., identical with monument of the location.

 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.C.-U.S.Fr.-2756.
- 476.6 To S.E.E.C., Bull lode, this survey.
- 776.6 To Cor. 4 of said Bull lode.
- 788.6 To Cor. No. 3, identical with N.E.Cor. of the location.

 A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 3-U.S.Fr.-2756, whence

A dacite boulder .6 x 1.5 3.0 ft. out of the ground,

chiseled cross (+) B.R.-2756 bears S.69°-11'W. 16.2 ft.
Thence S.04°-32'E.

700.0 Cross road, course northeast.

1421.3 To Cor. No. 4, identical with S.E.Cor. of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-U.S.Fr.-2756, whence

A dacite boulder, 1.0 x 4.5 x 5.0 ft. out of the ground chiseled cross (+) B.R.-2756 bears S.33°-47'E. 9.45 ft.

Thencs S.45°-00'.W.

394.3 To S.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.C.-U.S.Fr.-2756.

566.02Intersect northeast end line of Arizona Wonder No. 1
lode, unsurveyed at S.llo-42'E. 56.82 ft. from N.E.Cor.
788.6 To Cor. No. 1, the place of beginning.

Magnetic variation at all corners 13°-45'E.

Lode lines.

As near as can be determined from present developments the veins of the several locations embraced in this survey extends as follows from their respective discovery points:

Tunnel, N.45°-00'E. 1472.7 and S.45°-00'W. 27.3 ft.

Badger, N.45°-00'E. 33.6 and S.45°-00'W. 1457.1 ft.

Dewey, N.45°-00'E. 76.4 and S.45°-00'W. 1414.3 ft.

North Pacific, N.45°-00'E. 62.0 and S.45°-00'W. 1428.7 ft.

96,1N.45°-00'E. 9.0 and S.45°-00'W. 1491.0 ft.

Hobo, N.45°-00'E. 1482.0 and S.45°-00'W. 18.0 ft.

Baltimore, N.45°-00'E. 1455.0 and S.45°-00'W. 45.0 ft.

Summit,1N.45°-00'E. 1454.3 and S.45°-00'W. 31.0 ft.

Bear, N.45°-00'E. 1469.0 and S.45°-00'W. 31.0 ft.

Bull, N.45°-00'W. 1185.2 and S.45°-00'E. 314.8 ft.

Boston, N.45°-00'W. 793.9 and S.45°-00'E. 706.1 ft.

Argus, N.45°-00'W, 69.3 and S.45°-00'E. 1430.7 ft. Standard, N.45°-00'W. 42.7 and S.45°-00'E. 1457.3 ft. Director, N.04°-32'W. 245.7 and S.04°-32'E. 578.69 ft. Selby, N.04°-32'W. 136.9 and S.04°-32'E. 1108.2 ft. United States Fraction, N.04°-32'W. 697.0 and S.04°-32'E.

724.3 ft.

	Area	8.					Acres.
Total Area	Tunnel lode,						20.661
Total Area	Badger lode,	• •					20.423 /
Total Area	Dewey lode,					• •	20.191 /
Total Area	North Pacifi	c lod	е,.				20.533 /
Total Area	96 lode,	• • •					20.468 🗸
Total Area	Hobo lode, .					• •	20.661/
Total Area	Baltimore lo	de,.				• •	20,661
Total Area	Summit lode,					• •	20,468
Total Area	Bear lode, .				0 0		20.661
Total Area	Bull lodd, .			• •			20.661
	. Boston lade,						20.661
Total Area	Argus lode,		-67	Tritte	week	A. The	× 188.08°
	Standard lod						
Total Area	Director los	le, .	• •	• •	• 10		11.354 V
Area in co	onflict with A	rizon	a W	onde	r Mo.	1 897/	·
Total Area	selby lode,.		. v	, (in			17.149 ×
Area in colode, unsur	onflict with A	Arizon	na W	onde	r No.	1 897√	
Total Area	United State	es Fra	acti	on 1	ode,	100	19.575
Area in co	onflict with weyed,	Arizor	na W	onde	r No.	1 449	
	000000000000000000000000000000000000000	00000	0000	0000	0000	000	

Location.

This survey is located approximately in Sections 17, 19, and 20, T. 1 N., R. 14 E., Gila and Salt River

Base and Meridian, unsurveyed, Globe Mining District,

Gila County, Arizona, in the Crook National Forest.

Adjoining and Conflicting Claims.

On the north; The Brunton lode, unsurveyed, Con Mc Cor-mack and Oscar Scott, claimants, and unknown claims.

On the east: Unknown claims and the Arizonian and Cowbcy lodes, unsurveyed, Mrs. L.J. Clanton and Mrs. E.J. Edwards, claimants

On the south: The Copper Fraction lode, unsurveyed, L.W.Bohme, claimant; the Arizona Wonder No. 1 lode, unsurveyed, E.M.White and L.W.Bohme, claimants; and the Railroad, South Pacific and Central Pacific lodes, unsurveyed, the Old Dominion Copper Mining and Smelting Company, claimants.

On the west: The Dry Slide, Bingo and Axe lodes, unsurveyed, Con McCormack and Oscar Scott, claimants. The Continental Lode Lots ho 37 a is surrounded by the claims of the survey.

Expenditure of Five Hundred Dollars.

I hereby certify that the value of the labor and improvements made upon, or for the benefit of, each of the
locations embraced in this survey, by the claimant or
its grantors, is not less than five hundred dollars, and
that said improvements consist of:

Common Improvements:

No.2 on the 96 lode, a tunnel, which is the first level in the system of common improvements, consisting of 1707.4 ft. of drifting and crosscutting, of an average crossection of 5 x 6.5 ft., particularly described as follows: Commencing at the portal, from which a point on the lode line which is 521.4 ft. from the N.E.E.C., bears S.87°-24'E. 143.7 ft.; thence N.38°-15'W. 232.7 ft. to Pt. 1; thence N.69°-05'W. 93.8 ft. to Pt. 2; thence N.51°-17'W. 61.7 ft. to Pt 3; thence N.64°-35'W. 34.9 ft. to Pt.4; thence N.36°-12'W. 24.2 ft. to Pt.5; thence N.72°-19'W. 33.4 ft. to Pt 6; thence S.58°-42'W. 64.6 to Pt. 7; thence S.43°-57'W. 36.3 ft. to Pt. 8; thence S.33°-31'W. 17.9 ft. to Pt. 9; thence S.03°-51'E. 257.1 ft. to portal.

This tunnel passing through the side line of the 96 lode into the Continental lode, Lot 37 A. and connecting with a winze and shaft hereinafter describedand coming to the surface at the portal above mentioned. Commencing at Pt. 1, a lateral extends N.110-39 W. 43.3 ft. to Pt. 10; thence N.02°-47'W. 256.0 ft. to face. Commencing at Pt. 7, a lateral extends N.39°-59'W. 18.4 ft. to Pt 11; thence N.140-12'E. 70.6 ft. to Pt. 12; thence M.40°-21'E. 36.0 ft. to face. Com encing at Pt. 9, a lateral extends S.40°-20'W. 19.0 ft. to Pt.13; thence S.53°-48'W. 88.4 ft. to Pt. 14; thence S.11°-00'W. 23.5 ft. to face. Commencing at a point between points 13 and 14, S.53°-48'W. 36.7 ft. from Pt 13, a lateral extends N.35°-43'W. 33.2 ft. to Pt 15; thence N.60°-02'W. 73.4 ft. to Pt. 16; thence N.67°-47'W. 184.0 ft. to face. Commencing at a point S. 03°-51'E. 221.1 ft. from Pt. 9 a crosscut extends S.86°-09'W. 15.0 ft. and connects with the vertical shaft 29 ft. below the collar. Value of first level, 17070.00.

An incline winze, 6 x 8.5 ft. x 246 ft. deep, timbered, dip 81°-30' S.66°-22'E., the center of the northwest side of collar of which bears S.33°-31'W. 9.0 ft. from Pt. 8 in the first level. Value \$5000.00

From a point 44.0 ft. below the collar of the winze, the second-level, consisting of 271.1 ft. of drifting and crosscutting, of an average crossection of 5 x 6.5 ft., is particularly described as follows: Commencing at northeast side of winze; thence N.19°-30'E. 8.0 ft. to Pt. 1; thence S.55°-23'E. 17.9 ft. to Pt. 2; thence N.03°-46'E. 21.7 ft. to Pt.3; thence N.24°-54'W. 16.1 ft. to Pt. 4; thence N.27°-59'E. 32.4 ft. to Pt.5; thence N.64°-23'E. 59.0 ft. to face. Commencing at Pt. No. 1 a crosscut extends N.46°-05'W. 29.0 ft. to face, and from the same point drift extends N.19°-53'E. 23.0 ft. and connects with main drift at Pt. 4.

Commencing at Pt. 2, a drift extends S.31°-43'W. 33.0 ft. to face. Commencing at Pt. 3, a drift extends N.37°-40'E 31.0 ft. to face. Value of second level \$2710.00

31.0 ft. to face. Value of second level \$2710.00 From a point 97.0 ft. below the collar of the winze, the third level, consisting of 504.8 ft. of drifting and crosscutting, of an average crossection of 5 x 6.5 ft., is particularly described as follows: Commencing at the northeast side of winze; thence N.16°-00'E. 11.5 ft. to Pt. 1; thence N.25°-06'E. 13.5 ft. to Pt.2; thwnce N.63°-11'E. 13.6 ft. to Pt. 3; thence N.39°- 21'E. 12.9 ft. to Pt. 4; thence N.28°-00'E. 35.9 ft. to Pt. 5; thence N. 03°-44'E. 73.6 ft. to Pt. 6; thence N. 52°-41'E. lo7.4 ft. to Pt. 7; thence N. 39°-38'E. 65.2 ft. to Pt. 8; thence N. 570-40'E. 49.0 ft. to face. Commencing at Southwest side of winze a drift extends S.160-00! W. 22.1 ft. to Pt. 9; thence S.69°-30'W. 19.0 ft. to face. Commencing at Pt. 1, a crosscut extends N.78°-52'W. 16.1 ft. to Pt. 10; thence N.380-43'E. 50.0 ft. to face. Commencing at Pt. 10, a drift extends S.36°-13'W. 15.0 ft. to face. Value of third level, \$5050.00.

From a point 152 ft. below the collar of the winze, the fourth level, consisting of 169.5 ft. of drifting, of an average crossection of 5 x 6.5 ft., is particularly described as follows: Beginning at the northeast side of winze; thence N.15°-50'E. 15.5 ft. to Pt. 1; thence N.28°-10'E. 26.9 ft. to Pt. 2; thence N.45°-43'E. 66.0 ft. to Pt. 3; thence N.52°-29'E.29.1 ft. to Pt. 4; thence N,11°-40'E. 13.0 ft. to Pt. 5; thence N.64°-30'E. 19.0 ft. to face. Value of fourth level, \$1690.00.

From a point 206 ft. below the collar of the winze, the fifth level, consisting of 159.3 ft. of drifting and cross-cutting, of an average crossection of 5 x 6.5 ft., is particularly described as follows: Commencing at the northeast side of winze; thence N.15°-50'E. 6.0 ft. to Pt. 1; thence N.44°-45'E. 31.9 ft. to Pt. 2; thence

N.31°-47'E. 44.9 ft. to Pt. 3; thence S.69°-18'E. 16.1 ft. to Pt. 4; thence N.36°-44'E.22.8 ft. to Pt. 5; thence N.49°-13'E. 37.6 ft. to face. Value of fifth level, \$1590.00.

A vertifal shaft, 6 x 10 x 405 ft. deep, timbered, the center of the southeast side of which bears S.86°-09'W. 15.0 ft. from a point on the first level S.03°-51'E. 221.1 ft. from Pt. 9, and the southeast corner of which bears N.02°-41'W. 154.5 from a point on line I-II, Continental lode, Lot 37 A, 466.9 ft. from Cor. I. Value \$12000.00.

From a point 275 ft. below the collar of the vertical shaft, the sixth level of the common improvement, consisting of 861.0 ft. of drifting and crosscutting, of an average crossection of 6 x 7 ft., is particularly described as follows: Commencing at the west side of shaft; thence S.89°-38'W. 25.5 ft. Ro Pt. 1; thence N.00°-31'W. 25.4 ft. to Pt. 2; thence N.39°-16'E. 32.6 ft. to Pt. 3; thence N.18°-26'E. 38.5 ft. to Pt.4; thence M.21°-16'E. 121.8 ft. to Pt. 5; thence N.24°-53'E. 12.0 ft. and connect with incline winze at a depth of 246 ft. from the collar; thence N.24°-53'E. 49.0 ft. to Pt. 6; thence N.38°-20'E. 43.8 ft. to Pt. 7; thence N.41°-24'E. 40.2 ft. to Pt. 8; thence N.68°-33'E. 66.1 ft. to Pt. 9; thence S.78°-56'E. 17.2 ft. to Pt. 10; thence S.35°-07'E. 33.0 ft. to face. Commencing at Pt. 7, a crosscut extends N. 420-44' W. 38.6 ft to Pt. 11; thence N.30°-47'W. 24.4 to Pt. 12; thence N.76°-10'W. 17.0 ft. to face. Commencing at Pt. 8, a drift extends N.48°-50'E. 85.0 ft. to face. Commencing again at Pt. 7, a crosscut extends S.52°-00'E. 53.9 ft. to Pt. 13; thence S.57°-07'E. 53.5 ft. to face. Commencing at Pt. 1,a crosscut extends S.89°-38'W. 12.5 ft. to Pt. 14; thence N.74°-44'W. 34.0 ft. to Pt 15; thence S.13°-15'W. 37.0 ft. to face. Value of sixth level \$8610.00. Total value of common improvement, \$53720.00.

The general slope of the surface of the claims of this group is from the southwest to the northeast. The vertical shaft is now down to a depth of 405 ft., being 130 ft. below the sixth level and below the surface of each claim in the group. And it being the plan of the claimant company to connect the second, third, fourth and fifth levels with the vertical shaft, continue sinking to a greater depth and then through drifts and crosscuts from other levels, toward and under the several claims of the group, further develop and mine each claim; and, all of the foregoing described improvements being actually connected into one system of work, and the mining of a group of claims from one common system of work being the plan generally adopted and carried out by the legitimate mining companies operating in this district, and this plan or system being one that is consistent with good mining, and one that will actually tend to develop and facilitate the mining of the claims of this survey, as well as the Continental lode, there is distributed to each claim of this survey and to the said Continental lode, 1/17th of the total value of said common improvement; amounting to \$3160.00 for each claim.

Tunnel Lode.

1/17 th of the common improvement, Value \$3160.00
No. 1, the discovery, shaft, 4 x 6 x 10 ft., the
center of which is on the lode line N.45°-00'E. 27.3 ft.
from the S.W.E.C. Value \$40.00.

Badger Lode.

1/17th of the common improvement. Value \$3160:00
No. 1, the discovery, shaft, 4 x 6 x 8 ft. (caved)
the center of which is on the lode line S.45°-00'W.
33.6 ft. from the N.E.E.C. Value, \$40.00.

No. 2, shaft, 5 x 6 x 72 ft., partially timbered, the N.W.Cor. of which bears S.25°-25'W. 151.7 ft. from N.E. E.C. Value, \$720.00

.

No.3, 17 ft. of cut and 23 ft. of tunnel, 4 x 6 ft., course N.82°E., the center of the mouth of which bears S.57°-18'W. 106.7 ft. from the N.E.E.C. Value, \$150.00. Dewey Lode.

1/17th of common improvement. Value, \$3160.00.

No.1, the discovery, cut, 4 x 10 x 19 ft., course S.71°E., the face of which is on the lode line 76.4 ft. from the N.E.E.C. Value \$40.00.

No.2, shaft, 4 x 7 x 12 ft., the N.E.Cor. of which bears S.22°-58'W. 129.4 ft. from the N.E.E.C. Value, \$120.00.

No.3, 29 ft. of cut and 29 ft. of tunnel 4 x 5.5 ft., course N.67°-10'W., the mouth of which bears S.09°-43'E. 120.7 ft. from the N.E.E.C. Value \$215.00.

North Pacific Lode.

1/17th of common improvement. Value, \$3160.00.

No. 1, the discovery, shaft, 4 x 6 x 10, the center of which is on the lode line S.45°-00'W. 62.0 ft. from the N.E.E.C. Value \$40.00.

No. 2, 10 ft. of cut and 49 ft. of tunnel, 4 x 6 ft., course S.33°E., the mouth of which bears S.27°-35'E.

199.2 ft. from Cor. 3. Value \$270.00.

No. 3, shaft, 3.5 x 4.0 x 100 ft., the S.E.Cor. of which bears S.81°-21'W. 271.3 ft. from Cor. 4. Value, \$700.00.

96 Lode.

1/17th of common improvement. Value \$3160.00.

No. 1, the discovery, cut, 4 x 12 x 10, course S.46°E., the face of which is on the lode line 9.0 ft. from the N.E.E.C. Value \$30.00.

No. 2, described under common improvements.

No. 3, 10 ft of cut and 34 ft of tunnel, 4 x 6, course N.52°-42'W., themcenter of the mouth of which is on the lode line 639.8 ft. from the N.E.E.C. Value, \$200.00.

Hobo Lode.

1/17th of common improvement. Value \$3160.00.

No. 1, the discovery, cut, 4 x 10 x 17 ft., course S.62°W., the center of the face of which is on the lode line 18.0 ft. from the 9.W.E.C. Value \$30.00.

Baltimore Lode.

1/17th of the common improvement. Value \$3160.00

No. 1, the discovery, shaft, 4 x 6 x 10 the center of the face of which is on the lode line 45.0 ft. from the S.W.E.C. Value \$45.00.

Summit Lode.

1/17th of the common improvement. Value \$3160.00

No. 1, the discovery, cut, 4 x 10 x 12 f. course south,

the center of the face of which is on the lode line

45.7 ft. from the S.W.E.C. Value \$30.00.

Bear Lode.

1/17th of the common improvement. Value \$3160.00.

No. 1, the discovery, 20 ft. of cut and 34 ft. of
tunnel, 4 x 6 which is crossed by the lode line 31.0
ft. from the S.W.E.C., and extends N.21°W. 12.0 ft. to mouth
and S.21°E. 42.0 ft. to face. Value \$200.00.

Bull Lode.

1/17th of the common improvement. Value \$3160.00.
1/5th of improvement No. 1 of the Selby lode, which
is credited to this claim. Value \$1834.00.

No. 1, the discovery, 25 ft. of cut and 31 ft. of tunnel, 4 x 6 ft., course S.43°W., the center of the mouth of which is on the lode line 314.8 ft. from the S.E.E.C. Value \$200.00.

Boston Lode.

1/17th of the com on improvement. Value \$3160.00.
1/5th of improvement No. 1 of the Selby lode, which
is credited to this claim. Value \$1834.00.

No. 1, the discovery, cut, 4 x 10 x 20 m. which is crossed by the lode line 706.1 ft. from the S.E.E.C.,

and extends N.23°W. 17 ft. to mouth and S.23°E. 3.0 ft. to face. Value \$40.00.

No. 2, shaft, $4 \times 6 \times 10$ ft., the center of which bears $5.68^{\circ}-12^{\circ}E$. 34.0 ft. from the N.W.E.G. Value, \$40.00.

Argus Lode.

1/17th of the common improvement. Value \$3160.00.

1/5th of improvement No. 1 of the Selby lode, which is credited to this claim. Value \$1834.00.

No. 1, the discovery, cut, $5 \times 10.5 \times 13$ ft. course S.32°E., the N.E.Cor. of which is on the lode line 69.3 ft. from the N.W.E.C. Value \$30.00.

No. 2, tunnel, 4 x 6 x 53 ft., course S.40°-12'E., the center of the mouth of which bears S.85°-39'E. 262.7 ft. from N.W.E.C. Value \$300.0.

No. 3, cut, 7 x 12 x 26 ft., course N.20°-29'E., the mouth of which bears N.45°-00'E. 167.0 ft. from Cor. No. 1. Value, \$125.00.

Standard Lode.

1/17th of the common improvement. Value, \$3160.00.

No. 1, the discovery, shaft, 4 x 6 x 10 ft., the center of which is on the lode line 42.7 ft. from the N.W.

E.C. Value, \$40.00.

Director Lode.

1/17th of the common improvement. Value \$3160.00.
No. 1, the discovery, shaft, 4 x 6 x 10 ft., the center of which is on the lode line 245.7 ft. from the
N.E.C. Value \$30.00.

Selby Lode.

1/17th of the com on improvement. Value \$3160.00.

No. 1, the discovery, the first level of which, consisting of 614.6 ft. of drifting and crosscutting, of an average crossection of 5 x 6.5 ft., is particularly described as follows: Commencing at the portal; thence N.13°-23'E. 271.7 ft. to intersection with lode line (point of discovery) at S.04°-32'E. 136.9 ft. from the N.E.C.; thence N.13°-23'E. 65.2 ft. to Pt. 1; thence

N.19°-15'E. 24.9 ft. to Pt. 2; thence N.05°-02'E. 64.4 ft. to Pt. 3; thence N.07°-32'E. 41.0 ft. to face.

Commencing at Pt. 3, a cross cut extends S.65°-07'W. 25.3 ft. to Pt. 4; thence S.00°-37'W. 20.1 ft. to Pt. 5; thence S.85°-00'W. 10.0 ft. to face. Commencing again at Pt. 3, a crosscut extends N.64°-46'E. 59.0 ft. to Pt.6; thence N.37°-15'E. 33.0 ft. to face. Value of first level, \$6140.00.

An incline winze, 6 x 8.ft. x 120 ft. deep, timbered, dip 61° north, the center of the south side of which bears N.07°-32'E. 15.0 ft. from Pt. 3 in the first level. Value \$1800.00.

From a point 115 ft. below the collar of the winze, the second level, consisting of 123.1 ft. of drifting and crosscutting, of an average crossection of 5 x 6.5 ft., is particularly described as follows: Commencing at the west side of winze; thence S.36°-47!W. 23.5 ft. to Pt. 1; thence N.87°-00'W. 18.1 ft. to Pt. 2; thence N.37°-35'W. 45.0 ft. to face. Commencing at Pt. 1, a crosscut extends S.51°-25'E. 36.5 ft. to face. Value of second level, \$1230.00.

Total value of improvement, \$9170.00.

The surface of the ground from the portal of the tunnel (first level) rising in the general direction of the course of said tunnel to the extent that the face of the tunnel is considerable depth below the surface, and the course of the tunnel and the incline shaft, as well, as the drifting and crosscutting from both, being such that it tends to develop the Argus, Boston, Bull and United States Fraction as well as the Selby lodes; and, the other claims of this group being so situate that they are not developed or benefited by this improvement, the value thereof is distributed equally to each the Argus, Boston, Bull, United States Fraction and Selby lodes, 1/5th or \$1834.00 going to each.

1/5 th of improvement No. 1. Value \$1834.00

No. 2, Cut, 4.5 x 12 x 18 ft., course north, the centher of the mouth of which bears S.81°-50'W. 111.0 ft. from a point on the lode line 203.5 ft. from the N.E.C. Value, \$50.00.

No. 3, 18 ft. of cut and 14 ft. of tunnel, 4 x 6 the mouth of which bears N.88°-05'W. 151.1 ft. from a point on the lode line 203.5 ft. from the N.E.C., and extends thence N.05°-10'W. 18.0 ft.; thence N.35°-00'W. 14.0 ft to face. Value \$120.00.

No. 4, 15 ft. of cut and 6 ft. of tunnel, 4 x 6 ft., course N.06°-20'W., the center of the mouth of which bears N.16°-57'W. 90.5 ft. from a point on the lode line 203.5 ft. from the N.E.C. Value \$60.00.

No. 5, cut, 3.5 x 5.5 x 32 ft., course 5.87°-15'E., the center of the west end of which bears N.56°-57'E. 49.1 ft. from a point on the lode line 203.5 ft. from the N.E.C. Value \$90.00.

No. 6, tunnel, 6 x 7 x 15 ft., course N.31°-15'W., the portal of which bears N.84°-01'W. 182.7 ft. from a point on the lode line 439.8 ft. from the N.E.E. Value \$90.00.

. United States Fraction Lode.

1/17th of the common improvement. Value, \$3160.00. 1/5th of improvement No. 1 of the Selby lode, which is credited to this claim. Value \$1834.00.

No. 1, the discovery, 203.8 ft. of tunnel, 5 x 6 ft, which is intersected by the lode line 697.0 ft. from the N.E.C. and extends thence S.34°-15'E. 35.5 ft. to the portal and N.34°-15'W. 168.3 ft. to the face. Value, \$1600.00.

No. 2, 67 ft. of tunnel, 3.5 x 6ft., course N.11°-49'E., the portal of which bears S.37°-41'E. 118.3 ft. from a point on line 1-2 548.7 ft. from Cor. 2. Value \$325.00. No.3, shaft, 4 x 6 x 10 fthe S.E.Cor. of which bears S.55°-22'W. 228.2 ft. from Cor. 4. Value \$30.00.

No. 4, 22 ft of cut and 41 ft of tun el, 4 x 6 which is intersected by line 3-4 at 365.6 ft. from Cor. 4, and extends thence S.50°-30'E. 26.0 ft. to mouth and N.50°-30'W. 37.0 ft. to face. Value of that part of improvement within the boundaries of claim, \$190.00.

Other Improvements.

A hoist house, 29 x 55 ft., course of long sides, west, on the Continental lode, Lot 37 A., the S.E.Cor. of which bears N.13°-46'W. 148.9 ft. from a point on line I-II of said Continental lode, 466.9 ft. from Cor.I.

A carpenter shop, 16 x 24 ft., course of long sides, S.60°W., on the Continental lode Lot 37 A., the N.E.Cor. of which bears N.54°-52'W. 136.1 ft. from a point on line I-II of said Continental lode, 466.9 ft. from Cor. I.

A blacksmith shop, 16 x 28 ft., course of long sides N.77°E., on the Continental lode, Lot 37 A., the S.W.Cor of which bears N.08°-18'E. 157.6 ft. from a point on line I-II of said Continental lode, 466.9 ft. from Cor. I.

An assay office, 12 x 29 ft., course of long sides N.08°-27'W., on the 96 lode, this survey, the N.W.Cor. of which bears S.48°-41'E. 83.5 ft. from a point on line 2-3, 466.9 ft. from Cor. 2.

A bunk house, 22 x 32 ft., course of long sides \$27°W. on the North Pacific lode, this survey, the N.W.Cor. of which bears 5.22°+54'W. 259.8 ft. from Cor.No. 3.

A boarding house, 18 x 84 ft course of long sides S.15°W/ on the North Pacific lode, this survey, the N.W.Cor. of which bears S.04°-55'E. 432.7 ft. from Cor. 3.

A dwelling house, 22 x 24 ft., course of long sides N.52°W., on the Hobo lode, this survey, the N.E.Cor. of which bears N.85°13'W. 238.5 ft. from a point on line 4-1, 600.0 ft. from Cor. No. 4.

00000000000000000000000

Instrument.

This survey was made with a $6\frac{1}{4}$ inch Berger Engineer's

transit. The courses were deflected from the true meridian as determined by direct Polaris observation. The distances were measured with a 850.0 ft. steel tape.

Report.

The side and end lines of the several claims in this survey and all tie lines were run direct upon the ground. The standard corner of sections 31 and 32 T.1 N., R. 14 E., Gila and Salt River Base and Meridian, to which tie is given, is a granite boulder, 8 x 8 x 8 ins. out of the ground, chiseled with five notches on the east side and one notch on the west side and S C on the north side. U.S.M.M. No. 3, to which tie is given, is a pine post, 8 ft. long, 6 ins. sq., set 3 ft. in the ground, with mound of earth and stone, scribed U.S.M.M. No. 3, T-1-2756 and Calv.

The corners of the Continental lode, Lot 37 A., with the exception of Cor. IV, are pine posts properly set and scribed. I find the courses and distances of the lines of this claim correct as approved. At Cor. IV, I found a mound of stone with cedar post, 3 ins. diameter in it.

The corners of the Arizona Wonder No. 1 lode, which conflicts with the Director, Selby and United States Fraction lodes of this survey are pine posts, 4 ins. sq. in mounds of stone.

The disagreement between these notes and the distances from the points of discovery of both the Boston and Argus lodes to the end centers of said claims, as stated in the certificates of location, is due to errors in the latter.

Resetting of Mineral Monument No. 3.

At Cor. IV of the Continental lode where U.S.M.M. No. 3 was established at the time of making the survey of said Continental lode, I was not able to find the marked

and that instead of being as described in the official returns of the survey of said Continental lode was a mound of stone, 4 ft. base and 3 ft. high, with a cedar post, 3 ins. diameter in it.

I have reestablished this monument by setting in the place of the cedar post a pine post, 8 ft. long, 6 ins. sq., with nail driven at the exact point, 3 ft. in the ground and raising a mound of earth and stone, 6 ft. base and 3 ft. high about it, and scribing on said post U.S.M.M. No.3 on the west side, T-1-2756 for the Tunnel lode of Sur. 2756 on the north side and C-IV for the Continental lode, Lot 37 A. on the east side.

A cedar tree. 1.2 ft. in diameter, blazed and scribed on the north side cross (+) B.T.-2756, bears S.05°-19'E. 69.2 ft. Owing to the sixe and irregularity of the surface of this tree it is impracticable to scribe the initials of the Mineral Monument on it.

Corner 3 of the Badger lode, Sur., 2756, bears N.45°-00'W. 247.4 ft. and the N.E.E.C of said Badger lode bears S.45°-00'E. 49.4 ft.

I find that the bearing to the left hand of the Four Peaks is N.50°-33'W. instead of N.50°-00'W. as reported at the time of establishing this monument. I also find that the bearing to the highest Peak of the Sierra Ancha Mountain is N.32°-53'W. instead of N.32°-45'W. as reported at the time of establishing the monument.

The standard corner of sections 5 and 6, T.1 S., R. 14 E., Gila and Salt River Base and Meridian, bears S.020-37'-10"W. 14526.3 ft.

There are no other bearings available.

U.C.Mineral Surveyor.

Globe, Arizona, March 28, 1910.

JAN 2 1970

Copper Mining and Smelting Company, a corporation, the assignee of J. A. Thomas, who on the first day of January, 1902, located the Tunnel Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 7, Records of Mines, at page 486, has on this 3 day of Moveman A.D. 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quarts and premises situate in the Globe Mining District, in the County of Gila and Territory of Arizona, to-wit:

The name of said claim is TUNNEL.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest. The distance from the point of discovery to the southwesterly end center monument of said claim is 27.3 feet. The distance from said point of discovery to the northeasterly end center monument is 1472.7 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a post surrounded by a mound of
stones, placed at the center of the southwesterly end of the

claim, which monument is 27.3 feet southwesterly from said Location Monument; thence S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of said claim; and the northwest corner of the Continental, a patented mine; thence N. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence S. 45° E. 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on its southeasterly side line by the Continental, Lot No. 37, a patented mine, and is partly bounded on its southwesterly end line by the Badger Mining Claim. Dated and posted on the ground this 3rd day of movember A.D. 1909.

OLD DOMINION COPPER MINING AND SMELTING COMPANY, Locator . By its Agent,

Jenge Strugdon

WITNESS:

S. L. Molon	•
a. B. aul	

Filed and recorded at the request of R. B. Riell on the 6 day of November A.D. 1909 at 10 minutes past 9 o'clock A. M. E. T. Stewart County Recorder. TERRITORY OF ARIZONA, ss. By Belle Maldonado Deputy Recorder. COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "TUNNEL" Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines

The name of said claim is BADGER.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1490.7 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the northeasterly end center monument of said claim is 33.6 feet. The distance from said point of discovery to the southwesterly end center monument is 1457.1 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 33.6 feet northeasterly from said Location Monument; thence S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° E. 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on its northeastarly and line by the southwesterly and line of the Tunnel Mining Claim and the southwesterly end line of the Continental, a patented mine. It is bounded on the southeast by the Dewey Mining Claim.

Dated and posted on the ground this 3rd day of hovember A.D. 1909.

> OLD DOMINION COPPER MINING AND SMELTING COMPANY. Locator.

By its Agent,

WITNESS:

Filed and recorded at the request of R. B. Riell on the 6 day of November A.D. 1909 at 10 minutes past 9 o'clock A. M. E. T. Stewart County Recorder. TERRITORY OF ARIZONA, ss. By Belle Maldonado Deputy Recorder.

COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above

NOTICE IS HEREBY GIVEN that the undersigned, Old Dominion
Copper Mining and Smelting Company, a corporation, the assignee of
J. E. Shankland, who on the 2nd day of January, 1899, located the
Dewey Mining Claim, situate in the Globe Mining District, Gila County,
Territory of Arizona, the location notice of which claim is of record
in the office of the Recorder of said County in Book 6, Records of
Mines, at page 355, has on this 3rd day of November, A.D. 1909, made
an amended location of said mining claim, by virtue of which and of
said original location it claims as a mining claim the following
described lead, lode or vein of mineral-bearing earth, rock or quartz
and premises situate in the Globe Mining District, in the County of
Gila and Territory of Arizona, to-wit:

The name of said claim is DEWEY

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1490.7 feet. The width of said claim is 300 feet on the northwesterly side of the middle of said lead, lode or vein, and 290 feet on the southeasterly side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the northeasterly end center monument on said claim is 76.4 feet. The distance from said point of discovery to the southwesterly end center monument is 1414.3 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 76.4 feet northeasterly from said Location Monument; thence N.45°W.

300 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S.45°W. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again S.45° E. 290 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N.45° E. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N.45° E. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence N.45° W. 200 feet to the Monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on the northwest by the Badger Mining Claim, on the northeast by the Continental, a patented mine, and the 96 Mining Claim, on the southeast by the North Pacific Mining Claim.

Dated and posted on the ground this 3rd day of November A.D. 1909.

Old Dominion Copper Mining And Smelting Company, Locator, By its Agent George Kingdon

Witness:

H. L. Norton R. B. Riell

Filed and recorded at the request of R. B. Riell on the 6 day of November A.D. 1909 at 10 minutes past 9 o'clock A. M.

E. T. Stewart County Recorder. By Belle Maldonado Deputy Recorder.

TERRITORY	OF	ARIZONA,	1
COUNTY	OF	CIT.A	ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "DEWEY" Mining Claim,

as the same appears of record in my office in Book. 16, Records of Mines, at page.........; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 23rd day of

December A. D. 190.Ω.

8. J. Suvart.

JAN.7-1910

The name of said claim is NORTH PACIFIC.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1490.7 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeasterly and southwesterly.

The distance from the point of discovery to the northeasterly end center monument of said claim is 62 feet. The distance from said point of discovery to the southwesterly end center monument is 1428.7 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a post surrounded by a mound of stones,

placed at the center of the northeasterly end of the claim,

which monument is 62 feet northeasterly from said location

The name of said claim is HOBO.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the Point of Discovery to the southwesterly end center monument of said claim is 18 feet. The distance from said point of discovery to the northeasterly end center monument is 1482 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

NOTICE IS HEREBY GIVEN that the undersigned, Old Dominion Copper Mining and Smelting Company, a corporation, the assignee of William Sidow and George Bowen, who on the first day of January, 1896, located the 96 Mining Claim situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 6, Records of Mines, at page 43, has on this ______ day of Whow MA.D. 1909, made an amended location of said mining claim, by virtue of which and of said original location, it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila and Territory of Arizona, to-wit:

The name of said claim is 96.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on the southeast side of the middle of said lead, lode or vein, and 294.4 feet on the northwest side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the Point of Discovery to the Northeasterly end center monument of said claim is nine (9) feet. The distance from said Point of Disocvery to the southwesterly end center monument is fourteen hundred and ninety-one (1491) feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the southwesterly end of the claim, which monument is 18 feet southwesterly from said location monument; thence N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 300 feet to the monument, the place of beginning.

OLD DOMINION COPPER MINING AND SMELTING COMPANY,
Locator,
By its Agent,

øjorge etingdon

WITNESS:

- A. T. morlon

Filed and recorded at the request of R. B. Riell on the 6
day of November A.D. 1909 at 10 minutes past 9 o'clock A. M..

E. T. Stewart County Recorder.

By Belle Maldonado Deputy Recorder.

TERRITORY OF ARIZONA, COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the

12

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is nine (9) feet northeasterly from said Location Monument; thence N. 45° W. 294.4 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of said claim, identical with the southeast corner of the Continental, Lot No. 37, a patented mine; thence S. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of said claim and identical with the southwest corner of said Continental Mine; thence S. 45° E. 294.4 feet to a monument, a post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence N. 45° W. 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on the northwest by the said Continental Mine; on the northeast by the Summit Mining Claim and on the southeast by the Hobe Mining Claim.

Dated and posted on the ground this 3 nd day of movember A.D. 1909.

OLD DOMINION COPPER MINING AND SMELTING COMPANY,

Locator,

By its Agent,

Jung Mangdon

WITNESS:

B. Rill

Filed and recorded at the request of R. B. Riell on the 6 day of November A.D. 1909 at 10 minutes past 9 o'clock A. M.

E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, county of GILA

By Belle Maldonado Deputy Recorder.

E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above

JAN.7-1910

The name of said claim is BALTIMORE.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the southwesterly end center monument of said claim is 45 feet. The distance from said point of discovery to the northeasterly end center monument is 1455 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the southwesterly end of the claim, which monument is 45 feet southwesterly from said location monument; thence S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence S. 45° E. 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on its southwesterly end line by the Continental, Lot No. 37, a patented mine, and on the southeast by the Summit Mining Claim. Dated and posted on the ground this 3rd day of Movember A.D. 1909.

> CLD DOMINION COPPER MINING AND SMELTING COMPANY. Locator. By its Agent.

> > Deorge Knador

WITNESS:

Filed and recorded at the request of R. B. Riell on the 6 day of November, A.D. 1909 at 10 minutes past 9 o'clock A. M. E. T. Stewart County Recorder. By Belle Maldonado Deputy Recorder. TERRITORY OF ARIZONA, ss.

COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of ___Amended Location Notice of ____ the "BALTIMORE" Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines

The name of said claim is SUMMIT.

The name of the locator is Old Deminion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1600 feet. The width of said claim is 300 feet on the southeasterly side of the middle of said lead, lode or vein, and 294.4 feet on the northwesterly side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the southwesterly end center monument of said claim is 45.7 feet. The distance from said point of discovery to the northeasterly end center monument is 1454.3 feet.

This location notice is posted in the monument of stones, erected at said point of discovery upon said claim, which monument is hereinafter referred to as the location monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the southwesterly end of the claim, which monument is 45.7 feet southwesterly from said location monument. thence S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again H. 45° W. 294.4 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° W. 1500 feet to a menument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence S. 45° E. 294.4 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on the northwest by the Baltimore Mining Claim, and on the southeast by the Bear Mining Claim, and its southwesterly end line is identical with the northeasterly end line of the 96 Mining Claim.

Dated and posted on the ground this 3 rd day of movember A.D. 1909.

> OLD DOMINION COPPER MINING AND SMELTING COMPANY, Locator.

By its Agent,

Teorge Arnadon

WITHESS:

d. I morton

Filed and recorded at the request of R. B. Riell on the 6 day of November A.D. 1909 at 10 minutes past 9 o'clock A. M.

E. T. Stewart County Recorder. By Belle Maldonado Deputy Recorder.

TERRITORY OF ARIZONA, ss. COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above

and foregoing contain and constitute a full true and correct convert Amended Location Notice of

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the southwesterly end of the claim, which monument is 31 feet southwesterly from said Location Monument, thence N. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the northeasterly end of the claim; thence again S. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on its southwesterly end line by the northeasterly end line of the Hobo Mining Claim. It is bounded on the northwest by the Summit Mining Claim. The initial monument of said claim is about 900 feet southeasterly from the southeast corner of the Continental, a patented mine.

Dated and posted on the ground this 3rd day of Movembu

OLD DOMINION COPPER MINING AND SMELTING COMPANY,

Locator,

By its Agent.

Leoge Stringdon

WITNESS:

a.b. aill

Filed and recorded at the request of R. B. Riell on the 6 day of November A.D. 1909 at 10 minutes past 9 o'clock A. M.

E. T. Stewart County Recorder. By Belle Maldonado Deputy Recorder.

TERRITORY OF ARIZONA, SS.

JAN.7-1910

The name of said claim is BEAR.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the southwesterly end center monument of said claim is 31 feet. The Distance from said point of discovery to the northeasterly end center monument is 1469 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

19

AMENDED LOCATION NOTICE.

JAN.7-1910

The name of said claim is BULL.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet.

The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northwest and southeast.

The distance from the point of discovery to the southeasterly end center monument of said claim is 314.8 feet. The distance from said point of discovery to the northwesterly end center monument is 1185.2 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the southeasterly end of the claim, which monument is 314.8 feet southeasterly from said Location Monument; thence S. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the northwesterly end of the claim; thence again N. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones being the southeast corner of the claim; thence S. 45° W. 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: This claim is bounded on its southwesterly side line by the northeasterly side line of the Boston Mining Claim; on the northwest by the southeasterly side line of the Bear Mining Claim and on the southeast by the United States Fraction Mining Claim.

Dated and posted on the ground this 11th day or movember A.D. 1909.

> OLD DOMINION COPPER MINING AND SMELTING COMPANY. Locator, By its Agent.

Denze stingdon

WITNESS:

Ray Bullows

Filed and recorded at the request of R. B. Riell on the 12day of November A.D. 1909 at 30 minutes past 4 o'clock P. M. TERRITORY OF ARIZONA, ss. EL T. Stewart County Recorder. By Belle Maldonado Deputy Recorder.

COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above Amended Location Notice of

JAN 7- 1910

AMENDED LOCATION NOTICE.

The name of said claim is Beston.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is Northwest and Southeast.

The distance from the point of discovery to the southeasterly end center monument of said claim is 700 feet. The distance from said point of discovery to the northwesterly end center monument is 800 feet. This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northwesterly end of the claim, which monument is 800 feet northwesterly from said location monument; thence N. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the southeasterly end of the claim; thence again S. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 300 feet to the monument, the place of beginning.

Old Dominion Copper Mining and Smalting Company,
Locator,
By its Agent,

Leonge Kingdon

WITNESS:

A. L. morlon

a. Sh. Redlond

Filed and recorded at the request of R. B. Riell on the 12 day of November A.D. 1909 at 30 minutes past 4 o'clock P. M.

E. T. Stewart County Recorder.

By Belle Maldonado Deputy Recorder.

The name of said claim is ARGUS.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northwest and southeast.

The distance from the point of discovery to the northwesterly end center monument of said claim is 69 feet. The distance from said point of discovery to the southeasterly end center monument is 1431 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit; Beginning at a monument, a post surrounded by a mound of stones. placed at the center of the northwesterly end of the claim, which monument is 69 feet northwesterly from said location monument; thence N. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the southeasterly end of the claim; thence again S. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° H. 300 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly This claim is bounded on the described as follows, to-wit: northwest by the Hobo Mining Claim; on the northeast by the Boston Mining Claim, and on the southwest by the Standard Mining Claim, and the northwesterly end of said Argus Claim is 1200 feet southeasterly from the Continental, a patented mine.

Dated and posted on the ground this god day of hovember A.D. 1909.

> OLD DOMINION COPPER MINING AND SMELTING COMPANY, Locator.

By its Agent.

Teorge Kingdon WITNESS:

Filed and recorded at the request of R. B. Riell on the 6 day of Movember A.D. 1909 at 10 minutes past 2 o'clock A. M. E. T. Stewart County Recorder. TERRITORY OF ARIZONA, ss. By Belle Maldonado Deputy Recorder.

COUNTY OF GILA

The name of said claim is STANDARD.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1500 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northwest and southeast.

The distance from the point of discovery to the northwesterly end center monument of said claim is 42.7 feet. The distance from said point of discovery to the southeasterly end center monument is 1457.3 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northwesterly end of the claim which monument is 42.7 feet northwesterly from said Location Monument; thence N. 45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 45° E. 1500 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the southeasterly end of the claim; thence again S. 45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N. 45° W. 1500 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: This claim is bounded on the northwest by the Hobo Mining Claim; on the northwest by the Argus Mining Claim, and the northwest corner of this claim is about 1200 feet southeasterly from the southwest corner of the Continental, a patented mine.

Dated and posted on the ground this 3rd day of Mournbur.
A.D. 1909.

CLD DOWINION COPPER MINING AND SMELTING COMPANY,
Locator.

By its Agent,

WITNESS: Storge Arngdon

3. B. Riell

TERRITORY OF ARIZONA, county of GILA

Filed and recorded at the request of R. B. Riell on the 6 day of November A.D. 1909 at 10 minutes past 9 o'clock A. M.

E. T. Stewart County Recorder.

By Belle Maldonado Deputy Recorder.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above

NOTICE IS HEREBY GIVEN that the undersigned, Old Dominion Copper Mining and Smelting Company, a corporation, the assignee of Roscoe Cornell, who on the 12th day of March, 1900, located the Director Mining Claim, situate in the Globe Mining District, Gila County, Territory of Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 7, Records of Mines, at page 85, has on this ________ day of Movember D. 1909, made an amended location of said mining claim, by virtue of which and of said original location it claims as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila and Territory of Arizona, to-wit:

The name of said claim is DIRECTOR.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1067.4 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northerly and southerly.

The distance from the point of discovery to the northerly end center monument of said claim is 245.7 feet. The distance from said point of discovery to the southerly end center monument is 821.7 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the location monument.

Beginning at a monument, a post surrained by a mound of stones, placed at the center of the northerly end of the claim, which monument is 245.7 feet northerly from said location monument, thence N. 45° E. 394.3 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 4° 32' E. 1067.4 feet to a monument of stones, being the southeast corner of the claim; thence S. 45° W. 394.3 feet to a monument, a post set in the ground, being the center of the southerly end of the claim; thence again S. 45° W. 394.3 feet to a monument of stones, being the southwesterly corner of the claim; thence N. 4° 32' W. 1067.4 feet to a monument, a post surrounded by a mound of stones, being the northwesterly corner of the claim; thence N. 45° E. 394.3 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: This claim is bounded on the east by the Selby Mining Claim, and on the north by the Standard and Argus Mining Claims, and the point of discovery on said Director Claim is about 3,000 feet southerly from the Continental, a patented mine.

Dated and posted on the ground this 3rd day of moumber A.D. 1909.

OLD DOMINION COPPER MINING AND SMELTING COMPANY,
Locator,

By its Agent.

Heorge Kingdon

WITNESS:

AL L. Morlon R. 13. Riell

of November A.D. 1909 at 10 minutes past 9 o'clock A. M.

E. T. Stewart County Recorder,

By Belle Maldonado Deputy Recorder.

COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "DIRECTOR" Mining Claim,

The name of said claim is SELBY.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of said claim along said vein or lode is 1421.3 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northerly and southerly.

The distance from the point of discovery to the northerly end center monument of said claim is 136.9 feet. The distance from said point of discovery to the southerly end center monument is 1284.4 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northerly end of the claim, which monument is 136.9 feet northerly from said location monument; thence N. 45° E. 394.3 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 4° 32' E. 1421.3 feet to a monument of stones, being the southeast corner of the claim; thence S. 45° W. 394.3 feet to a monument of stones, being the center of the southerly end of the claim; thence again S. 45° W. 394.3 feet to a monument of stones, being the southwest corner of the claim; thence N. 4° 32' W. 1421.3 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 394.3 feet to the monument, the place of beginning.

In order to identify said claim is it more particularly described as follows, to-wit: This claim is bounded on the west by the Director Mining Claim; on the north by the Argus and Boston Mining Claims, and on the east by the United States Fraction Mining Claim.

Dated and posted on the ground this _______ day of hovember A.D. 1909.

OLD DOMINION COPPER MINING AND SMELTING COMPANY,

Locator,

By its Agent,

Junge Kingdon

WITNESS:

At Morlon

Filed and recorded at the request of R. B. Riell on the 12day of November A.D. 1909 at 30 minutes past 4 o'clock P. M.

E. T. Stewart County Recorder.

By Belle Maldonado Deputy Recorder.

COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "SFLBY" Mining Claim, as the same appears of record in my office in Book 16, Records of Mines

at page..........; that I have compared the same with the original record, and that the same is a true transcript

The name of said claim is UNITED STATES FRACTION.

The name of the locator is Old Dominion Copper Mining and Smelting Company.

The length of the claim along said vein or lode is 1421.3 feet. The width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northerly and southerly.

The distance from the point of discovery to the northerly end center monument of said claim is 697 feet. The distance from said point of discovery to the southerly end center monument is 724.3 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at a monument, a post surrounded by a mound of stones,

32

placed at the center of the northerly end of the claim, which monument is 697 feet northerly from said location monument; thence N. 45° E. 394.3 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S. 4° 32' E. 1421.3 feet to a monument of stones, being the southeast corner of the claim; thence S. 45° W. 394.3 feet to a monument of stones, being the center of the southerly end of the claim; thence again S. 45° W. 394.3 feet to a monument of stones, being the southwest corner of the claim; thence N. 4° 32' W. 1421.3 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N. 45° E. 394.3 feet to the monument, the place of beginning.

In order to identify said claim it is more particularly described as follows, to-wit: Said claim is bounded on the west by the Selby Mining Claim and on the north by the Boston and Bull Mining Claims, and the northwest corner of this claim is about half a mile southerly from the Continental, a patented

Dated and posted on the ground this ______ day of mounder A.D. 1909.

> OLD DOMINION COPPER MINING AND SMELTING COMPANY, Loca tor.

By its Agent.

WITNESS:

Filed and recorded at the request of R. B. Riell on the 12day of November A.D. 1909 at 30 minutes past 4 o'clock P. M.

E. T. Stewart County Recorder

By Belle Maldonado Deputy Recorder. TERRITORY OF ARIZONA, } ss.

COUNTY OF GILA

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Amended Location Notice of the "UNITED STATES FRACTION" Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines

at page _____; that I have compared the same with the original record, and that the same is a true transcript

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the in	nd <mark>ividua</mark> ls employed b	y Edwin T.	Stewart
United States Mineral Surveyor	r, to assist in running	g, measuring, and man	rking the lines, corners, and
boundaries described in the fore	going field notes of th	ne survey of the minim	ng claim of The Old
Dominion Conver Winir	g and Smelting	Commana	
Dominion Copyer Mining Tunnel, Eadge Bear, Bull, Fall Minited States	er, Dewey, Nort Boston, Argus, Fraction lode	Pacific, Hobo Standard, Direc	, 96, Baltimore, tor, Selby and
and showing the respective capa			
	R	.A.Smith	, Chainman.
	Po	ercy Bell	, Chainman.
			Axman.
			, Flagman.
	9		Figure 100 leads to
FINAI	L OATHS O	F ASSISTAN	ITS.
We, R. A. Smi	ith		
Doney Dell			
and Percy Bell	, do sol	emnly swear that we as	sisted Edwin I. Stewar
	United States Miner	al Surveyor in markir	or the corners and surveying
100-400	, enited states miner	or Surveyor, in markin	ig the corners and surveying
the boundaries of the mining cla	im of The Old Do	ominion Copper	lining and Smelting
			-
Company	Day and Home	1 The 2 1 8 1 2 1 7 1 1	200
Funnel, Badg Summit, Bear known as the Selby and Un	er, Dewey, Tor, , Bull, Boston, ited States Fre	Argus, Standa Ction lodes :	rd, Director,
represented in the foregoing field			
	1 44		
direction; and that said survey h	as been in all respects	, to the best of our kno	wledge and belief, faithfully
and correctly executed, and the co	rne <mark>r and</mark> boundary mor	numents established acc	cording to law and the instruc-
tions furnished by the United Stat	tes <mark>Surve</mark> yor-General f	or Arizona.	
		Revision	, Chainman.
)0	Chainman.
	V	my Co	, Chainman.
			, Axman.
	(7)		, Flagman.
Subscribed a	nd sworn to by the ab	ove-named persons bef	ore me this 30th
The state of the s	March		
day or		Lm Br	policy es
		Notar	y Public.

My commission expires Dec. 12. 1912.

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Edwin T. Stewart	, U. S. Mineral Surveyor,
	instructions received from the United States
Surveyor General for Arizona	, dated
January 7, 1910,	, I have, in strict conformity to the laws of the
United States, the official regulations and	d instructions thereunder, and the instructions
of said Surveyor General, faithfully and	correctly executed the survey of the Mining
Claim of The Old Dominion C	opper Mining & Smelting Company
Tunnel, Badger, Dewey, North P Bear, Bull, Boston, Argus, Sta States Fraction lodes situate in Glo	, known as the acific, Hobo, 96, Baltimore, Summit, ndard, Director, Selby, United , be, Mining District,
Gila	County, Ariz., approximatelin Section s
17,19 and 20 ownship No. 1 N., R	ange No. 14 E. in the Crook Nat'l Forest
and designated as Survey No	2756 , as represented
in the foregoing field notes, which accurate	tely show the boundaries of said mining claim
as distinctly marked by monuments on the	e ground, and described in the attached copy
of the location certificate, which was rece	aived by me from the Surveyor General with
said instructions, and that all the corners	of said survey have been established and per-
petuated in strict accordance with the la	w, official regulations and instructions there-
under; and I do further solemnly swear	that the foregoing are the true and original
field notes of said survey and my repor	t therein, and that the labor expended and
improvements made upon said mining cla	im by claimant oritsgrantors
are as therein fully stated, and that the	character, extent, location, and itemized value
thereof are specified therein with particular	larity and full detail, and that no portion of
said labor or improvements so credited to	this claim has been included in the estimate
of expenditures upon any other claim.	,
	Edwin I. Stuvent. U. S. Mineral Surveyor.
Subscribed and sworn to by the said	Edwin T. Stewart
·	L.M.Brookner, a Notary Public
	this 30th
day ofLarch, 1910, 190	
•	2m Brokener.

6-1044

Notary Public.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona
June 16, 1910, 190
I, U.S. Surveyor-General for District of Arizona.
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Old Dominion Copper Mining & Smelting Company
Tunnel, Badger, Dewey, North Pacific, Hobo, 96, Baltimore, Summit known as the Bear, Bull, Boston, Argus, Standard, Director, Selby and United States Fraction
situate in Globe
Mining District, Gila County, Arizona, Approx.
in Section s. 17,19 & Zlownship No. 1 N., Range No. 14 E. Ungur, and
designated as Survey No. 2756 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 12 shafts, 15 tunnels, 18 cuts, 2 winzes & 4410.2 ft. of
workings, total value \$69,140.00. Tunnel No. 2 on the 96 lode, together with the workings therefrom, constituting a system of common improvements for the development of each of the sixteen claims of this survey and the Continental lode, Lot No. 37 A, an undivided 1/17 interest therein, yalue \$3160, is properly credited to each of the said seventeen
Tunnel No. 1 on the Selby lode, with the workings therefrom tending to develop the Argus, Boston, Bull, United States Fraction and Selby lodes of this survey, and only those, an undivided 1/5 interest therein, value \$1834, is properly credited to each of the said five lodes.
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
II. 4.1 Class Comment Comment for Amino and

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona.	
	June 16, 1910, 190	-
I, U.S. Surveyor-Gene	al for District of Arizona.	
do hereby certify that the f	regoing and hereto at <mark>tached Fiel</mark> d Notes and Return of the Survey of the	3
Mining Claim of Old	ominion Copper Mining & Smelting Company	
	v. ·	•
Tunnel, Badger, D	wey, North Pacific, Hobo, 96, Baltimore, Summit, I us, Standard, Director, Selby and United States	Bear
situate in	Globe Mining District,	,
in Section s 17,19 &	County, Arizona, Approx. O, Township No. 1 N., Range No. 14 E. Unsur.	
executed by Edwin	T. Stewart , U.S. Deputy Mineral	
Surveyor, Feb. 19,	28, 1910. , under my instructions dated	
January 7, 1910	•, 190, have been critically examined and the necessary cor-	ı
rections and explanations m	de, and the said F <mark>ield Notes</mark> and Return, and the Survey they describe,	y to
are hereby approved. A tr	e copy of the copy of the location certificate filed by the applicant for	1
survey is included in the fie	d notes.	
	Frank I Ingack	
	U. S. Surveyor-General for Arizona.	