2-18-1911. F. L.

4-683.

MINERAL SURVEY No. 2759

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	Pit	tsburgh C	opper 8	Minin	g Co.		

	•	KNO	WN AS T	HE			
		ANACC	ATT) A				
***************************************		White M	lesa			Mining 1	Distric
	Coconino		County,	***********	Arizona		
Section 1	Approximate ,	Township	38	N	_, Range	9 E.,	Uns
Surve	yed under instr	ructions da	ted Janu	ary 8,	, 19	10	
				י ע	0000		
			by	• F • 11	U. S.	Mineral	
	Claim located	See L	ocation	Notic	e,	19	
	Survey comme	enced	June	5,	·	19 10.	
	Survey comple	eted	June	5,	, , , , , , , , , , , , , , , , , , ,	19 10	
6-822	Address of claimant's Attys.,						
	Clark,	Prentiss	& Clar	·k,			
	Me	tropolita	n Bank	Bldg.,	W.		
	1 1	Washin	gton, D	. C.			

Anaconda Lode

Beginning at cor. No. 1
A sand stone 26 x 12 x 4 ins.set 13 ins. in the ground, marked A-1-2759 on NE.face, with a x on top, with a mound of stone 2 ft.base, 2 ft.high alongside.
Piñon 8 ins.dia. marked A-1-2759-B.T. bears N. 56 00' E. 125 ft. dist.
U. S. M. No. 1 bears S. 24°08' W. 772.35 ft.dist.

ThenceNorth

1500. To cor. No. 2
A sand stone 24 x 18 x 6 ins.set 12 ins.in the ground,
marked A-2-2759 on SE. face, with a xon top, with a mound
of stone 2 ft. base, 2 ft. high alongside.
X on ledge marked A-2-2759-B.O., bears N. 81E. 3.5 ft.dist.

Thence East

300. To N. end center.

A sand stone 20 x 10 x 4 ins.set 10 ins. in the ground, marked A-3-2759 on SW.face, with a x on top, with a mound of stone 2 ft. base, 2 ft. high alongside.

No bearings available.

Thence South

A sand stone 30 x 14 x 4 ins. set 15 ins.in the ground, marked A-4-2759 on NW.face, with a x on top, with a mound of stone 2 ft. base, 2 ft. high alongside.

No bearings available.

Thence West

300. To S. end center.

600. Tocor. No. 1 the place of beginning. Variation at all corners 14° 30° E.

LODE LINES.

As near as can be determined from the present developments the vein of the location embraced in this claim extends as follows from the discovery point.

Anaconda, North 500. ft. and South 1000. ft.

AREA

Total area Anaconda Lode

20.661 Acres.

LOCATION

This claim is located in the White Mesa Mining District Coconino County, Arizona. in what will approximately be when surveyed T. 38 N. R. 9 E. G. & S.R. B. & M.In the Navajo Indian Reservation.

ADJOINING CLAIMS

This survey is bounded on the North, South East and West, by public land the Navajo Indian Reservation.

EXPENDITURE OF FIVE HUNDRED DOLLARS
I certify that the value of the labor and improvements
made upon said mining claim by the claimant or its grantors is not less than five hundred dollars, and that
said improvements consist of:

No. 1 Dis. Shaft 4x6x10 ft.deep, which bears from the N. end center, South 500. ft.

Value \$ 100.00

No. 2 Shaft 4x6x25 ft.deep, w ich bears from cor. No. 3 S/0'19' W. 550. ft.

Value \$ 250.00

No. 3 Shaft 4x6x8 ft. deep, which bears from cor. No. 3 S. 0'19' W. 561. ft.

Value \$ 80.00

No. 4 Shaft 4x8x6 ft.deep, which bears from cor. No. 3 S. 3'28' W. 537. ft.

Value \$ 60.00

No. 5 Shaft 4x6x10 ft.deep, which bears from the N. end center S. 1'26' E. 509. ft.

Value \$ 100.00

No. 6 Shaft 4x6x10 ft.deep, which bears from cor. No. 2 S. 29'34' E. 627. ft.

Value \$ 100.00

No. 7 Cut 4x22x6 ft.face which bears from cor. No. 2 S. 29°34° E. 600. ft.

Value \$ 110.00

No. 8 Shaft 4x6x10 ft.deep, which bears from the N. end center, S. 1°05' W. 500 ft.

Value \$ 100.00

REPORT

The lode line of the location of this claim was run dired ectly on the ground and the several corners established by means of offsets from the lode line. All tie lines were run directly on the ground, and all corners and end centers were identical with the location corners and end centers. All location corners were stone; firmly set in the ground. This claim is identical with the Durango location described and surveyed by Amherst W. Barber Detailed Clerk, G. L. O. under instructions from the Commissioner, dated April 1 st. 1961.

INSTRUMENT

This survey was made with an A. Lietz, light mountain transit, No. 5631, with a solar attachment. The courses were deflected from the true meridian as determined by solar observations. The distances were measured with 100 and 300 ft. steel tapes.

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by	J. F. Hesse	
United States Mineral Surveyor, to assist in	N.		
boundaries described in the foregoing field not			
Pittsburgh Copy			
known as the Anaconda			
and showing the respective capacity in which	he acted.		
•	Harry E.	Jones , (hainman.
*		, (Thainman.
		, 4	4xman.
		, I	${\it Flagman}.$
-			
FINAL OATH	IS OF ASSI	STANTS.	
XX, I , Harry E. Jones			v
and	, do solemnly swear	that we assisted J. F.	Hesse
, United State	es Mineral Surveyor.	in marking the corners a	and surveying
the boundaries of the mining claim of			
Pittsburgh			
A		G	
represented in the foregoing field notes as ha			
direction; and that said survey has been in all	respects, to the best	of extr knowledge and bel	ie <mark>f, fai</mark> thfully
and correctly executed, and the corner and boun	dary monuments esta	ablished according to law a	nd the instruc-
tions furnished by the United States Surveyor-	General forA	ri zona	
	Ham	18 July	Chainman.
		<i>C</i> ,	Chainman.
		,	Axman.
		·	Flagman.
C 1			3 2
Subscribed and sworn to b	by the above-named	persons before me this	
day of Clo	VV, 19		On 1
1	w	sula His) 10.
nucona Econo		Grolany V	ublic 6-1018

FINAL OATH OF U.S. MINERAL SURVEYOR.

	I,	J. F. Hesse		, U. S. Mineral Surveyor,
				ved from the United States
	v	· -		, dated
	•			,
				conformity to the laws of the
		<u> </u>		eunder, and the instructions
	of said Survey	or General, faithfully a	nd correctly executed	the survey of the Mining
		·		go.
				, known as the
				Mining District,
				in Section
			•	
				Unsurveyed,
	and designated	as Survey No. 275	9	, as represented
	in the foregoin	g field notes, which according	urately show the bour	ndaries of said mining claim
	as distinctly m	arked by monuments or	the ground, and des	cribed in the attached copy
	of the location	certificate, which was	received by me from	the Surveyor General with
	said instruction	ns, and that all the corn	ers of said survey hav	ve been established and per-
		,-	•	ions and instructions there-
	_		_	
		v		g are the true and original
				at the labor expended and
	improvements	made upon said mining	claim by claimant or	grantors
	are as therein	fully stated, and that t	he character, extent, l	location, and itemized value
	thereof are spe	cified therein with part	icularity and full det	tail, and that no portion of
	said labor or i	mprovements so credited	to this claim has be	en included in the estimate
		upon any other claim.		
		I. V		
			() A	2/1
			V. 7	U. S. Mineral Surveyor.
				2. 2. VI 2000 at 200 cogar.
			1 1 1 h	P /
	Subscribed	and sworn to by the sa	$id \rightarrow \mathcal{I}$	resultant f
	U.S.M	meral Surveyor, before n	ge flasulo	V D'Mund
	α	volary Pul	elie	this 3 ^V d
		October , 1	90/0	
	ady of 1	, 1		
			and	161 le August
			occura ()	To (1) In
	6-7044		Not	any Inbly-
2	7	1		
16	yeon. E	pues		
X.		1/1012		
	nay 19	1, 1910,		
	/			

CLARK, PRENTISS & CLARK
Attorneys & Counsellors,
Metropolitan Bank Building,

WASHINGTON. - D. C.

Notice of Mining Location. LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Anaconda Mining Claim, situate onlands belonging to the United States of America,, and in which there valuable mineral deposits, was entered upon and located for the purpe ose of exploration and purchase by W H Thompson a Citizen of the United States the undersigned, on the 19th day of January, 1901.

The length of this claim is 1500 feet, and I claim 750 feet in a North-r erly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the south

The claim is situated and located in the White Mesa Mining District, to in Coconino County, in the Territory of Arizona, about 40 miles in a Northerly direction from Tuba City & about 4 miles Mast of an old Spanish Fort.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a Southerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence East 300 feet to a Monument being the South East corner of said claim; thence North 750 feet to a Monument at the center of the East side line of said claim; thence North 750 feet to a Monument, being at the North East corner of said claim; thence West 300 feet to a Monument at them center of the North end of said claim; thence West 300 feet to a Monument, being at the North West corner of said claim; thence South 750 feet to a Monument being at the center of the West side line of said claim; thence South 750 feet to a Monument at the South west corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisons of Chapter Six, of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 19 day of January 1901.

Witness W H Thompson R. H. Marine

TERRITORY OF ARIZONA,

I, Jesse L. Boyce, County Recorder in and for the County and Territory aforesaid, hereby certify that I have compared the foregoing copy with the record of the Anaconda Mining Claim, recorded in my mi office on the 13th day of April, 1901 in Book 4 of Mines, page 32, and that in the same is a full, true, correct and complete copy of such record and of the



IN WITNESS WHEREOF, I have hereunto set my hand and affixed the seal of my office,

this 16th day of November, A.D., 1909.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	March 13, 1911. , 19	0
I, U. S. Surveyor-General	forArizona,	
do hereby certify that the fore	going transcript of the Field Notes, return and approval of the su	rvey
of the mining claim of	·	
Pit	tsburgh Copper & Mining Co.,	
known as the	ANACONDA,	
	White Mesa	
Mining District,	Coconino County, Arizona,	
in Section ApproximateTo	wnship No. 38 N. , Range No.9 E., unsurveyed,	and
designated as Survey No. 27	has been correctly copied from the originals on fi	le in
this office; that said Field No	tes furnish such an accurate description of said mining claim as wi	ill, i
incorporated into a patent, serv	e fully to identify the premises, and that such reference is made the	erein
to natural objects or permaner	t monuments as will perpetuate and fix the <i>locus</i> thereof.	
And I further certify tha	five hundred dollars' worth of labor has been expended or impr	ove-
ments made upon said mining	claim by claimant or its grantors, and that said improvem	ents
consist of 7 shafts and	l 1 cut, total value \$900.00.	
	-1/2	
	46	
and that no portion of said la	bor or improvements has been included in the estimate of expendit	פאיווי
upon any other claim.	of improvements has been included in the estimate of expension	ar ob
-	lat thereof, filed in the U.S. Land Office at Phoenix, Arizon	a .
	is correct and in conformity with the foregoing Field Notes.	
	Frank S. Ingalls,	
	United States Surveyor-General for Arizona.	
	- $J^{\pm 1}$	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Pho	oenix, <mark>Ar</mark> izona,
	March 13, 1911. , 190
I, U. S. Surveyor-General for	Arizona,
do hereby certify that the foregoing and he	ereto attached Field Notes and Return of the Survey of the
Mining Claim of	
Pittsburgh Con	oper & Mining Co.,
	, known as the
	ANACONDA,
situate in	White Mesa mining district,
Coconino	County, Arizona,
	No. 38 N., Range No. 9 E., Unsur., by No. 2759.
	, United States Mineral
executed by	United States Mineral
Surveyor, June 5, 1910	, 190%, under my instructions dated
January 8, 1910. , *	96x, have been critically examined and the necessary cor-
rections and explanations made, and the sa	aid Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the	copy of the location certificate filed by the applicant for
survey is included in the field notes.	Thank I digates
	U. S. Surveyor-General for Arizona.