

MAR 3 1910
MAR 31 1910

4-683.

MINERAL SURVEY No. 2767

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The May Flower Copper
Mining Company

KNOWN AS THE

May Flower
Cochise Mining District,

Cochise County, Arizona

Sections 25, 26, Township 15 S, Range 22 E

Surveyed under instructions dated Jan 15, 1910

by John A. Rockfellow
U. S. Mineral Surveyor.

Location

Claim located See Notice, 19

Survey commenced Feb 18, 1910

Survey completed Feb 21, 1910

6-822

Attorneys for applicant
Kibbey, Bennett & Bennett
Phoenix
Ariz

see letter 2-5-1910

May Flower.

-1-

Feet.	S U R V E Y N O. 2764.
	May Flower Lode.....
	Beginning at Corner No. 1, a pine post 4 ins. square, 3½ ft. long, set 10 ins. in ground to bedrock, in a mound of stone, scribed 1-2764 M.
	Whence:
	¼ Corner between secs. 25-26, Tp 15S R 22 E brs. N 88°14'E 71.5 ft.
	An X BR 1-2764 chiseled on limestone bedrock brs. N 83°45'W - 48.8 ft.
	Corner of location, a redwood post 4 ins. square, in mound of stone, scribed M.N.E.C. brs. N 40° 38'W - 5.6 ft.
	Thence S 40°38'E. Va. 13°15'E
77.0	Center road brs. E.N.E. and W.S.W.
109.7	Intersect line. between Secs. 25-26. Tp 15 S R 22 E at
	south 85.49 ft. from ¼ Cor. between Secs. 25-26. and N 2554.51 ft. from the cor. Secs. 25-26-35-36.
230.0	Center of road brs. N.N.E. and S.S.W.
738.0	Remains of old stone monument.
1443.0	To Cor. No. 2. Set a pine post 4 ins. square, 3½ ft. long, 12 ins. in ground to hard pan in a mound of stone, scribed 2-2764.M.
	Whence;
	Corner of location a pine post 4 ins. square, 3½ ft. above ground, in a mound of stone brs. S 40°38'E - 47.8 ft..
	An X BR-2-2764 chiseled on limestone bedrock exposing 40x24 ins., brs. N 29°43'W - 65.75 ft.
	No other bearings available.
	Thence S 36°37'W . Va. 13°15'E.
302.6	To Cor. No. 3, identical with location, a pine post 4 ins. square, 4½ ft. above ground in a mound of stone, marked in pencil M. Scribed S.C.E-M. 3-2764.
	Whence:
	An X BR 3-2764 chiseled on limestone bedrock, brs. N 71°50'W - 28.5 ft.
	An X BR 3-2764 chiseled on limestone bedrock,

Feet.

brs. N 71°13'E - 25.5 ft.
 Thence S 46°00'W. Va. 13°15'E.

Pt. for S.E. Cor. comes on retaining wall, which is unsuitable for corner. Hence at 297.2 ft. set limestone 26x10x8 ins. - 13 ins. in ground. Chisel X at exact point and W.C.-4-2764 M.

Whence:

An X BR 4-2764 chiseled on limestone 10x8x1 ins. brs. N 43°49'W - 68.4 ft.

No other rock bearings available.

S.E. Cor. Chicora Lode, Survey No. 326, a post scribed C.S.E. and S.N.E., brs. N 45°00'W - 101.5

ft. Cor. of location, a pine post 6 ft. high in a mound of stone brs. S 40°00'W - 4.3 ft.

300.5 Pt. for true corner. *Cor. No. 4.* Cor. of location, heretofore described, brs. S. 46°00'W - 1 ft.

Thence N 40°18'W. Va. 13°15'E.

728.9 Intersect line between Secs. 25-26 Tp 15 S - R 22 E at South 993.1 ft. from $\frac{1}{2}$ Cor. between Secs. 25-26. and North 1706.9 ft. from Cor. Secs. 25-26-35-36 .

1564.6 N.E. Cor. Chicora lode, Survey No. 326, a post scribed C-NE.

1394.7 To Cor. No. 5, set a pine post 4 ins. square, 3 $\frac{1}{2}$ ft. long, 6 ins. in ground to bedrock in mound of stone scribed 5-2764 M,

Whence:

of Cochise District U.S.M.M. No. 1, brs. N 71°50'W - 2632.0 ft.

An X BR 5-2764, chiseled on limestone 12x10x6 ins. brs. S 19°01'E - 28.5 ft.

An X BR 5-2764, chiseled on limestone 18x12x64 ins. brs. S 76°00'W - 40.55 ft.

Corner of location, alpine post 4 ins. square, 5 ft. above ground in a mound of stone, brs.

N40°18'W - 1 ft.

S.E. Cor. smelter building Republic Mine, *brs*

N. 26°20'W - 155.0 ft

Thence N 36°37'E. Va. 12°20'E.

Feet.
123.75

S.O. End Republic, a post in mound of stone, scribed...

R.C.E.

149.

Center of road brs. Westerly and Easterly..

303.1

N. Center End identical with location a post in a mound of stone, post not stable.

Set a pine post 4 ins. square, 5 ft. long, 10 ins. in ground to bedrock, scribed N.C.E.-M. 2764.

423.95

N.E. Cor. Republic lode, Survey No. 324, a pine post

scribed R.N.E.

527.0
602.0

to road course N.W. and S.E. to place of beginning.

AREA,.....

Acres.

19.417

LOCATION,...

This claim is located in Cochise Mining District, Cochise County, Arizona, in Tp 15 S - R 22 E., Sec's 25 & 26

The presumed course of the lode is N 40°29'W - 1443.9 ft. from Cor. No. 3 to NCE.

ADJOINING CLAIMS.....

On the North:- Acorn lode, unsurveyed.

Asa Walker claimant.

On the East:- O.K. lode, unsurveyed.

A. Barrow claimant.

On the South:- Chicora lode, Survey No. 326.

Arizona United Mining Co. claimants.

On the West:- Republic lode, Survey No. 324 and

Rough Rider, unsurveyed,

Arizona United Mining Co. claimants.

FIVE HUNDRED DOLLAR IMPROVEMENTS.

I certify that the value of labor and improvements made on said claim by the claimants or its grantors is not less than five hundred dollars and said improvements consist of :-

No. 1) Discovery cut the face of which brs. from

N.C.E. S 40°29'E - 225 ft.

Cut irregular approximately 20x10 ft. 8 ft. face . Course of cut Southeasterly.
 Value,.....,\$150.

From Pt. on lode line at N 40°29'W - 1954.6 ft. from Cor.

No. 3.

No. 2) A shaft the center of which brs. N 7°26'E - 94.0 ft. Shaft is 7x5½ ft. 175 ft. deep, timbered.

Value, at \$20. per ft.....\$3500.

No. 3) A shaft the center of which brs. N 87°29'W 103.0 ft. Shaft is approximately 8x6 ft. 8 ft. deep.

Value,.....\$75.

No. 4) An inclined shaft, 5x5 ft. 10 ft. deep brs. S 24°31'W - 98 ft.

Value,\$100.

From pt. on lode line at N 40°29'W - 599.6 ft.

from Cor. No. 3.

No. 5) An inclined shaft 6x4 ft. 15 ft. deep brs. S 7°45'W - 266 ft.

Value,.....\$100.

No. 6) An inclined shaft 6x4 ft. 30 ft. deep brs. S 86°17'W - 216 ft.

Value,.....at \$10. per ft.....\$300.

No. 7) An inclined shaft 6x6 ft. 10 ft. deep, brs. N 86°04'W - 219 ft.

Value,.....\$100.

No. 8) An inclined shaft 4x4 ft. 12 ft. deep brs. N 76°45'W 196 ft.

Value,.....\$100.

No. 9) An inclined shaft 6x4 ft. 15 ft. deep brs. N. 68°35'W 370 ft.

Value,.....\$150.

From Witness Corner to Corner No. 4.

No. 10) Center of foot wall of inclined shaft 7x5 ft. 25 ft. deep, brs. N 20°15'E - 30.5 ft.

Value,at \$10. per ft..... \$300.

No. 11) Center of foot wall of shaft or stope brs.

N 21°45'W a 46 ft. irregular, approximately 8 x 8 ft., 20 ft deep

Value, \$200.

From Cor. No. 5.

No. 12) A shaft 6x4 ft. 8 ft. deep (caved) brs.

N 43°10'E - 96.0 ft.

Value, \$50.

No. 13) Center of foot wall of inclined shaft brs.

S 47°45'E - 164.0 ft. Shaft 6x5 ft. 50 ft. deep brs.

Value,at \$10. per ft. \$500.

No. 14) Center of foot wall of shaft 6x5 ft. 40 ft.

deep brs. S 48°E 195.0 ft.

Value at \$10. per Ft. \$400.

OTHER IMPROVEMENTS.

A board house occupies the discovery but extended property of claimants. House 18x12 ft.

INSTRUMENT..

This survey was made with a Young & Sons mountain transit, No. 6855, provided with a Smith solar attachment. The courses were deflected with true meridian as obtained by direct solar observations. The measurements were made with 500 and 50 ft. steel tapes.

This claim was located when the laws of Arizona required center side monuments. Subsequently this law was repealed and these monuments were not perpetuated. The remains of a monument on line 1-2 were found, but nothing to be identified on line 4-5.

Any discrepancies between this survey and location notice are due to errors in the latter.

Any disagreement between these field notes and those of other prior surveys are due to errors in the latter.

Tombstone, Arizona. February 25, 1910.

John A. Rockwell U.S. MINERAL SURVEYOR.

MAY 3- 1910

Territory of Arizona,)
County of Cochise,) S.S.

George Scheerer, first being duly sworn, deposes and says that he was one of the locaters of the May Flower mine in Cochise District, Cochise County, Ariz., for which the May Flower Copper Mining Co., has made application for survey.

That when said claim was located there were eight monuments erected to mark the boundaries, three being at each end and one at the approximate center of each side line in line with the corner monuments, that said monuments were of stone and approximately three feet high. Furthermore that he is not interested now in said claim.

George Scheerer

Sworn and subscribed to before me this 30th day of April, 1910.

A. L. Wiers

Notary Public.

My commission expires

Jan 7-1913

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

The May Flower Copper Mining Company
known as the May Flower

and showing the respective capacities in which they acted.

A. A. Benedict, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

I A. A. Benedict

and _____, do solemnly swear that we assisted John A

Rockfellow, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of The May Flower

Copper Mining Company

known as the May Flower

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

A. A. Benedict, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 26

day of Feb, 1910

Samuel L. Rockfellow

Notary Public

My Commission expires
Oct 15 - 1912

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Jan 15 1910, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of The May Flannery Copper
Mining Company, known as the
May Flannery
situate in Cochise Mining District,
Cochise County, Ariz, in Section S
25-26, Township No. 15S, Range No. 20R E
and designated as Survey No. 2764, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow
U. S. Mineral Surveyor, before me Samuel L. Rockfellow
this 25
day of February, 1910

My Commission Samuel L. Rockfellow
Notary Public
exp. Oct 15 1912

Notice of Mining Location

QUARTZ CLAIM

JAN 15 1910

To All Whom It May Concern:

THIS MINING CLAIM, the name of which is the May Flower Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Mrs Geo Scherrer George Scherrer and Louis Ezekiels

the undersigned, on the 20th day of July 1899 ~~1900~~

The length of this claim is Fifteen hundred feet, and we claim about two hundred feet, in a North westerly direction and thirteen Hundred feet in a South easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North west to the South east

The claim is situated and located in Cochise Mining District, in Cochise County, in the Territory of Arizona, about one mile and 3/4 in a northerly direction from Town of Russelville and First Extention. South east of the Grand Republic

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the North west Center End of claim

at a point in a North westerly direction 200 feet from the discovery shaft, at which this notice is posted, being in the center of the North west end line of said claim; thence Three hundred feet to a Monument of Stone being the North west corner of said claim; thence 750 feet feet to a Monument at the center of the South west side line of said claim; thence 750 feet feet to a Monument being at the South East corner of said claim; thence three Hundred feet to a monument at the center of the South East end of said claim; thence Three hundred feet to a Monument, being at the South East corner of said claim; thence 750 feet feet to a monument being at the center of the North East side line of said claim; thence 750 feet to a Monument at the north west corner of said claim; thence 300 feet north East feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 20th day of July 1899 ~~1900~~

Alex Bannow)
Witness)
Mrs Geo Scherrer
George Scherrer
Louis Ezekiels

Filed and Recorded at request of Geo. Scherrer Oct 20th, 9. A.M. 1899, in Book 17 Record of Mines at Page 185.

TERRITORY OF ARIZONA, |
County of Cochise. | SS.

I, C.A.McDonald, County Recorder in and for the County of Cochise Territory of Arizona, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original ~~copy of the~~ Location Notice of the **MAY FLOWER** Mining Claim, filed for record in my office on the 20th day of October, A.D. 1899 and recorded in Book No.17 Record of Mines at Page 185, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this 11th day of December, A.D. 1909.

C.A. McDonald

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 20, 1910., 190.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The May Flower Copper Mining Company

known as the May Flower

situate in Cochise

Mining District, Cochise County, Arizona

in Section 25-26, Township No. 15 S., Range No. 22 E., and

designated as Survey No. 2764, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 cut and 13 shafts, total value \$6025.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

May 20, 1910, 190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The May Flower Copper Mining Company

, known as the

May Flower

situate in Cochise Mining District,

Cochise County, Arizona

in Sections 25-26, Township No. 15 S., Range No. 22 E.

, designated as Survey No. 2764

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, Feb. 18-21, 1910, under my instructions dated

January 15, 1910, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Mark S. Lyall

U. S. Surveyor-General for Arizona.