1 18/07070

Harled

4-683.

MINERAL SURVEY No. 2765

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Calumet & Arizona Mining Co.

RNOWN AS THE

April Fool

Turquoise

Cochise

County, Territory of Arizona.

Section approx., Township Tp. 19 S., Range 25 E. G.& S.R.B.& M. Unsyrveyed.

Surveyed under instructions dated January 17, 1910

by Ralph L. Motz.

U. S. Mineral Surveyor.

Claim located See location notice., 19

Survey commenced January 25, , 1910

Survey completed January 25, , 19 10.

Postoffice address of Claimant's attorney, J. M. O'Connell, Bisbee, Arizona. Beginning at Cor. No.1, the S.W.Cor., identical with location and with Cors. No. 2, 3 and the S.E.Cor. respectively of Sur. No. 2587 Maid of Sunshine lode, Sur. No. 2755 King Solomon lode and Moro lode unsurveyed, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 1-2765 A.F.L, whence a quartzite ledge 24"x24"x 6" high chiselled X B.R. 1-2765 brs. N 19° 30' E 42.4 ft. and a second quartzite ledge 24" x 24" x 8" high with same chiselling brs. N 31° 44' W 33.3 ft. and U.S.L.M.No.1319 Turqouise Mining District brs. N 75° 1' W 1765.3 ft.

Thence N 49° 38' E

- 300.0 to original location for W.E.C. being a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones.
- 599.7same brg. to Cor. No. 2, the N. W. Cor., identical with location and with the N. E. Cor. of the Moro lode unsurveyed and a corner of the Morning Star lode unsurveyed, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and seribed 2-2765 A.F.L., whence a limestone rock in place 12 x 14 x 8 ins. high chiselled X.B.R. 2-2765 brs. S 20° 12' W 75.2 ft. and a second limestone rock in place 12 x 16 x 16 ins. high with same chiselling brs. S 72° 34' W 65.4 ft.

Thence S 62° 45' E

- 311.6tc Cor. No.1 Sur. No. 2680-Triangle lode.
- 346.6 same brg. to Cor. No. 5 Sur. No. 2680 Triangle lode.
- 351.4 same brg. to Cor. No. 1 Sur. No. 2631 Comet lode.
- 1102.7same brg. to Cor. No. 5 Sur. No. 2631 Comet lode.
- 1107.6 same brg. intersect line 4-1 Sur. No. 2623 Silver Peak lode at N 9° 45' W 412.4 ft. from Cor. No. 4.
- 1500.0 same brg. to Cor. No. 3, the N. E. Cor., identical with location, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 3-2765

 A.F.L., whence a limestone ledge 60 X 24 x 28 ins. high

chiselled X.B.R. 3-2765 brs. S 28° 18' E 21.7 ft. and a second limestone ledge 36 x 40 x 42 ins. high with same chiselling brs. S 78° 39' W 20.4 ft.

Thence S 49º 38' W

- 299.7 to original location for E. E. C. being a pine post 4 ft.
 long 4 ins. sq. set 18 ins. in the ground in a mound of
 stones.
- 343.9 same brg. intersect line 3-4 Sur. No. 2623 Silver Peak lode at N 76° 43° E 17.5 ft. from Cor. No. 4.
- 499.4 same brg. intersect line 4-5 Sur. No. 546 Elgin lode at N 65° 41' E 184.15 ft. from Cor. No. 4.
- 599.7 same brg. to Cor. 4, the S.E.Cor., identical with location and with Cor. No. 3 Sur. No. 2587 Maid of Sunshine lode, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 4-2765 A.F.L, whence a limestone rock in place 24 x 36 x 8 ins. high chiselled X.B.R. 4-2765 brs. N 60° 25' W 9.9 ft. and a second limestone rock 24 x 24 x 12 ins. high with same chiselling brs. S 63° 20' W lo.o ft.

Thence N 62° 45' W

- 35.4 intersect line 4-5 Sur. No. 546 Elgin lcde at N 65° 41'
 E 65.75 ft. from Cor. No. 4
- 1280.0 same brg. intersect railroad tracks.
- 1500.0 same brg. to Cor. No. 1, the place of * beginning.

 LEDGE.

is from the west end center S 62° 45' E 1500.0 ft. -

AREAS. -

IMPROVEMENTS.

No.1 Discovery shaft, 4 x 6 x 15 ft. deep in sclid rock, brs. from W.E.C. S 62° 45' E 500.0 ft.

Value \$ 75.00

No.2.Shaft 5 x 6 x 40 ft. deep in solid rock brs. from Cor. No.4 N 22° 07' W 273.3 ft.

Value \$300.00

No.3.Shaft 7 x 12 x 547 ft. deep, two compartment and timbered, brs. from Cor. No.1, N 68° 44' £ 91.5 ft.

Value \$21880.00

Total value of improvements

\$22255.00

TOP:

I hereby certify that the value of the labor and improvements on this claim, placed thereon by the claimant or its grantors, is not less than \$500.00 and that said improvements are as listed above.

ADJOINING CLAIMS.

NORTH. Morning Star lode, unsurveyed, cwned by Capt. Pidwell. Sur. No.2680 Triangle, claimants Smith & Sharley. Survey.No.2631 Comet lode, claimant John G. Smith. Sur. No. 2623 Silver Peak lode, claimants John Taylor, O.L.Lewis and Mary C.Lewis. Two unsurveyed fractions, names claimants unknown.

EAST. Sur. NO. 2623 Silver Peak lode, claimants John Taylor, O.L.Lewis and Mary C.Lewis. Red Jack lode unsurveyed, claimant, John Tanner. Sur. No. 546, claimant, W.W.Kendall.

SOUTH. Sur. No. 2587 Maid of Sunshine lode, claimant Leadville Mining Co. Sur. No. 2755 King Solomon lode claimant Leadville Mining Co.

WEST. Moro lode unsurveyed, claimant, L.D.Shattuck.

LOCATION.

This claim is located at the town of Courtland in the Turquoise Mining District, Cochise County, Territory of Arizona, approximately in Tp. 19 S. R. 25 E. G. & S.R.B. & M. unsurveyed.

INSTRUMENT.

This survey was made with a C.L.Berger and Sons No.1.6 transit; the courses were deflected from the true meridian as determined by a solar observation checked by an observation on Polaris. The distance were measured with a 300 foot steel tape. Magnetic Variation 13° Eat all corners.

REPORT.

Sur. Mc.2680 Triangle lcde, Cors. 1 & 5 are pine post properly set and scribed with the number of the corner

and survey scribed thereon. I find the distance between the posts to be correct but the bearing to be S 62° 45' E instead of S 62° 47' E.

Sur. No.2631 Comet lode, Cor. I is a pine post properly set and scribed. Cor. No. 5 is a limestone rock, cheselled X5-2631. I find the distance to be correct but I find the however to the S62° 45' E instead of but I find the bearing to be S62° 45' E instead of S 62° 49' E.

Sur. No. 2623 Silver Teak lode, fors are properly set and scribed. Check courses and distances.

Sur. No. 546 Elgin lode, Cors. 4 & 5 are posts properly set and scribed. I find line 4-5 to bear N 65° 41' E instead of N 60° 55' E

Sur. No. 2587 Maid of Sunshine lode, Cors. 2 and 3 are pine post properly set and scribed. I find the dis-

tance to be correct but find the bearing to be N 62° 45' W instaed of N 62° 49' W.

Note: The tie of this survey checks with the tie of Sur. No. 2680 Triangle lode, but does not check with the ties of Sur. No. 2631 Comet lode, Sur. Nc. 2623 Silver Peak lode and Sur. No. 2587 Maid of Sunshine lode.

Ralph L. Mots.

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona. February, 5, 1910.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by Ralph L. Motz
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field no	tes of the survey of the mining claim of the
Calumet & Ariz	ona Mining Company
known as the April	Facl
and showing the respective capacities in which	
	William Nc Gee , Chainman.
	Archies Mc Bee , Chainman.
	, Axman.
	$\dots,$ Flagman.
-	
FINAL OATH	S OF ASSISTANTS.
	IS OF ASSISTANTS.
and Archies Mc Bee.	, do solemnly swear that we assisted
Ralph L. Motz , United Stat	es Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of the	
Calumet & Ar	izona Mining Company
known as theAPR	IL FOOL
represented in the foregoing field notes as ha	wing been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and bour	dary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-	General for Arizona.
	William McGel Chainman.
	archie Jua Bre Chainman.
·	
	, Axman.
	Flagman.
Subscribed and sworn to	by the above-named persons before me this 26
	, 1910. , x xx
	INOTARY PUBLIC

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Raiph L. MO	tz	, U. S. Mineral Surveyor,				
do solemnly swear that, in I	pursuance of instructions	s received from the United States				
Surveyor General for	Arizona	, dated				
January, 17, 1910.	, I have, in	strict conformity to the laws of the				
United States, the official reg	gulations and instruction	as thereunder, and the instructions				
of said Surveyor General, faithfully and correctly executed the survey of the Mining						
Claim of Calumet & Ar	izona Mining Compa	any				
		, known as the				
***************************************	APRIL FOOL	,				
situate in	Turqucise	Mining District,				
Cochise	County, Fe	rritory of Arizonia Section				
approx., Township No.	19 S., Range No. 25	E. G.& S.R.B.& M.unsurvey				
and designated as Survey No	2765	, as represented				
in the foregoing field notes, v	which accurately show th	ne boundaries of said mining claim				
as distinctly marked by monu	aments on the ground, a	and described in the attached copy				
of the location certificate, wh	nich was received by me	e from the Surveyor General with				
said instructions, and that all	the corners of said surv	vey have been established and per-				
petuated in strict accordance	with the law, official a	regulations and instructions there-				
under; and I do further sole	emnly swear that the fo	oregoing are the true and original				
field notes of said survey ar	nd my report therein, a	and that the labor expended and				
improvements made upon sai	d mining claim by claim	nant oritsgrantors				
are as therein fully stated, a	nd that the character, ex	xtent, location, and itemized value				
thereof are specified therein	with particularity and f	full detail, and that no portion of				
said labor or improvements s	o credited to this claim	has been included in the estimate				
of expenditures upon any other	er claim.					
	Na	Yoh L. Motorveyor.				
	(U. S. Mineral Strveyor.				
		h L. Motz.				
U. S. Mineral Surveyor, before me J. W. Ross						
	Keerl (TITE (MI) Essession	this 5th.				
day of February	1910., xxx	A				

NOTARY PUBLIC
In and for the County of Cochise, Territory of Arizona.

My Commission Expises. A. My 20, 19

Motice of Mining Location

VAN 17.7070

LODE CLAIM

To All Tubom It May Concern:	
This Mining Claim, the name of which is the April Fool	
Mining Claim, situate on lands belonging to the United States of America, and	d in which there
are valuable mineral deposits, was entered upon and located for the purposes of	exploration and
purchase by Richard O'Leary	
Citizen Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen	of the United States.")
the undersigned, on the day of April1906	,
The length of this claim is1500 Fifteen Hundred	feet.
and I claim 500 Five Hundred	
n a Westerly direction and 1000	
feet in a Easterly	
he center of the discovery shaft, at which this notice is posted, lengthwise of th	
with 300 Three Hundred feet in width of the surface g	
side of the center of said claim. The general course of the lode deposit and pre	
West to the East	
The claim is situated and located in the Turquoise M	
Cochise County, in the Territory of Arizona, about 3000	
na North Easterly direction from Leadvill Shaft & joi	
Sunshine Mine on the North is a relocation of property abandoned	
The surface boundaries of the claim are marked upon the ground as follows	
The surface boundaries of the claim are marked upon the ground as follows	: Beginning at
The surface boundaries of the claim are marked upon the ground as follows	: Beginning at
The surface boundaries of the claim are marked upon the ground as follows lonument which is the South End Ctr. of the Moro Mine	: Beginning at
The surface boundaries of the claim are marked upon the ground as follows lonument which is the South End Ctr. of the Moro Mine at a point in a Westerly direction 500 Five Hundred	: Beginning at
The surface boundaries of the claim are marked upon the ground as follows Conument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the	: Beginning at feet from
The surface boundaries of the claim are marked upon the ground as follows lonument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the and line of said claim; thence 300 feet to a Mono	: Beginning at feet from West
The surface boundaries of the claim are marked upon the ground as follows Interpretation Interpretation	: Beginning at feet from West ment id claim; thence
The surface boundaries of the claim are marked upon the ground as follows South End Ctr. of the Moro	: Beginning at feet from West id claim; thence , being at the
The surface boundaries of the claim are marked upon the ground as follows Ionument which is the South End Ctr. of the Moro Mine It a point in a Westerly direction 500 Five Hundred The discovery shaft (at which this notice is posted), being in the center of the marked line of said claim; thence 300 feet to a Monument The surface boundaries of the claim are marked upon the ground as follows Mine Mine Mine Mine Mine Mine Mine Mine Mine Morth West Monument Morth East Monument Morth East Monument Morth East Monument Morth East Monument Monument Monument Morth East Monument Mo	feet from West id claim; thence , being at the
The surface boundaries of the claim are marked upon the ground as follows Ionument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the and line of said claim; thence 300 feet to a Monument The surface boundaries of the Ctr. of the Moro Mine Morth West corner of said claim; thence 300 three Hundred Morth East corner of said claim; thence 300 three Hundred Morth East corner of said claim; thence 300 three Hundred Morth East corner of the East en	feet from West id claim; thence ment id claim at the feet feet feet feet
The surface boundaries of the claim are marked upon the ground as follows Convert	feet from West id claim; thence id claim at the feet feet feet feet feet d of said claim; being at the
The surface boundaries of the claim are marked upon the ground as follows lonument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the and line of said claim; thence 300 feet to a Monu to a Monument corner of said claim; thence 300 three Hundre to a Monument at the center of the East en thence 300 Three Hundred feet to a Monument South East corner of said claim; thence 1500 Fifteen	feet from West id claim; thence ment id claim; thence feet ad of said claim; being at the Humdred
The surface boundaries of the claim are marked upon the ground as follows lonument which is the South End Ctr. of the Moro Mine It a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the Ind line of said claim; thence 300 feet to a Monument In being the North West corner of sa I 500 Fifteen Hundred feet to a Monument North East corner of said claim; thence 300 three Hundred o a Monument at the center of the East en thence 300 Three Hundred feet to a Monument South East corner of said claim; thence 1500 Fifteen eet to a Monument at the South West corner of the South West corner of said claim; thence 1500 Fifteen	feet from West id claim; thence ment id claim; thence feet ad of said claim; being at the Humdred
The surface boundaries of the claim are marked upon the ground as follows convert which is the South End Ctr. of the Moro Mine It a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the Ina line of said claim; thence 300 feet to a Monument In being the North West corner of sa I 500 Fifteen Hundred feet to a Monument North East corner of said claim; thence 300 three Hundred o a Monument at the center of the East en thence 300 Three Hundred feet to a Monument South East corner of said claim; thence 1500 Fifteen eet to a Monument at the South West corner at the South West corner	feet from West id claim; thence , being at the dof said claim; , being at the Humdred mer of said claim;
The surface boundaries of the claim are marked upon the ground as follows conument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the and line of said claim; thence 300 feet to a Monument North East corner of said claim; thence 300 three Hundred to a Monument at the center of the East en thence 300 Three Hundred feet to a Monument South East corner of said claim; thence 1500 Fifteen eet to a Monument at the South West corn thence 300 Three Hundred feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Rev	feet from West id claim; thence id of said claim; im, being at the Humdred mer of said claim;
The surface boundaries of the claim are marked upon the ground as follows Nonument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred The discovery shaft (at which this notice is posted), being in the center of the The said claim; thence 300 feet to a Monument The said claim; thence 300 feet to a Monument The said claim; thence 300 three Hundred The said claim; thence 300 Fifteen The said claim; the said claim; thence 300 Fifteen The said claim; the said cla	feet from West id claim; thence id of said claim; im, being at the Hundred mer of said claim; iised Statutes on thed "An Act to 1901.
The surface boundaries of the claim are marked upon the ground as follows Monument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a Monument being the North West corner of sa 1500 Fifteen Hundred feet to a Monument North East corner of said claim; thence 300 three Hundred to a Monument at the center of the East en thence 300 Three Hundred feet to a Monument South East corner of said claim; thence 1500 Fifteen feet to a Monument at the South West corner thence 300 Three Hundred feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Rev the United States, and of an Act of the General Assembly of Arizona, enti	feet from West id claim; thence id of said claim; im, being at the Humdred mer of said claim; iised Statutes on thed "An Act to 1901.
The surface boundaries of the claim are marked upon the ground as follows Monument which is the South End Ctr. of the Moro Mine At a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a Monument North East corner of said claim; thence 300 three Hundred to a Monument at the center of the East en thence 300 Three Hundred feet to a Monument South East corner of said claim; thence 1500 Fifteen feet to a Monument at the South West corn thence 300 Three Hundred feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Rev the United States, and of an Act of the General Assembly of Arizona, enti Revise and Codify the Laws of the Territory of Arizona," approved March 16, Dated and posted on the ground this day of April	feet from West id claim; thence id of said claim; iment id of said claim; iment id of said claim; iment if eet if ee
The surface boundaries of the claim are marked upon the ground as follows Monument which is the South End Ctr. of the Moro Mine at a point in a Westerly direction 500 Five Hundred the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a Monument being the North West corner of sa 1500 Fifteen Hundred feet to a Monument North East corner of said claim; thence 300 three Hundred to a Monument at the center of the East en thence 300 Three Hundred feet to a Monument South East corner of said claim; thence 1500 Fifteen feet to a Monument at the South West corn thence 300 Three Hundred feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Rev the United States, and of an Act of the General Assembly of Arizona, enti- Revise and Codify the Laws of the Territory of Arizona," approved March 16,	feet from West id claim; thence id of said claim; iment id of said claim; iment id of said claim; iment if eet if ee

Record of Mines Page 636.

Filed and recorded at request of L. D. Shattuck June 28 1906 at 10-20 A. M. in Book 36

9

TERRITORY OF ARIZONA,
COUNTY OF COCHISE.

SS.

I, C.A.McDonald, County Recorder in and for the County and Territory aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Location Notice of the APRIL FOOL mining Claim, filed for record in my office on the 28th day of June, A.D. 1906 and recorded in Book 36 Record of Mines at Page 636; and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office thisllth day of January, A.D. 1910.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.
April 20, 1910 , 190
I, U. S. Surveyor-General for District of Arizona.
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Calumet & Arizona Mining Company
known as the April Fool
situate in Turquoise
Mining District, County, Arizona.
in Section Approx., Township No. 19 S., Range No.25 E.G.& S.R.B.&M., and
designated as Survey No. 2765 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, is
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 3 shafts, total value \$22,255.00
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
. Animore

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

		Pho	enix, Arizona.
			April 20, 1910, 190
I, U. S. Surv	reyor-General forDist	cict of Ari	zona.
do hereby certify	that the foregoing and her	eto attached Field	Notes and Return of the Survey of the
			ng Company.
			known as the
	April 1	Pool	
situate in	Turquoise		Mining District,
	Cochise	County,	Arizona
			Range No. 25 E. G.& S.R.B.&M Unsurveyed.
			, U.S. Deputy Mineral
Surveyor,	January 25,		, 19010, under my instructions dated
January	17,, 19	010, have been cr	itically examined and the necessary cor-
rections and expl	anations made, and the sai	d Field Notes and	Return, and the Survey they describe,
are hereby appro	ved. A true copy of the o	copy of the location	on certificate filed by the applicant for
survey is included	d in the field notes.		1 1 - 1 39
		and p	
		U. S. Survey	or-General for Arizona.

7360b5m3-03