F. L.

MAY: 6.1910 AUG 17.7970

### MINERAL SURVEY No. 2770.

		Γ No.			
	FIE	CLD NOTE	ES		
	OF THE SURV	e Gold - Silver		******	
		KNOWN AS THE	1		
***************	Grant, Black	Metal, and Bon	anza l	4	
		cret			The second second second
Section **	Mohave ** Approx. , Town				
	ed under instruction				· · · · · · · · · · · · · · · · · · ·
		ъу Samu		S. Mineral	
	Claim located (See	back of this she	et),	19	
	Survey commenced	February 6	,	19 10.	
	Survey completed	February II	,	19 10.	

C. G. Edwards, Jennily St., Los Angeles, California.

Address of claimant's Atty.,

6-322

Name of Location.

Grant Lode,

Black Metal Lode,

Bonanza Lode,

Date of Location.

April 8", 1895.

September 19", 1903.

September 19", 1903.

SURVEY NO. 2770.

Beginning at Cor. No. 1.

On line 2-3, Sur. No. 1255A., Monster lode.

In bottom of Wash, where a permanent corner would be liable to destruction by the elements. I therefore established a Witness Corner at N.85° 12'W., 20.8 ft. from the true Cor.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.C.G.1.B.2. - 2770.

From the true Cor., ...

'U. S. L. M. No. 1256, bears S.33° 09' 40"E., 3497.8 ft.

Cor. No. 3, Sur. No. 1255A., Monster lode, bears N.7° 18'W.

163.6 ft.

No bearing objects available.

FEET.

Thence N.4° 44'E.

Var. 15° 35'E.

300. East End Center Location Monument, which is a mound of stone, containing notice marked East End Center Grant.

600. To Cor. No. 2.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, scribed G.2 - 2770, whence

Cor. No. 4, Sur. No. 1255A., Monster lode, bears N.59° 33'N. 480.7 ft.

No bearing objects available.

Thence N.85° 12'W.

Var. 15° 20'E.

305.01 Intersect line 3-4, Sur. No. 1255A., Monster lode, at N.26° 52'W., 517 ft. from Cor. No. 3.

717.1 To Cor. No. 3.

SURVEY NO. 2770.

GRANT LODE - continued.

FEET. A pine post, 3 ft. long, 4 ins. square, set 18 ins in the ground, with mound of stone, scribed G.3.B.M.2 - 2770.

No bearing objects available.

Thence S.4° 44'W.

Var. 15° 30'E.

300. West End Center Monument, which is a mound of stone, containing notices marked West End Center Grant and East End Center Black Metal.

416.1 Southeast corner of Cabin.

600. To Cor. No. 4.

On line 2-3, Bonanza lode, of this survey.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, scribed G.4.B.M.1 - 2770.

No bearing objects available.

Thence S.85° 12'£.

Var. 15° 40'E.

696.3 | Witness Cor. to Cor. Nos. 1 - 2.

717.1 To Cor. No. 1, the place of beginning.

BLACK METAL LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 4, Grant lode, of this survey, heretofore described. whence

U. S. L. M. No. 1256, bears S.41° 19' 50"E. 3979.3 ft.

Thence N.4° 44'E.

Var. 15° 40'E.

483.9 Southeast corner of Cabin-

SURVEY NO. 2770.

PEET.

BLACK METAL LODE - continued.

183.9 Southeast corner of Cabin.

300. East End Center Monument, which is identical with the West
End Center Monument, Grant lode, of this survey, heretofore
described.

600. To Cor. No. 2.

Identical with Cor. No. 3, Grant lode, of this survey, here-tofore described.

Thence N.85° 17'W.

Var. 15° 30'E.

the and South and

1419.6 To Cor. No. 3.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the Ground, with mound of earth and rock, scribed B.M.3 - 2770.

No bearing objects available.

Thence S.4° 44'W.

Var. 15° 50'E.

300. West End Center Location Monument, which is a mound of stone, containing notice marked West End Center Black Metal.

600. To Cor. No. 4.

The state of the s

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, scribed B.M.4 - 2770, whence

Cor. No. 2. Sur. No. 1254, Review lode, bears N.23° 30'W.,

3.5 ft.

Cor. No. 3, Bonanza lode of this survey brs. N. 85°12'W. 478.2 ft.

No bearing objects available.

Thence S.85° 17'H.

Var. 15° 40'E.

941.6 Intersect line 3-4, Bonanza lode, of this survey, at S.7° 18'

4

FEET.

300\*

SURVEY NO. 2770.

BLACK METAL LODE - continued.

E. at 0.7 ft. from Cor. No. 3.

1419.6 To Cor. No. 1, the place of beginning on line 2-3-Bonanza lode, of this survey, whence Cor. No. 3 Ponanza lode brs. N. 85°12'W., 478.2 ft

### BONANZA LODE.

Beginning at Cor. No. 1.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.1 - 2770, whence

U. S. L. M. No. 1256, bears S.36° 24'E. 3137.1 ft.

Cor. No. 2, Sur. No. 1255A., Monster lode, bears S.7° 18'E. 176.7 ft.

Cor. No. 3, Sur. No. 1255A., Chief of the Hill lode, bears N.40° 44'E. 58.7 ft.

No bearing objects available.

Thence N.7° 18'W.

Var. 15° 35'E.

- 306.8 East End Center Location Monument, which is a mound of stone.

  containing notice marked East End Center Bonanza.
- 390. Wash, course Northerly and Southerly.
- 406.3 To Cor. No. 2.

Identical with Cor. No. 1, Grant lode, of this survey, heretofore described.

Thence N.85° 18'W.

Var. 15° 35'E.

- 20.8 Witness Cor. to Cor. Nos. 1 2, heretofore described.
- 717.1 Cor. Nos. 4-1, Grant and Black Metal lodes, of this survey.
- 1195.3 To Cor. No. 3.

A pine post, B ft. long, 4 ins. square, set 18 ins in the ground, with mound of stone, scribed 8.3-2770.

No conclud

FEET.

SURVEY NO. 2770.

BONANZA LODE - continued.

No bearing objects available.

Thence S. 7º 18'E.

- .7 Intersect line 4-1, Black Metal lode, of this survey, at N. 85° 17'E. 478 ft. from Cor. No. 1.
- 99.5 In bottom of Wash, course Easterly and Westerly. West End Center Monument, which is a mound of stone, containing notice marked West End Center Bonanza, whence Cor. No. 4, Sur. No. 1254, Hulda lode, bears S.6° 51'E., 92.8 ft.

406.3 To Cor. No. 4.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.4-2770.

No bearing objects available.

Thence S.85° 12'E.

Var. 15° 40'E.

1195.3 To Cor. No. 1, the place of beginning.

### LODE LINES.

As nearly as can be determined from present developments. the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Grant lode, 466.8 ft. N.85° 12'W., and 250.3 ft. S.85° 12'H. Black Metal lode, 675.2 ft. N.85° 17'W., and 744.4 ft. S. 85° 17'E.

Bonanza lode, 918.7 ft. N.85° 12'W., and 276.6 ft. S.85° 12'E.

Cas je osm oz irapie. AREA.

Total area, Grant lode,

Acres.

Total area, Grant lode,

Christian cart again to fire.

9.877

Area in conflict with

Sur. No. 1255A., Monster lode, 1.776

Total area, Black Metal lode,

19.553

Total area, Bonanza lode,

SAN TANK

10.901

Area in conflict with

Black Metal lode, of this survey,

The survey of each lode of this claim is identical with the respective locations as staked upon the ground.

### LOCATION.

This survey is located in the Indian Secret Mining District, Mohave County, Arizona, upon Unsurveyed Public Lands. would be in T. 27N., R. 20W., G. and S. R. B. and M. should the present system of Land Survey be extended.

### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit as each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist Stat to the training the state of the state

### GRANT.

No. 1. The discovery monument, which is a mound of stone, containing the original Notice of Location, on the lode line N.85° 12'W. 250.3 ft. from the center of line 1-2, located on an outcrop on the vein. No. 2. A shaft, which bears from the discovery point N.10° Value, \$300. 28'W. 16.6 ft., 4 x 6 ft., 30 ft. deep.

No. 3. An incline shaft, which bears from the discovery point nt N.66° 32'W. 45.6 ft., 4 × 6 ft., 240 ft. deep, dip 40°

N.66° 32'W. 45.6 ft., 4 × 6 ft., 240 ft. deep. dip 40° N. 15° 32'E. Value, \$2400.

#### BLACK METAL.

No. 1. The discovery shaft, on the center line, S.85° 17'E. 13.5 ft. from the discovery point,  $4 \times 6$  ft., 60 ft. deep, from the bottom of which a drift,  $4 \times 6$  ft., runs S.85° 17'E. 35 ft. and a drift  $4 \times 6$  ft., runs N.85° 17'W. 15 ft.

Value of shaft and drifts, \$1000.

### apu a pe que songere a BONANZA.

ing represent aradinal vi-

1 1 2 1 1 1

ef bras. Y William

No. 1. The discovery shaft, on the center line 272.6 ft from the center of line 1-2,  $6 \times 6$  ft., 30 ft. deep, dip 37° N.25° 30'E., Value, \$300.

No. 2. A shaft which bears from Cor. No. 2, S.29° 55'W. 98.3 ft.,  $4 \times 6$  ft., 14 ft. deep, Value. \$100.

No. 3. A shaft which bears from Cor. No. 2, S.42° 32'W. 173.1 ft.,  $4 \times 6$  ft., 20 ft. deep, from the bottom of which a drift,  $4 \times 6$  ft., runs N.27° 30'E. 10 ft.

Value of shaft and drift, \$300.

### OTHER IMPROVEMENTS.

A frame blacksmith shop, the Northeast corner of which bears from the discovery point of the Grant lode S.64° 06'W. 30.1 ft. 12.5 × 24 ft. Course of long sides, N.87° 30'E.

A frame cabin, the Southeast corner of which bears from Cor. No. 1. Black Metal lode, N.4° 44'E. 183.9 ft., 12.5 × 20 ft., Course of long sides, N.78° 30'E. Both belong to claimant herein.

#### INSTRUMENT.

This survey was made with an A. Lietz mining and solar transit, No. 1252. The courses were deflected from the lines of Sur. No. 2768, Cornopia and Good Luck lodes, previously surveyed

ed by me. The distances were measured with 100 ft. and 500 ft. steel tapes.

#### REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by
means of offsets from the lode lines. All tie lines were run
either directly upon the ground, or by traverses run upon the
ground and submitted in a separate report herewith.

U. S. L. M. No. 1256 is a pine post, 6 ins. square, 14 ft. above ground, in mound of stone 6 ft. high, 6 ft. base, scribed on S. face U.S.L.M.1256 I.S.M.D. May 4, 1897, and on W. face U.S.L.M.No.1256. 4.6 ft. West is a rock in place, chiseled + U.S.L.M.

Sur. No. 1255A., Monster and Chief of the Hill lodes:

All corners are pine posts, properly set and scribed with the numbers of the corners and survey. I find lines 2-3 and 3-4 of the Monster lode to be N.7° 18'W. 746.6 ft., and N.26° 52'W. 761.5 ft., instead of N.8° 00'W. 747 ft., and N.25° 40'W. 747 ft., respectively as returned in that survey, due to errors in the latter.

Sur. No. 1254, Hulda and Review lodes:

All corners are pine posts, properly set and scribed with the numbers of the corners and survey.

The adjoining claims to this claim are; -

On the north, Mohawk, Unsurveyed, Julia K. Edwards claimant.

On the south, Roosevelt, Unsurveyed, Julia K. Edwards claimant.

On the east, Monster, Sur. No. 1255A., claimant unknown.

NOTE. - The disagreements between the ties to U.S.L. M. No. 1256 as returned in these field notes and those of the

above prior surveys are due to errors in the latter.

NOTE. - The disagreements between these field notes and the location certificates with regard to the positions of the discovery points, and with reference to side center monuments on the Black Metal and Bonanza lodes, are due to errors in the latter. I failed to find any side center monuments on either of said lodes.

Annul

U. S. Mineral Surveyor.

### FINAL OATHS FOR SURVEYS.

LIST OF NAMES. A list of the names of the individuals employed by United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_ and showing the respective capacities in which they acted FINAL OATHS OF ASSISTANTS. do solemnly swear that we assisted and , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Subscribed and sworn to by the above-named persons before me this...

# FINAL OATH OF U.S. MINERAL SURVEYOR.

I,	Samuel J. Paul	, U. S. Mineral Surveyor,
	in pursuance of instructions recei	
	Arizona	
	,1910 , I have, in strict	
	al regulations and instructions ther	
	al, faithfully and correctly executed	
Claim of	Mohave Gold - Silver	Co
		, known as the
Grant,	Black Metal and Bonanza	
situate in	Indian Secret	Mining District,
Mohave	County,	Arizona , in Section
	No. 27N., Range No. 20W.	
	y No. 2770	
as distinctly marked by a of the location certificate said instructions, and that petuated in strict accordander; and I do further field notes of said surve improvements made upon are as therein fully state thereof are specified there	tes, which accurately show the bound monuments on the ground, and destroy, which was received by me from the all the corners of said survey have ance with the law, official regulate solemnly swear that the foregoing by and my report therein, and that it is said mining claim by claimant or ed, and that the character, extent, I rein with particularity and full detents so credited to this claim has be other claim.	the Surveyor General with we been established and persions and instructions there are the true and original at the labor expended and grantors location, and itemized value tail, and that no portion of the included in the estimate
Subscribed and sworn U. S. Mineral Surv  A. Nalary  day of April	eyor, before me MM Dan Public 1980	Jank Jank Jank Jank Jank Jank Jank Jank
	1/1/1/2	Davison. Lias County of Loss Angelos, State of California.

TERRITORY OF ARIZONA, ss. COUNTY OF MOHAVE.

I, R. G. Roberts Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of Mining Claim, Leveston

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and

of the whole of said original records.

WITNESS my hand and the seal of said office, this 20 th day of November 1909

Recorder of Mohave County.

1770-3

#### NOTICE OF LOCATION

1

Know all men by these presents that the undersigned have this day

Located (710) seven hundred & ten feet of this ledge, lode or vein bearing precious metals. Together with all dips, spurs, angles and variations and surface ground 300 Three hundred feet on each side of center of vein, and all rights and privileges granted by United States Mining laws under which this claim isLocated. The exterior boundaries of this claim are as follows, to-wit: Commencing at this Monument and Notce place upon the ledge and running 210, Two Hundred & Ten ft in an Easterly direction to a monument (East End Center of Claim). Thence in a Southerly direction 300 Three hundred feet to a monument S.E. Corner of Claim. Thence in a Westerly direction 710 Seven hundred and Ten feet along the Course of vein to monument S.W. Corner of Claim. Thence in an Northerly direction at right angles across the vein 600 Six hundred feet. To a monument N.W. Corner of Claim. Thence in an Easterly direction 710 Seven hundred & Ten feet to a monument N.E. Corner of Claim. Thence in a Southerly direction 300 Three Hundred feet to a monument and place of beginning of exterior boundary. This Claim may be more generally described as situated about 1 & 1/2 mile in Northerly direction from the town of White Hills & about 1/2 mile Southwest of the Chief of the Hills Minining Claim, and is that portion of ground lying directly between The Crondolet & the Henraetta Mineing Claims. Situated in Indian Secret Mining district, Mohave Co., Arizona Territory and shall be known as the "Grant" Mineing Claim.

Dated on the ground this 8 day April 1895.

S. G. McKesson, Locator

Recorded at the request of S.G.McKesson April 5th A.D. 1895 at 20 minutes past 10 o'clock, A.M. in Book L at page 798.

L. O. Cowan

County Recorder.

TERRITORY OF ARIZONA, county of mohave.

I, Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of The Recorder of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 20 day of November 1909

Recorder of Mohave County.

# NOTICE OF MINING LOCATION 57 77 - 3

# MINERAL CLAIM

This mining claim, the name of which is	the Clack Mulal	
Mining Claim, situate on the lands belonging	to the United States of America, and in wh	nich there are valuable
mining deposits, was entered upon and located		
6 9 Edwards		
the undersigned citizen, on the Tunutuu	// //	190 <b>3</b>
The length of this claim is Fifteen Hund		
Seren Hundred + Filly (76		direction and direction
from the center of the discovery shaft, at which Hundred (300) feet in width of the surface gro	h this notice is posted, lengthwise of the clair	m, together with Three
of the lode deposit and premises is		ro-
The claim is situated and located in th	e Indian Sicret	Mining District,
in Mohan County, i	in the Territory of Arizona, about	ne fourth
014 mile in a Port	the Material direction from the	Otrun
of thate tills ma	is flit just ex	leurou
) I the Grant cla	um in the mich	
		<u> </u>
feet from the discovery shaft (at which this no	otice is posted), being in the center of the strength of the s	
to a monument of stone, being the Coult		of said claim; thence
the center of the South	7//	uly ,
Seven Hundred and Fifty (750) feet to a mon		Tret
corner of said claim; thence	Three Hundred (300) feet to	a monument of stone
at the center of the Mot	end of said claim; thence	lyely
Three Hundred (300) feet to a monument of s	stone, being at the //with mo	corner of said
	Seven Hundred and Fifty (750) feet to	,
	side line of said claim; thence	
Seven Hundred and Fift	ty (750) feet to a monument of stone at the	with east
corner of said claim; thence	Doublely Three	Hundred (300) feet to
the place of beginning.  All done under the provisions of Chapter	Six, of Title XXXII, of the Revised Statute	s of the United States,
and of an Act of the General Assembly of Arizo and March 16, 1901, and all acts and parts of a	ona, entitled, "An Act Concerning Mines," ap	proved March 2, 1899,
	intull 19 day of Optimber	
Themeny men		-/
noy out I com	- O G Canque	1
	Orea area	7.7.
Filed and Recorded at request of	this	day
A. D. 190/A	3, at o'clock minutes.	M.
3-47/ Bar 5-5-8	- no V: July	County Recorder.
ma of Juge of the		

18

I, R. A. Robertson, Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy. Bonanga" Mining Claim, Eveation yotice

and of the endorsement thereupon with the original records of the same on file in this

office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 20th day of Movember 1909

# NOTICE OF MINING LOCATION

## MINERAL CLAIM

This mining claim, the name of which is the	Donanza
	United States of America, and in which there are valuable
mining deposits, was entered upon and located for the	e purpose of exploration and purchase by
To the Following	
y carraias	
	1691 617
the undersigned citizen, on the	C day of Depluyher 190 3
The length of this claim is Fifteen Hundred (15	00) feet and
claim Jury Mundul (500)	feet in a Easterly direction and
Du Thousand (1000)	
	otice is posted, lengthwise of the clarm, together with Three
Hundred (300) feet in width of the surface grounds, o	n each side of the center of said claim./ The general course
of the lode deposit and premises is John U	the East to the Trest
de local deposit	
The claim is situated and located in the	ndiau Eiere Mining District,
The claim is situated and located in the	Mining District,
n County, in the	erritory of Arizona, about Me Mule
in a //wyll	direction from
The Oillo monsight	al was formely
reyoun me locattely	as the Orde of
Thunder muning claim	and Jours the
draut Ichanic	and True paralell
I with said cla	uu –
	<u> </u>
4 4	d upon the ground as follows: Beginning at a monument direction with the center of the center of the direction at a monument posted), being in the center of the direction with the center of the direction at a monument posted.
	Three Hundred (300) feet corner of said claim; thence
Thotaly Seven	Hundred and Fifty (750) feet to a monument of stone, at
he center of the Nouth si	de line of said claim; thence
even Hundred and Fifty (750) feet to a monument	
	Three Hundred (300) feet to a monument of stone
t the center of the	
The last (200) for the	peing at the Jotth mat corner of said
Three Hundred (300) feet to a monument of stone, b	ening at the corner of said
	n Hundred and Fifty (750) feet to a monument of stone,
V	side line of said claim; thence Easterly
	feet to a monument of stone at the
	Three Hundred (300) feet to
he place of beginning.	
All done under the provisions of Chapter Six, of	Title XXXII, of the Revised Statutes of the United States,
nd of an Act of the General Assembly of Arizona, ent nd March 16, 1901, and all acts and parts of acts ena	itled, "An Act Concerning Mines," approved March 2, 1899, cted up to and including the date of this location.
Dated and posted on the ground, this Junt	
Dated and posted on the ground, this	130 - 130 -
Hitneso	6981 - 1
Mr man	~ Cawaras
an III Juston,	of the dream
Fried and Recorded at request of	1 Cawardo this 7 th day
December A. D. 190 3 , lat	o'clock $o$ minutes $o$ $o$ $o$
4 > 4 @	ano C. June
the U Vaen 5-5-9	County Recorder.
7	# #

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	******	Phoenix, Ar	izona,	
		October	7, 1910.	, 190
I, U. S. Surv	eyor-General for Ar	izona,		
of the mining clai	that the foregoing transcim of Mohave Gol	d-Silver, Co.		
	GRANT, BLACK M			
situate in		Indian Secr	et	,
Mining District,	Mohave	Coun	ty, Ari	zona,
designated as Surthis office; that so incorporated into to natural objects  And I furthements made upon consist of 6.8	vey No. 2770, aid Field Notes furnish s a patent, serve fully to ide or permanent monuments or certify that five hundre as Add mining claim by cla hafts and 3 drift	, has been correctly uch an accurate describing the premises, and as as will perpetuate an ed dollars' worth of laimant or its grants, total values.	ly copied from the oription of said minimal that such reference and fix the locus there abor has been experantors, and that sauce \$4400.00	originals on file in ag claim as will, if ce is made therein tof.  ended or improve- aid improvements
upon any other cla	on of said labor or improvaim.  Ify that the plat thereof, f	iled in the U.S. Land	l Office at <u>Phoeni</u>	x, Arizona. Notes.
	United S	states Surveyor-General f	or Arizona.	

### 4-687.

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U.S. Surveyor-General,

U. S. Surveyor-General for Arizona.

	Phoe	nix, Arizona,
		October 7, 1910., 190
I, U. S. Surveyor-Genera	l for Arizona,	
do hereby certify that the for	egoing and hereto attached Field N	otes and Return of the Survey of the
Mining Claim of	Mohave Gold-Silve	r Co.
		known as the
GRANT,	BLACK LETAL and BONAN	4A
situate in	Indian Secret	Mining District,
Mohave	County,	Arizona,
in Section approximatel	y, Township No. ********* 27	N, Range No.*** 20 W. Unsur.,
, designat	ed as Survey No. 2770.	
executed by	Samuel J. Paul	, U.S. Bepaty Mineral
Surveyor,	February 6-11	, 19dQ., under my instructions dated
Februa	ry 5, 190 <sup>10</sup> , have been critical	ally examined and the necessary cor-
rections and explanations made	de, and the said Field Notes and R	eturn, and the Survey they describe,
are hereby approved. A true	e copy of the copy of the location	certificate filed by the applicant for
survey is included in the field		przalle