

MAY 19 1910

AUG 12 1910

F. L.

Aug. 31, 1910.

4-683.

MINERAL SURVEY No. 2771.

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mohave Gold - Silver Co.

KNOWN AS THE

Orion, Little Wootsy Tootsy and Excelsior Extension

Indian Secret Mining District,

Mohave County, Arizona.

Section **** Approx. , Township **** 27N. , Range **** 20W. Unsur.

Surveyed under instructions dated February 5 , 19 10.

by Samuel J. Paul. U. S. Mineral Surveyor.

Claim located (See back of this sheet), 19

Survey commenced February 6 , 19 10.

Survey completed February 11 , 19 10.

6-82.

Address of claimant's Atty.,

C. G. Edwards, 3983 Trinity St., Los Angeles, California.

Name of Location.

Date of Location.

Orion Lode,

December 20", 1894.

Little Wootsy Tootsy Lode,

January 29", 1895.

Excelsior Extension Lode,

January 8", 1908.

SURVEY NO. 2771.
O R I O N L O D E .

Beginning at Cor. No. 1.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed O.1-2771, whence U. S. L. M. No. 1256, bears S.21° 08' 30"E., 5473.8 ft.
No bearing objects available.

FEET.

Thence N.13° 13'W.

312.9 East End Center Location Monument, which is a mound of stone, containing notice marked East End Center Orion.

625.8 To Cor. No. 2.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed O.2-2771.
No bearing objects available.

Thence N.86° 37'W.

1500. To Cor. No. 3.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed O.3-2771.
No bearing objects available.

Thence S.13° 13'E.

12.9 Cor. No. 2. Little Wootsy Tootsy lode, of this survey.

312.9 West End Center Location Monument, which is a mound of stone, containing notices marked West End Center Orion and East End Center Little Wootsy Tootsy.

612.9 Cor. No. 1, Little Wootsy Tootsy lode, of this survey.

625.8 To Cor. No. 4.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed O.4-2771.

SURVEY NO. 2771
ORION LODGE - continued.

No bearing objects available.

FEET.

Thence S.86° 37'E.

1500. To Cor. No. 1, the place of beginning.

L I T T L E W O O T S Y T O O T S Y L O D G E .

Beginning at Cor. No. 1.

On line 3-4, Orion lode, of this survey.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed L.W.T.1-2771, whence

U. S. L. M. No. 1256, bears S.88° 43' 10"E. 6259.2 ft.

No bearing objects available.

Thence N.13° 13'W.

300. East End Center Location Monument, identical with the West End Center Location Monument, Orion lode, of this survey.

600. To Cor. No. 2.

On line 3-4, Orion lode, of this survey.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed L.W.T.2-2771.

No bearing objects available.

Thence S.76° 47'W.

1500. To Cor. No. 3.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed L.W.T.3-2771.

No bearing objects available.

Thence S.13° 13'E.

800.

SURVEY NO. 2771.

F E E T . L I T T L E W O O T S Y T O O T S Y L O D E - c o n t i n u e d .

300. West End Center Location Monument, which is a mound of stone, containing notices marked West End Center Little Wootsy Tootsy and East End Center Excelsior Extension.

600. To Cor. No. 4.

 A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed L.W.T.4.E.Ex.1-2771.

 No bearing objects available.

 Thence N.76° 47'E.

1500. To Cor. No. 1, the place of beginning.

 E X C E L S I O R E X T E N S I O N L O D E .

Beginning at Cor. No. 1.

 Identical with Cor. No. 4, Little Wootsy Tootsy lode, of this survey, heretofore described, whence

 U. S. L. M. No. 1256, bears S.45° 25' 10"E. 6928.7 ft.

 Thence N.13° 13'W.

300. East End Center Location Monument, identical with the West End Center Location Monument, Little Wootsy Tootsy lode, of this survey, heretofore described.

600. To Cor. No. 2.

 Identical with Cor. No. 3, Little Wootsy Tootsy lode, of this survey, heretofore described.

 Thence S.76° 47'W.

450. Wagon road, course Northeasterly and Southwesterly.

520. White Hills - Temple Bar Telephone line, course N.20° 48'E.

1500. To Cor. No. 3.

SURVEY NO. 2771.

EXCELSIOR EXTENSION LODE - continued.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed E.Ex.3-2771.

No bearing objects available.

FEEET.

Thence S.13° 13'E.

300. West End Center Location Monument, which is a mound of stone, containing notice marked West End Center Excelsior Extension.

600. To Cor. No. 4.

A pine post, 3 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed E.Ex.4-2771.

No bearing objects available.

Thence N.76° 47'E.

790. Temple Bar - White Hills Telephone line, course S.6° 01'E

885. Wagon road, course Northerly and Southerly.

1500. To Cor. No. 1, the place of beginning.

Variation at all corners, 15° 40'E.

LODE LINES.

As nearly as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Orion lode, 602 ft. N.86° 37'W., and 898 ft. S.86° 37'E.

Little Wootsy Tootsy lode, 226.4 ft. N.76° 47'E., and 1273.6 ft. S.76° 47'W.

Excelsior Extension lode, 371.4 ft. N.76° 47'E., and 1128.6 ft. S.76° 47'W.

AREA.	Acres.
Total area, Orion lode,	20.651
Total area, Little Wootsy Tootsy lode,	20.661
Total area, Excelsior Extension lode,	20.661

The survey of each lode of this claim is identical with the respective location as staked upon the ground.

LOCATION.

This survey is located in the Indian Secret Mining District Mohave County, Arizona, upon Unsurveyed Public Lands. It would be in T. 27N., R. 20W., G. and S. R. B. and M. should the present system of Land Survey be extended.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

ORION.

No. 1. The discovery monument, which is a mound of stone, containing the original Notice of Location, on the lode line S.86° 37'E. 602 ft. from the center of line 3-4, on an outcrop of the vein.

No. 2. A shaft, which bears from the discovery point S.86° 37'E. 21 ft., 4 x 6 ft., 35 ft. deep. From the top of the shaft is a tunnel, 4 x 6 ft., running N.81° 53'E. 23 ft.

Value of shaft and tunnel, \$500.

No. 3. An incline shaft, which bears from the center of line 3-4, S.86° 43'E. 124.5 ft., 4 x 5 ft., 22 ft. deep, dip 10° N.4° 25'W. Value. \$200.

No. 4. A shaft, which bears from the center of line 3 - 4 S.69° 22'E. 56.4 ft., 4 × 6 ft., 50 ft. deep. Value, \$500.

Note: An undivided 1/3 interest in shaft and workings No. 5 on the Little Wootsy Tootsy lode is to be credited to this lode, Value, \$2000.

LITTLE WOOTSY TOOTSY.

No. 1. The discovery monument, which is a mound of stone, containing the original Notice of Location, on the lode line S.76° 47'W. 226.4 ft. from the center of line 1-2, on an outcrop of the vein.

No. 2. A shaft, which bears from a point on the center line 173 ft. from the center of line 1-2. S.71° 59'W. 64 ft., 4 × 6 ft., 12 ft. deep. From the bottom of the shaft are drifts, 4 × 6 ft., running N.76° 47'E. 15 ft., and S.76° 47'W. 10 ft.

Value of shaft and drifts, \$300.

No. 3. A shaft, which bears from the center of line 1-2, S.46° 52'W. 56.1 ft., 5 × 8 ft., 28 ft. deep. From the bottom of the shaft are drifts, 4 × 6 ft., running N.79° 11'E. 15 ft., and S.79° 11'W. 65.8 ft., the latter connecting with the shaft described below as No. 4. Value of shaft and drifts, \$1000.

No. 4. A shaft, which bears from a point on the center line 173 ft. from the center of line 1-2, S.79° 04'E. 46.2 ft., 4 × 6 ft., 185 ft. deep. From a point 120 ft. below the collar of shaft are drifts, 4 × 6 ft., running S.79° 11'W. 45 ft., and N.79° 11'E. 39 ft. Value of shaft and drifts, \$2500.

No. 5. A shaft, which bears from a point on the center line 173 ft. from the center of line 1-2, S.78° 11'W. 90.5 ft., 4 × 6 ft., 345 ft. deep. From a point 185 ft. below the collar of shaft is a drift, 4 × 6 ft., running N.16°E. 89 ft. From a point 245 ft. below the collar of shaft are drifts, 4 × 6 ft., running N.35° 45'E. 116 ft., and S.35° 45'W. 15 ft., whence a crosscut, 4 × 6 ft., runs N.76° 47'E. 40 ft., and S.76° 47'W. 39 ft.

Value of 1/3 interest

Value of shaft, drifts and crosscut \$6000.

Value of 1/3 interest credited to this lode, \$2000.

EXCELSIOR EXTENSION.

No. 1. The discovery monument, which is a mound of stone, containing the original Notice of Location, on the lode line S.76° 47'W. 371.4 ft. from the center of line 1-2, on an outcrop of the vein.

No. 2. A shaft, on the lode line 362 ft. from the center of line 1-2, 6 x 6 ft., 10 ft. deep. Value, \$50.

Note: An undivided 1/3 interest in shaft and workings No. 5 on the Little Wootsy Tootsy lode is to be credited to this lode. Value, \$2000.

The system of development described as No. 5 on the Little Wootsy Tootsy lode, is a common improvement for the benefit of and to be applied equally upon, each of the several lodes embraced in this claim. The vein appears, from surface indications, to be continuous along the lode lines throughout; but in evidence most strongly at this point, which is also preferable in view of transportation facilities. It is the best location for prospecting the ground to depth, and by one system of workings, ^{To} most economically and advantageously open up and develop the whole group.

OTHER IMPROVEMENTS.

A shaft, which bears from a point on the center line of the Orion lode 478.3 ft. from the center of line 3-4, S.21° 32'W. 28.5 ft., 4 x 8 ft., 20 ft. deep.

A shaft, which bears from the discovery point of the Orion lode S.81° 53'W. 15 ft., 2 x 6 ft., 5 ft. deep.

A shaft, which bears from the discovery point of the Orion lode S.81° 53'W. 40 ft., 4 x 6 ft., 6 ft. deep.

A shaft, which bears from the discovery point of the Orion lode S.81° 53'W. 85 ft., 3 x 6 ft., 18 ft. deep.

An open cut, the mouth of which bears from the discovery

8

10

point of the Orion lode S.81° 53'W. 110 ft., 3 ft. wide, 8 ft. face, running S.50° 20'E. 40 ft. to face. From the face is a tunnel, 4 x 6 ft., running S.50° 20'E. 5 ft.

A frame storehouse, the Southeast corner of which bears from a point on the center line of the Little Wootsy Tootsy lode 173 ft. from the center of line 1-2, N.49° 09'E. 58.6 ft. Course of long sides, N.10° 15'W.

A frame boardinghouse, the Southeast corner of which bears from a point on the center line of the Little Wootsy Tootsy lode 173 ft. from the center of line 1-2, N.25° 10'E. 32.2 ft. Course of long sides, N.10° 15'W.

A frame bunkhouse, the Southeast corner of which bears from a point on the center line of the Little Wootsy Tootsy lode 173 ft. from the center of line 1-2 N.30° 51'W. 109.5 ft. Course of long sides, N.84° 45'E.

A frame engine-house, the Southeast corner of which bears from a point on the center line of the Little Wootsy Tootsy lode 173 ft. from the center of line 1-2, S.89° 19'W. 82.2 ft. Course of long sides, S.79° 10'E.

All belong to claimant herein.

INSTRUMENT.

This survey was made with an A. Lietz mining and solar transit, No. 1252. The courses were deflected from the lines of Sur. No. 2769, Black Spar lode, previously surveyed by me. The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run

either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

The adjoining claims to this claim are;-

On the south, Blue Bell and Daisy, Unsurveyed, George C.

Edwards claimant.

U. S. L. M. No. 1256 is a pine post, 6 ins. square, 14 ft. above ground, in mound of stone 6 ft. high, 6 ft. base, scribed on S. face U.S.L.M. 1256 I.S.M.D. May 4, 1897, and on W. face U.S.L.M. No. 1256. 4.6 ft. West is a rock in place, chiseled + U S L M.

Having failed to find record of this Monument, I took the following data to aid in establishing its locus:

Feb. 8, 1910, at a few minutes before apparent noon, I set off $15^{\circ} 04'S$. on the declination arc, and observed the sun's meridian altitude; $= 54^{\circ} 17'$, - ref. $44'' = 54^{\circ} 16' 16''$ co-lat. at Cor. No. 3, Sur. No. 2769, Black Spar lode, whence the Lat. at U. S. L. M. No. 1256 is $35^{\circ} 43' 27''N$.

Feb. 11, 1910, at 10h. 06m. P. M., l.m.t., I observed Polaris at Western Elongation, on a reference line established by me at White Hills. The star's position was then $1^{\circ} 27'$ West of said reference line. Thence,

From an iron hub, driven in center of street in front of the White Hills P. O., U. S. L. M. No. 1256 bears $N.45^{\circ} 34' 10''E$.

The + on bearing rock bears $N.45^{\circ} 30' 40''E$.

I set up over the + on bearing rock, whence

Hub at White Hills P. O. bears $S.45^{\circ} 30' 40''W$.

Squaw Peak, (?) bears $N.25^{\circ} 58' 30''E$.

Mill at "Kemple's" Camp, bears $S.27^{\circ} 23' 20''W$.

"Mocking Bird" Camp, bears $S.47^{\circ} 30'W$.

A U. S. L. M.,

Weaver Mining Dist. (?) bears $S.63^{\circ} 36' 40''W$.

Flag at Cor. No. 4, Sur. No. 2771, Excelsior Extension

10
lode, bears N.54° 44' 20"W.

The U. S. L. M. No. 1256 bears N.79° 38'E., 4.58 ft.

Mag. Var. 15° 40'E.

NOTE. - The disagreements between these field notes and the location certificates, with regard to the positions of the discovery points and in reference to side center monuments on the Orion location, are due to errors in the latter. I failed to find any side center monuments on said location.

Samuel Paul

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Samuel J. Paul

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

known as the Mohave Gold-Silver Co.

known as the Orion, Little Wooty, Tooty, Recliner Extension and showing the respective capacities in which they acted.

Chester B. Sadtler, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chester B. Sadtler

and _____, do solemnly swear that we assisted Samuel

J. Paul, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of _____

known as the Mohave Gold-Silver Co.

known as the Orion, Little Wooty, Tooty, Recliner Extension

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Chester B. Sadtler, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 23^d

day of February, 1910

E. F. Thompson
Notary Public

Commission Expires July 11, 1912.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Samuel J. Paul, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
February 5, 1910, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mohave Gold - Silver Co.
....., known as the
Orion, Little wootsy Tootsy and Excelsior Extension,
situate in Indian Secret Mining District,
Mohave County, Arizona, in Section
Approx., Township No. 27N., Range No. 20W. Unsurveyed,
and designated as Survey No. 2771, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Samuel J. Paul
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Samuel J. Paul
U. S. Mineral Surveyor, before me M. M. Davison
a Notary Public this 30th
day of April, 1910

M. M. Davison
Notary Public in and for the County of Los Angeles, State of California.

My Commission Expires August 15th, 1910

NOTICE OF LOCATION

To all whom it may Concern: Notice is hereby given that the undersigned, having complied with all the requirements of Chapter VI of Title 32 of the Revised Statutes of the United States, and the local mining laws, rules and regulations, this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein and all timber growing within the limits of said claim, and all water and water privileges thereon and appurtenant thereto, under and according to the provisions of the United States mining laws, under which it is located.

This Claim commences at this monument and notice placed upon ledge and runs 750 seven hundred and fifty feet in a Westerly direction and 750 feet in a Easterly direction along the ledge. The exterior boundaries are as follows, to wit: Commencing at a monument of stone on North boundary line distant three hundred (300) feet in a Northerly direction from discovery Monument; thence in a Westerly direction parallel with the ledge 750 feet to monument of stone at N.W. Corner of Claim; thence in a Southerly direction at right angles across the ledge six hundred (600) feet to monument of stone at S.W. Corner of Claim; thence in a Easterly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S.E. Corner of claim; thence at right angles across the ledge in a Northerly direction six hundred (600) feet to monument of stone at N.E. Corner of Claim; thence in a Westerly direction parallel with the ledge 750 feet to monument on North boundary line and place of beginning. This ledge may be more generally described as Situated about 1 3/4 miles North of the City of White Hills., and is located on the West slope of the hills North of White Hills City sloping toward the Sacramento Valley. In Indian Secret Mining District, Mohave County, Arizona Territory. And shall be known as the "ORION" Mining Claim.

Dated on the ground this 20 day of December 1894.

A. L. McKesson, Locator

Recorded at the request of A. L. McKesson Jan. 28th, A.D. 1895
at 15 minutes past 9 o'clock A.M. in Book "L" at page 708.

L. O. Cowan,

County Recorder.

GEO. D. BARNARD & CO., PRINTERS, ST. LOUIS

15

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } ss.

I, R. A. Robertson Recorder of Mohave County, Territory
of Arizona, do hereby certify that I have compared the foregoing copy of the
"Orion" Mining Claim, Location Notice
and of the endorsement thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.

WITNESS my hand and the seal of said office, this

20th day of November 1909

R. A. Robertson
Recorder of Mohave County.



NOTICE OF LOCATION

Know all men by these presents that I the undersigned have this day located 1500 feet of this Lead, vein or Lode bearing precious mettle together with all dips, spurs angles & various contained thereon under and according to an act of Congress approved May 10 1872 under which it is located. The exterior boundaries of this claim are as follows, vis. Commencing at this monument of stone and runs 300 ft in Easterly direction to monument of stone at East Center end of Claim. Thence at right angles with the Ledge in Southerly direction 300 ft to monument at S. E Cor. Thence in Westerly 1500 ft parallel with the Ledge to monuments. W. Cor. Thence 600 ft at right angles across the Ledge in Northerly direction to monument at N. W. Cor. Thence in an Easterly direction 1500 ft parallel with the ledge to monument at N. E. Cor. Thence X in a Southerly direction 300 ft to monument & place of beginning. This Claim may be more generally described as situated in Indian Secret mining district, Mohave County, A.T. & is located 1 3/4 ~~XXX~~ miles North of the town of White Hills & commences at the foot of the mountain & extends into the Sacramento Valley & is the first West extention of the Orion Mining Claim & shall be known as the "Little Wootsy Tootsy" Mining Claim.

Dated on the ground this 29 day of Jan. 1895.

A. L. McKesson

Recorded at the request of A. L. McKesson, March 20th, A.D. 1895 at 15 minutes past 9 o'clock A.M in Book L at page 759.

L. O. Cowan

County Recorder.

GEO. D. BARNARD & CO., PRINTERS, ST. LOUIS

TERRITORY OF ARIZONA, }
 COUNTY OF MOHAVE. } ss.

17

I, R. A. Robertson Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of the "Little Wootsy Tootsy" Mining Claim, Location Notice and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.



WITNESS my hand and the seal of said office, this 20th day of November 19 09.

R. A. Robertson
 Recorder of Mohave County.

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } SS.

I, R. A. Robertson Recorder of Mohave County, Territory

of Arizona, do hereby certify that I have compared the foregoing copy of the
Location Notice of the "Excelsior Extension" Mining Claim
and of the endorsement thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.

WITNESS my hand and the seal of said office, this

20th day of November 1909

R. A. Robertson
Recorder of Mohave County.



NOTICE OF MINING LOCATION

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Excelsior Extension Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

W G Edwards a Citizen of the United States

(Locator must insert either "a citizen of the United States." or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 8th day of January 1908

The length of this claim is fifteen hundred (1500) feet, and 9 claim one hundred and fifty (1050) feet in a Northwesterly direction and four hundred and fifty (450) feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the

East to the West
The claim is situated and located in the Indian Sect Mining District, in County, in the Territory of Arizona, about two miles in a Northwesterly direction from Village of White Hills

The surface boundaries of the claim are marked upon the ground as follows: Beginning at location Monument

at a point in a Northwesterly direction one hundred and fifty feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence South three hundred feet to a Monument of stones being the South West corner of said claim; thence Easterly fifteen hundred (1500) feet to a Monument of stones being at the South East corner of said claim; thence Three hundred (300) feet to a Monument of stones at the center of the East end of said claim, thence Three hundred (300) feet to a Monument of stone being at the North East corner of said claim; thence fifteen hundred (1500) feet to a Monument of stones at the North West corner of said claim; thence Southerly three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 8th day of January 1908

Mohan of Gold & Silver
Company
W G Edwards Locator

Filed and recorded at request of W G Edwards this 30 day

March A. D. 1908, at 9 o'clock 9 M. in Book 99, Page 182
Chas McNeely
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

October 7, 1910, 1900.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Mohave Gold-Silver Co.

known as the ORION, LITTLE WOOTSY TOOTSY and EXCELSIOR EXTENSION CLAIMS, situate in Indian Secret

Mining District, Mohave County, Arizona.

in Section Approx., Township No. 27 N., Range No. 20 W. unsurveyed and designated as Survey No. 2771,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 8 shafts, 1 tunnel, 9 drifts and 1 crosscut, total value \$11050.00. An undivided one-third interest, value \$2000, in shaft No. 5 on the Little Wootsy Tootsy lode is credited to each of the claims in this survey, said improvement being a common improvement for the benefit and development of this entire group of claims,

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 7, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Mohave Gold-Silver Co.

known as the ORION, LITTLE WOOTSY TOOTSY and EXCELSION EXTENSION

situate in Indian Secret Mining District, Mohave County, Arizona

in Section approx., Township No. 27 N., Range No. 20 W. unsurveyed, designated as Survey No. 2771

executed by Samuel J. Paul, U. S. Deputy Mineral

Surveyor, February 6 - 11, 1910, under my instructions dated

February 5, 1910, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Ingalls

U. S. Surveyor-General for Arizona.