

5-17-1910.

O. M. C.

1

Mar. 28, 1910

May 2, 1910

4-683.

MINERAL SURVEY No. 2773

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

Hite Gold Mines Company

KNOWN AS THE

King Solomon No 1, Queen Esther, Vashtai
and Queen of Sheba, in the Blue Tank Mining District,

Yavapai County, Arizona

Section Approximate Township 8 N., Range 3 W. Unsurveyed

Surveyed under instructions dated Feb. 10th, 1910

by John Miller
U. S. Mineral Surveyor.

Claim located See Location Notices 19

Survey commenced February 17th, 1910

Survey completed February 22nd, 1910

6-825 King Solomon No 1 Located Recorded 23 Nov.

Address of Claimants Atty's

Chalmers & Wilkinson

Phoenix. Arizona

Survey No 2773

2

King Solomon No 1 Lode

Cours	Feet	
		Beginning at corner No 1 North East corner a granite stone chiseled K.S #1-1-2773 set 12" in ground, dimension of stone 4x6x24" A rock in place in an iron reef chiseled B.R. K.S. #1-1-2773, 4.3' above ground bears $5.64^{\circ} 51' W$ 25.1 ft The U.S.L.M. #1477. bears $N 89^{\circ} 42' 30'' E$ $6180.1 ft$
		Corner 3. Amalgamated Copper Survey No 2418 bears $N 30^{\circ} 05' W$ 296.4 ft Thence $N 59^{\circ} 21' W$ Variation $14^{\circ} 23' E$
1 - 2	182.56	Intersection of course 3-4. Amalgamated Copper lode Survey No 2418. At 164.6 ft from corner 3. This corner is marked with a granite stone 4"x10"x - 12" above ground and chiseled A.C. 3. 2418, and a mound of stones 8.5' in circumference 2.6' high built alongside Course 3-4. Amalgamated Copper 5 $3^{\circ} 33' W$ 1213.82' Corner 4 amalgamated Copper is marked with a white granite stone 6"x10"x - 12" above ground chiseled A.C. 4 - W.H.B. 3. 2418, and above ground and a mound of stones 8.3' in circumference 2.6' high built alongside
	384.67	Corner No 1 Queen Esther Lode of this survey
	952.63	South End center Queen Esther Lode of this survey
	1255	Corner No 2, also cor No 4 Queen Esther Lode of this survey A granite stone 4x10x24" set 12" in ground and chiseled K.S. #1-2, Q.E. 4- 2773 and a mound of stones 8.7' in circumference 3' high built alongside A granite rock in place chiseled B.R. K.S. #1-2 2773. 1.5' above ground bears $N 71^{\circ} 11' E$ 17.6 ft Variation at corner $14^{\circ} 26' E$
		Thence $543^{\circ} 30' W$ Variation $14^{\circ} 26' E$
2 - 3	154.28	Corner No 1 Queen of Sheba Lode of this survey and intersect line 4-1 Vashas Lode of this survey
	307.71	West End Center a granite stone 6x10x24" set 12" in ground and chiseled V.W.E.C.K.S. #1-2 2773 and a mound of stones 8' in circumference 2.6' high built alongside

Continued

Survey No 2773
King Solomon No 1 Lode Continued

Course	Feet	
2-3	513.42	East End Center Queen of Sheba Lode of this survey
	615.42	Corners No. 3 a granite stone 6x8x24" set 12" in ground and chiseled K.S. #1-3-2773 and a mound of stones 8.6' in circumference 2.8' high built alongside
		No bearing objects available
		Thence $559^{\circ}21'E$ Variation $14^{\circ}26'E$
3-4	1255	Corners 4. A granite stone 6x8x24" chiseled K.S. #1-4-2773 set 12" in ground and a mound of stones 9' in circumference 3' high built alongside A granite rock in place chiseled B.R. K.S. #1-4-2773 1/2' above ground bears $N40^{\circ}41'E$ 47.1 ft
		Thence $N43^{\circ}30'E$ Variation $14^{\circ}26'E$
4-1	307.71	East end centers A granite stone 6x8x24" chiseled ECE K.S. #1-2773 set 12" in ground and a mound of stones 8.3' in circumference 2.8' high built alongside
	362.34	Intersect line 3-4. amalgamated Copper Lode Survey No 2418. at 441.76 ft from Cor 3. Distance from point of intersection of line 3-4 amalgamated Copper Lode and line 4-1 King Solomon No 1 Lode to intersection line 3-4. amalgamated Copper Lode and line 1-2. King Solomon No 1 Lode $N.3^{\circ}33'E$. 277.16 ft
	615.42	Corners No 1 and place of beginning Corners and End Centers identical with corners and End Centers of amended location Mound of Stones measured at base Total Area 17.286 Acre

From Cor. No. 1 King S. No. 1. Lode
 Amalgamated Copper - King Solomon No 1 Conflict
 $S.43^{\circ}30'W$. 253.08 ft to a point on line 3-4.
 amalgamated Copper Lode Sur. No. 2418
 $N.3^{\circ}33'E$ 277.16 ft to a point on line 1-2. King
 Solomon No 1 Lode
 $S.59^{\circ}21'E$ -182.56 ft to corner No 1. King Solomon No 1
 Lode and place of beginning Area 0.517 acre

3

Survey No 2773
Queen Esther Lode

4

Course	Feet	Description
		Beginning at corner No 1 South East corner on the line 1-2 King Solomon No 1. and 384.67' from corner 1 - King Solomon #1 of this survey
		A granite stone 5 x 10 x 24" set 12" in ground and chiseled Q.E. 1- 2773 and a mound of stones 8.5' in circumference 3 ft high built alongside
		No bearing objects available
		The U.S.L.M. no 1477 bears $5.88^{\circ}32'30''E$ 6513 ft
		Thence $N27^{\circ}28'W$
1- 2	1244	center of Gilbert Wickenburg Wagon Road . 9 ft wide
	1500	Corner No 2
		A granite stone 5" x 10" x 24" - set 12" in ground and chiseled Q.E. 2- 2773. and a mound of stones 8.7' in circumference 3' high built alongside . corner is in center of an abandoned wagon road leading to the King Solomon No 1 shaft of this survey
		No bearing objects available
		Thence $N59^{\circ}21'W$
2- 3	567.98	North End Center
		A granite stone 4 x 10 x 24" set 13" ground and chiseled N.C.E. Q.E 2773. and a mound of stones 8' in circumference . 2.7' high built alongside
	870.33	Corner 3
		A granite stone 6 x 9 x 24" set 14" in ground and chiseled Q.E. 3. 2773. and a mound of stones 9' in circumference and 3' high built alongside
		No bearing objects available
		Thence $S.27^{\circ}28'E$
3-4	162.70	Corner 2 Vashai Lode of this survey
	1093	center of Gilbert Wickenburg Wagon Road 9 ft wide
	1500	Corner No 4.

Continued

4

5

Survey No 2773
Queen Esther Lode Continued

Course	Feet	Corner No 4 Queen Esther is also Corner No 2 King Solomon No 1 Lode of this survey A granite stone 4x10x24" set 12" in ground chiseled Q.E. 4. K.S.#1-2 - 2773 Bearing object and mound of stones described in King Solomon No 1 notes this Survey
4-1	302.25	Thence $559^{\circ}21' E$ on line 1-2 King Solomon's ^{No. 1} Lode of this survey to South End Center a granite stone 5x7x24" set 12" in ground chiseled S.C.E.Q.E. 2773 and a mound of stones 9' in circumference and 2.9' high built alongside
870.33		Corner No 1 and place of beginning Variation at all corners $14^{\circ}26' E$ Corners and End Centers identical with Corners and End Centers of Amended Location Mound of stones measured at base Total Area 15.830 acre

5

Survey No 2773
Vasttar Lodge

6

Course	Feet	<p>Beginning at Corner N.1 South East corner a granite stone $5 \times 8 \times 24"$ chiseled V. 1 - 2773 set 12" in ground and a mound of stones 8.9' in circumference and 2.9' high built alongside.</p> <p>Cor. No 2. King Solomon No 1 Lodge of this survey bears $N 27^{\circ} 28' W$. 162.7'</p> <p>Cor. No 1 Queen of Shaba Lodge of this survey bears $N 79^{\circ} 51' W$. 184.12 ft</p> <p>U. S. L. M. 1477 bears $S. 86^{\circ} 18' 15"E$. 7199.6 ft no bearing objects available</p>
		<i>Bearing $N 27^{\circ} 28' W$</i>
1 - 2	162.7	<p>Corner No 2 King Solomon No 1 - Cor. 4. Queen Esther Lodge of this survey</p> <p>Center of Gilbert Wickenburg Wagon Road 9 ft wide</p>
	569.7	
	1500	<p>Corner No 2</p> <p>A granite stone $4 \times 7 \times 24"$ chiseled V. 2 - 2773 set 12" in ground and a mound of stones 8.4' in circumference 2.7' high built alongside</p> <p>Corner 4 ft N W of a small gulch 4 ft wide course $N. 60^{\circ} E$</p> <p>Corner No 3 Queen Esther Lodge of this survey bears $N 27^{\circ} 28' W$ 162.7 ft</p> <p>No other bearing objects available</p>
		<i>Bearing $N 79^{\circ} 51' W$</i>
2 - 3	261.00	<p>North End Center a granite stone chiseled N. C. E V. 2773 set 12" in ground dimension of stone $4 \times 8 \times 24"$ and a mound of stones 8.3' in circumference 3' high built alongside</p>
	639.73	<p>Corner No. 3 A granite stone $5 \times 8 \times 24"$ chiseled V. 3. 2773 set 12" in ground and a mound of stones 2.7' high and 8.7' in circumference built alongside</p> <p>A gulch 2' wide whose course is $N 62^{\circ} E$ runs 15' N. W from corner</p>

Continued

Survey No 2773

6

Vashai Lode Continued

7

Course	Feet	No bearing objects available
		Thence $S.27^{\circ}28'E$
3- 4	1121	Center of Gilbert Wickenburg Wagon Road
	1500	Corner No 4.
		A granite stone $5 \times 8 \times 24"$ chiseled Y. 4 2773 set 12" in ground, and a mound of stones 9 ft in circumference 3' high built alongside
		Corner on line 1-2 Queen of Shela Lode of this survey and 455.61 ft from corner No 1 thereof
		No bearing objects available
		Thence $579^{\circ}51'E$
4- 1-	378.73	South East end center a black granite stone chiseled S C.E.Y 2773 set 12" in ground "dimension of stone $5 \times 7 \times 24"$ " and a mound of stones 8.7' in circumference 3' high built alongside
	455.61	Corner 1. Queen of Shela Lode of this survey Intersect line 2-3 King Solomon No 1 Lode of this survey, $N.43^{\circ}30'E. 154.28'$ to Corner 2
	639.73	To corner No 1 and place of beginning Variation at all corners $14^{\circ}26'E$ Corners and end centers identical with corners and end centers of Amended Location Mound of stones measured at base
		Total area 17.450 acres,

Vashai King Solomon No 1. Conflict

Beginning at corner No 1. Vashai Lode
 $N.79^{\circ}51'W. 184.12$ ft to a point, cor 1 Queen of Shela Lode
 $N.43^{\circ}30'E. 154.28.$ ft to a point cor 2. King Solomon No 1 lode
 $S.27^{\circ}28'E. 162.7$ ft to place of beginning

Area .0.272 acre

8

Survey No 2773.
Queen of Sheba Lodge

Course	Feet	Beginning at corner No 1 North east corner a gneiss stone 5x10x24" chiseled Q.S. 1- 2773. set 12" in ground and a mound of stones 9 ft in circumference and 3' high built alongside The corner is at the intersection of lines 2-3 - King Solomon No 1 and 4-1 Vashai Lode of this survey The U.S.C.M.W. 1477. bears S.86°08'35"E. - 7382.6 ft No bearing objects available
1-2	76.88	Thence N.79° 51' W South end center Vashai Lode of this survey
	455.61	Corner No 4 Vashai Lode of this survey
	1295	Center of Gilbert Wickenburg Road 9 ft wide
	1500	Corner No 2 A granite stone 4x6x24" chiseled Q.S. 2- 2773. set 12" in ground and a mound of stones 8.5' in circumference 2.7' high built alongside No bearing objects available
2-3	359.14	Thence S.43°30' W West end center A granite stone 4x6x24" chiseled W.C.E. Q.S. 2773 set 12" in ground and a mound of stones 8.4' in circumference 2.7' high built alongside
	710	Center of Gilbert Wickenburg Road 9 ft wide
	718.28	Corner No 3 A granite stone $4\frac{1}{2}$ x6x24" chiseled Q.S. 3- 2773 set 12" in ground and a mound of stones 8.4' in circumference 2.7' high built alongside Corner stone set at the south edge of Gilbert Wickenburg Wagon Road No bearing objects available
3-4	275	Thence S.79°51'E Center of Hite Wickenburg Road 9 ft wide

Continued

9

Survey No 2773
Queen of Sheba Lode Cont'd

Course	Feet	
3- 4	502	Center of Hite Buckhorn road 9 ft wide
	1356.87	Intersection line 3-4 Lawson lode survey 2418 al 104.53' from Cor 3.
		Cor 3 Lawson lode is marked with a pine post 4x4" x - standing 3 ft above ground and bored L3-042.2418 and a mound of stones built alongside.
		Cor No 4 Lawson lode is not marked upon the ground so I ran a line N.53°34'E - 300 ft from Cor 3. and proved this point by running a line N.65°W from Cor 5.
		From intersection of line 3-4 Queen of Sheba lode and line 3-4 Lawson lode to Cor 4 Lawson lode 195.47 ft N 53° 34' E.
		Cor 5 Lawson lode is marked L5.2418 on a granite rock in place and a mound of stones built alongside
1500		Cor No 4
		A granite stone 4x7x24" chiseled Q E 2773 set 12" in ground and a mound of stones 8.6' in circumference and 2.8' high built alongside
		Cor 3 Lawson Lode Survey No 2418 Bear S 80° 42' W 227.97 ft. No bearing objects available
		Thence N 43° 30' E
4-1	142.34	Intersect line 4-5: Lawson lode survey ³ 2418 al S 65° E. 90.04' from Cor 4. Lawson lode
	257.14	Cor. 3 King Solomon No 1 Lode of this Survey
	359.14	East end center
		A granite stone 5x6x24" chiseled Q E E.C.E 2773 set 12" in ground and a mound of stones 8.7' in circumference and 2.7' high built alongside
	564.85	West end center King Solomon No 1 Lode of this Survey
	718.28	Cor No 1 and place of beginning
		Corners and center ends identical with corners and center ends of amended location
		Variation at all corners 14° 26' E
		Mound of stones measured at base
		Total area 20.661 Acre

Continued

Survey No 2773

Queen of Sheba Lode

corners

9

10

Lawson - Queen of Sheba Boundary

Beginning at Cor 4. Queen of Sheba
Hence N. $43^{\circ}30' E$

192.34' to intersection of line 4-5 Lawson Lode

Hence N. $65^{\circ}00' W$

90.04' to intersection of line 5-4- and
line 3-4. Lawson Lode 300 ft from Cor 3

Hence S. $53^{\circ}34' W$

195.47' to intersection of line 3-4. Queen of
Sheba Lode of this survey

Hence S. $79^{\circ}51' E$

143.13' to Cor 4. Queen of Sheba Lode and
place of beginning

Area 0.373. acre

Survey No 2773
Expenditure of Five Hundred Dollars-

I certify that the value of labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claim, by the claimant or its grantors is not less than five hundred dollars for each location, and that said improvements consist of

King Solomon No 1 Lode

- No 1 The discovery, "Shaft" ^{no 1} of the King Solomon No 1 Lode, the center of which being the discovery point, is on the lode line $559^{\circ} 21' E$ 550 ft from West end center, course of shaft $N.48^{\circ} E$ 85 ft. dip 36° . dimension $4\frac{1}{2} \times 6\frac{1}{2}$ ft in the clear partly timbered. This shaft connects with drift from tunnel from the 100 ft level of shaft no 4 Value \$ 1275. 00
- No 2 Tunnel from the 100 ft level of shaft no 4 the mouth of ^W^E bears $552^{\circ} 25' E$, 254 ft from West end center, and running $N 65^{\circ} 30' W$. 795 ft from shaft no 4, dimension $4 \times 6\frac{1}{2}$ ft. This tunnel is not straight Value \$ 4470. 00
Drift from this tunnel starts off from 360 ft from shaft no 4 and its course is $570^{\circ} E$ 127 ft, Shaft No 1 connects with this drift dimension 4×6 ft. Value \$ 635. 00
Cross cut from main tunnel 235 ft from shaft no 4, dimension 4×6 , course $S 35^{\circ} W$. 40 ft Value \$ 290. 00
- No 3 Drift from 200 ft level of shaft no 4 Main course $N 66^{\circ} 30' W$. 195 ft dimension $4 \times 6\frac{1}{2}$ ft Value \$ 1950. 00
- No 4 Shaft ~~no 2~~, bears $N 52^{\circ} 55' W$ 347 ft from East end center, ^{Solomon Code} course of shaft $N 46^{\circ} 30' E$ and 540 ft deep. dip 35° from the horizontal, dimension $4\frac{1}{2} \times 7\frac{1}{2}$ ft in the clear and partly timbered Value \$ 10800. 00
carried to next sheet

Continued

Expenditure of Five Hundred Dollars Continued

	carrying forward \$ 10800.00
No 5	A drift from the 500 ft level of shaft
	No 4, main course of which is N 68° W.
	652 ft, dimension 4 x 6 1/2 ft Value \$ 6520.00

\$ 17320.00

The expenditure shaft No 4 and ^{drift} tunnel from 500 ft level of shaft No 4 is claimed as common improvements for the four claims of this group, and 1/4 interest of above \$ 17,320.00 is credited to this lode, ^{Value} \$ 4330.00

Queen Esther Lode

No 1.	The discovery shaft of this lode, the center of which is discovery point is on the lode line N 27° 28' W. 557 ft from South end center dimension 4 x 6 ft, 10 ft deep ... Value \$ 50.00
	a one fourth interest in shaft No 4 and drift from 500 ft level King Solomon No 1 Lode Value \$ 4330.00

Vashai Lode

No 1	The discovery cut of this lode, the center of face of which is the discovery point is on the lode line N 27° 28' W. 339 ft from South end center, length 16 ft, width 4 ft, height 10 ft Value \$ 25.00
	a one fourth interest in Shaft No 4 and drift from 500 ft level of shaft No 2 King Solomon No 1 Lode Value \$ 4330.00

Queen of Sheba Lode

No 1	The discovery shaft of this lode, the center of which is discovery point, is on the lode line N 79° 51' W. 612 ft from East end center of claim, dimension 4 x 6 ft 10 ft deep Value \$ 50.00
No 2.	A drift, center of mouth of which bears N 59° 12' W ^{44'} from east center end of claim, dimension 4 1/2 x 7 ft, length 103 ft course N 85° 55' E Value \$ 1030.00
	a one fourth interest in shaft No 4 and drift from the 500 ft level of shaft No 2 of King Solomon No 1 Lode Value \$ 4330.00

continued

Survey No 2773
Expenditure of Five Hundred Dollars
Continued

Other Improvements-

at the King Solomon No 1 lode shaft No ~~X~~^W. There are a 25 horse power gasoline hoist and frame house 16×24 ft built around same the 16 ft end facing the shaft N.E. corner of which bears 548° W from center of shaft, distance 35 ft.

On the Queen of Sheba lode, and from a point on the lode line, "Zero mark for mine," 660 ft $N 79^{\circ} 51' W$ from East end center. There are 5 frame dwelling houses and a barn, long sides of which bear north and south.

Course	Feet	Object
$N. 2^{\circ} 08'E$	78.	S.W. corner of Boarding House 16×32 .
$N 74^{\circ} 56'E$	127.5	S.W. " " Bunk " 14×30
$S 56^{\circ} 40'E$	120.5	N.W. " " Assay office 14×30
$S 19^{\circ} 21'E$	82.0	N.W. " " Dwelling House 16×18
$S 1^{\circ} 50'E$	67.0	N.W. " " " " 16×30
$N 57^{\circ} 30'W$	112.5	S.W. " " Barn 30×40

All belonging to the Hite Gold Mines Company

Lode Lines

As near as can be determined from the present developments the veins of the several locations embraced in this claim extend as follows from their respective discoveries.

King Solomon No 1 Lode

$N. 59^{\circ} 21' W$ 550 ft and $S. 59^{\circ} 21' E$ 705 ft

Queen Esther Lode

$S 27^{\circ} 28'E$ 557 ft and $N 27^{\circ} 28'W$ 993 ft

Vashhai Lode

$S 27^{\circ} 28'E$ 339 ft and $N 27^{\circ} 28'W$ 1161 ft

Queen of Sheba Lode

$S 79^{\circ} 51'E$ 612 ft and $N 79^{\circ} 51'W$ 888 ft

Location Monuments

King Solomon No 1 Lode

At discovery shaft $559^{\circ} 21'E$ 550 ft from West Enter end a pine post $4 \times 4" \times 4'$ is set in the ground and a mound of stones 9 ft in circumference and 3 ft high built around it where location notice is posted.

Queen Esther Lode

Contiguous to discovery shaft, $N27^{\circ} 28'W$. 557 ft from South end center, a pine post $4 \times 4" \times 4'$ is set in the ground, and a mound of stones 8.7 in circumference 3 ft high built around same where location notice is posted.

Vashai Lode

Contiguous to discovery cut $N27^{\circ} 28'W$ 339 ft from South end center, a pine post is set in the ground and a mound of stones 8.5 ft in circumference and 2.3 high built around same where location notice is posted.

Queen of Sheba Lode

Contiguous to discovery shaft $N79^{\circ} 51'W$, 612 ft from East end center, a pine post $4" \times 4" \times 4'$ is set in ground and a mound of stones 8.3 ft in circumference 2.3 high built around same where Location Notice is posted.

Location.
These claims are located in the Blue Tank Mining District, Yavapai County, Arizona, in approx. T. 8 N., R. 3 W., Unsur.

Adjoining Claims

The adjoining claims are, to the east end. The Amalgamated Copper Survey No 2418. F X O'Brien owner, this cuts off a fraction from the King Solomon No 1 Lode.

To the south east, a small strip of vacant land is between King Solomon No 1 of this survey and Scorpion, and Lawson claims Survey No 2418. Mr F X O'Brien owner.

To the south the Lawson Survey 2418, this claim cuts off a fraction from the Queen of Sheba Lode this survey The Hattie Q. Hill ^{Gold Mine} Company owners, joins the Queen of Sheba to the south.

continued

Adjoining Claims Continued

To the west vacant land

To the northwest, the Hile addition and the P.Y.H
Hile Gold Co owners

To the north and north east vacant land and
amalgamated copper survey No 2418.

Topography

The King Solomon No 1 ledge is for the most part just on the south side of the divide between King Solomon wash and Hamlyn wash. The Hamlyn wash the most southerly, the east end center is on the divide and on top of a hill called the King Solomon hill, Cor No 4 is on the Hamlyn wash side and Cor No 1 is on the King Solomon wash side. From east end center to King Solomon No 1 shaft the depression is 120 ft, King Solomon No 1 shafts No 1 and 4 are nearly on the same level, the west end center of King Solomon No 1 is 104 ft lower than ^{part of} shaft No 1.

To the west about 100 ft from shaft No 1 King Solomon No 1 the mountain ridge turns towards the north and two prongs starting off from the main divide, one runs parallel ^{south} with the ledge line of Queen Esther with hardly any fall so it gets about 500 ft from cor 2, thence falling rapidly and disappear at the north end line.

The other prong starts off from the main divide at about the center end of the southern line of the Vashlai ledge and runs about parallel with the Vashlai ledge line with a small depression towards the north to within 400 ft about from cor 2 when the hills becomes steep and disappears little south of the north end line, a small prong starts off from this prong and runs N.W but soon disappear.

The Queen Esther and the Vashlai ledges are on the north side of the main divide, on the King Solomon wash side

The Queen of Sheba is on the south side of the main divide and on the Hamlyn wash side from east end center to west end center the depression is 5°30' towards the N.W. Just west of the Queen of Sheba and the Vashlai the divide and the country is again raising rapidly

Survey No 2773
Report

The lode lines of each location of this claim was run directly upon the ground and the several corners were established by means of offsets from the lode lines.

The portions of every location lying on each side of the ledge and the exterior lines of each location closed within the allowable limit of error.

All tie lines were run directly upon the ground.

The U.S.L.M. 1477 is the nearest land mark. This monument is built of stone and about 7 ft high and 6 ft in diameter with a round post in the center is in good condition, the marked part is split off and standing alongside the monument.

The corners 3 and 4 amalgamated copper survey are in good condition.

No. 2418
The corners 3-5 of the Lawson Lode Survey No 2418 are in good condition, but Cor No 4 is lost, $N53^{\circ}34'E$ - 300 ft from cor 3 and $N65^{\circ}00'W$ from cor 5 there is an old mound of stones that looks like ~~that~~ a post had been set there and lifted out, this mound of stones is 70.5 ft from cor No 5. At $N53^{\circ}34'E$ 3° from cor 3 there is another mound of stones and a stake set alongside of it.

There is not enough work done on the Queen Lodes and Vashlai Lodes for patent but from the topographical features of the country elsewhere described I am of the opinion that Shaft No 4 and drift westerly from the 500 ft level of this shaft on the King Solomon No 1 Lode is for the benefit of the other locations of this claim, that it is a common improvement, when this drift from said 500 ft level is extended west and offsets made at the Queen Lodes and Vashlai Ledges, the ore from these ledges can be economically taken through this drift and to the surface through the King Solomon No 1. Shaft No 4.

Continued

Report Continued

The drift mentioned if continued at the present level through the Queen Shelia and the Vashlai ore ~~lode~~ will not get to the surface before the extreme north end of the respective claims.

A one-fourth interest value \$ 4,330.00 in shaft No 4 on the King Solomon No 1 lode and the drift from the 500 ft level of said shaft is credited to each of the claims of this survey.

Ore from the east half of the Queen of Shelia lode can also be taken out through these workings.

Note: The failure of the ties of this claim to close when checked through the Amalgamated Copper lode, Survey No. 2418 are due to error in survey No. 2418.

Meridian

The true meridian was ascertained by observing Polaris at West Elongation Feb. 18th 1910, the time for elongation computed from Table V part 1 and 2 manual of instructions for the survey of mineral lands of United States of 1909

Upper culmination of Polaris Feb 15th 1910	3 h 47.1 m
Difference @ 3.95	<hr/> 11.8

For West Elongation add	3 h 35.3 m
	<hr/> 5 . 55

West Elongation Feb. 18. 1910 astronomical 9 h 30.3 m

9h 30.3 m mean astronomical time is equal to Mountain standard time of 10h 00.3 m PM

At 9h 30m PM standard mountain time I set the transit over mark at west end center of King Solomon No 1 at 9h 50m the star apparently did not move and at 10h PM had the vertical wire on the star Then depressed telescope and lined a candle held in a tin can over 400 ft distant up drove a stake held the candle over again and marked the place of intersection, then I turned telescope 180° in azimuth and depressed the telescope and again lined the candle in on the line of sight marked the intersection

On the morning of Feb 19th 1910 I again set transit over mark at west end center of the King Solomon No 1 set instrument at mag. zero then turned the telescope half way between the two marks about $\frac{1}{2}$ inch apart read the vernier, reading was $15.51'$, This minus azimuth of Polaris at elongation from Table IV. $1025'$ gives the magnetic declination as $14^\circ 26' E$ and the azimuth of line 2-3 of King Solomon No 1 $223^\circ 30'$ from true north

Instrument

The survey was made with a L - Beckmann Co mountain and mining transit No 2148, and distances measured with a 100 ft steel tape with soldered marker at every foot, and at each end every 1 of a foot

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John Miller
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of

Hite Gold Mines Company
 known as the King Solomon No. 1, Queen Esther, Uashlai, Queen of Sheba
 and showing the respective capacities in which they acted

X Frank Orduno, Chainman.

, Chainman.

, Axman.

, Flagman.

FINAL OATHS OF ASSISTANTS.

We, I Frank Orduno
 and John Miller, do solemnly swear that we assisted
 the boundaries of the mining claim of

Hite Gold Mines Company
 known as the King Solomon No. 1, Queen Esther, Uashlai, Queen of Sheba
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

X Frank Orduno, Chainman.

, Chainman.

, Axman.

, Flagman.

Subscribed and sworn to by the above-named persons before me this 21st

day of March, 1910.

My commission expires
Nov. 29th 1912.

Mary A. Boyd,
Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, John Miller, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 10, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Hile Gold Miner Company, known as the King Solomon M., Queen Esther, Vashai, Queen of Sheba, situate in Blue Tank Mining District, Yavapai County, Arizona, in Approximate Section approx., Township No. 8 N., Range No. 3 W. Yavapai, and designated as Survey No. 2773, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John Miller

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said

U. S. ~~Deputy~~ Mineral Surveyor, before me

Notary Public

day of March 26 1910,

this 26 1910

My Commission Expires
January 26th 1913.

o 8-154

P. J. Wren
Notary Public

AMENDED LOCATION NOTICE, KING SOLOMON NO.1 LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS: That the subscriber, Hite Gold Mines Company, a corporation duly organized and existing under and by virtue of the laws of the territory of Arizona, does hereby make and file this, its amended and additional certificate of location upon the King Solomon No.1 Lode Mining Claim, claiming and locating by right of the original discovery of L.L.Lyon and John Ellis and the amended and additional location certificate of John Ellis, L.L.Lyon and William Prackwinkel and this amended and additional certificate, three hundred feet in width on each side of the center of said lode at the surface, and all lodes, veins and ledges within the lines of said claim, with all their dips, variations, spurs and angles, claiming and locating twelve hundred and fifty-five feet, linear and horizontal measurement, on said lode, said lode running south fifty-nine degrees twenty-one minutes east, seven hundred fifty feet from the center of the discovery shaft and five hundred five feet north fifty-nine degrees twenty-one minutes west from the center of said discovery shaft, said discovery shaft being situate upon said lode within the lines of said claim in the Blue Tank Mining District, county of Yavapai and territory of Arizona, and being the original discovery shaft of said claim, contiguous to which discovery shaft is a conspicuous monument of stones three feet in height, in which this amended location notice is posted, out of which monument of stones arises an upright post, securely fixed, projecting four feet above the ground. Said claim is more particularly described in the field notes hereinafter set forth, to-wit:

Beginning at Cor.No.1, being a stone 24 in.long, set 12 in.in the ground and chiseled K.S.#1--1, with a substantial stone monument 3 ft.high alongside; whence U.S.M.M.No .1477 bears north 89°44'E.6181 ft; thence N. 59°21'W.1255 ft., to Cor.No.2, being a stone 24 in.long, set 12 in. in the ground and chiseled K.S.#1--2, with a substantial stone monument 3 ft.high alongside; thence S.43°30'W., 307.71 ft., to the W.C.E. monument of the claim, being a stone 24 in.long, set 12 in. in the ground and chiseled W.C.E.--K. S. #1, with a substantial stone monument 3 ft.high alongside; thence S.43°30'W., 307.71 ft., to Cor.No.3, being a stone 24 in.long, set 12 in. in the ground and chiseled K.S.#1--3, with a substantial stone monument 3 ft.high alongside; thence S.59°21'E., 1255 ft.to Cor.No.4, being a stone 24 in.long, set 12 in. in the ground and chiseled K.S.#1--4, with a substantial stone monument 3 ft.high alongside; thence N.43°30'E.,307.71 ft. to the E.C.E. monument of the claim, being a stone 24,in.long, set 12 in..in the ground and chiseled E.C.E.--K.S.#1, with a substantial stone monument 3 ft.high alongside; thence N.43°30'E., 307.71 ft. to Cor.No.1, the place of beginning.

This is the same lode and claim of which the original notice of location was recorded February 26,1898,in the office of the county recorder of Yavapai county, Arizona, in Book 50 of Mines at page 53, and of which an amended location notice was recorded October 1,1898,in the office of the county recorder of Yavapai county, Arizona,in Book 51 of Mines at pages 57 and 58.

The name of this amended lode mining claim remains unchanged and still is the "King Solomon No.1". This amended and additional location is made and filed without waiver of any previous right or rights acquired, made and secured under said former location, for the purpose of correcting any error or errors in said prior location, description of record, and making more specific the boundaries and descriptions of said claim, and for the purpose of acquiring and holding over-lapping, abandoned and forfeited claim or vacant ground.

Date of this amended location and of this certificate is this 23rd day of November, A.D.1909.

(Corporate Seal)

Attest

By A.W.Black.

Secretary.

HITE GOLD MINES COMPANY,

By Peter.Y.Hite

President.

Locator.

Filed and recorded at request of Chalmers & Wilkins January 19,A.D. 1910, at 10:45 o'clock A.M., Book 81 of Mines, pages 230-231, Records of Yavapai County, Arizona.

(Seal) J.C.Bradbury, County Recorder.

By.....Deputy Recorder.

AMENDED LOCATION NOTICE, QUEEN ESTHER LODE MINING CLAIM.

KNOW ALL MEN BY THESE PRESENTS: That the subscriber, Hite Gold Mines Company, a corporation duly organized and existing under and by virtue of the laws of the territory of Arizona, does hereby make and file this, its amended and additional certificate of location upon the Queen Esther Lode Mining Claim, claiming and locating by right of the original discovery of John Ellis and Rosa Ellis and this amended and additional certificate, three hundred feet in width on the eastern side of the center of said lode at the surface and one hundred sixty-one feet in width on the western side of the center of said lode at the surface, and all lodes, veins and ledges within the lines of said claim, with all their dips, variations, spurs and angles, claiming and locating fifteen hundred feet, linear and horizontal measurement, on said lode, said lode running south twenty-seven degrees twenty-eight minutes east, five hundred fifty-seven feet from the center of the discovery shaft, and running north twenty-seven degrees twenty-eight minutes west, nine hundred forty-three feet from the center of said discovery shaft, said discovery shaft being situate upon said lode within the lines of said claim in the Blue Tank Mining District, county of Yavapai and territory of Arizona, and being the original discovery shaft of said claim, contiguous to which discovery shaft is a conspicuous monument of stones three feet in height, in which this amended notice is posted, and out of which monument of stones arises an upright post, securely fixed, projecting four feet above the ground. Said claim is more particularly described in the field notes hereinafter set forth, to-wit:

Beginning at Cor. No. 1, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.E.--1, with a substantial stone monument 3 ft. high alongside; whence U.S.M.M. No. 1477 bears S.88°33'E.6513 ft.; thence N.27°28'W.1500 ft. to Cor. No. 2, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.E.--2, with a substantial stone monument 3 ft. high alongside; thence N.59°21'W.567.98 ft. to the N.C.E. monument of the claim, being a stone 24 in. long, set 12 in. in the ground and chiseled N.C.E.--Q.E., with a substantial stone monument 3 ft. high alongside; thence N.59°21'W.302.35 ft. to Cor. No. 3, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.E.--3, with a substantial stone monument 3 ft. high alongside; thence S.27°28'E.1500 ft. to Cor. No. 4, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.E.--4, with a substantial stone monument 3 ft. high alongside; thence S.59°21'E.302.35 ft. to the S.C.E. monument of the claim, being a stone 24 in. long, set 12 in. in the ground and chiseled S.C.E.--Q.E., with a substantial stone monument 3 ft. high alongside; thence S.59°21'E.567.98 ft. to Cor. No. 1, the place of beginning.

This is the same lode and claim of which the original notice of location was recorded March 10, 1902, in the office of the county recorder of Yavapai county, Arizona, in Book 61 of Mines, at pages 167 and 169.

The name of this amended lode mining claim remains unchanged and still is the "Queen Esther".

This amended and additional location is made and filed without waiver of any previous right or rights acquired, made and secured under said former location, for the purpose of correcting any error or errors in said prior location, descriptions of record, and making more specific the boundaries and descriptions of said claim, and for the purpose of acquiring and holding any overlapping, abandoned or forfeited claim or vacant ground.

Date of this amended location and of this certificate is this 23rd day of November, A.D. 1909.

(CORPORATE SEAL)

Attest:

By A.W. Black.

Secretary.

HITE GOLD MINES COMPANY,

By Peter.Y.Hite

President.

Locator.

Filed and recorded at request of Chalmers & Wilkinson, January 19, A.D. 1910, at 10:45 o'clock A.M., Book 81 of Mines, pages 234-235, Records of Yavapai County, Arizona.

(SEAL) J.U.Bradbury, County Recorder.

By....., Deputy Recorder.

AMENDED LOCATION NOTICE, VASHTAI LODE MINING CLAIM.

KNOW ALL MEN BY THESE PRESENTS: That the subscriber, Hite Gold Mines Company, a corporation duly organized and existing under and by virtue of the laws of the territory of Arizona, does hereby make and file this, its amended and additional certificate of location upon the Vashtai Lode Mining Claim, claiming and locating by right of the original discovery of John Ellis and Rosa Ellis and this amended and additional certificate, two hundred eight feet in width on the eastern side of the center of said lode at the surface and three hundred feet in width on the western side of the center of said lode at the surface, and all lodes, veins and ledges within the lines of said claim, with all their dips, variations, spurs and angles, claiming and locating fifteen hundred feet, linear and horizontal measurement, on said lode, said lode running south twenty-seven degrees twenty-eight minutes east, three hundred thirty-nine feet from the center of the discovery shaft, and running north twenty-seven degrees twenty-eight minutes west, eleven hundred sixty-one feet from the center of said discovery shaft, said discovery shaft being situate upon said lode within the lines of said claim in the Blue Tank Mining District, county of Yavapai and territory of Arizona, and being the original discovery shaft of said claim, contiguous to which discovery shaft is a conspicuous monument of stones three feet in height, in which this amended location notice is posted, and out of which monument of stones arises an upright post, securely fixed, projecting four feet above the ground. Said claim is more particularly described in the field notes hereinafter set forth, to-wit:

Beginning at Cor. No. 1, being a stone 24 in. long, set 12 in. in the ground and chiseled V.--1, with a substantial stone monument 3 ft. high alongside; whence U.S.M.M. No. 1477 bears S.86°18' E.7199 ft.; thence N.27°28'W. 1500 ft. to Cor. No. 2, being a stone 24 in. long, set 12 in. in the ground and chiseled V.--2, with a substantial stone monument 3 ft. high alongside; thence N.79°51'W. 261 ft., to the N.C.E. monument of the claim, being a stone 24 in. long, set 12 in. in the ground and chiseled N.C.E.-V., with a substantial stone monument 3 ft. high alongside; thence N.79° 51' W. 378.73 ft. to Cor. No. 3, being a stone 24 in. long, set 12 in. in the ground and chiseled V.--3, with a substantial stone monument 3 ft. high alongside; thence S. 27° 28' E. 1500 ft., to Cor. No. 4, being a stone 24 in. long, set 12 in. in the ground and chiseled V.--4, with a substantial stone monument 3 ft. high alongside; thence S.79° 51' E. 378.73 ft. to the S.C.E. monument of the claim, being a stone 24 in. long, set 12 in. in the ground and chiseled S.C. E.-V., with a substantial stone monument 3 ft. high alongside; thence S. 79°51' E. 261 ft. to Cor. No. 1, the place of beginning.

This is the same lode and claim of which the original notice of location was recorded February 13, 1903, in the office of the county recorder of Yavapai county, Arizona, in Book 66 of Mines at page 600.

The name of this amended lode mining claim remains unchanged and still is the "Vashtai".

This amended and additional location is made and filed without waiver of any previous right or rights acquired, made and secured under said former location, for the purpose of correcting any error or errors in said prior location, descriptions of record, and making more specific the boundaries and descriptions of said claim, and for the purpose of acquiring and holding any overlapping, abandoned or forfeited claim or vacant ground.

Dated of this amended location and of this certificate is the 23rd day of November, A.D. 1909.

(Corporate Seal)

Attest:

By A.W. Black.

Secretary.

HITE GOLD MINES COMPANY,

By Peter Y. Hite

President.

Locator.

Filed and recorded at request of Chalmers & Wilkinson, January 19, A.D. 1910, at 10:45 o'clock A.M., Book 81 of Mines, pages 228-229, Records of Yavapai County, Arizona.

(Seal) J.U. Bradbury, County Recorder.

By Deputy Recorder.

FEB 10 1910

AMENDED LOCATION NOTICE, QUEEN OF SHEBA LODE MINING CLAIM.

KNOW ALL MEN BY THESE PRESENTS: That the subscriber, Hite Gold Mines Company, a corporation duly organized and existing under and by virtue of the laws of the territory of Arizona, does hereby make and file this, its amended and additional certificate of location upon the Queen of Sheba Lode Mining Claim, claiming and locating by right of the original discovery of John Ellis and Rosa Ellis and this amended and additional certificate, three hundred feet in width on each side of the center of said lode at the surface, and all lodes, veins and ledges within the lines of said claim, with all their dips, variations, spurs and angles, claiming and locating fifteen hundred feet, linear and horizontal measurement, on said lode, said lode running south seventy-nine degrees fifty-one minutes east, six hundred twelve feet from the center of the discovery shaft, and running north seventy-nine degrees fifty-one minutes west, eight hundred eighty-eight feet from the center of said discovery shaft, said discovery shaft being situate upon said lode within the lines of said claim in the Blue Tank Mining District, county of Yavapai and territory of Arizona, and being the original discovery shaft of said claim, contiguous to which discovery shaft in a conspicuous monument of stones three feet in height, in which this amended location notice is posted, and out of which monument of stones arises an upright post, securely fixed, projecting four feet above the ground. Said claim is more particularly described in the field notes hereinafter set forth, to-wit:

Beginning at Cor. No. 1, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.S.--1, with a substantial stone monument 3 ft. high alongside; whence U.S.M.M.no.1477 bears S.86°8'E.7382 ft.; thence N. 79°51'W.1500 ft. to Cor. No. 2, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.S.--2, with a substantial stone monument 3ft. high alongside; thence S.43°30'W.359.14 ft., to the W.C.E.monument of the claim, being a stone 24 in. long, set 12 in. in the ground and chiseled W.C.E.--Q.S., with a substantial stone monument 3ft. high alongside; thence S.43°30'W.359.14 ft. to Cor. No. 3, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.S.--3, with a substantial stone monument 3 ft. high alongside; thence S.79°51'E.1500ft. to Cor. No. 4, being a stone 24 in. long, set 12 in. in the ground and chiseled Q.S.--4, with a substantial stone monument 3 ft. high alongside; thence N.43°30'E.359.14 ft. to the E.C.E. monument of the claim, being a stone 24 in. long set 12 in. in the ground and chiseled E.C.E.--Q.S., with a substantial stone monument 3 ft. high alongside; thence N.43°30'E.359.14 ft. to Cor.No.1, the place of Beginning.

This is the same lode and claim of which the original notice of location was recorded March 4, 1905, in the office of the county recorder of Yavapai county, Arizona, in Book 72 of Mines, at page 642.

The name of this amended lode mining claim remains unchanged and still is the "Queen of Sheba".

This amended and additional location is made and filed without waiver of any previous right or rights acquired, made and secured under said former location, for the purpose of correcting any error or errors in said prior location, descriptions of record, and making more specific the boundaries and holding any overlapping, abandoned or forfeited claim or vacant ground.

Date of this amended location and of this certificate is this 23rd day of November, A.D.1909.

(Corporate Seal)

Attest:

By A.W.Black.
Secretary.

HITE GOLD MINES COMPANY,

By Peter.Y.Hite

President.

Locator.

Filed and recorded at request of Chalmers & Wilkinson, January 19, A.D. 1910, at 10:45 o'clock A.M., Book 81 of Mines, pages 232-233, Records of Yavapai County, Arizona.

(SEAL) J.C.Bradbury, County Recorder.

By Deputy Recorder.

TERRITORY OF ARIZONA, } ss.
COUNTY OF YAVAPAI, }

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of the Amended Location Notices of the "Vashtai", "King Solomon No. 1", "Queen of Sheba" and "Queen Esther" Lode Mining Claims,

filed for record on January 19, A.D. 1910, and as the same appears of record in my office in Book 81 of Mines, at pages 228-229, 230-231, ²³²⁻²³³ and ~~230-231~~, respectively, and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 5th day of February, A.D. 1910.

J. C. Bradbury
County Recorder



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

June 14, 1910., 190.

I, U. S. Surveyor-General for District of Arizona
 do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
 of the mining claim of Hite Gold Mines Company

known as the King Solomon No. 1, Queen Esther, Vashtai and Queen of Sheba
 situate in Blue Tank

Mining District, Yavapai County, Arizona
 in Section Approx., Township No. 8 N., Range No. 3 W., Unsur., and
 designated as Survey No. 2773, has been correctly copied from the originals on file in
 this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
 incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
 to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements
 or for each of
 made upon said mining claim by claimant or its grantors, and that said improvements
 consist of 4 shafts, 1 tunnel, 1 cut, 1 crosscut and 4 drifts,
 total value \$27045.00. Shaft No. 4 and drift No. 5 on the King
 Solomon No. 1 lode, being common improvements for the benefit
 and development of all the claims in this group, an undivided
 one-fourth interest therein, value \$4330, is properly credited
 to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures
 upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix
 Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

June 14, 1910, 190...

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Hite Gold Mines Company

, known as the
King Solomon No. 1, Queen Esther, Vashtai and Queen of Sheba
situate in Blue Tank Mining District,
Yavapai County, Arizona

in Section Approx., Township No. 8 N., Range No. 3 W. Unsur.
, designated as Survey No. 2773

executed by John Miller, U. S. Deputy Mineral
Surveyor, February 17-22, 1910., 190..., under my instructions dated

February 10, 1910., 190..., have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

U. S. Surveyor-General for Arizona.