

MAY 23 1910

(4-683.)

Mineral Survey No. 2774

Lot No. _____

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. B. NEWMAN

KNOWN AS THE

Philadelphia, Wetumpka, Red Rover, Red Warrior,

Deadwood, Dacite, Red Rock Fraction, Race Horse.

GLOBE Mining District.

GILA County, ARIZONA

approximately in

Section 22, 23, 27, 26, Township 1 N., Range 14 E, unsurveyed

Surveyed under instructions dated February 12, 1910:

by Edwin J. Stewart,

U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced March 6th, 1910.

Survey completed April 29, 1910.

6-100

Address of claimant's Attorneys:

Alderman & Elliott,

Globe, Arizona.

Mineral Survey No. 2774.

Feet.

Red Rover Lode.

Beginning at Cor. No. 1, identical with S.W. Cor. of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-R.R.-2774, whence

U.S.L.M. No. 2652 bears N.67°-06'-20"W. 1347.2 ft.

The Cor. of sections 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G.&S.R.B.&M. bears S.67°-58'-50"E. 12315.6 ft.

Thence N.08°-30'E.

778.47 Intersect line 2-3, Santa Fe lode, Sur.No.2652, S.09°-14'E. 424.1 ft. from Cor. 3.

1046.0 Cross road, course northeast.

1080.0 Cross gulch, course northeast.

1191.56 Intersect line 1-2, Huntessville lode, Sur.No.2652, N.85°-31'W. 22.8 ft. from Cor. 2.

1197.67 To Cor. No. 2, identical with N.W. Cor. of the location.

A pine post, 5 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-R.R.-2774, whence

A cedar tree (a bearing tree for corners 2 and 4 of Huntessville and Lucky Bill lodes of Sur.No.2652) 8 ins. diameter, blazed and scribed cross B.T.- 2-4-2652, bears S.08°-48'W. 45.9 ft. It is impracticable to scribe this tree with the number of this survey.

Thence S.81°-30'E.

20.59 Intersect lines 2-3 and 3-4 of Huntessville and Lucky Bill lodes, of survey No. 2652, N.17°-00'W. 5.01 ft. from Cors.No.2 and 4.

87.08 Intersect line 4-1, Lucky Bill lode, Sur.No.2652, S.85°-31'E. 64.49 ft. from Cor.No.4.

208.0 Cross gulch, course northeast

221.0 Cross road, course northeast.

- 300.0 To N.E.C., identical with monument of the location.
A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.C.-R.R.-2774.
- 385.31 Intersect line 2-3, Read Warrior lode, this survey, N.11°-09'W. 638.45 ft. from Cor.No.2.
- 429.0 Cross road, course southeast.
- 477.46 Intersect line 3-4, Read Warrior lode, this survey, S.66°-42'E. 105.25 ft. from Cor.No.3.
- 490.0 Cross gulch, course southeast.
- 582.50 Intersect line 1-2, Deadwood lode, this survey, N.06°-51'W. 31.03 ft. from Cor.No.1.
- 600.00 To Cor. No. 3, identical with N.E. Cor. of the location.
A pine post, 5 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins in the ground, with mound of stone, scribed 3-R.R.-2774.
Thence S.08°-30'W.
- 32.38 Intersect lines 4-1 and 3-4 of Deadwood and Read Warrior lodes, of this survey, S.66°-42'E. 9.31 ft. from Cor.No.1 of said Deadwood lode and S.66°-42'E. 231.99 ft. from Cor.No.3 of said Read Warrior lode.
- 87.0 Cross road, course east.
- 105.0 Cross gulch, course southeast.
- 601.27 To Cors No.2 and 3 of Read Warrior and Wetumpka lodes, of this survey.
Along line 3-2 of said Wetumpka lode.
- 899.87 To W.E.C. of said Wetumpka lode.
- 1197.67 To Cor. No. 4, identical with S.E. Cor. of the location and Cor.No.2, Wetumpka lode, this survey.
A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 4-R.R.-2774 for this claim, whence
A dacite boulder, 3 x 4 x 6 ft. out of the ground, scribed cross B.R.-2774, bears N.39°-47'E. 39.1 ft.

Thence N.81°-30'W.

300.00 To S.E.C., identical with monument of the location.
A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 20 ins. in the ground, scribed S.E.C.-R.R.-2774.

351.06 Intersect line 2-3, Santa Fe lode, Sur.^{No.}2652, N.09°-14'W. 123.67 ft. from Cor.^{No.}2 and S.09°-14'E. 817.33 ft. from the intersection of said line 2-3, Santa Fe lode with line 1-2 of this claim, and 1241.43 ft. from Cor. No.3

600.00 To Cor. No. 1, the place of beginning.

Deadwood Lode.

Beginning at Cor. No. 1, identical with S.W. Cor. of the location.

A pine post 5 ft. long, 4 ins. sq., with nail driven at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 1-D-2774, whence

U.S.L.M. No. 2652 bears S.74°-47'-00"W. 2070.5 ft.

The Cor. of sections 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G. & S.R.B. & M., bears S.61°-55'-50"E. 12081.4 ft.

Thence N.06°-51'W.

31.03 Intersect line 2-3, Red Rover lode, this survey N.81°-30'W. 17.5 ft. from Cor.No3.

33.2 To W.E.C., identical with monument of the location.
A pine post, 5 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed W.E.C.-D-2774.

66.4 To Cor. No. 2, identical with N.W. Cor. of the location.
On line 4-1, Lucky Bill lode, Sur.^{No.}2652, N.85°-31'W. 918.4 ft. from Cor.No1 and S.85°-31'E. 551.74 ft. from Cor.No4.

A pine post, 5 ft long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-D-2774.

Thence S.89°-57'E.

- 893.88 Intersect line 1-2, Lucky Bill lode, Sur.No.2652. N.17°-00'W. 74.26 ft. from Cor.No.1.
- 1303.45 To Cor. No. 3, identical with N.E.Cor. of the location. A pine post, 5 ft. long, 4 ins. sq., with nail driven at the exact corner, set 24 ins. in the ground, scribed 3-D-2774.

Thence S.06°-51'E.

- 165.0 Cross road, course northeast.
- 240.0 Cross gulch, course southeast.
- 316.7 To E.E.C., identical with monument of the location. A pine post, 5 ft. long, 4 ins. sq., with nail driven at the exact point, set 24 ins. in the ground, scribed E.E.C.-D-2774.
- 626.58 Intersect line 3-4, Race Horse lode, this survey, S.66°-40'E. 254.75 ft. from Cor.No.3.
- 661.5 To Cor. No. 4, identical with S.E.Cor. of the location. A pine post, 4 ft long, 4 ins. sq., with nail driven at the exact corner, set 4 ins. in the ground, on bed rock, with mound of stone, scribed 4-D-2774.

Thence N.66°-42'W.

- 260.65 To Cor. 4, Read Warrior lode, this survey, and intersect line 2-3, Race Horse lode, this survey, S.02°-19'W. 32.5 ft. from Cor.No.3.
- Along line 4-3, Read Warrior lode, this survey.
- 1233.0 Cross gulch, course northeast.
- 1251.0 Cross road, course east.
- 1486.89 Intersect line 3-4, Red Rover lode, this survey, S.08°-30'W. 32.38 ft. from Cor.No.3.
- 1496.50 To Cor. No. 1, the place of beginning.

Read Warrior Lode.

Beginning at Cor. No. 1, from which the monument of the location, a mound of stone, 2 ft. base and 2.5 ft. high bears S.66°-42'E. 41.75 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 20 ins. in the ground, with mound of stone, scribed 1-R.W.-2774, whence

The corner of sections 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G.&S.R.B. & M., bears S.64°-12'-10"E. 10436.5 ft.

Thence N.66°-42'W.

97.47 To Cor. No. 4, Wetumpka lode, this survey.

Along line 4-3 of said Wetumpka lode.

101.0 Cross road, course north.

157.0 Cross gulch, course north.

166.36 Intersect line 2-3, Race Horse lode, this survey, S.02°-19'W. 621.59 ft. from Cor.No.3.

1458.22 To Cor. No. 2, identical with S.W.Cor. of the location and Cor.No.3, Wetumpka lode, this survey.

On line 3-4, Red Rover lode, this survey, S.08°-30'W. 601.27 ft. from Cor.No.3.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-R.W.-2774 for this claim.

Thence N.11°-09'W.

333.5 To W.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 24 ins. in the ground, with mound of stone, scribed W.E.C.-R.W.-2774.

638.45 Intersect line 2-3, Red Rover lode, this survey, N.81°-30'W. 214.69 ft. from Cor.No.3.

647.3 To witness corner for Cor. No. 3.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed W.C.-3-R.W.-2774, from which the point for Cor.No.3 bears N.11°-09'W. 19.7 ft.

660.01 Intersect line 4-1, Lucky Bill lode, Sur 2652, S.85°-31'E. 356.22 ft. from Cor.No.4.

667.00 To Cor. No. 3, identical with point for N.W. Cor. of the location.

Corner not set on account of falling in road where permanent monument could not be maintained.

Witness Cor. ^{heretofore described} bears S.11°-09'E. 19.7 ft.

A dacite boulder, 1 x 1 x 2 ft. out of the ground, chiseled cross B.R.-2774 bears N.76°-00'E. 31.3 ft.

Thence S.66°-42'E.

20.87 Intersect line 4-1, Lucky Bill lode, Sur.No.2652, S.85°-31'E. 374.09 ft. from Cor.No.4.

105.25 Intersect line 2-3, Red Rover lode, this survey, N.81°-30'W. 122.54 ft. from Cor.No.3.

130.00 Cross gulch, course southeast.

222.38 To Cor. No. 1, Deadwood lode, this survey.

Along line 1-4 of said Deadwood lode.

231.99 Intersect line 3-4, Red Rover lode, this survey, S.08°-30'W. 32.38 ft. from Cor.No.3.

1458.22 To Cor. No. 4, from which the ^{N.E. Cor.} monument of the location, a mound of stone, 2.5 ft. base and 2.5 ft. high bears S.66°-42'E. 41.75 ft.

On line 2-3, Race Horse lode, this survey, S.02°-19'W. 32.5 ft. from Cor.No.3.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-R.W.-2774.

Thence S.11°-09'E.

333.5 To E.E.C., from which the monument of the location, a mound of stone, 2.5 ft. base and 2.5 ft. high bears S.66°-42'E. 41.75 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed, E.E.C.-R.W.-2774.

500.0 Cross gulch, course northeast.

519.0 Cross road, course northeast.

667.00 To Cor. No. 1, the place of beginning.

Wetumpka Lode.

Beginning at Cor. No. 1, from which the monument of the location, a mound of stone, 2.5 ft. base and 2.0 ft. high bears S.66°-40'E. 139.22 ft.

On line 2-3, Race Horse lode, this survey, N.02°-19'E. 113.55 ft. from Cor.No2.

A pine post, 5 ft. long, 4 ins. sq., with nail driven at the exact corner, set 4 ins. in the ground, with mound of stone, scribed 1-W-2774, whence

The corner of sections 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G. & S.R.B. & M. bears S.67°-22'-40"E. 10372.2 ft.

A dacite boulder, 4 x 4 x 5 ft., chiseled cross B.R.-2774, bears N.05°-50'E. 63.7 ft.

Thence N.66°-40'W.

220.00 Cross gulch, course northeast.

245.00 Cross road, course northeast.

1360.96 To Cor. No. 2, identical with S.W. Cor. of the location, and Cor.No4, Red Rover lode, this survey.

Corner previously described, and to which I add 2-W. for this claim.

Thence N.08°-30'E.

Along line 4-3, Red Rover lode, this survey.

297.80 To W.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed W.E.C.-W-2774.

596.40 To Cor. No. 3, identical with N.W. Cor. of the location, and Cor.No2, Read Warrior lode, this survey.

Corner previously described, and to which I add 3-W for this claim.

Thence S.66°-42'E.

Along line 2-1, Read Warrior lode, this survey.

1291.86 Intersect line 2-3, Race Horse lode, this survey, N.02°-19'E. 731.95 ft. from Cor.No.2.

1360.75 To Cor. No. 4, from which the monument of the location, a mound of stone, 2 ft. base and 2.5 ft. high bears S.66°-42'E.139.22 ft.

Cor. not set on account of falling in edge of road where permanent monument could not be maintained.

Witness Cor. bears S.08°-30'W. 15.0 ft.

Thence S.08°-30'W.

15.00 To Witness Cor. for Cor. No. 4.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 20 ins. in the ground, with mound of stone, scribed W.C.-4-W-2774, whence true corner point bears N.08°30'E. 15 ft.

298.60 To E.E.C., from which the monument of the location, a mound of stone 2.5^{ft} base and 2 ft. high bears S.66°-42'E. 139.22 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed E.E.C.-W.-2774.

597.20 To Cor. No. 1, the place of beginning.

Race Horse Lode.

Beginning at Cor. No. 1, from which the monument of the location, a redwood post 4 ft. long, 4 ins. sq., in a mound of stone bears S.02°-19'W. 145.86 ft.

On line 2-3, Philadelphia lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 3 ins. in the ground, on bed rock, scribed 1-R.H.-2774, whence

The corner of sections 25, 36, 30 and 31, T.1 N., Rs. 14 and 15 E., G. & S.R.B. & M. bears S.68°-00'-20"E. 10049.1 ft.

Thence N.66°-40'W.

88.60 To S.E.C., from which the monument of the location, a mound of stone, 3 ft. base and 1 ft. high, bears S.02°-19'W. 145.86 ft.

- A pine post, 4 ft long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.C.-R.H.-2774.
- 275.00 Cross road, course southwest.
- 284.40 To Cor. No. 2, identical with Cor. No. 3, Live Oak No.4
^{Sur. No.}
lode, 2684, from which the S.W. Cor. of the location, a mound of stone 2.5 ft. base and 2.5 ft. high, brs. S.02° 19' W. 145.86 ft., A. pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone scribed 3-2684-L.O.No.4, to which I add 2-R.H.-2774 for this claim.
Thence N. 02° 19' E.
- 37.00 Cross road, course southwest
- 113.55 To Cor. No. 1, Wetumpka lode, this survey, from which Cor. No. 4 of said Wetumpka lode bears N.08°-30'E.
597.2 ft.
- 570.00 Cross road, course northeast.
- 687.00 Cross gulch, course north.
- 731.95 Intersect lines 3-4 and 1-2, Wetumpka and Read Warrior lodes, of this survey, N.66°-42'W. 68.89 ft. from Cor. No.4 of said Wetumpka lode and N.66°-42'W. 166.36 ft. from Cor. No. 1 of said Read Warrior lode.
- 1321.04 To Cor. No. 4, Read Warrior lode, this survey, and intersect line 4-1, Deadwood lode, this survey, N.66°-42'W. 260.65 ft. from Cor.No.4, whence; Cor. No. 1 of said Read Warrior lode bears S.11°-09'E. 667.0 ft.
- 1353.54 To Cor. No. 3, identical with N.W. Cor. of the location: A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-R.H.-2774.
Thence S.66°-40'E.
- 195.80 To N.E.C., identical with monument of the location. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 7 ins. in the ground, on bed rock, with mound of stone, scribed N.E.C.-R.H.-2774.
- 254.75 Intersect line 3-4, Deadwood lode, this survey, N.06°-51'W. 34.92 ft. from Cor.No.4.

- 284.40 To Cor. No. 4, identical with N.E. Cor. of the location.
 A dacite boulder, 3 x 5 x 7 ft. out of the ground,
 chiseled cross at the exact corner and 4-R.H.-2774, with
 mound of stone 3 ft base and 2.5 ft. high built along side.
 Thence S.02°-19'W.
- 46.20 To Cor. No. 3, Philadelphia lode, this survey.
 Along line 3-2 of said Philadelphia lode.
- 348.00 Cross road, course northeast.
- 372.00 Cross gulch, course northeast.
- 965.59 Intersect line 3-4, Summit lode, Sur.No.2565, N.59°-12'E.
 191.65 ft. from Cor.No.3.
- 1089.44 Intersect line 2-3, Summit lode, Sur.No.2565, S.80°-53'E.
 161.66 ft. from Cor. 3.
- 1216.00 Cross road, course southwest.
- 1287.20 Intersect line 3-4, Live Oak No. 4 lode, Sur.No.2684,
 S.80°-02'E. 267.86 ft. from Cor.No.3.
- 1353.54 To Cor. No. 1, the place of beginning.
 Philadelphia Lode.
 Beginning at Cor. No. 1, identical with S.E. Cor. of
 the location.
 A redwood post, 4 ft long, 4 ins. sq., with nail driven
 at the exact corner, set 18 ins. in the ground, with
 mound of stone, scribed 1-2774-Phil., whence
 The corner of sections 25, 36, 30 and 31, T. 1 N., Rs.
 14 and 15 E., G. & S.R.B. & M. bears S.68°-12'-00"E.
 9409.3 ft.
 Thence N.78°-08'W.
- 15.00 Cross road, course southwest.
- 200.00 Cross road, course northwest.
- 293.17 Intersect lines 2-3 and 4-1 of Live Oak No. 3 and Live
 Oak No. 4 lodes, of Sur.No.2684, S.09°-28'W. 220.42 ft.
 from Cors.No.3 and 4 respectively.
- 300.00 To S.E.C., identical with monument of the location.
 A redwood post, 4 ft. long, 4 ins. sq., with nail driven

at exact point, set on bed rock, in mound of stone,
 scribed S.E.C.-Phil-2774.

545.0 Cross road, course northwest.
 600.00 To Cor. No. 2, identical with S. W. Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven
 at the exact corner, set 10 ins. in the ground, on
 bed rock, with mound of stone, scribed 2-2774-Phil.,
 whence

A pine tree, 7 ins. diameter, blazed and scribed on the
 southeast side, cross B.T.-2774, bears N.62°-46'W.
 56.3 ft.

Thence N.02°-19'E.

70.00 Cross road, course northwest.

145.86 To Cor. No. 1, Race Horse lode, this survey.

Along line 1-4 of said Race Horse lode.

212.20 Intersect line 3-4, Live Oak No. 4 lode, Sur.No.2684,
 N.80°-02'W. 332.94 ft. from Cor.No.4.

408.96 Intersect line 2-3, Summit lode, Sur.No.2565, S.80°-53'E.
 161.66 ft. from Cor.No.3.

532.81 Intersect line 3-4, Summit lode, Sur.No.2565, N.59°-12'E.
 191.65 ft. from Cor.No.3.

1453.20 To Cor. No. 3, identical with N.W.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven
 at the exact corner, set on bed rock, in mound of
 stone, scribed 3-2774-Phil., whence

A drill hole, 5/8 in. in diameter, in dacite in place,
 about which is chiseled B.R.-2774, bears N.41°-56'W.
 14.3 ft.

Thence S.78°-08'E.

211:00 Cross road, course north

258.28 Intersect line 3-4, Gladiator lode as surveyed under
 Sur. No. 2379, N.10°-22'E. 306.01 ft from Cor.No.3.

259.14 Intersect line 3-4, Gladiator lode as surveyed under
 Sur. No. 2638, N.10°-13'E. 305.65 ft. from Cor.No.3.

266.00 Cross gulch, course north.

- 300.00 To N.E.C., identical with monument of the location.
A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 4 ins. in the ground, on bed rock, with mound of stone, scribed N.E.C.-Phil.-2774.
- 600.00 To Cor No. 4, identical with N.E.Cor. of the location.
A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-2774-Phil.
Thence S.02°-19'W.
- 226.49 To Cor. No. 3, Dacite lode, this survey, and intersect line 2-3, Gladiator lode, Surveys^{Nos} 2379 and 2638, N.89°-20'E. 380.36 ft. from Cor.No.3 of said Gladiator lode as surveyed under Sur. No. 2379 and N.89°-20'E. 378.66 ft. from Cor. 3 of said Gladiator lode as surveyed under Sur. No. 2638.
Along line 3-2, Dacite lode, this survey.
- 302.49 To W.E.C. of said Dacite lode.
- 434.89 To Cor. No. 2 of said Dacite lode, and intersect line 3-4, Summit lode, Sur.^{No}2565, S:59°-12'W. 583.91 ft. from Cor.No.4 and N.59°-12'E. 706.44 ft. from the intersection of said line 3-4, Summit lode with line 2-3 of this claim, and 898.09 ft. from Cor. No. 3.
- 991.00 Cross road, course south.
- 1015.25 Intersect line 3-4, Red Rock Fraction lode, this survey and line 2-3, Summit lode, Sur.No.2565, S.80°-53'E. 374.23 ft. from Cor.^{No}3 of said Red Rock Fraction lode and N.80°-53'W. 42.47 ft. from Cor.^{No}2, Summit lode and S.80°-53'E. 595.87 ft. from the intersection of said line 2-3, Summit lode, with line 2-3 of this claim, and 757.53 ft from Cor. No. 3
- 1220.80 To Cors. 2 and 3 respectively, Red Rock Fraction lode, this survey, and Finis lode, Sur.^{No}2702, and intersect line 3-4, Live Oak No. 3 lode, Sur.^{No}2684, whence Cor. No. 3 of said Live Oak No. 3 lode bears N.80°-04'W. 264.04 ft., and Cor.^{No}3 of said Red Rock Fraction lode bears N.53°-46'W. 447.8 ft.

1453.20 To Cor. No. 1, the place of beginning.

Dacite Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound, of stone, scribed 1-D-2774, whence

The Cor. of sections 25, 36, 30 and 31, T.1 N., Rs. 14 and 15 E., G. & S.R.B. & M. bears S.61°-10'-40"E. 9524.4 ft.

Thence S.77°-09'W.

270.00 Cross road, course north.

359.75 To Cor. No. 2, identical with S.W. Cor. of the location.

At the intersection of line 4-1, Philadelphia lode, this survey, with line 3-4, Summit lode, Sur.No. 2565, being S.02°-19'W. 434.89 ft. from Cor.No.4 of said Philadelphia lode and S.59°-12'W. 583.91 ft. from Cor.No.4 of said Summit lode.

A redwood post, 4 ft long, 4 ins. sq., with nail driven at the exact corner, set 6 ins. in the ground, on bed rock, with mound of stone, scribed 2-D-2774, whence

A 5/8 inch drill hole, in dacite in place, about which is chiseled B.R.-2774, bears N.77°-09'E. 10.1 ft.

Thence N.02°-19'E.

Along line 1-4, Philadelphia lode, this survey.

132.40 To W.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed W.E.C.-D.-2774.

208.40 To Cor. No. 3, identical with N.W. Cor. of the location.

At intersection of line 4-1, Philadelphia lode, this survey, with line 2-3, Gladiator lode, Surveys^{No.} 2379 and 2638, S.89°-20'W. 984.11 ft. from Cor. 2 of both surveys.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-D-2774.

Thence N.77°-09'E.

359.75 To Cor. No. 4, identical with N.E. Cor. of the location.
A redwood post, 4 ft. long, 4 ins. sq., with nail driven
at the exact corner, set 12 ins. in the ground, on
bed rock, scribed 4-D-2774.

Thence S.02°-19'W.

76.00 To E.E.C., identical with monument of the location.
At intersection of line 3-4, Summit lode, Sur. No. 2565,
with line 2-3, Gladiator lode, Surveys^{Nos.} 2379 and 2638,
being S.59°-12'W. 169.36 ft. from Cor. No. 4 of said
Summit lode and S.89°-20'W. 636.43 ft. from Cor. No. 3,
of both surveys of said Gladiator lode.

A redwood post, 4 ft long, 4 ins. sq., with nail driven
at the exact point, set 12 ins in the ground, on bed
rock, with mound of stone, scribed E.E.C.-D-2774.

208.40 To Cor. no. 1, the place of beginning.

Red Rock Fraction Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the
location, Cors.^{Nos.} 3 and 2, Copper Hill and Red Mountain
lodes, Sur. No. 2565, and Cor. No. 5, Finis lode, Sur. No. 2702.

A pine post, 4 ft. long, 4 ins. sq., with nail driven
at the exact corner, set 18 ins. in the ground, with
mound of stone, scribed 3-C.H., 2-R.M.-2565; 5-F-2702,
to which I add 1-R.R.Fr.-2774 for this claim, whence

The corner of sections 25, 36, 30 and 31, T. 1 N., Rs.
14 and 15 E., G. & S.R.B. & M. bears S.64°-11'-20"E.
8706.4 ft.

Cor. No. 4, Finis lode, Sur. No. 2702, bears N.80°-53'W.
424.8 ft, and Cor. No. 3 Red Mountain lode, bears N.80° 53'W. 849.60 ft.

Thence S.85°-52'W.

640.00 Cross road, course northwest.

891.50 To Cor. No. 2, identical with S.W. Cor. of the location
and Cor. 3, Finis lode, Sur. 2702.

At the intersection of line 4-1, Philadelphia lode, this survey, with line 3-4, Live Oak No. 3 lode, Sur.No. 2684, being N.02°-19'E. 232.4 ft. from Cor.No.1 of said Philadelphia lode.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-F-2702, to which I add 2-R.R.Fr.-2774, for this claim, whence

Cor.No.4, Finis lode, Sur.No.2702, bears N.74°-22'E. 487.8 ft.
Thence N.53°-46'W.

31.00 Cross road, course north.

125.50 To W.E.C., identical with monument of the location.

A pine post, 5 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed W.E.C.-R.R.Fr.-2774.

447.80 To Cor. No. 3, identical with N.W.Cor. of the location.

On line 2-3, Summit lode, Sur.No.2565, S.80°-53'E. 383.3 ft. from Cor.No.3.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-R.R.Fr.-2774, whence

The N.E.Cor. of the location bears N.77°-59'E. 773.65 ft.
Thence S.80°-53'E.

Along line 2-3, Summit lode, Sur.No.2565.

16.70 To S.W.E.C. of said Summit lode.

366.00 Cross road, course north

374.23 Intersect line 4-1, Philadelphia lode, this survey, N.02°-19'E. 437.95 ft. from Cor.No.1.

416.70 To Cor. No. 4, identical with Cors. Nos. 2 and 3, Summit and Red Mountain lodes, Sur.No.2565.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-S, 3-R.M.-2565 and to which I add 4-R.R.Fr.-2774, for this claim.

Thence N.56°-39'E.

353.00 Cross road, course west.

413.21 To Cor. No. 5, identical with N.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 5-R.R.Fr.-2774.

Thence S.53°-46'E.

19.97 Intersect lines 1-2 and 3-4, Summit and Red Mountain lodes, Sur. No. 2565, N.59°-12'E. 420.59 ft. from Cors. Nos. 2 and 3 respectively.

376.87 To E.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed E.E.C.-R.R.Fr.-2774.

392.00 Cross road, course southwest.

612.07 To Cor. No. 1, the place of beginning.

oooooooooooooooooooooooooooo

Magnetic variation at all corners 13°-40'E.

oooooooooooooooooooooooooooo

Lode lines.

As near as can be determined from present developments, the veins of the several locations embraced in this survey extend as follows from their respective discovery points:

Red Rover, N.08°-30'E. 68.8^{ft.} and S.08°-30'W. 1128.87 ft.

Deadwood, N.78°-04'W. 1176.0^{ft.} and S.78°-04'E. 190.8 ft.

Read Warrior, N.66°-42'W. 1057.12^{ft.} and S.66°-42'E. 401.1 ft.

Wetumpka, N.66°-42'W. 448.1^{ft.} and S.66°-42'E. 912.96 ft.

Race Horse, N.02°-19'E. 1243.94^{ft.} and S.02°-19'W. 109.6 ft.

Philadelphia, N.02°-19'E. 562.2^{ft.} and S.02°-19'W. 891.0 ft.

Dacite, N.77°-09'E. 161.05 ft. and S.77°-09'W. 198.7 ft.

Red Rock Fraction, N.80°-50'E. 647.5^{ft.} and S.80°-50'W.

163.5 ft.

oooooooooooooooooooooooooooo

Areas.	Acres.	Acres.
Total area Red Rover lode,		16.497
Area in conflict with:		
Santa Fe lode, Sur.No.2652	2.225	
Huntesville lode, Sur.No.2652	0.003	
Lucky Bill lode, Sur.No.2652	0.003	
Read Warrior lode, this survey	1.436	
Deadwood lode, this survey	0.009	
Total area Deadwood lode,		10.812
Area in conflict with:		
Lucky Bill lode, Sur.No.2652	0.728	
Race Horse lode, this survey	0.179	
Total area Read Warrior lode,		18.413
Area in conflict with:		
Lucky Bill lode, Sur.No.2652	0.001	
Total area Wetumpka lode		18.025
Total Area Race Horse lode		8.249
Area in conflict with:		
Read Warrior lode, this survey	1.050	
Wetumpka lode, this survey	0.457	
Live Oak No. 4 lode, Sur.No.2684	0.202	
Summit lode, Sur. 2565	0.228	
Total area Philadelphia lode		19.739
Area in conflict with:		
Gladiator lode, Sur.No.2379	2.187	
Gladiator lode, Sur.No.2638	2.178	
Summit lode, Sur.No.2565	4.783	
Live Oak No. 3 lode, Sur.No.2684	1.439	
Live Oak No. 4 lode, Sur.No.2684	1.579	
Tract A, hereinafter described	0.771	
Total area Dacite lode		1.661
Area in conflict with:		
Gladiator lode, Sur.No.2379	0.303	
Gladiator lode, Sur.No.2638	0.303	
Summit lode, Sur.No.2565	0.528	
Total area Red Rock Fraction lode		5.689
Area in conflict with:		
Summit lode, Sur.No.2565	0.089	
Red Mountain lode, Sur.No.2565	2.632	
Philadelphia lode, this survey	0.877	
Finis lode, Sur.No.2702	0.996	
Common conflicts:		
Philadelphia lode, this survey, with Gladiator lode, Surs. 2379 and 2638,	2.178	
Philadelphia lode, this survey, with Tract A, and Live Oak No. 3 lode, Sur.No.2684,	0.771	
Beginning at Cor. Tract A,		
Beginning at Cor. No. 1, Philadelphia lode, of this survey; thence N.78°-08'W. 293.17 ft. to the intersection of line 1-2 of said Philadelphia lode with lines 2-3 and 4-1, Live Oak No. 3 and Live Oak No. 4 lodes, Sur.No.2684; thence N.59°-53'E. 342.56 ft. to Cor. No. 2, Red Rock Fraction lode, this survey, and Cor.No.3 Finis lode, Sur.No.2702, and intersection of line 4-1, Philadelphia lode,		

this survey, with line 3-4, Live Oak No. 3, lode, Sur.No. 2684; thence S.02°-19'W. along said line 4-1, Philadelphia lode, 232.4 ft. to the place of beginning. Said tract A containing 0.771 acre.

oooooooooooooooooooooooooooo

Location.

This survey is located approximately in sections 22, 23, 27 and 26, T.1 N., R. 14 E., G.& S.R.B.& M., unsurveyed, Globe Mining District, Gila County, Arizona, in the Crook National Forest.

oooooooooooooooooooooooooooo

Adjoining and Conflicting Claims.

On the north: The Huntessville and Lucky Bill lodes, Sur.No.2652, the Inspiration Copper Co., claimant; the Blue Prince lode, uns., A.Trojanovich, claimant, and the Gladiator lode, Surveys^{Nos.} 2379 and 2638, the Inspiration Copper Co., claimant.

On the east: The Summit, Red Mountain and Copper Hill lodes of Sur.^{No.} 2565, the New Keystone Copper Co., claimant.

On the south: The Finis lode, Sur.^{No.} 2702, Live Oak No. 3 lode and Live Oak No. 4 lode of Sur.^{No.} 2684, the Live Oak Copper Mining and Smelting Co., claimant; the Barney No. 19 and Barney^{No.} 22 lodes, uns., J.D.Coplen, et al., claimants.

On the west: The Santa Fe lode, Sur.^{No.} 2652, the Inspiration Copper Co., claimant.

oooooooooooooooooooooooooooo

Discovery and Improvements.

Red Rover, Lode.

No. 1, the discovery, 13 ft. of cut and 23 ft. of tunnel, 5 x 6 ft., which is intersected by the lode line S.08°-30'W. 68.8 ft. from the N.E.C., and extends thence S.10°-30'W. 23.0 ft. to face and N.10°-20'E. 13.0 ft. to mouth. Value \$200.00.

1/3 of improvement No. 7 on the Read Warrior lode, this survey, which is credited to this claim. Value \$1400.00.

Deadwood Lode.

No. 1, the discovery, a cut, 6 x 10 x 14 ft., which is intersected by the lode line N.78°-04'W. 190.8 ft. from the E.E.C., and extends S.64°-30'W. 10.0 ft. to face and N.64°-30'E. 4.0 ft. to mouth. Value \$40.00.

No. 2, cut, 6 x 15 x 30 ft., the center of the mouth of which bears S.65°-15'W. 145.8 ft. from the E.E.C., and extends S.43°-00'W. to face. Value \$80.00.

No. 3, 11 ft of cut and 142.0 ft. of tunnel, 4 x 6 ft., the center of the mouth of which bears S.62°-39'W. 107.8 ft. from the E.E.C., and extends thence S.40°-20'W. 58.0 ft.; thence S.35°-00'W. 55.0 ft.; thence S.55°-30'W. 40.0 ft. to face. Value \$1030.00.

Read Warrior Lode.

No. 1, the discovery, 13 ft. of cut and 64 ft. of tunnel, which is intersected by the lode line N.66°-42'W. 401.1 ft. from the E.E.C., and extends thence west 33.0 ft. to face and S.58°-55'E. 44.0 ft. to mouth. Value \$350.00.

No. 2, cut 5 x 15 x 37, the center of the mouth of which bears N.61°-47'W. 325.1 ft. from a point on the lode line 212.1 ft. from the E.E.C., and extends S.87°-30'W. to face. Value \$85.00.

No. 3, 22 ft. of cut and 92 ft. of tunnel, 4 x 6 ft., the center of the mouth of which bears N.56°-28'W. 258.1 ft. from a point on the lode line 212.1 ft. from the E.E.C., and extends S.86°-20'W. to face. Value \$720.00.

No. 4, cut, 4 x 10 x 35, the center of the mouth of which bears N.84°-34'W. 171.4 ft. from a point on the lode line 212.1 ft. from the E.E.C., and extends N.53°-30'W. to face. Value, \$115.00

No. 5, shaft, 4 x 6 x 11, the center of the N.W. side of which bears S.89°-16'W. 107.4 ft. from a point on the

lode line 212.1 ft. from the E.E.C. Value \$75.00.

No. 6, shaft, 5 x 8 x 22 ft., the N.E. Cor. of which bears S.77°-20'W. 112.5 ft. from a point on the lode line 212.1 ft. from the E.E.C. Value \$170.00.

No. 7, 700 ft. of tunnel, 4 x 7 ft., partially timbered, the portal of which bears S.06°-51'E. 150.3 ft. from a point on line 3-4, 263.1 ft. from Cor. No. 3, and extends thence S.17°-37'E. to face.

At the present time this tunnel is caved in at a distance of 120 ft. from the portal, and I base my report of the total length and size of it on the affidavits of two disinterested parties, which affidavits accompany these returns.

The surface of the ground rises rapidly from the portal of the tunnel in a southerly direction to the extent that the face is at considerable depth below the surface and within the boundaries of the Wetumpka lode of this survey, and so located that it tends to develop the Red Rover lode of this survey as well as the Read Warrior and Wetumpka lodes, and so situated that by drifts and cross cuts from it the development of and extraction of ore from each the said Read Warrior, Wetumpka and Red Rover lodes will be facilitated, and the plan of developing and mining these claims from this tunnel being feasible and consistent with good mining, the value thereof, \$4200.00, is distributed equally to each of the three claims, \$1400.00 going to each.

No portion of the value of this improvement is credited to the Deadwood lode of this survey for the reason that the direction of the tunnel is such that it does not tend to develop said Deadwood lode. Nor is any portion of the value of this improvement credited to the Race Horse lode of this survey for the reason that said Race Horse lode was located subsequent to making of the improvement.

No portion of the value of said improvement is distributed to the Philadelphia, Dacite or Red Rock Fraction lodes on account of said claims being on the southeast side of a depression running across the east ends of the Wetumpka and Read Warrior lodes and the north ends of the Race Horse and Philadelphia lodes, rendering said improvement of no benefit to these claims, and for the further reason that the Philadelphia lode was not contiguous to either the Wetumpka or Read Warrior lodes or held under one common ownership at the time of making said improvement, and that the Dacite and Red Rock Fraction lodes were located subsequent to the date of making said improvement.

Wetumpka Lode.

No. 1, the discovery, 15 ft. of cut and 10 ft. of tunnel, 4 x 5.5 ft, the face of which is on the lode line S.66°-42'E. 448.1 ft. from the W.E.C., and which extends thence N.19°-45'E. to mouth. Value \$100.00.

1/3 of improvement No. 7 on the Read Warrior lode, this survey, which is credited to this claim. Value \$1400.00.

Race Horse Lode.

No. 1, the discovery, cut, 4 x 10 x 18 ft., the face of which is on the lode line N.02°-19'E. 109.6 ft. from the S.E.C., and which extends thence S.24°-30'E. to mouth. Value \$45.00.

No. 2, shaft, 4 x 6 x 7 ft., the N.W. Cor. of which bears N.68°-49'E. 210.7 ft. from a point on line 2-3, 113.55 ft. from Cor.No.2. Value \$35.00.

No. 3, a churn drill hole, 10 ins. diameter, 410 ft. deep, the center of which bears N.40°-10'E. 69.9 ft. from Cor.No.2. Value \$1000.00.

Philadelphia Lode.

No. 1, the discovery, 15.7 ft. of cut and 36.0 ft. of

tunnel, 4 x 6 ft., which is intersected by the lode line S.02°-19'W. 562.2 ft. from the N.E.C., and extends thence S.36°-30'E. 38.7 ft. to face and N.36°-30'W. 13.0 ft. to mouth. Value \$275.00.

No. 2, 20.7 ft. of cut and 100.8 ft. of tunnel, 4 x 6 ft., the portal of which bears S.22°-02'W. 28.2 ft. from the N.E.C., and which extends thence N.47°-00'E. 23.7 ft. to pt. 1; thence S.58°-30'E. 42.0 ft. to face. Commencing again at pt. 1, the tunnel extends N.43°-30'E. 29.3 ft. to pt. 2; thence N.28°-15'E. 26.5 ft. to face. The value of that portion of this improvement commencing at pt. 1 and extending thence to pt. 2; thence to face, 55.8 ft. is not credited to this claim for the reason that the work was not performed by the claimant or his grantors, and is not all within the boundaries of the claim. Value of that portion credited to this claim \$275.00.

No. 3, 13 ft. of cut and 155.1 ft. of tunnel, 4.5 x 6.5 ft., the northwest corner of the mouth of which bears S. 70°-48'W. 273.2 ft. from Cor. 4, and extends thence S.03°-55'E. 54.4 ft. to pt. 1; thence S.23°-00'E. 32.9 ft. to pt. 2; thence S.05°-30'W. 51.5 ft. to face. At pt.2a lateral extends S.74°-10'E. 29.3 ft. to face. Value \$1400.00.

No. 4, a churn drill hole, 10 ins. diameter, 230 ft. deep, the center of which bears N.60°-10'E. 199.9 ft. from a point on line 2-3, 145.86 ft. from Cor.No.2. Value \$575.00.

No. 5 a churn drill hole, 10 ins. diameter, 410 ft. deep, the center of which bears N.61°-16'W. 281.8 ft. from Cor.No.1. Value \$1000.00.

No. 6, A shaft, 6 x 8 x 19 ft., the S.W.Cor. of which bears N.64°-32'E. 18.0 ft. from a point on line 2-3, 777.0 ft. from Cor.No.3. The value of this improvement is not credited to this claim for the reason that it was not sunk by the claimant or his grantors.

Red Rock Fraction Lode.

No. 1, the discovery, 16 ft. of cut and 22 ft. of tunnel, 4 x 6 ft., which is intersected by the lode line N.80°-50'E. 163.5 ft. from the W.E.C., and extends thence N.42°-30'E. 13.5 ft. to mouth and S.42°-30'W. 8.5 ft. to pt. 1; thence S.85°-10'W. 16.0 ft. to face. Value \$200.00.

No. 2, a churn drill hole, 10 ins. diameter, 250 ft. deep, the center of which bears N.70°-20'E. 164.3 ft. from Cor.No.4. Value \$625.00.

No. 3, a churn drill hole, 10 ins. diameter, 590.0 ft. deep, the center of which bears N.74°-48'E. 170.4 ft. from Cor.No.4. Value \$1475.00.

No. 4, a churn drill hole, 10 ins. diameter, 444 ft. deep, the center of which bears N.78°-18'E. 451.9 ft. from Cor.No.4. Value \$1112.00.

~~No. 5, A shaft 4.5 x 7 x 14 ft., the center of which bears S.14°-00'E. 29.9 ft. from Cor.No.5~~

~~No. 6, A cut, 4 x 10 x 17 ft., which is intersected by line 5-1, S.53°-46'E. 27.2 ft. from Cor.No.5, and extends S.35°-10'W. 8.0 ft to mouth and N.35°-10'E. 9.0 ft. to face.~~

The value of ^{the last two} improvements ~~5 and 6~~ is not credited to this claim for the reason that they were not made by or at the expense of the claimant or his grantors.

Dacite Lode.

No. 1, the discovery, cut, 5.5 x 8 x 18 ft., the face of which is on the lode line, N.77°-09'E. 198.7 ft. from the W.E.C., and extends N.76°-15'W. to mouth. Value \$50.00.

Prior to the expiration of the period of publication of notice of the claimant's application for patent, I will make a supplemental report of additional improvements on this claim, at which time I will also certify to the five hundred dollars valuation of the improvements upon or for the benefit of each of the locations embraced in the survey.

oooooooooooooooooooooooooooo

Instrument.

This survey was made with a 6 1/4 inch Berger Engineer's transit. The courses were deflected from the true meridian as determined by direct Polaris observation. The distances were measured with a 650 ft. steel tape.

oooooooooooooooooooooooooooo

Report.

The side and end lines of the several claims in this survey and all tie lines were run direct upon the ground.

The corner of sections 25, 36, 30 and 31, T. 1 N., Rs. 14 and 15 E., G. & S.R.B. & M., to which tie is given, is a schist boulder .4 x .7 x 1.3 ft. out of the ground, marked with one notch on the south end, five notches on the north end and 15 E on the east side.

U.S.L.M. No. 2652, to which tie is given, is a pine post, 6 x 8 ins., showing 6ft. out of the ground, surrounded by a mound of stone, 6 ft. base and 3 ft. high, scribed U.S.L.M.-2652.

The corners of the Huntessville, Santa Fe and Lucky Bill lodes, Sur^{No.} 2652, are 4 x 4 posts, properly set and scribed. The disagreement between these notes and line 2-3 of said Santa Fe lode Sur^{No.} 2652 is due to error in said line. The disagreement between the tie to U.S. L.M. No. 2652 from Cor. No. 1 of Santa Fe lode, as reported in the returns of Sur^{No.} 2652, and as calculated through the lines of this survey, is due to error in Sur^{No.} 2652. Lines 2-1-4-3, Lucky Bill lode, and Lines 1-2-3, Huntessville lode, I find correct as approved.

The corners of the Gladiator lode, Surveys^{No.} 2379 and 2638 are 4 x 4 posts, properly set and scribed. The disagreement between these notes and lines 2-3-4 of said Gladiator lode, as surveyed under Sur^{No.} 2379, is due to errors in said survey. The disagreement between these notes and line 2-3, Gladiator lode, Sur^{No.} 2638, is nominal. I find line 3-4 of said Gladiator lode, Sur^{No.} 2638

correct as approved.

The corners of the Summit, Red Mountain and Copper Hill lodes, Sur.^{No.} 2565, are 4 x 4 posts, properly set and scribed. I find the courses and distances of the lines correct as approved.

The corners of the Finis lode, Sur.^{No.} 2702, are 4 x 4 posts, properly set and scribed. I find the courses and distances of the lines of this claim correct as approved.

The corners of the Live Oak No. 3 and Live Oak No. 4 lodes, Sur. 2684, are 4 x 4 posts, properly set and scribed. The disagreement between these notes and line 3-4 of said Live Oak No. 3 lode and line 3-4 of said Live Oak No. 4 lode, is due to errors in the latter.

The disagreement between these notes and the several certificates of location of the claims embraced in this survey is due to errors in said certificates.

Edwin J. Stewart
U.S. Mineral Surveyor.

Globe, Arizona, May 20, 1910.

SUPPLEMENTAL REPORT ON MINERAL SURVEY NO. 2774.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the claims embraced in Mineral Survey No. 2774, by the claimant or his grantors is not less than five hundred dollars, and that said improvements, in addition to what was reported in the official returns of said survey, dated May 20, 1910, consist of:

No. 2 on the Dacite lode, a churn drill hole, 10 ins. diameter, 315 ft. deep, the center of which bears N.47°-07'E. 100.1 ft. from a point on line 1-2, 10.1 ft. from Cor. 2. Value \$775.00.

Edwin J. Stewart

U.S. Mineral Surveyor.

Sworn to and subscribed before me this 23rd day of June, 1910.

L. M. Groobner

Notary Public.

(My Commission Expires December 12, 1912)

JUN 8 - 1910

AFFIDAVIT IN SUPPORT OF COMMON DEVELOPMENT WORK.

TERRITORY OF ARIZONA)
)
 County of Gila) ss.

CHAS. W. SLACK, being duly sworn, deposes and says: That he is a citizen of the United States, over the age of twentyone years, and is a resident of Globe, Gila County, Arizona;

That he has frequently passed over, examined, and is familiar with, the READ WARRIOR, RED ROVER, DEADWOOD, WETUMPKA, RACE HORSE, PHILADELPHIA, DACITE and RED ROCK FRACTION lode mining claims, Mineral Survey No. 2774, Phoenix, situated in the Globe Mining District, County of Gila, Territory of Arizona, for which J. B. Newman has made application for official survey prior to application for patent, under the provisions of the Act of Congress, approved May 10, 1872;

That he particularly familiarized himself with these claims at the time he made the initial survey thereof, and that he is familiar with that certain tunnel, the portal of which is on the northwest end of the Read Warrior lode mining claim, designated as Improvement No. 7 on the plat and in the official returns of said Mineral Survey No. 2774 made by Edwin T. Stewart, a United States Mineral Surveyor, and that of his own knowledge the said tunnel has an average cross-

section of 4 x 7 feet and is not less than 700 feet long, and is of one straight course from the portal to the face. The affiant's knowledge of the tunnel and its dimensions is based on his field notes of the actual measurements taken at a time when he, on behalf of the then owner of the ground, and in said owners' employ, checked up the work of J. W. Bandhauer and others having a contract to drive the last 300 feet in said tunnel, and which contract was fully performed, and that such measurements were had for the purpose of making proper settlements with the contractors, and that final settlements were had therefor.

Affiant makes this affidavit in support of the returns of the aforesaid Edmund T. Stewart, who was not in possession of as intimate knowledge of the facts herein alleged as the affiant. Affiant further states that at the time the contract was fulfilled the tunnel was timbered wherever necessary, and deemed by him sufficient at that time, but there are evidences of the theft of sets of timbers from the said tunnel by persons unknown to affiant, the removal of which timbers caused the cave-ins, prohibiting recent surveys.

Affidavit further states that it is common knowledge among all mining men and prospectors that any unguarded workings are likely to, and generally do, suffer from depredations of vandals, and any workings upon which there is a cessation of work for a few months are generally stripped of rails, ties, air pipes, tools and fixtures.

Chas. W. Slack

Subscribed and sworn to before me this 25th day of May, 1910.

My commission expires
February 5th, 1913.

Mary Kavanaugh
Notary Public.

JUN 8- 1910

TERRITORY OF ARIZONA)
 County of Gila) Ss.

J. W. BANDHAUER, being duly sworn, deposes and says: I am a citizen of the United States, over the age of twentyone years, and I reside in the City of Globe, County of Gila, Territory of Arizona;

I am personally acquainted with the RED ROVER, DEADWOOD, READ WARRIOR, WETUMPEKA, RACE HORSE, PHILADELPHIA, DACITE and RED ROCK FRACTION lode mining claims belonging to J. B. Newman, situated in the Globe Mining District, said County and Territory, and constituting Mineral Survey No. 2774, as designated by the United States Surveyor General for Arizona.

I am particularly familiar with a certain tunnel, the portal of which is near the northwest end of said Read Warrior claim, and which is designated in the report of improvements of Edwin T. Stewart, the United States Mineral Surveyor who made the official survey of said claims, as Improvement No. 7.

I became thoroughly acquainted with said tunnel because I was interested in a contract to drive the last 100 feet of said tunnel and I determined the dimensions of said tunnel from actual measurements that I made. Said tunnel has an average cross-section of not less than four feet by seven feet. It is 700 feet long and runs in a straight course from

portal to face, and it was driven its entire length during the year 1901.

J. W. Sandhauer

Subscribed and sworn to before me the 3
day of June, 1910.

My commission expires February 8th, 1913.

Mary K. Carrasquillo
Notary Public in and for Gila
County, Territory of Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

J. B. Newman

Philadelphia, Wetumpka, Red Rover, Read Warrior known as the Deadwood, Dacite, Red Rock Fraction and Race Horse

and showing the respective capacities in which they acted.

R. A. Smith, Chairman.

....., Chairman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~ I, R. A. Smith

and, do solemnly swear that ^I~~we~~ assisted Edwin

T. Stewart, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of J. B. Newman

Philadelphia, Wetumpka, Red Rover, Read Warrior, known as the Deadwood, Dacite, Red Rock Fraction and Race Horse.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

R. A. Smith, Chairman.

....., Chairman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 19th

day of May, 19 10.

L. M. Brooker

Notary Public.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 12, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J.B. Newman

known as the Philadelphia, Wetumpka, Red Rover, Red Warrior, Deadwood, Dacite, Red Rock Fraction and Race Horse, situate in Globe Mining District, Gila County, Ariz., approx. in Section 22, 23, 27, 26, Township No. 1 N., Range No. 14 E., unsurveyed, and designated as Survey No. 2774, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Deputy Mineral Surveyor, before me L.M. Brookner, a
Notary Public this 19th
day of May, 1910.

L.M. Brookner
Notary Public

NOTICE OF MINING LOCATION
LODE CLAIM.

FEB. 12 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Read Warrior Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.W.Bandhauer a citizen of the United States, the undersigned, on the 17th day of June 1908.

The length of this claim is 1500.0 feet, and I claim 442.0 feet, in a S. 66° 40' E. direction and 1058.0 feet in a N. 66° 40' W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 275.0 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.E. to the N.W.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 2 1/2 miles in a S.W. direction from Black Warrior and lies North of the Wetumpka claim on the south side of Webster Gulch. The S.W. corner of Section 30 T 1 N.R. 15 E., G. & S.R.B. & M., bears approximately S. 64° 05' W. 10380 feet from the S.E. corner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S. 66° 40' E. direction 442.0 feet from the discovery shaft tunnel (at which this notice is posted), being in the center of the S.E. end line of said claim; thence N. 11° 08' W. 333.5 feet to a post in a monument, being the N.E. corner of said claim; thence N. 66° 40' W. 1500.0 feet to a post in a monument being at the N.W. corner of said claim; thence S. 11° 08' E. 333.5 feet to a monument of stone, at the center of the N.W. end of said claim; thence S. 11° 08' E. 333.5 feet to a post in a monument, being at the S.W. corner of said claim; thence S. 66° 40' E. 1500.0 feet to a post in a monument at the S.E. corner of said claim; thence N. 11° 08' W. 333.5 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Read Warrior Mining Claim, located by W.D.Howle, Emma D. Howle, William Hunton and Mat Cavaness on the 19th day of November 1896 and recorded in Book 6 and 7 of Records of Mines, at pages 107 and 219 in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 17th day of June 1908.
J.W.Bandhauer.

Witnesses: H.H.Huffer.

Filed and recorded at the request of J.W.Bandhauer at 30 minutes past 4 o'clock P.M. on the 18 day of June A.D.1908.

E.T.Stewart. County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice
of the READ WARRIOR Lode Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines,
at page 185; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th. day of

February A. D. 1910.

by E.T.Stewart

L.M. Brooker County Recorder, Gila County, A. T.
Deputy Recorder.

NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Philadelphia Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.W.Bandhauer a citizen of the United States, the undersigned, on the 17th day of June, 1908.

The length of this claim is 1453.4 feet, and I claim 526.0 feet, in a N. 02°-19' E. direction and 927.4 feet in a S. 02°-19' W. direction from the center of the discovery shaftcut, at which this notice is posted, lengthwise of the claim, together with 295.8 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 2 1/4 miles in a S.W. direction from Black Warrior, and lies on the South side of Webster Gulch. The S.W. Cor. of Section 30, T. 1 N., R. 15 E., G. & S.R.B. & M. bears approximately, S. 68°-10' E. 9400 feet from the S.E. Corner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N. 02°-19' E. direction 526.0 feet from the discovery shaft cut (at which this notice is posted) being in the center of the North end line of said claim; thence N. 78°-08' W. 300.0 feet to a post in a monument, being the N.W. corner of said claim; thence S. 02°-19' W. 1453.4 feet to a post in a monument, being at the S.W. corner of said claim; thence S. 78°-08' E. 300.0 feet to a monument of stone at the center of the South end of said claim; thence S. 78°-08' E. 300.0 feet to a post in a monument, being at the S.E. corner of said claim; thence N. 02°-19' E. 1453.4 feet to a post in a monument at the N.E. corner of said claim; thence N. 78°-08' W. 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16, 1901.

This is an Amended Location Notice of the Philadelphia Mining Claim, located by Edward J. Lawler on the second day of January, 1899, and recorded in Book 6 of Records of Mines, at page 369, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 17th day of June 1908.

Witness:

H.H.Huffer

J.W.Bandhauer

Filed and recorded at the request of J.W.Bandhauer at 30 minutes past 4 o'clock P.M. on the 18 day of June, A.D.1908.

E.T.Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "PHILADELPHIA" Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines, 186 at page; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

2nd.

Given under my hand and seal of office this day of

June

A. D. 1908.

E. T. Stewart

County Recorder, Gila County, A. T.

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM.

FEB. 12 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the WETUMPKA Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.W.Bandhauer a citizen of the United States, the undersigned, on the 17th day of June, 1908.

The length of this claim is 1500.0 feet and I claim 1052.0 feet, in a S. 66° 40' E. direction and 448.0 feet in a N. 66° 40' W. direction from the center of the discovery shaft cut at which this notice is posted, lengthwise of the claim, together with 288.7 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.E. to the N.W.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 2½ miles in a S.W. direction from Black Warrior and lies South of the Read Warrior claim on the South side of Webster Gulch. The S.W. corner of Section 30, T.1 N.R. 15 E.G.& S.R.B.& M., bears approximately S. 64° 05' E.. 10380 feet from the N.E. Corner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a S. 66° 40' E. direction 1052.0 feet from the discovery shaft cut (at which this notice is posted), being in the center of the S.E. end line of said claim; thence N. 08° 32' E.. 298.6 feet to a post in a monument, being the N.E. corner of said claim; thence N. 66° 40' E.. 1500.0 feet to a post in a monument, being at the N.W. corner of said claim; thence S. 08° 32' W. 298.6 feet to a monument of stone, at the center of the N.W. end of said claim; thence S. 08° 32' W.. 298.6 feet to a post in a monument, being at the S.W. corner of said claim; thence S. 66° 40' E.. 1500.0 feet to a post in a monument at the S.E. corner of said claim; thence N. 08° 32' E.. 298.6 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Wetumpka Mining Claim, located by W.P.Howle on the 19th day of January 1896 ±, and recorded in Book 6 of Records of Mines, at page 57, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 17th day of June 1908.

Witnesses: H.H.Huffer.

J.W.Bandhauer

Filed and recorded at the request of J.W.Bandhauer at 30 minutes past 4 o'clock P.M. on the 18 day of June A.D.1908.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the "WETUMPKA" Lode Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines,
at page 187; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th. day of

February 10.
A. D. 190

by E.T.Stewart

L.M. Brooks Deputy Recorder.
County Recorder, Gila County, A. T.

NOTICE OF MINING LOCATION
LODE CLAIM.

FEB. 12 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the RED ROVER Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J.W.Bandhauer, a citizen of the United States the undersigned, on the 19th day of June, 1908.

The length of this claim is 1198.1 feet, and I claim 68.8 feet, in a N. 08° 32' E. direction and 1129.3 feet in a S. 08° 32' W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300.0 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Globe mining District in Gila County, in the Territory of Arizona, about 2½ miles in a S.W. direction from Black Warrior and lies along the West end lines of the Wetumpka and Read Warrior claims. The S.W. Corner of Section 30, T.1 N. R.15 E., G.&S.R.B.& M., bears approximately S. 67° 05' E. 11720 feet from the S.E. Corner.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N. 08° 32' E. direction 68.8 feet from the discovery shaft cut (at which this notice is posted), being in the center of the North end line of said claim; thence N. 81° 28' W. 300.0 feet to a post in a monument, being the N.W. corner of said claim; thence S. 08° 32' W. 1198.1 feet to a post in a monument, being at the S.W. corner of said claim; thence S. 81° 28' E. 300.0 feet to a monument of stone at the center of the South end of said claim; thence S. 81° 28' E. 300.0 feet to a post in a monument, being at the S.E. corner of said claim; thence N. 08° 32' E. 1198.1 feet to a post in a monument at the N.E. corner of said claim; thence N. 81° 28' W. 300.0 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Red Rover Mining Claim, located by Leslie C. Mott on the 9th day of January, 1902, and recorded in Book 7 of records of Mines at page 505, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice..

Dated and posted on the ground this 19 day of June, 1908.

Witnesses:
H.H.Huffer.

J.W.Bandhauer

Filed and recorded at the request of J.W.Bandhauer at 25 minutes past 3 o'clock P.M. on the 20 day of June A.D. 1908.

E.T.Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the RED ROVER Lode Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines, at page 189; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th. day of

February A. D. 1910.

E.T.Stewart,

by L.M. Brookes County Recorder, Gila County, A. T.
Dputy Recorder

AMENDED LOCATION NOTICE
DEADWOOD LODE MINING CLAIM.

TO ALL WHOM IT MAY CONCERN:

FEB. 12 1910

This lode mining claim, the name of which is the DEADWOOD and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 1st day of January, 1898, by Wm. Hunton, W.P. Howle and Matt Cavaness, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 6 of Records of Mines, at page 278, and the notice of an amended location thereof, made on the 31st day of January, 1901, in the names of said W.P. Howle and Matt Cavaness is recorded in the office of said County Recorder, in Book 7, of Records of Mines, at page 220. This amended location of said claim is made on this 26th day of October, 1909, by J.B. Newman, a citizen of the United States, who is the present owner of said claim, and said J.B. Newman hereby reserves and maintains all and abandons and relinquishes none of his rights in and to said claim.

The length of this claim is 1369.7 feet measured from one center monument to the other, and said J.B. Newman claims lengthwise of the claim 1169.7 feet N. 78° 05' W. and 200 feet S. 78° 05' E. from the center of the discovery cut at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim, measured at right angles to the vein at the widest part of the claim. The general course of the lode deposit and premises is from the northwest to the southeast.

The claim is situate in the Globe Mining District, County of Gila, Territory of Arizona, about six miles in a westerly direction from Globe, Arizona; the southeast corner of said claim is N. 61° 15' W. about 10575 feet from the southwest corner of Sec. 30, T.1 N. R. 15 E., G. & S.R.B. & M., and this claim is bounded on the northwest by the Lucky Bill lode mining claim, Survey No. 2652.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 05' E. 200 feet from the discovery cut (at which this notice is posted), such point of beginning being in the center of the east end line of said claim; thence N. 6° 49' W. 316.78 feet to a post and monument of stones, being the north east corner of said claim; thence N. 89° 57' W. 1377.2 feet to a post and monument of stones, being the northwest corner of said claim; thence S. 6° 49' E. 33.2 feet to a post and monument of stones, being in the center of the west end line of said claim; thence S. 6° 49' E. 33.2 feet to a post and monument of stones, being the southwest corner of said claim, thence S. 66° 40' E. 1500 feet to a post and monument of stones, being the southeast corner of said claim, thence N. 6° 49' W. 346.9 feet to the place of beginning.

Dated and posted on the ground this 26th day of October, 1909.

Witnesses:

E.B. Tinker
E.T. Stewart.

J.B. Newman, Locator.

Filed and recorded at the request of Alderman and Elliott on the 28 day of October, A.D. 1909 at 30 minutes past 3 o'clock P.M.

E.T. Stewart County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice
of the DEADWOOD Lode Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines,
at page 17; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th. day of

February A. D. 1910.

E.T. Stewart

by L.M. Brooks
County Recorder, Gila County, A. T.
Deputy Recorder.

FEB. 12 1910

AMENDED LOCATION NOTICE.

DACITE lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the DACITE, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 2nd day of April, 1908, by J. B. Newman and J. W. Bandhauer, both of whom were then and now are citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 17 of Records of Mines, at page 276. This amended location of said claim is made on this 3rd day of February, 1910, by said J. B. Newman, who is the present owner of said claim, and said J. B. Newman hereby reserves and maintains all and abandons and relinquishes none of his rights in and to said claim.

The length of this claim is 359.8 feet, and said J. B. Newman claims, lengthwise of the claim, 159.4 feet N. 77° 9' E. and 200.4 feet S. 77° 9' W. from the center of the discovery shaft at which this notice is posted, together with 68.8 feet in width of the surface ground on the north side of the lode line of said claim and 119.8 feet in width of the surface ground on the south side of the lode line of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

two and one-fourth miles in a southwesterly direction from Black Warrior. It is bounded on the north by the Gladiator lode mining claim, Mineral Survey No. 2638, and on the south by the Summit lode mining claim, Mineral Survey No. 2565. The southeast corner of this claim bears N. 61° 11' W. 9524.6 feet from the northwest corner of Section 31, T. 1 N., R. 15 E., G. & S. R. B. & M.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 77° 9' W. 200.4 feet from the discovery cut (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 2° 19' E. 76 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 77° 9' E. 359.8 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 2° 19' W. 76 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 2° 19' W. 132.4 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 77° 9' W. 359.8 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 2° 19' E. 132.4 feet to the place of beginning.

Dated and posted on the ground this 3^d day of February, 1910.

J. B. Kinman
Locator.

WITNESS:

E. B. Tucker

Filed and recorded at the request of Alderman & Elliott on the 3 day of February, A.D. 1910, at 45 minutes past 4 o'clock P.M.

E. T. Stewart, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the DACITE Lode Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines,
at page 49; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th. day of

February A. D. 1910.

by E. T. Stewart
L. M. Brooker County Recorder, Gila County, A. T.
Deputy Recorder.

FEB 12 1910

AMENDED LOCATION NOTICE.

RED ROCK FRACTION Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the RED ROCK FRACTION, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 5th day of April, 1908, by J. B. Newman, J. W. Bandhauer and Geo. F. Wilson, all of whom were then and now are citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 17 of Records of Mines, at page 422. This amended location of said claim is made on this 3^d day of February, 1910, by said J. B. Newman, who is the present owner of said claim, and said J. B. Newman hereby reserves and maintains all and abandons and relinquishes none of his rights in and to said claim.

The length of this claim along the lode line is 811 feet, and said J. B. Newman claims, lengthwise of the claim, 649 feet N. 80° 51' E. and 162 feet S. 80° 51' W. from the center of the discovery cut at which this notice is posted, together with 325 feet at the west end and 437 feet at the east end in width of the surface ground, measuring at right angles to the strike of the vein at the end centers. The general course of the lode deposit and premises is from the northeast to the southwest.

District, Courty of Gila, Territory of Arizona, about two and one-fourth miles in a southwesterly direction from Black Warrior. The west end overlaps the Philadelphia lode mining claim, and the southeast corner bears N. 64° 12' W. 8706.5 feet from the northwest corner of Section 31 T. 1 N., R. 15 E., G. & S. R. B. & M.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 80° 51' W. 162 feet from the discovery cut (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 53° 46' W. 322.3 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 77° 59' E. 773.65 Feet to a post and monument of stones, being the northeast corner of said claim; thence S. 53° 46' E. 376.9 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 53° 46' E. 235.2 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 85° 53' W. 891.5 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 53° 46' W. 125.5 feet to the place of beginning.

Dated and posted on the ground this 3^d day of February, 1910.

B. Keenan
Locator.

WITNESS:

E. B. Tucker

Filed and recorded at the request of Alderman & Elliott on the 3 day of February A.D.1910, at 45 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder..

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I. E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the RED ROCK FRACTION Lode Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines,
at page 48; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th. day of February A. D. 1910.

by E.T. Stewart
L. M. Brothman Deputy Recorder
County Recorder, Gila County, A. T.

FEB 12 1910

AMENDED LOCATION NOTICE.

RACE HORSE Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the RACE HORSE, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 10th day of June, 1908, by H. H. Huffer, who was then a citizen of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 17 of Records of Mines, at page 517. This amended location of said claim is made on this 3^d day of February, 1910, by J. B. Newman, a citizen of the United States and the present owner of said claim, and said J. B. Newman hereby reserves and maintains all and abandons and relinquishes none of his rights in and to said claim.

The length of this claim is 1500 feet, and said J. B. Newman claims, lengthwise of the claim, 1244.6 feet N. 2° 19' E. and 255.4 feet S. 2° 19' W. from the center of the discovery shaft at which this notice is posted, together with 82.7 feet in width of the surface ground on the east side of the lode line of said claim, and 183.2 feet in width of the surface ground on the west side of the lode line of said claim. The general course of the lode deposit and premises is from the north to the south.

This claim is situated in the Globe Mining Dis-

two and one-fourth miles in a southwesterly direction from Black Warrior. It is bounded on the east by the Philadelphia lode mining claim, and on the west by the Read Warrior, Wetumpka and Barney No. 19 lode mining claims. The southeast corner of this claim bears N. 68° 48' W. 10,001 feet from the northwest corner of Section 31, T. 1., N. R. 15 E., G. & S. R. B. & M.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 2° 19' W. 255.4 feet from the discovery cut (at which this notice is posted), said point of beginning being in the center of the south end line of said claim; thence N. 66° 40' W. 196.5 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 2° 19' E. 1500 feet to a post and monument of stones, being the northwest corner of said claim; thence S. 66° 40' E. 196.3 feet to a post and monument of stones, being in the center of the north end line of said claim; thence S. 66° 40' E. 88.6 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 2° 19' W. 1500 feet to a post and monument of stones, being the southeast corner of said claim; thence N. 66° 40' W. 88.6 feet to the place of beginning.

Dated and posted on the ground this 3^d day of February, 1910.

J. P. Kinnaman
Locator.

WITNESS:

E. B. Linker

Filed and recorded at the request of Alderman & Elliott on the 3 day of February A.D. 1910, at 45 minutes past 4 o'clock P.M.

E.T. Stewart, County Recorder..

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the RACE HORSE Lode Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines,
at page 49; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th. day of

February A. D. 1910.

E.T. Stewart,

by *L. M. Brookes*
County Recorder, Gila County, A. T.
Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

August 15, 1910, 190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of J. B. Newman

known as the Philadelphia, Wetumpka, Red Rover, Read Warrior, Deadwood, Dacite, Red Rock Fraction and Race Horse situate in Globe

Mining District, Gila County, Arizona, Approx.

in Section 22, 23, 27, 26, Township No. 1 N., Range No. 14 E. Unsur., and

designated as Survey No. 2774, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 7 drill holes, 15 cuts, 10 tunnels and 3 shafts, total value \$16007.00. Tunnel No. 7 on the Read Warrior lode being a common improvement for the benefit and development of the Read Warrior, Red Rover and Wetumpka lodes of this survey, and only those, an undivided 1/3 interest therein, value \$1400.00 is properly credited to each of the said three lodes.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of J. B. Newman

known as the Philadelphia, Wetumpka, Red Rover, Red Warrior, Deadwood, Dacite, Red Rock Fraction and Race Horse

situate in Globe Mining District,

Gila County, Arizona, Approx.

in Section 22, 23, 27, 28, Township No. 1 N., Range No. 14 E. Unsur.

designated as Survey No. 3774

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, March 6, April 29, 1910, under my instructions dated

February 12, 1910, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Ingalls

U. S. Surveyor-General for Arizona.