4-683.

MINERAL SURVEY No. 2775

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

		C. E. Woo	d.s		
		KNOWN AS	гне		
Alice,	Lexington, Bos	ton, Happy New	Year, Only	y Chance a	nd
Extraction and the second		Big John San Francisco	ie	Mining	District,
	Nohave	County	,Ar	izona	
Section	Approx ,	Township19_1	, Re	ange 20 V	unsurv.
Surve	eyed under instru	ections dated	February 14	th 1910	
		bu	14.9.	Schar	der
				U. S. Minera	l Surveyor.
	Claim located	Les location	noticis	, 19	
	Survey commen	nced March	n 12th	, 1910	
6—822	Survey complet	ed	h 19th	, 1910	罗大州

address of claimant C. E. Words 618 I. H. Hellman Bldg - Las Angeles Calif

	Bull voy 10. 11 to	
feet	Happy New Year Lode	
	Beginning at cor No 1 a pine post, 3 ft long, 4 ins square set 18 ins in the ground scribed H NY 1-2775, whence U 7 L M No 1602 bears N 52 deg 20' 10" w 6737.35 ft distant. Portal of Tunnel No. 11 bears 8 00 16' E 298 ft distant. East cor of York lotte claim uns. bears 8 77 18' E 20 ft distant, a mound of stones. This corner is identical with corner of location.	
300.00	Thence 5 180 45 w North west end center, identical with location a mound	
417.59 450.4 600	of stones. Intersect line 5-6, Boston lode, this survey, T N.64°40 W.12368 Intersect South east end line York lode uns. Corner No 2, identical with location a pine post 4x4x36 ins. set 18 ins in the ground, scribed, H-N Y -2-2775. South corner of York lode bears N 7 53' W 13.6 ft distant, a mounment of stones. Shaft No 2, Boston Lode this survey bears 5 49° 15' E 194.8 ft distant.	H. From Cor. No. 5.
593.35 1126.91 1190.8	Thence S 62° 02' E Intersect line 5-1, Alice lode this survey. at N. 62° 04' W. 511.43 ft. fr. Intersect line 4-5, Alice lode this survey. Whence Cor. No. 5 brs. N. 11° 5 Corner No 3, identical with location, a pine post 4x4x36 ins set 18 ins in the ground, scribed H N Y 3-2775, whence Disc shaft Happy New Year bears N 18° 45' £ 293 It distant.	ř
38.2 100 193.6	Thence \$ 560 42' E. Intersect line 4-5 Boston lode this survey, whence Cor. No. 5 bis. 1 Bottom small wash Corner No 4, a x identical with location and corner No 2 Lexington lode this survey, a pine post 4x4x36 ins, set 18 ins in the ground, scribed H N Y -4-2375-L2 Shaft No 2 Lexington lode this survey bears N 52 E 323 ft distant.	1.22'36 E. 241 ft., Chance lade, this From Cor. No. 1.
272.66 300	Thence N 18° 45' E Intersect line 4-1, Only Chance lode this survey, where Composition to the survey of the survey. South East end center, identical with Northwest end center Lexington lode, this survey. Corner No 5 identical with location and corner No 1 Lexington lode this survey, a pine post 4x4x36 ins set 18 ins in the ground scribed H N Y 5-L-1-2775 Discovery shaft Happy New Year, bears 2 55° 43' W 327.38 ft distant.	10.1 bys. N.68°19'W 134,33
197.6	Thence N 56° 42' W Corner No 6, identical with location, a pine post 4x4x36 ins set 18 ins in the ground, scribed H N Y -6- 2775. Discovery shaft Happy New Year bears S 18° 45' W 307 ft distant.	
250 645 1170.9 1190.8	Thence N 62° 02' W. Bottom small gulch Top rolling ridge Intersect south east end line York Lode unsurveyed. Corner No 1, the place of beginning. The presumed coarse of the lode is from South east end center N 56° 42' W 193.6 ft to location monument, a mound of stones, thence H 62° 02' W 1190.8 ftc to North west end center.	1 - 25/H
	Lexington Lode Beginning at corner No 1 identical with location and Corner No 5 Happy New Year lode this survey already described. US L M No 1602 bears N 530 51' W 8157.05 ft distant.	The same of the sa

1_

- 1			
	feet 300	North west end center identical with land	
		North west end center, identical with location a mound of stones.	1,
	600	4 Intersect line 4-1, Only Chance lode this, survey, at N.68° A'V Corner No 2, identical with location and corner No 4	1, 1269,27 ft. from Cor. No. 4.
		Happy New Year lode, this survey, already described Thence 2 680 25' E)
	530	TAMES OF WASH THE WAR	
	TEDU . 9	Intersect line 2.4 Only Change	bis. 11. 22 31 1. 270.1ft
		Corner No 3 identical with location a pine post 4x4x36 ins. set 18 ins. in the ground, identical with corner	- 1
		No 2 Big Johnnie lode, this survey, scribed L-3-B.J 2-2775, no bearings available.	ngs-A
		Thence II 100 Art n	
	297.5	South east end center, identical with location and north west end center Big Johnnie lode this survey,	
ı		Corner No 4 identi-	
	597.5	Corner No 4, identical with location and corner No 1 Big Johnnie lode, this survey, a pine post 4x4x36 ins. set 18 ins. in the ground, scribed I 4 P. I.	
		Shaft No 4 Big Johnnie Jose 41 1000 11-4-D. J1-2775.	
		- coo it distant.	
	96 286	Small ridge	
	406	Bottom guleh Top ridge	
	710 850	Bottom small gulch Bottom small gulch	
	1000	Corner No b identical	Mar car con
		L-5-2775 Diggorgani in the ground, scribed	1
	402.7	Corner No 1 place of beginning. The Presumed course	
	100	1000 It to location was ent center 1 690 021 W	
		402.7 It to North West end center	I was represent
		Beginning at comes We are	2.1
		described is a two ready	
		9521.13 feet distant.	
	300	Morth west end center identical with location, a mound	
	597.5	UUINEF IN 9 idament -	
		Corner No 2 identical with location and corner No 3 Lexington lode, this survey, already described.	
	353.2	VULUET NO S ideasts	
		4x4x36 ins. set 18 ins, in the ground, scribed B.J.3-2775	"C= //
	952.5.	Discovery shaft bears N 250 45' E 305.7 ft distant.	
	1	ins set 18 ing in the location, a pine post 4x4x26	Mt Now
1		manufe.	
	300	South east end center, identical with location a mound	
		VIHEE NO h ideate is	
		4x4x36 ins set 18 ins in the ground, scribed B J-5-2775	
	952.5	Thence N 49° 40' W	
		ins set 18 in in the location, a line post decare	
	\$	ins set 18 in in the ground, scribed B.J6-2775. Discovery	7
ĺ			

	feet	Thence N 78° 201 W	
	353.5	Corner No 1 place of beginning.	
	JU	The presumed course of the ledge is from South east end center H 490 40% W 952.5 ft to location monument,	
1	420	a mound of stones, H 78° 20' W 353.5 ft to North west	
		end center.	
		Boston Lode Beginning at corner No 1 identical with location, a pine	
		post 4x4x36 ins set 18 ins in the ground, scribed	
		B-1-2775, U.S.L.Ma.1602 bears N 480 13' 40" W 6598.87	
		ft distant. Shaft No 5 bears S 1° 58' E 306.25 ft dist. Thence S 22° 36' W	
	32.5	Intersect West side line York lode, unsurveyed, South	4. 1
	700	corner York beres 5 520 39' E 269 ftdistant.	
	300	North west end center identical with location, a mound of stones.	
	443.7	Intersect line 5-1, Alice lode, this survey, Alice lode, this survey,	om Cor. No. 5.
	600	Corner No 2 identical with S corner Surprise East Extension lode, unsurveyed, and with location, a pine	
		post 4x4x36 ins, set 18 ins, in the ground, scribed	
		B - 2-2775. Shaft No 5 bears N 44° 11' E 345.9 ft dist.	
	159	Thence S 76° 05' E Corner No 3 identical with location, a pine post	
		4x4x36 ins, set 18 ins in the ground, scribed B-3-2775	j.
		Shaft No 5 bears N 16° 52' E 299 ft distant. Thence S 64° 40'E	
	1307,7	Intersect line 4-5, Alice lode, this survey, whence Cor. No. 5 bra N. 11	s'E. 561.8 ft.
	1334.6	Corner no a, Identificat with Tocartion and Corner no z	
	× ×	Only Chance lode, this survey, a pine post 4x4x36 ins set 18 ins in the ground, scribed B-4-0.04-2775	e.J.
		Shaft No 3 Only Chance lode, this survey bears N 580	17
		503 E 503 ft distant. Thence N 22° 36' E	
	300	South east end center, identical with location and	
		North west end center Only Chance Lode this survey.	
	359	a mound of stones. Intersect line 3-4, Happy New Year lode this survey	
	600	Corner to a lightless with location and corner to 1	
	* 1	Only Chance lode; this survey, a pine post 4x4x36 ins, set 18 ins in the ground, scribed B-5-0.0-1-2775.	ça
		Discovery shaft Happy New Year lode, this survey bears	
		n 21 45 w ol. 3 feet distant	
	1235.42	Thence N 640 40 W Intersect south east end line York unsurveyed, South	
		COTHER TOTA HISHTVE VAL Degree S TV 121 W 100 0 P	
	1334.6	Intersect line 1-2 Happy New Year lode, this survey Corner No 6 identical with location a pine post 4x4x36	
		THE DOY IN THE LINE ETOHNO SCRING SEE STOR Discours	T.
		shaft Boston lode bears S 310 32' E 413 ft distant Thence N 760 05' W	e/
	159	Corner No 1 place of beginning. The programed assumed	
		TOUT. DIE TO TO LOCK UION MONIMent a Mound of champs again	6
		ft to stone monument on out-crop, thence N 760 05 159 ft to North west end center.	t
		Only Chance Lode	
		Beginning at corner No 1, identical with location and corner No 5 Boston lode, this survey, already described:	
	% .	The same of the policy of the same of the	
	e.	distant. Thence S 220 36' W	
	241	Intersect line 3-4 Harry New Year lade this survey	
	300	North west end center identical with location a mound of stones.	1
	600	Corner No 2 identical with location and corner No 4	
		Boston lode, this survey, already described.	- 4
			SOUTH PERM
	1		

Thence 2 680 19' E feet Corner No 3 identical with location a pine post 4x4x36 ins. set 18 ins in the ground, scribed D.C.3-1403.0 2775. No bearings available. Thence N 220 36' E South east end center identical with location a mound 300 of stones. Entersect line 2-3 Lexington lode, this survey. 324.9 580 Cross small gulch Cor No 4 identical with location, a pine post 4x4x36 ins. set 18 ins in the ground, scribed 0.0.4-2775. 600 No bearings available. ThenceN680 19' W 76 cross small gulch Intersect line 1-2 Lexington lode this survey Cor No 1 place of beginning.
The presumed course of the ledge is from South east 1269.27 1403.6 end center N 68°19'W 1213.6 ft to Location monument, a mound of stones, thence N 68° 19' W -190 ft to North west end center. Alice lode Beginning at Cor No 1 identical with Location, a pine post 4x4x36 ins set 18 ins in the ground, scribed A-1-2775, U.S.L.Mhol602 bears N 44°13'10"W 6779.37 feet distant. No bearings available. Thence S 110 15'W Intersect West side line Surprise East Extension lode, 140.9 unsurveyed, South east Corner Surprise East Extension is identical with corner No 2 Boston lode, this survey and bears 2 730 10'E 67.8 ft distant. North west end center identical with location, a mound 299.1 of stones. Corner No 2 identical with location, a pine post 4x4x36 ins and set 18 ins in the ground, scribed 599.1 A-2-2775. No bearings available. Thence 2 85° 28' E North west corner Little Bessie lode, unsurveyed, a pine jost 4x4x36 ins set 18 ins in the ground. 4.5. North end center Little Bessie lode unsurveyed, a pine 304.5 post 4x4x36 ins, set 18 instin the ground. Intersect North west end line Townsite lode, unsurveyed, 423.8 North east Corner Townsite lode unsurveyed bears N 35° 03' E 151.6 ft distant, a pine rost 4x4x36 ins set 13 ins in the ground.
North east Corner Little Bessie lode unsurveyed, a pine 594.5 post 4x4x36 ins set 18 ins in the ground. Intersect East side line Townsite lode unsurveyed, 747 Horth East Corner Townsite Lade unsurveyed bears 570 31 w 278.6ft distant. Corner No 3 identical with location, a pine post 750 4x4x36 ins set is ins in the ground, scribed A-3-2775 Thence 2 780 448 E Cor No 4 identical with location, a line post 4x4x36 ins and set 13 ins in the ground, scribed A-4-2775. Discovery shaft Happy New Year lode this survey bears 162 12' E 632.9 ft distant.

Thence I 110 15' E 750 Intersect line 3-4 Boston lode this survey. 33.2 300 South east end center identical with location, a mound of stones. Intersect line 2-3, Ha py New year lode this survey.

Corner No 5 identical with location, a pine post

4x4x36 ins and set 18 ins in the ground, scribed A5-2775 416.34 600 Discovery shaft Happy New Year lode this sarvey bears N 590 35' E 133.1 ft distant.

feet 511.43 1399 1497.4

Thence N 820 09' W. Intersect line 2-3, Happy New Year lode, this survey. Intersect line 1-2, Boston lode this survey. Corner No 1, the place of beginning.
The presumed course of the ledge is from South east end center N 78° 44' W 750 ft to location monument, a mound of stones on the out-crop; thence N 85° 28'W 750 ft to North west end center.

Area: Acres Boston lode, this survey of the thi Total area, Happy New Year lode Area in conflict with Total area, Lexington lode 19.050 Area in coifflict with Only Chance lode, this survey 7.844 Total area Big Johnnie lode Total area Boston lode 17.021 Lode

10.076 acres com earth of with 10.082 acres

11.158 Conflict with Alice lode this survey, ... exclusive Total area Only Chance lode 19.331 Total area Alice lode 19.817

Location:

This survey is located in San Francisco Mining District, Mohave County, Arizona, on unsurveyed land of the United States, in approximately T 19 N, R 20 W.

Expenditure of Five Hundred Dollars I certify that the value of labor and improvements made upon each of the locations embraced in said nining claim by the claimant and his grantors is not less than Five Hundred Dollars, and said im-

provements consist of;
On Happy New Year Lode
No. 1. Discovery shaft 4x6x10 ft deep, which bears
from Corner No 3. N 18° 45' E 293 feet.

Value \$100.00 No. 2. Shaft 5x7x10 ft deep which beers from Corner No 3. N 130 03' E 296 f et.

Value 100.00 No. 3. Shaft 5x7x10 ft deep which hears from Corner No 3.2230 30' E 286 feet

Value 100.00 No. 4. Cut 4x6x4 ft which bears from Corner No 3 N 39° 52' E 282 feet Value 40.00

Out 5x5x10 ft which bears from Cor. No 3 N 50 57' W 342 feet Value 40.00

No.6 . Cut 20x6x10 ft.face, which bears from Corner No 1 S 370 44' E 669 feet

Value 200.00

No. 7. Cut 3x7x8 ft which bears from Corner No 1 S 35° 10' E 579 ft. Value No. 8. Shaft 4x6x8 ft deep which bears from Corner No 1 S 22° 19' E 394 feet 30.00

Value 80.00 No. 9. Cut 10x4x5 ft which bears from Corner No. 1 S 23° E 350 feet Value 40.00

No 10. Shaft 4x6x18 ft deep, Raise 4x6x12 feet which bears from Cor Noi, S 12°20'E 344 feet, Value 200.00

No.11. Tunnel 4x6x16 ft long, Course S 250W which bears from Cor No 1 S 00016' E 298 feet. Value

160.00

=			
	No.	ı.	On Lexington Lode Discovery Shaft 5x7x20 ft deep, cross-cut at Bottom 6x4x18 ft long running 5 21° W, Center of shaft bears from Cor No 5 S 16° 15' W
	No.	2.	294 feet, Value \$ 440.00 Shaft 41x6x12 ft deep which bears from corner No 2 N 52° E 323 ft Value 120.00
	No.	3.	Cut 3x9x3 ft deep which hears from corner
			Cut 3x3x30 ft lone, Course N 20° E, which bears from corner No 2 N 41° 31' E 298 ft
	No	5.	Cut 10x4x3 ft deep which bears from corner No 2, N 33° 09' E 300 ft Value 30.00
	No	1.	On Big Johnnie Lode Discovery shaft 4x8x10 ft deep which bears from corner No 6 S 11°34' 7 298.3 ft.
			Shaft 7x5x20 ft deep which bears from corner No 6 S 15° 30'W 293 feet Value 200.00
		•	from corner No 6 5 210 W 200 St Walnut
			No 1 S 350 55' E 386 ft
			8 41039 E 540 ft
			S90 59' E 384 Feet Walland
	110.	1 .	Shaft 4x6x10 ft and Cut 8x4x2 which bears from corner No 6 S 150 41' E 440 feet
			Value 120.00 On Boston Lode
	No.	1	Discovery shaft 42x7x10 ft deep which bears from corner No 6 S 31° 32' E 418 feet
			Shaft 5x7x20 ft deep which bears from corner No 6 S 27° 24' E 385 ft Value 200.00
			No 6 S 480 03' E 585 ft
	No.	4.	monument on lole line (S 76° 05' E 159 ft from North west end center) S 36° 54' P 20°
	No.	5.	Shaft 4x6x10 ft deep which bears from above monument on lode line N 72° W
l			On Only Chance
	lio.	1.	Discovery shaft 5x9x10 ft which bears from North west end centers 710 E 202 ft
١	tr	0	Value 100 00
	NO.	2.	North west end center S 59° 30'E
	No.	3.	36 feet, Value 100.00 Shaft 4x6x10 ft deep which bears from
	No.		Shaft 7x5x11 ft deep which bears from
	No.		Shaft $4\frac{1}{2}x6\frac{1}{2}x10$ ft deep which bears from
			corner No 2 N 700 07' E 767 ft Value 100.00

and the same of the

.

On Alice Lode

No 1 Discovery shaft 4x6x10 ft deep which bears from corner No 3 N 12° 27' E 295 ft Value No 2 Shaft 4x6x14 ft deep which bears from corner No 3 N 7° 42' E 288 ft Value No 3 Out 4x15x10 ft face which bears from corner No 3 N 6° 48' W 278 ft Value No 4 Shaft 4x6x10 ft which bears from location monument S 89° 12' W 234 ft Value No 5 Cut 3x4x6 ft which bears from corner No 3 N 11° 37" E 245 ft Value No 6 Shaft 5x6x10 ft deep which bears from location monument S 78° 44' E 134 ft Value \$100.00 140.00 100.00 100.00 10.00 100.00

Lode Lines

The general course of the ledge of each location as defined by out-crop on the ground conforms to lines drawn through location monument and end centers of respective claims as described in foregoing field notes.

Instrument.

This survey was made with a Leitz mining transit

The courses were deflected from the true meridian as determined by observation on Polaris. The variation at all corners is 15° E. The distances were measured with 100 ft and 300 ft steel tapes.

Adjoining Claims and Conflicts Adpiter gode, unsurveyed, Shuck Bros claiments, lies on North side of Big Johnnie lode, this survey. Calzona lode, unsurveyed, L. R. Neyers, claimant lies on South west side of Only Chancelode, this

Alice lode conflicts with Townsite lode, unsurveyed Boundry Cone Gold Mines Co claimant. The Little Bessie lode, unsurveyed, Boundry Cone Gold Mines Co claimant joins on South side of Alice lode, this survey. Big Andy lode, unsurveyed, claimant unknown lies on North west end of Alice lode, this survey.

Surprise East Extension lode, unsurveyed, Boundry Cone Gold Mines Co Claimant, conflicts with Alice lode

Boundry this survey near Cor No 1 and joins North west end line Boston lode, this survey.

York lode, unsurveyed, Emma Zemile, Ada Kemple, Effie Zemple and G. C. Kemple, Claimants, conflicts with Yorth west ends of Boston and Happy New Year lodes, this survey.

U. S. L. M. No 1002 to which this survey is tied is an andesite stone 1 ft in diamater projecting 16 ins. above ground, chiseled J.C.L.M. 1602 X with monument of stones alongside.

The discrepancies between the description in the location notices and these field notes are due to errors in the location notices.

VII. Schaelen U. S. Min Durveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES. A list of the names of the individuals employed by United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of C.E. Woods known as the Alice, Boston, Happy New Year, Lexington, Only Chance and showing the respective capacities in which they acted. Jeffrey O Connell, Chainman. Dave Douglass, Chainman. FINAL OATHS OF ASSISTANTS. Jeffrey O Connell

Dave Douglass, do solemnly swear that we assisted haden, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of C. E. Hoods known as the Alice, Boston, Happy New Year, Lexington, Only Chame represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for . Flagman. My Cammission Expires Matary Public Capril 15 1912. Subscribed and sworn to by the above-named persons before me this...

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, J. J. Schader , U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor Congrel for Asia Total dated
Surveyor General for Aizona, dated Feb-14-1910, Alave, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of
, known as the Happy New Year, Lexington, Big Johnnie, Boston, Only Chance and, situate in San Francisco Mining District, Mohave County, arizona, in Section approxy, Township No. 19. N, Range No. 20. W, unsurveyed,
situate in San Francisco Mining District.
mohave County arizona in Section
approx, Township No. 19. N, Range No. 20. W. unsurveyed,
and designated as Survey No. 2776, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or Lus grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
H.G. Schader
V. J. S. Mineral Surveyor.
Subscribed and sworn to by the said Achader
U. S. Mineral Surveyor, before me
a notary Public this -/4th -
day of april , 1900
any of many many many many many many many many
X Warren
County of San TUBLIC in and for the
6-1044 County of San Bernardino, State of California.

NOTICE OF MINING LOCATION

NOTICE OF MINING LOCATION
LODE CLAIM
To All Whom It May Concern:
This Mining Claim, the name of which is the Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
deposits, was entered upon and located for the purposes of exploration and purchase by
Stred Harlin & August Just
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of Colors 190.8 The length of this claim is 1500 feet,
and ME claim 750 feet
in a Vorth Yest direction and 100
feet in a South Cost direction
from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
on each side of the center of said claim. The general course of the lode deposit and premises is from the
North West to the South bost
The claim is situated and located in the Dan Francisco Mining District,
in Maharz County, in the Territory of Arizona, about 2000 fres
in a South Easterly direction from Victor Virgini Mill
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
the discovery shaft of which this notice is pooled
at a point in a North Mest direction 750 feet from
the discovery shaft (at which this notice is posted), being in the center of the North heat end line
of said claim; thence 300 feet to a monument of Atoms
being the North West, corner of said claim; thence 500 feet
to a monument being at the North Good corner of said claim; thence 300 feet to a monument at the center
of the South East end of said claim, thence 300 feet
to a monument being at the South East corner of said claim;
thence 1500 feet to a monument at the South West
corner of said claim; thence feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
Dated and posted on the ground, this 7 day of October 190 8
August Just
e pred Januar
Filed and recorded at request of August Just
January 11 Da A. D. 1909, at 9 Joselock A M. in Book AA at Page 606.
By Marin Carrow Deputy, County Recorder.
By Marie Carrow Deputy.

	GEO. D BARNARD & CO., PRINTERS, ST. LOUIS
	TERRITORY OF ARIZONA, ss.
	COUNTY OF MOHAVE.
	I, A Correction Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foresting and the foresting an
	of Arizona, do hereby certify that I have compared the foregoing copy Localion
	and of the endorsement thereupon with the original records of the same on file in this
	office, and that the same are correct transcripts therefrom and
	of the whole of said original records.
	WITNESS my hand and the seal of said office, this day of January 1910
	Red Pobertion
	By Noso HBlakely Deputy.

Hatcher Mfg. Co., Printers, Binders and Blank Book Makers, Quincy, III. Claim 1 of formerly called Niker, focaled by N.P. Em. J. 9m Neumrod and NOTICE OF MINING LOCATION 14 JAN 24 1010

LODE CLAIM

14	
JAN 24	1910

To All Whom It May Concern:
This Mining Claim, the name of which is the Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
deposits, was entered upon and located for the purposes of exploration and purchase by Fred Narter Citizen of the United States.
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States,")
the undersigned, on the day of July 190.8
The length of this claim is Fifteen Aundred feet,
and t claim tive of windred feet
in a North Westerly direction and Our Thousand
feet in a Doubhashry direction
from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
Three Aundred feet in width of the surface grounds,
on each side of the center of said claim. The general course of the lode deposit and premises is from the to the
The claim is situated and located in the San Francisco Mining District,
in Mohare County, in the Territory of Arizona, about 21/2 miles
in a S. E. direction from Ollin Oalman Spring
and about 3 miles N. Castroly from Doundary Cons
4500 feet South Easterly from Victor Gold Mining
Co, Kedge.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
Kusconny Shaft
at a point in a Westerly direction from hundred feet from
at a point in a Nesterly direction from hundred feet from the discovery shaft (at which this notice is posted), being in the center of the N. W. end line
at a point in a Westlers direction from hundred feet from the discovery shaft (at which this notice is posted), being in the center of the S. K. end line of said claim; thence 300 feet to a monument as stone
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument of story
the discovery shaft (at which this notice is posted), being in the center of the end line
the discovery shaft (at which this notice is posted), being in the center of the said claim; thence 300 feet to a mornion said claim; thence 500 feet to a mornion feet to a m
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the said claim; thence 300 feet to a monument of said claim; thence 500 feet to a monument being at the solution. thence 300 feet to a monument at the center of the said claim; thence 300 feet to a monument at the center of the solution of said claim, thence solutions feet to a monument being at the solution feet to a monument
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the solution of said claim; thence 300 feet to a monument a storm being the solution. Corner of said claim; thence 300 feet to a monument at the center of the solution of said claim, thence 300 feet to a monument at the center of the solution of said claim, thence 300 feet to a monument at the center of the solution of said claim, thence 300 feet to a monument at the corner of said claim; thence 500 feet to a monument at the solution of said claim; thence 500 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
the discovery shaft (at which this notice is posted), being in the center of the said claim; thence 300 feet to a monument as storm being the N. G., corner of said claim; thence 500 feet to a monument being at the S. H. corner of said claim; thence 300 feet to a monument at the center of the S. G. end of said claim, thence feet to a monument being at the S. H. corner of said claim; thence 500 feet to a monument at the corner of said claim; thence 500 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground, this 2 M day of Muly 190.8
the discovery shaft (at which this notice is posted), being in the center of the solution of said claim; thence 300 feet to a monument a storm being the solution. Corner of said claim; thence 300 feet to a monument at the center of the solution of said claim, thence 300 feet to a monument at the center of the solution of said claim, thence 300 feet to a monument at the center of the solution of said claim, thence 300 feet to a monument at the corner of said claim; thence 500 feet to a monument at the solution of said claim; thence 500 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the N. K. end line of said claim; thence 300 feet to a monument of said claim; thence 500 feet to a Monument being at the S. K. corner of said claim; thence 300 feet to a Monument at the center of the S. E. end of said claim, thence 300 feet to a Monument at the center of the S. E. end of said claim, thence 500 feet to a Monument at the corner of said claim; thence 500 feet to a Monument at the S. K. corner of said claim; thence 500 feet to a Monument at the S. K. corner of said claim; thence 500 feet to a Monument at the S. K. corner of said claim; thence 500 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground, this 2 day of July 1908 Winnessed Filed and recorded at request of Force Harvey And An Act of Page 4485.
the discovery shaft (at which this notice is posted), being in the center of the

FEB. 14.1910

(COPY)

AMENDED NOTICE OF MINING LOCATION. Lode Claim.

-0-

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Boston Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.E. Woods,

(Locator must insert fither "a citizen of the United States" or "who has) (declared his intention to become a citizen of the United States".)

the undersigned, on the 4th day of February, 1910.

The length of this claim is 1499.7 feet, and I claim 1100 feet, in a Southeasterly direction and 399 feet in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, length wise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises in from the Southeast to the Northwest,

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 2 1/2 miles in a Northeasterly direction from Boundary Cone.

The surface boundaries are marked upon the ground as follows: Beginning at the East end center, a mound of stone identical with the West end center of the Only Chance Mining Claim, at a point in a South Easterly direction 1100 feet from the discovery shaft (at which this notice is posted), being in the center of the Easterly end line of said claim; thence N.22° 51' E'l'y 300 feet to a post, being the North East corner of said claim; thence N.64° 27' W'l'y 1340.7 feet to a post; being at the Northcorner of said claim; thence N.75° 53' W'l'y 159 ft. to a post, being the N.W.corner of said claim; thence S.22° 51' W'l'y 300 feet to a post at the center of the Westerly end of said claim; thence S.22° 51' W'l'y 300 feet to a post being at the South West corner of said claim; thence S.75° 53' E'l'y 159 ft. to a post being at the South corner of said claim; thence S.64° 27' E'l'y 1340.7 feet to a post at the South East corner of said claim; thence S.64° 27' E'l'y 1340.7 feet to a post at the South East corner of said claim; thence N.22° 51' E'l'y 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16, 1901.

This is an Amended Location Notice of the Boston Mining Claim, located by August Just and Fred Harter on the 7th day of October, 1908, and recorded in Book A.A. of Records of Mines, at page 607, in the office

(Copy Boston) 2

of the County Recorder of the aforesaid County of Mohave, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of February 1910.

C.E. Woods,

Attest:

Locator.

D.Douglass.

Filed and recorded at request of H.E.Woods, Feby.7th, A.D.1910, at 9 o'clock, A.M. Book D.D. Pages 64 & 65.

J.W.Morgan,

County Recorder.

Territory of Arizona,

68.

County of Mohave.)

I, J.W.Morgan, County Recorder of the County of Mohave, Territory of Arizona, do hereby certify that thexferentiagram I have compared the foregoing copy of the Amended Location Notice of the Boston Mining Claim with the original records thereof remaining in my said office, and that the same is a full, true, correct and complete copy of said original records.



IN WITNESS WHEREOF, I have hereunto set

my hand and affixed my official seal,

this 9th day of February, 1910.

By

Danist W.

TERRITORY OF ARIZONA,)
COUNTY OF MOHAVE. Ss.
P A Q X
I, C. V. Correson Recorder of Mohave County, Territory
of Arizona, do hereby certify that I have compared the foregoing copy Location
Notice of Happy New Year mining clami
and of the endorsement thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.
WITNESS my hand and the seal of said office, this
day of January 1910
Of A Washing
By Ross HBlastely, Recorder of Mohave County.

NOTICE OF MINING LOCATION JANA 8, 10-1, 10-1

LODE CLAIM

	To All Whom It May Concern:
	This Mining Claim, the name of which is the Washing Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
	deposits, was entered upon and located for the purposes of exploration and purchase by
	(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
	the undersigned, on the furth day of Lanuary 190.8. The length of this claim is 1500 Hundred feet,
	and ME claim 200 Annolved feet
	in a South East direction and 1300 Annohred
	feet in a North heat direction
	from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
	300 Hundred feet in width of the surface grounds,
	on each side of the center of said claim. The general course of the lode deposit and premises is from the to the
	The claim is situated and located in the San Francisco Mining District,
	in Mohare County, in the Territory of Arizona, about 2500 frest
	in a South East direction from the Victor Gold
	Mining Co. Mill
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at
	Discovery Shaft
	at a point in a South East direction 200 feet from
	the discovery shaft (at which this notice is posted), being in the center of the South East end line
	of said claim; thence 300 Hundred feet to a monument of slows
	being the South West corner of said claim; thence 1500 Hundred feet
	to a Monument being at the North Mest corner of said claim;
	thence 309 Aundred feet to a monument at the center
	of the N. M. end of said claim, thence 300 Anndred feet
	to a Monument being at the North East corner of said claim;
	thence 1500 Aundred feet to a monument at the North East
	corner of said claim; thence 300 Hundred feet to the place of beginning.
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
	and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
1	X DF IN ON WILL YOU
1	James barter Fred Harter 12
	James Qui ver
	Filed and recorded at request of Frank Ray and Fred Harlin this day
	March 9th A. D. 1908, at 3 golock P. M., in Book AA at Page 110.
	This, Mc Neely
	By Marin Corrow, Deputy County Recorder.
/	Brook AA at Page (10)
6	

TERRITORY OF ARIZONA, SS.

I, Morgan Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of Amended and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this May Ross Holosch, Aday of McLousy 19/0

Republicant Amended Amende

(GOPY) Amended Location Certificate

know All Men by these Presents, That C.E. Woods,	
the undersigned citizenof the United States, over the age of twenty-one years, having complied with all the requirments of the laws of the United States and the Territory of Arizona, relating	
to mining claims, and with the local laws, customs, rules and regulations of the San	
Francisco Mining District, hereby make and file this amended location of	
the Only Chance Lode, claiming by right of discovery, location, primal	
appropriation and possession 1420 feet, linear and horizontal measurement, on	
this vein or lode of quartz, or other rock in place, bearing gold and other	
valuable minerals, with all dips, variations and angles, the same being 205 feet	
along the ledge in a N.W. direction from the discovery stake and 1215	
feet along the ledge in a direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.	
Situate in the San Francisco Mining District, County of Mohave,	
Territory of Arizona, mabout five-eighths of a mile Easterly from the Victor M follows, to-wit:	ine
Beginning at the N.W. end center, a mound of stone; whence the	
Discovery Shaft bears S.E'ly 205 ft. distant; thence N.E'ly 300 ft. to	
N.W.Cor., a pine post; thence S.E'ly 1420 ft. to N.E.Cor., a pine post	
thence S.W'ly 300 ft. to the S.E. end center, a mound of stone; thence	
S.W'ly 300 ft. to S.E. Cor. a pine post; thence N.W'ly 1420 ft. to S.W.	
Cor. a pine post; thence N.E'ly 300 ft. to place of beginning.	
Adjoined by Boston on West end and Lexington conflicts with North	M
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 2.1/2 miles N.E. of Boundary Cone.	
side, and 3.1/3 miles N.E. of Boundary Cone.	
side, and 3.1/3 miles N.E. of Boundary Cone.	
THIS AMENDED LOCATION is made in conformity with the original location, made	24.
THIS AMENDED LOCATION is made in conformity with the original location, made October 27th, 1909, recorded December 11th, 1909, in Book E.E.	
THIS AMENDED LOCATION is made in conformity with the original location, made	24.
THIS AMENDED LOCATION is made in conformity with the original location, made October 27th, 1909, recorded Documber 11th, 1909, in Book E.E., Page 638, of Quartz Locations, in the office of the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed	
THIS AMENDED LOCATION is made in conformity with the original location, made October 27th, 1909, recorded Documber 11th, 1909, in Book E.E., Page 638, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void,	
THIS AMENDED LOCATION is made in conformity with the original location, made October 27th, 1909, recorded December 11th, 1909, in Book E.E., Page 638, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.	24
THIS AMENDED LOCATION is made in conformity with the original location, made October 27th, 1909, recorded Documber 11th, 1909, in Book E.E., Page 638, of Q artz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery, October 27th, A. D. 1909.	14.
THIS AMENDED LOCATION is made in conformity with the original location, made October 27th, 1909, recorded December 11th, 1909, in Book E.E., Page 638, of Quartz Locations, in the office of the Recorder of said County, and of more definitely describing the situation and boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery, October 27th, A. D. 1909. Date of Amended Location, February 8th, A. D. 1909.	
THIS AMENDED LOCATION is made in conformity with the original location, made October 27th, 1909, recorded Documber 11th, 1909, in Book E.E., Page 638, of Q artz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery, October 27th, A. D. 1909.	

Ву	Trans	in Bool pages Records	H. H. at 10		E
Tae I	Transferred	Book es ords	Re H.E 10		nent
A. H. MeN	red M	in Book D.D. o pages 92 & 93. Records of Mohave J.W.Morgan.	Recorded at H.E.Woods, 10 minutes M., Feby. 1		OEO N
leil Co., J	ining	-m- 2 PA	woods, minutes past 9 Feby-10th, 1	70	No.
rinters.	Cla	of ve C	the pas	LODE	atio
County Reconnection County Reconnection Reconnection Reconnection Reports (Reconnection Reconnection Reconnec	Depui	of Mining Claims, ave County, Arizona. gan, County Recorder.	Recorded at the request of E. Woods, or minutes past 9 o'clock Feby. 10th, 1910.		Mo
y Rec	page	Mining Claim Ounty, Arizon County Recorder.	st of		n Certifice
Recorder. Deputy.	Deputy.	laims izons	of o'clock	apaon.	70 ficat
Apparely of the			K	TO STAND YOU	
	- Internet	101 Piter 15	r	Marin S. Cak	
inda .			0225	Maria Maria	
NOR NOW	üesl		green and the same	. 11 24	
	iya ala II.		actes to fi		
			contoners r	the file	
told said the	a Bantoriy fr	ilm a co ed	de-ovis suc	rdistra	
, working ;	omite do brugo	n 1 . Tosnor	r. V. H. ont &	a anipation	
- PR COS VI	'H.M bonons :	thataib if	r wills a	and A' mil	A TO POST IN
or settle is	and the total	STORES NAME OF STREET	B money : 18	or enig z ,	- Marian
tokak a ni	near his a recent	buda or pho	codemical of	Talas by a	nost the ten
7,181	mitged to sold	IN the . TO THE	VITE N OUT	(4804 P.	ig B . T
	STREET, DAY				
The state of the	discovery she	RECORDED THOMAS	的现在是一种中的	e Mais Darb C. St.	bus , obje
		rial codesion	ALL STREET, STREET, LAND	The state	S stedo . To
	пиоЭ				
	st above written.	A COLUMN TO THE PARTY OF THE PA	STATE OF THE PARTY		
	nd duly recorded in Boo				
	ose bros				
	The second secon	F 100 1 10 10			

I, County Recorder in and for the County and

County of

TERRITORY OF ARIZONA,

rotate Looktor

TERRITORY OF ARIZONA, ss. 21

I, Morgan, Recorder of Mohave County, Territory of Arizona, do Hereby certify that I have compared the foregoing copy of Amended Nolice, of Mining Socalion of Big Johnnis, mining Claim and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this day of Victoriary, 19/0


By Ross & Blassey A. Morgan
Recorder of Mohave County.

Motice of Mining Location


To Sill Thille and the Alban Canadan
To All Whom It May Concern:
This Mining Claim, the name of which is the Blg Johnnia
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by C.E. Woods
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 8th day of February 1910 196
The length of this claim is1350
and I claim 400 feet,
in a Morthwesterly direction and 950
feet in aform direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
withfeet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Northwest to the Southeast
The claim is situated and located in theSan Francisco Mining District, in
Mohave County, in the Territory of Arizona, about 7/8 of a mile
in all Easterly direction from the Victor Mine and is joined
on the East and by the Lexington, and is about 2.3/4 miles in a N.E'.
direction from Boundary Cone.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
the West end center, a mound of stone, whence discovery shaft bears
Southeasterly, 400 ft. distant.
at a point in a direction feet from
the discovery shaft (at which this notice is posted), being in the center of the
end line of said claim; thence
being the corner of said claim; thence
S.P. 353.5 feet to a pine post , being at the
corner of said claim; thence 3 3 1 9 5 1 10 a New york as the center of the said claim; at the center of the said claim;
thence \$. W. 1 y 300 feet to a pine post , being at the
corner of said claim; thence 1 958 that 0 8 8100 corner
corner of said claim; thence corner of said claim; thence corner of said claim;
thence
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Big Johnnia
Mining Claim, located by Gus Carlson and Harry Anderson
on the 19th day of
April 190 and recorded in Book of Records of Mines, at
page, in the office of the County Recorder of the aforesaid County of
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.
Dated and posted on the ground this state day of Paper 1910 190
ttest: C.E.Woods,

(Over)

TERRITORY OF ARIZONA,	1	(, , , , ,	
TERRITORY OF ARIZONA,	} ss.		
<i>I</i> ,		, County Recorder in and	for the County and
Territory aforesaid, do hereby certify	that the within instrumen	t was filed for record at	o'clock,
on this	lay of,	190, and duly recorded in	Book No
	Records of	County, Arizona, at	pages
WITNESS my	hand and official seal the	day and year first above written.	
			County Recorder.
		the state of the s	



the Vest and center, a mound of atome, whence discovery sinft bears Southenately, 400, 71, distant.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim with reference to some natural object, or permanent monument, as will identify the claim.

Appraise

Attonts

Big Johnnie me Carleon and Harry Anderson 19th

Loostor

.sboow.E.D

The state of the s

(meyo)

Dave Donglass.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona
June 13, 1910. , 190
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of . C. E. Woods
known as the Alice, Lexington, Boston, Happy New Year, Only Chance and Big Johnnie San Francisco
Mining District, Mohave County, Arizona
in Section Approx., Township No. 19 N., Range No. 20 W. Unsur., and
designated as Survey No. 2775, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or his grantors, and that said improvements
consist of 23 shafts, 15 cuts, 1 tunnel, 1 raise and 1 crosscut,
total value \$3875.00
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls

United States Surveyor-General for. Arizona

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona.
	June 13, 1910 , 190
I, U.S. Surveyor-General for Dist	rict of Arizona
do hereby certify that the foregoing and here	to attached Field Notes and Return of the Survey of the
Mining Claim of C. E. Woods	
	, known as the
big Johnnie	appy New Year, Only Chance and
situate in San Franci	scoMining District,
Mohave	County, Arizona
in Section Approx., Township No.	o. 19 N. , Range No. 20 W. Unsur.
designated as Survey No	0. 2775
executed by H. G. Schader	, U. S. Deputy Mineral
Surveyor, March 12-19, 1910.	, 190, under my instructions dated
	, have been critically examined and the necessary cor-
rections and explanations made, and the said	Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the cop	py of the location certificate filed by the applicant. for
survey is included in the field notes.	
ÍI.	and I chequelle
	U. S. Surveyor-General for Arizona.