F. L.

(4-683.)

Mineral Survey No. 2778.

Lot No.

ARIZONA

Land District.

FIELD NOTES

Of the survey of the mining claim of Otabiano Franco.

KNOWN AS THE

QUARRY PLACER.

Globe ______Mining District,

Gila _____County, Arizona.

Section 30 , Township I North , Range I6 East when sur.

Surveyed under instructions dated Feb 18th 1910. , 1 .

by B. F. Van Wagenen,
U. S. Deputy Mineral Surveyor

Claim located See Location Notice, , 1

Survey commenced Sept 26th 1910.

Survey completed Sept 30th 1910. 1

0 6-100

Address:

Allred & Whitcher, Attys.,

Globe, Arizona,

QUARRY PLACER.

Beginning at corner No.1.

Pine post, 4 ft. long, 4 ins square, set 18 ins. in the ground, with mound of stone, scribed Q-1-2778. whence

The NE. Cor. sec.36, Township 1 North, Range 15 East, bears S. 63 degrees, 41 min. W., 1482.96 ft. whence

A dacite boulder marked 1-2778-Q-B.R.X., bears S. 25 degrees, 54' W, 83.67 ft.

Feet 1320

Thence N. O degrees 5' E. 149.82 Cross road to quarry. The street of the street will To Cor. No.2.

Pine post 4 Ft. long, 4 ins. square, set 18 ins. in the ground, with a mound of stones, scribed Q-2-2778.

whence

prest tape a.

food to royy say bue

1/76 B1// 1 (00)

A quartzite boulder marked 2-2778-Q-B.R.X., bears S.20 degrees, 21' E., 21.20 ft.

office arightly work.

336.7 Cross road Thence S. 89 degrees 55' E. To Cor. No.3. sational and rear Affiliation

Pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with a mound of stones, scribed Q-3-2778. whence All come a mre identique situ lechtion.

A quartzite boulder marked 3-2778-Q-B.R.X., bears N. 79 degrees, 45' E., 28.64 ft.

Thence S. O degrees 5'. W.

1007.12 To center of right of way, Arizona Eastern Railroad, 1320.00 To Cor. No. 4.

> A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with a mound of stones, scribed Q-4-2778.

whence

A quartzite boulder marked 4-2778-Q-B.R.X., bears N. 50 degrees, 27' W., 22.55 ft.

Thence N. 89 degrees, 55' W.

Feet

Charles &

272.38

660

To center of right of way of Arizona Eastern Railroad.

To Cor. No.1, to place of beginning.

Whence;

There as an income and

A well 4 x 4 feet in size and sunk to a depth of 64 feet bears N 27 degrees 34' E, 247.4 feet.

The S.W. corner of a four room brick house bears

N 34 degrees 57' E. 245.1 feet, Size of house, 26x26

feet.

All corners are identical with location.

Variation at all corners I3 degrees 30'E.

There is a slight discrepancy between the final survey and the description as given in the amended certificate of location, this is due to an error in the amended location notice, the bearings being slightly wrong.

The area of this claim is 20 acres.

This claim is situated in the Crook National

Forest, in Globe Mining District, Gila County, Arizona, in Sec. 30, T. 1 N., R. 16 E., Uns.

INSTRUMENT

This survey was made with a Gurley Light Mountain transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft and 300-ft steel tapes.

to degrees sand he both for

The section corner referred to above is a quartzite boulder one foot square and extending eight inches out of the ground. On the south side it has chiseled upon it the figure I, and on the north side it has chiseled upon it the following; IIIII.

Adjoining Claims.

As near as I can find out there is no location contiguous to this claim. G.W. Margroum has made a preliminary filing on a homestead which includes the SWA SWA Sec. 30, SEA SWA Sec. 30 and the two quarter quarter sections directly south of the two mentioned above.

SIN DA IN HOLDS:

EXPENDITURE OF FIVE HUNDRED DOLLARS.

improvements made upon, or for the benefit of the location embraced in said survey by the claimant is not less than five hundred dallars and that said improvements consist of;

degrees 55' E . 350 feet from corner No 2. This quarry is about 50 feet square and has an average depth of 8 feet.

OTHER IMPROVEMENTS.

Value **** \$900.

A well 4x4 feet and sunk to a depth of 64 feet, the S.W. corner of which bears N 27 degrees 34' E 247.4 ft.

Value**** \$150.

A house of four rooms 26x 26 feet, the S.W.corner of which bears N 34 degrees 57' E. 245.I feet.

Value* \$ \$400.

13

141

LIST OF NAMES.

A list of the names of the individuals employed by B. H. Vau Wageure	w.
United States Marky Mineral Surveyor, to assist in running, measuring, and marking the line	es, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of	
Otabians Frances	
known as the Queauty Places	
known as the state of the state	***************************************
and showing the respective capacities in which they acted.	
W. W. Escushad	Chainman.
,	Chainman.
	Axman.
· · · · · · · · · · · · · · · · · · ·	Flagm <mark>an</mark> .
FINAL OATHS OF ASSISTANTS.	
# 1 - W. a. Erushad.	
, do solemnly swear that we assisted	Fr. Jaw
Wagewee, United States Dayx Mineral Surveyor, in marking the corners	and surveying
the boundaries of the mining claim of Ctabracco Aracco	
known as the Quenry Olacer	
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor	
direction; and that said survey has been in all respects, to the best of our knowledge and belief	, faithfully and
correctly executed, and the corner and boundary monuments established according to law and t	he instructions
furnished by the United States Surveyor-General for Mugona.	
furnished by the United States Surveyor-General for Muzona. W. W. anuslaw,	Chainman.
,	Chainman.
	Axman.
	$\overline{Flagman}$.
Subscribed and sworn to by the above-named persons before me this.	13rd
day of Moranhard, 1960.	
many Karanang	h-

9489b5m8-03

My commission for eiten extrins Let. 8/1913. Vory of as

FINAL OATH OF U.S. EMPROVAX MINERAL SURVEYOR

I, B. F. Van Wagenen, U. S. Manny Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Chizona, dated
Field 17th 1910, Thave, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Otabians France
, known as the
Quarry Places, known as the
situate in Mining District,
Gila County, Origona, in Section
30 , Township No. /N , Range No. // East whensur
and designated as Survey No. 2778, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
B. Fr. Tan to agener.
U.S. Znychy Mineral Surveyor.
Subscribed and sworn to by the said B. F. Van Wageners.
U.S. Deputy Mineral Surveyor, before me Many Garanargh
a Wolary Public, this 23rd
day of Mountan, 1910,
expired 7th 8/1913 Mary Karanaugle
enfines til 8/1918 - Mary Jaramange
Malany Sublic in and
for afea Somely, Verilong
of anyonas

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

	eral Mining Circular, approved J		0
known as the	- Quarr	y Place	er —
		·	=

	0+-6:		, claimed by
	Otabiano	Franco.	

situata in	Globe		Mining District,
Gila	County		
711.4	County, 20 acre		Giroracing
	- NE & - SNY		
	1-5E1-5W1		
7	7		
in Sec. 30	Town.	. Range	East Uns.
	-		
Examination made 50	ept 30 th		
	By Oc	3. Fr. Jaw	wagenew.
15019b1500-7-1900		U.S. Day	Mineral Surveyor.

(a) The "Quarry Placer" consists of rolling ground, with no Timber. The vegetation is very scarce, and consists of different specie of Cacti, Sage brush, Mesquite, and Catclaw.

The surface of the Claim is covered in most places with a soil that may be classed as Adobe, in which are small boulders of Quartz and Trachite. An overburden of Sand and Gravel coveres the soil. In several places small drains have been cut through the surface by rain water. On the North end of the Claim the surface consists of a solid bed of Trachite, this extends South on the Claim for about 300 feet. On the South end of the Claim this Trachite also shows. A well on the Claim and shown on the Map, with the exception of 4 or 5 feet of overburden, consisting of the Adobe and gravel mentioned above, was sunk its entire depth in Trachite.

- (b) There are no streams on the Claim.
- (c) The surface workings consist of a Quarry, from which building stone has been taken. This Quarry is very irregular but will average 50 feet square and 8 feet deep; a Well 4x4 feet and 64 feet deep as shown on plat.
- (d) The Claim is situated about 600 feet East from the Eastern limits of the City of Globe.
- the close vicinity is that of the Northern end of the Globe Mining Belt which starts about a Mile and a quarter to the North of the Wuarry and where the following Mines are located; Old Dominion, Globe Consolidated, Arizona Commercial, Superior and Boston and The National Mining Exploration Company. There are some claims about in the North of the Quarry Placer in which some

found in pockets, due to the badly faulted and shattered condition of the Country. Where veins are able to be traced theyrun from East to West.

(f) The "Quarry Placer" claim is not adapted to placer mining, as there is no indication of Gold being present, and there are no Gold deposits in the near vicinity.

Water as yet has not been developed on the Claim and it would be very difficult to procure water in any quantity. The only use this Claim is suitable for in a Mining way is as a Quarry, as the stone from this Quarry is being used extensively for building material and is of a very good grade.

(g) See under Expenditure of Five Hundred Dollars.
(h) There are no Mines, Baltlicks, Salt Springs or
Mill sites on the Claim.

The Claim is not adaptable to Agricultural uses owing to the overburden of Gravel and the large amount of Quartz and Trachite on the surface.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

	APPROVED JULY 26, 1901.
_	
	Servitory of aregona
	COUNTY OF Gelas
	IN Auro 6.9. Datales
	At Quell and 6. J. Halchel
	being first duly sworn, severally depose and say that he is personally and well acquainted with the
	placer-mining claim of Otabeano Franco
	, known as the Quarry Places
	, situate in
	Globel Mining District,
	Gila County, Aryona , embracing
	20 ales
	The SN' -NE - SW' When Surveyed.
	" NW4-SE4-SW4 " "
	In Section 30 , in Township No. 1 North
	Range No. 16 East 91111; and also with the character of all the land included
	in said claim, and has been so acquainted foryear = last
	past; that his knowledge of said claim and land is derived from
	observation, having been on and over the
	Claim on numerous occasions and is such as to enable
	him to testify understandingly with regard thereto; that he has carefully read the foregoing report
	of D. F. Van Nagenen U. S. Dapoxy Mineral Surveyor, and
	that to his own personal knowledge said report is in all respects true and accurate.
	1/ / / / / /
	H.V. Snell.
	9500
	h. / Datolely.
	Subscribed and sworn to by the above-named persons before me
	They comment affine back, 1914
	My commence I for parto, 1914
	· · · · · · · · · · · · · · · · · · ·
	4116b3m6-02 Rotory Public

NCITACCA BRIRIN RC ACITCR PLACER CLAIM.

ID ALL WHOM IT MAY CONCERN:

This Placer Mining Claim, the name of which is the "QUARRY" Placer Mining Claim, situate on lands belonging to the United States of America, & peing a form of valuable mineral deposit other than in veins or lodes of quartz or other rock in place, to-wit: Building Stone, was entered upon and located for the purpose of exploration and purchase by OTAMIAND FRANCO, a citizen of the United States of America, the undersigned, on the 9th day of August, A. D. 1909.

Undersigned claims twenty acres of said land, and has marked the same on the ground as follows, to-wit: Beginning at a monument of stone three feet in height and four feet in diameter at the base, located at the south-west corner of the north-west quarter of the south east quarter of the south-west quarter of Section thirty (30), Township 1, North, Range 16, Last, (Approx), on which monument of stones this notice of location is posted, thence East six hundred and sixty (330) feet to a monument of stones, three feet in height and four feet in diameter at the base, located at the south-east corner of the north west quarter of the south east quarter of the south west coarter of said Section 20, Township 1, N., Range 16, East, (Approx), which is the south-east corner of said claim; thence north thirteen nundred and twenty (1320) feet to a monument of stones three feet in herent and four feet in diameter at the base, being the north east corner of the south-west quarter of the north-east quarter of the south-west quarter of said Section thirty (30), Township 1, North, Range 16, East, (Approx.), being the north east corner of said claim; thence west six hundred and sixty (660) feet to a monument of stones three feet high and four feet in diameter at the base, located at the north-west corner of said south-west quarter of the north east quarter of the south-west quarter of said Section 30, Township 1, North, Range 16, Last, (Approx.), being the north west corner of said claim; thence south thirteen hundred and twenty (1320) feet to the place of peginning, the point where this notice is posted and the south-west corner of said claim, containing twenty acres and being the North West quarter of the South Last quarter of the South West quarter, and the south-west quarter of the north-east quarter of the south west quarter of said Section 30, Township 1, North, Range 18, Lase, (Approx.), and located about two thousand (2,000) feet easterly from the Gila County Hospital, all in Gila County, Arizona, and in Globe Mining District. Lated and posted on the ground, August 9th, A.T., 1909.

Octobions France.

past 10° clock A. M., and duly recorded at Fage 7. Gisa County, do hereby cer-I, D. T. Stevart, County tily that the within infiled at the request of 0. France birting of welting was Gila County, Arizona Terrion the 9 day of August , E. C. Lewann. Gounty Recorder. TERRITORY OF ARIZONA, County of Gila. of Mines

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	March 4, 1911. , 190
I, U.S. Surveyor-General for	Arizona,
do hereby certify that the foregoing	transcript of the Field Notes, return and approval of the survey
of the mining claim of	
	Otabiano Franco,
known as the	QUARRY PLACER,
situate in	GLOBE
Mining District, GILA	County, AR1ZONA,
in Section 30, Townshi	p No. 1 North , Range No. 16 E, when surveyed and
designated as Survey No. 2778	, has been correctly copied from the originals on file in
this office; that said Field Notes fur	rnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully	y to identify the premises, and that such reference is made therein
to natural objects or permanent mon	uments as will perpetuate and fix the locus thereof.
And I further certify that five	hundred dollars' worth of labor has been expended or improve-
ments made upon said mining clain	by claimant or his grantors, and that said improvements
consist of l quarry, valu	e \$900.00
,	
and that no portion of said labor or	improvements has been included in the estimate of expenditures
upon any other claim.	
I further certify that the plat th	ereof, filed in the U.S. Land Office at Phoenix, Arizona.
is co	errect and in conformity with the foregoing Field Notes.
	Frank S. Ingalls.
U	United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix,	Arizon <mark>a,</mark>	
	March 4, 1911.	, 190
I, U.S. Surveyor-General for Ariz	ona,	
do hereby certify that the foregoing and hereto attach	ned Field Notes and Return of the	Survey of the
Mining Claim of		
Otabiano	Franco,	
QUARRY	PLACER,	
situate inGlob	o e n	nining district,
Gila County	y, Arizona,	
in Section 30 , Township No. 1 No.	orth , Range No.16 E.	., when surveyed,
designated as Survey No. 27.7	78.	
executed by B. F. Van Wagenen	, United	States Mineral
Surveyor, September 26 - 30, 1910.	, 190X , under my inst	cructions dated
February 18, 1910, xxxx, have	been critically examined and the	necessary cor-
rections and explanations made, and the said Field N	Jotes and Return, and the Survey	they describe,
are hereby approved. A true copy of the copy of the	location certificate filed by the	applicant for
survey is included in the field notes.		
		1.

U. S. Surveyor-General for Arizona.