

MAR 26 1910
APR 11 1910

4-683.

MINERAL SURVEY No. 2779

LOT No. _____

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

~~The~~ Golden Star Mining and Milling Company

KNOWN AS THE

R. A., Exchequer and Quaker

Wallapai

Mining District,

MoHAVE

County, Arizona

Sections 7 and 18, Township 22 N., Range 17 W.,

Surveyed under instructions dated February 21st., 1910

by Peter Mc Cardell

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced February 24 th., 1910

Survey completed February 28 th., 1910

6-822

Address of Attorney-in-fact, J. E. Ferry,
Pineman, Arizona.

Handwritten red scribbles at the bottom right corner.

West.

SURVEY No. 2779.

R. A. LODE.

Beginning at Cor. No. 1.

A granite stone, 4 X 12 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled 1-2779 R. A., cross (X) at corner point, whence

A cross (X) and B. R. 1-2779 chiseled on a granite rock 4 ft. above the ground, bears S. 67° 49' W. 10.33 ft., and a cross (X) and B. R. 1-2779 chiseled on a granite rock 3 ft. above the ground, bears N. 9° 17' W. 13.03 ft.

Corner to sections 7-8-17-18, T. 22 N., R. 17 W., bears S. 20° 45' E. 622.7 ft.

Thence S. 52° 35' W.

Va. 16° 42' E.

31.66 Intersect the south west side line of Post Master General lode, unsurveyed, at N. 73° 35' W. ^{124.68 Ft.} from the S. W.

Cor., and S. 73° 35' E. 1375.32 ft. from the N. W. Cor., identical with the N. E. Cor. of Alta lode, unsurveyed.

Thence along the north end line of the Alta lode, unsurveyed.

354.1 To south end center.

A cross (X) and R. A. 2779 chiseled on a granite rock showing 1 X 3 X 2 ft. above the ground, monument of stone alongside.

654.1 To Cor. No. 2.

Identical with the N. W. Cor. Alta lode and the S. E. Cor. Comet lode, both unsurveyed.

A granite stone, 5 X 6 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled 2-2779 R. A., cross (X) at corner point, whence

A cross (X) and B. R. 2-2779 chiseled on a granite rock 4 ft. above the ground, bears N. 78° 38' E. 42.79 ft.,

(1)

Feet.

SURVEY No. 2779 -- Continued.

R. A. LODE - Continued.

and a cross (X) and B. R. 2-2779 chiseled on a granite rock 2 ft. above the ground, bears S. 18° E. 26.05 ft.

Thence N. 69° 25' W.

Va. 17° 01' E.

along east side line Comet lode, unsurveyed.

920 Cerbat wash, drains S. 53° W.

1066.34 Intersect line 2-3 Exchequer lode of this survey, at S. 38° 07' E. 472.46 ft. from Cor. No. 2, and N. 38° 07' W. 1023.24 ft. from Cor. No. 3. Also the north corner of the Comet lode, unsurveyed.

1248 Road, course S. 72° W. and N. 72° E.

1320 Road, course north and south.

1500 To Cor. No. 3.

A granite stone, 8 X 10 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-2779 R. A., cross (X) at corner point, whence:

A cross (X) and B. R. 3-2779 chiseled on a granite rock 2 ft. above the ground, bears S. 0° 53' E. 25.9 ft., and a cross (X) and B. O. 3-2779 scribed on the S. W. Cor. of a building, bears S. 53° 52' E. 131.2 ft.

Thence N. 52° 35' E.

Va. 16° 50' E.

169.4 Cor. No. 4. Survey No. 1287, Golden Gem lode.

199 Road, course north and south.

225.31 Intersect line 2-3 Exchequer lode, of this survey, at S. 38° 07' E. 104.67 ft. from Cor. No. 2, and N. 38° 07' W. 1394.03 ft. from Cor. No. 3.

300 To north end center.

A quartz stone, 10 X 14 X 24 ins., set 12 ins. in the

(2)

Feet.

SURVEY No.2779 - Continued.

R. A. LODE - Continued.

- ground, mound of stone, chiseled N. E. C., 2779 R. A.
- 306 Center of shaft No.2, of this lode.
- 472 Cor. No.3, Survey No.1237, Golden Gem lode., ~~thence~~
~~along line 4-3, Survey No.1237, Golden Gem lode.~~
- 654.1 To Cor. No.4.
- A cross (X) and R. A. 4-2779 chiseled on a granite rock, showing 3 X 3 X 1 ft. above the general surface, monument of stone alongside, whence
- A cross (X) and B. R. 4-2779 chiseled on a granite rock 3 ft. above the ground, bears N. 67° 36' W. 23.2 ft., and a cross (X) and B. R. 4-2779 chiseled on a granite rock 3 ft. above the ground, bears S. 55° 16' E. 11.6 ft.
-
- Thence S. 69° 25' E.
- Va. 15° 43' E.
- 194.44 Intersect the north end line of Post Master General lode, unsurveyed, at N. 53° 26' E. 211.47 ft. from the N. W. Cor. and S 53° 26' W. 405.53 ft. from the N. E. Cor.
- 317 Road, course S. 40° W. and N.40° E.
- 444 Cerbat wash, drains S. 38° W.
- 1500 To Cor. No.1, the place of beginning.

EXCHEQUER LODGE.

Beginning at Cor. No.1.

A granite stone, 5 X 7 X 27 ins., set 12 ins. in the ground, mound of stone, chiseled 1-2779 Ex., cross (X) at corner point, whence

A cross (X) and B. R. 1-2779 chiseled on a granite rock 3 ft. above the ground, bears N. 66° 31' E. 22.4 ft., and a cross (X) and B. R. 1-2779 chiseled on a porphyry

Feet.

SURVEY No.2779 - Continued.

EXCHEQUER LODE - Continued.

rock 4 ft. above the ground, bears N. 29° 38' W. 31.86 ft.

1/4 Section corner between sections 7 and 18, T. 22 N.,
R. 17 W. bears S. 2° 53' 25" W. 745.78 ft.

Thence N. 72° 01' E.

Va. 16° 10' E.

- 61.9 Cor. No.3, Survey No.2460, Idaho lode, and the intersection of line 1-2, Survey No.2460, Broken Hills lode, at S. 17° 59' E. 1085.9 ft. from Cor. No.1, and N. 17° 59' W. 368.6 ft. from Cor. No.2, thence along line 3-2, Survey No.2460, Idaho lode.
- 169.9 Road, course S. 15° W. and N. 15° E.
- 189.9 Gulch, drains south.
- 211.9 South end center Idaho lode, Survey No.2460.
- 300 To North end center.
- A granite stone, 7 X 10 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled N. E. C. 2779 Ex.
- 329.4 Road, course north and south.
- 361.9 Cor. No.1, Quaker lode, of this survey, and Cor. No.2, Idaho lode, Survey No.2460.
- 459.9 Center of shaft No.2, of this lode.
- 467.7 South end center Quaker lode, of this survey.
- 543.49 Intersect line 4-5, Golden Gem lode, Survey No.1287, at N. 42° 54' W. 129.16 ft. from Cor. No.4, and S. 42° 54' E. 267 ft. from Cor. No.5.
- 602.9 Cor. No.2, Quaker lode, of this survey.
- 614.65 To Cor. No.2.
- On the west edge of a wagon road.
- A granite boulder in place, showing 1 1/2 X 2 ft. 4 ins. above the ground, chiseled cross (X) at corner point and 2-2779 Ex. Note - This corner falls in the wagon track

Feet. SURVEY No. 2779 - Continued.
EXCHEQUER LODE - Continued.

and a larger stone would come in the way of the use of
of the road, whence

A cross (X) and B. R. 2-2779 chiseled on a granite rock
2 ft. above the ground, bears N. 75° 23' E. 87.12 ft.,
and a cross (X) and B. R. 2-2779 chiseled on a granite
rock 3 ft. above the ground, bears N. 36° 39' E. 109.4
ft.

Thence S. 38° 07' E.
Va. 16° 14' E.

104.67 Intersect line 3-4 Golden Gem lode, Survey No. 1287, at
S. 52° 35' W. 246.69 ft. from Cor. No. 3, and N. 52° 35'
E. 55.91 ft. from Cor. No. 4, also intersect line 3-4
R. A. lode of this survey, at N. 52° 35' E. 225.31 ft.
from Cor. No. 3, and S. 52° 35' W. 428.79 ft. from Cor.
No. 4.

349.4 Road, course S. 70° W. and N. 70° E.

472.46 Intersect line 2-3 R. A. lode of this survey, at N. 69°
25' W. 1066.34 ft. from Cor. No. 2, and S. 69° 25' E.
433.66 ft. from Cor. No. 3. Also the north corner of
Comet lode, ^{ed}unsurveyed; thence along the west line of
Comet lode, unsurveyed.

585 Cerbat wash, drains S. 66° W.

1186.1 Intersect line between sections 7 and 18, T. 22 N., R.
17 W., at S. 89° 56' W. 1297.99 ft. from Cor. to Sec's
7-8-17-18, T. 22 N., R. 17 W., and N. 89° 56' E. 1354.4
ft. from 1/4 Sec. Cor. between Sec's 7 and 18, T. 22.
N., R. 17 W.

1498.7 To Cor. No. 3.
^{a corner of}
Identical with the Comet lode, unsurveyed.

A cross (X) and 3-2779 Ex. chiseled on the east face
of a granite rock, showing 6 X 10 X 6 ft. above the

Feet.

SURVEY No. 2779 - Continued.

EXCHEQUER LODE - Continued.

ground, monument of stone on the top of the rock along-side of the chisel marks, whence

A cross (X) and B. R. 3-2779 chiseled on a granite rock 1 1/2 ft. above the ground, bears S. 1° 16' W. 28.37 ft., and a cross (X) and B. R. 3-2779 chiseled on a granite rock 2.4 ft. above the ground, bears S. 57° 55' E. 20.5 ft., Cor. No. 2, R. A. lode of this survey, bears N. 40° 10' E. 565.7 ft.

Thence S. 72° 01' W.

Va. 16° 20' E.

314.35 To south end center.

A granite stone, 8 X 11 X 26 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. C. 2779 Ex.

614.65 To Cor. No. 4.

Identical with the S. E. Cor. of the Stella lode, unsurveyed.

A cross (X) and 4-2779 Ex. chiseled on the west face of a granite rock, showing 3 X 3 X 1 ft. above the ground, whence

A cross (X) and B. R. 4-2779 chiseled on a granite rock 3 ft. above the ground, bears N. 67° 36' W. 23.2 ft., and a cross (X) and B. R. 4-2779 Chiseled on a granite rock 3 ft. above the ground, bears S. 55° 16' E. 11.6 ft.
Cor No 2 Red Seal lode identical with Cor No. 1. Siwash lode Sur No 2776 brs S 66° 54' W 699.7 ft

Thence N. 38° 07' W.

Va. 15° 48' E.

Along the east side line of Stella lode, unsurveyed.

552.9 Intersect line between Sec's 7 and 18, T. 22 N., R. 17

W., at S. 89° 56' W. 2030.95 ft. from Cor. to Sec's

7-8-17-18, T. 22 N., R. 17 W. and N. 89° 56' E. 621.45 ft

- Feet. SURVEY No.2779 - Continued.
EXCHEQUER LODE - Continued.
- from 1/4 Cor. between Sec's 7 and 18, T. 22 N., R. 17 W.
- 948 Cerbat wash, drains S. 85° W.
- 1105.61 N. E. Cor. Stella lode, unsurveyed.
- 1215 Gulch, drains S. 20° W.
- 1258 Road, course S. 70° W. and N. 70° E.
- 1319.36 Intersect line 1-2, Survey No.2460, Broken Hills lode, at S. 17° 59' E. 1254.74 ft. from Cor. No.1, and N. 17° 59' W. 199.76 ft. from Cor. No.2.
- 1438 Road, course S. 67° W. and N. 67° E.
- 1498.7 To Cor. No.1, the place of beginning.

QUAKER LODE.

Beginning at Cor. No.1.

Identical with Cor. No.2 Survey No.2460, Idaho lode, and hereto fore described in the field notes of that survey. Whence the 1/4 corner between Sec's 7 and 18 T. 22 N., R. 17 W. bears S. 24° 01' 33" W. 937.82 ft.

Thence N. 72° 01' E.

Va. 15° 46' E.

Along line 1-2 Exchequer lode of this survey.

- 98 Shaft No.2 of the Exchequer lode of this survey.
- 105.8 To south end center.
- A granite stone, 7 X 9 X 20 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. C. 2779 Q. cross (X) for line point.
- 181.59 Intersect line 4-5 Survey No.1287, Golden Gem lode, and heretofore described in the field notes Exchequer lode of this survey.
- 241 To Cor. No.2, on line 1-2 Exchequer lode of this survey.

Feet.

SURVEY No.2779 - Continued.

QUAKER LODE - Continued.

at N. 72° 01' E. 602.9 ft. from Cor. No.1 and S. 72° 01' W. 11.75 ft. from Cor. No.2.

A granite stone, 8 X 12 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled 2-2779-Q., cross (X) at corner point, whence

A cross (X) and B. R. 2-2779 chiseled on a granite rock 2 ft. above the ground bears N. 75° E. 98.5 ft., and a cross (X) and B. R. 2-2779 chiseled on a granite rock 3 ft. above the ground, bears N. 39° 55' E. 118.8 ft.

Thence N. 43° 46' W.

Va. 16° 14' E.

439.76 To Cor. No.3.

A granite stone, 4 X 14 X 26 ins., set 12 ins. in the ground, mound of stone, chiseled 3-2779 Q. cross (X) at corner point, whence

A cross (X) and B. R. 3-2779 chiseled on a granite rock 2 ft. above the ground, bears S. 49° 29' W. 14.8 ft., and a cross (X) and B. R. 3-2779 chiseled on a granite rock 3 ft. above the ground, bears N. 8° 43' W. 84.36 ft.

Thence S. 72° 01' W.

Va. 16° 16' E.

14 To north end center.

A granite stone, 5 X 12 X 20 ins., set 12 ins. in the ground, mound of stone, chiseled N. E. C. 2779 Q. cross (X) for line point.

23 To Cor. No.4.

On line 1-2 Survey No.2460, Idaho lode, at S. 17° 59' E. 559 ft. from Cor. No.1, and N. 17° 59' W. 441 ft. from Cor. No.2.

(3)

Feet.

SURVEY No.2779 - Continued.

QUAKER LODE - Continued.

A granite stone, 7 X 14 X 26 ins., set 12 ins. in the ground, mound of stone, chiseled 4-2779 Q., cross (X) at corner point, whence

A cross (K) and B. R. 4-2779 chiseled on a granite rock 2 ft. above the ground, bears S. 83° 55' E. 13 ft., and a cross (X) and B. R. 4-2779 chiseled on a granite rock 3 ft. above the ground, bears N. 8° 35' E. 93.2 ft.

Thence S. 17° 59' E.

Va. 16° 16' E.

Along line 1-2, Survey No.2460, Idaho lode.

17.06 Intersect line 5-6 Survey No.1287, Golden Gem lode, at N. 38° 50' W. 194.24 ft. from Cor. No.5, and S. 38° 50' E. 605.76 ft. from Cor. No.6.

441 To Cor. No.1, the place of beginning.

Handwritten initials

LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

R. A. lode, 70 ft. N. 69° 25' W., and 1430 ft. S. 69° 25' E.

Exchequer lode, 166 ft. N. 38° 07' W., and 1332.7 ft. S. 38° 07' E.

Quaker lode, 333.45 ft. N. 29° 44' 37" W., and 67 ft. S. 29° 44' 37" E.

AREA.

Total area R. A. lode, 19.102 Acres.

Area in conflict with Post

Master General, ^{lode} unsurveyed..... 3.830

begin again

SURVEY No.2779 - Continued.

Total area Exchequer lode 19.855 Acres.

Area in conflict with

R. A. lode of this survey..... .951

Survey No.1287, Golden Gem lode .162

Survey No.2460, Broken Hills
lode119

Total area Quaker lode..... 1.361 Acres.

Area in conflict with

Survey No.1287, Golden Gem lode .520

This survey is identical with the respective locati-
ons.

LOCATION.

This survey is located in the S. 1/2 Sec. 7 and the
N. 1/2 Sec. 18, T. 22 N., R. 17 W., in the Wallapai
Mining District, Mohave County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvem-
ents made upon, or for the benefit of, each of the loca-
tions embraced in said mining claim by the claimant or
its grantors is not less than five hundred dollars, and
that said improvements consist of:

R. A. lode, No.1. The discovery shaft, on the lode
line 70 ft. from a point on line 3-4, at N. 52° 35' E.
300 ft. from Cor. No.3, 4 X 6 ft. 30 ft. deep.

Value, \$300

No.2. A shaft, on line 3-4, at N. 52° 35' E. 308 ft.
from Cor. No.3, 4 X 6 ft., 15 ft. deep, in rock.

Value, \$200

Note- A 1/2 interest in this shaft to be credited to
this location. The other 1/2 is located on the ground

Step

SURVEY No.2779 - Continued.

of Survey No.1287, Golden Gem lode.

Value, \$100

No.3. A shaft, which bears from Cor. No.4, S. 29° 55' W. 310 ft., 4 X 6 ft., 18 ft. deep, in rock.

Value, \$180

No.4. A shaft, which bears from Cor. No.4, S. 21° 07' E. 475 ft., 4 X 6 ft., 30 ft. deep.

Value, \$200

No.5. An open cut, the face of which is on the lode line 647 ft. from a point on line 3-4, at N. 52° 35' E. 300 ft. from Cor. No.3, 5 ft. wide, 10 ft. face, running N. 50° W. 25 ft.

Value, \$40

Exchequer lode. No.1. The discovery shaft, on the lode line 166 ft. from a point on line 1-2, at N. 72° 01' E. 300 ft. from Cor. No.1, 4 X 6 ft., 40 ft. deep, in rock.

Value, \$480

No.2. A shaft, on line 1-2, at N. 72° 01' E. 459.9 ft. from Cor. No.1, 4 X 6 ft., 15 ft. deep, in rock.

Value, \$150

Note- A 1/2 interest in this shaft to be credited to this location, the other 1/2 is located on the Quaker lode, of this survey.

Value, \$75

No.3. A shaft, which bears from Cor. No.1, S. 67° 06' E. 380 ft., 4 X 6 ft., 30 ft. deep, in rock.

Value, \$360.

Quaker lode, No.1. The discovery shaft, on the lode line 67 ft. from a point on line 1-2, at N. 72° 01' E. 105.8 ft. from Cor. No.1, 4 X 6 ft., 40 ft. deep, in rock.

Value, \$480

Note- A 1/2 interest in shaft No.2, Exchequer lode to be credited to this location.

Value, \$75

OTHER IMPROVEMENTS.

An office, the N. W. Cor. of which bears from Cor. No.

SURVEY No.2779- Continued.

3, R. A. lode, N. $80^{\circ} 53'$ E. 345.5 ft., 16 X 20 ft.,
course of long side N. $63^{\circ} 25'$ E.

A store building, the N. W. Cor. of which bears from
Cor. No.1, Exchequer lode, S. 61° E. 442.4 ft., 16 X 40
ft., course of long side S. $6^{\circ} 30'$ E.

A boarding house, the S. W. Cor. of which bears from
Cor. No.3, R. A. lode, S. $53^{\circ} 52'$ E. 131.2 ft., 16 X 30
ft., course of long side S. 79° W.

A house, the N. E. Cor. of which bears from Cor. No.2,
Exchequer lode, S. $10^{\circ} 37'$ E. 92.4 ft., 12 X 14 ft.,
course of long side S. 75° W.

 INSTRUMENT.

This survey was made with a Buff and Berger Transit.
The courses were deflected from the true meridian as
determined from direct solar observations. The distances
were measured with a 100-ft. and 500- ft. steel tapes.

 REPORT.

The lode line of each location of this claim was run
directly upon the ground, and the several corners estab-
lished by means of offsets from the lode lines. All tie
lines were run either directly upon the ground or by
traverses, run upon the ground and submitted in a separ-
ate report herewith.

Note - I find the following errors in former approved
surveys: 3-4, Survey No.1287, Golden Gem lode, S. $52^{\circ} 35'$
W. 302.6 ft., instead of S. $51^{\circ} 10'$ W. 300 ft. Line
4-5, Survey No.1287, Golden Gem lode, N. $42^{\circ} 54'$ W.
396.16 ft. instead of N. 43° W 400 ft.

Note- The disagreement between these field notes and
the location certificates with regard to the courses of
the boundary lines are due to errors in the latter.

SURVEY No.2779 - Continued.

ADJOINING CLAIMS.

The adjoining claims are as follows: On the east, Post Master General, ^{lode}unsurveyed, North St. Louis Mining Company, claimants. On the south, Alta lode, unsurveyed, J. C. Lane, claimant. On the west, Comet lode, unsurveyed, Golden Star Mining and Milling Company, claimants, Stella lode, unsurveyed, Sullivan and Sauls, claimant. Broken Hills lode, Survey No.2460, Cerbat Mountain Mining Company, claimants. On the north, Idaho lode, Survey No.2460, Cerbat Mountain Mining Company, claimants; Golden Gem lode, Survey No.1287, Golden Star Mining ~~ing~~ Company, claimants.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
The Golden Star Mining and Milling Company
 known as the R. A., Exchequer and Quaker
 and showing the respective capacities in which they acted.

Jasper N. Brewer _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

I, Jasper N. Brewer
 do solemnly swear that ^Iwe assisted Peter Mc Cardell,
 _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of The Golden Star Mining and Milling Company
 known as the R. A., Exchequer and Quaker
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

Jasper N. Brewer _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 9th.

day of March, 19 10

Amos Smith
U.S. Commissioner

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter Mc Cardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 21 st. 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Golden Star Mining and Milling Company, known as the R. A., Exchequer and Quaker, situate in Wallapai Mining District, Mohave County, Arizona, in Section 5 7 and 18, Township No. 22 N., Range No. 17 W., G. & S. R. B. & N., and designated as Survey No. 2779, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell

U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell
U. S. Mineral Surveyor, before me Anson H. Smith, U. S. Commissioner
of Mohave County, Arizona. this 24 th.
day of March 1910. #190#

Anson H. Smith

U. S. Commissioner

(COPY)

Amended Location Certificate

FEB. 21. 1910

Know All Men by these Presents, That Golden Star Mining and Milling Company,

the undersigned citizen^s of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of

Wallapai Mining District, hereby make and file this its amended location of

the R. A. Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on

this vein or lode of quartz, or other rock in place, bearing gold and silver and other valuable minerals, with all dips, variations and angles, the same being 70 feet

along the ledge in a Northwest direction from the discovery stake and 1430

feet along the ledge in a Southeast direction therefrom, together with 300

feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, ~~XX~~ and more particularly described as follows, to-wit:

Beginning at Cor.No.1, whence Corner to Sections 5-6-7-8 ,

T.22 N., R.17 W., bears N.17° 36' 40" E. 4214.7 ft., thence S .69°

31' E. 1500 ft. to Cor.No.2; thence S. 52° 35' W. 354.1 ft. to South

end center monument, and 654.1 ft. to Cor.No.3; thence N.69° 31' W.

1500 ft. to Cor.No.4; thence N. 52 ° 35' E. 300 ft. to North end cen-

ter monument, whence discovery shaft bears S. 69° 31' E. 70 ft., and

654.1 ft. to Cor.No.1, the place of beginning.

Mean Va.16° E.

THIS AMENDED LOCATION is made in conformity with the original location, made January 1st 1897, recorded March 8th 1897, in Book M,

Page 693, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, January 1st A. D. 1897

Date of Amended Location, February 18th A. D. ~~1897~~ 1910.

Attest: Golden Star Mining and Milling Company,

By J.E. Perry, Agent.

No.

Amended Location Certificate

LODÉ.

Recorded at the request of

J. F. Ferry,

at 10 minutes past 9 o'clock

A. M., Feby. 18th, 1910.

in Book D. D. of Mining Claims,

pages 98-99.

Records of Mohave County, Arizona.

J. W. Morgan,

County Recorder.

By

Deputy.

Transferred 190

Book Mining Claims, page

County Recorder.

By

Deputy.

TERRITORY OF ARIZONA,

ss.

I, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M., on this day of 190..., and duly recorded in Book No. of County, Arizona, at pages of

WITNESS my hand and official seal the day and year first above written.

County Recorder.

(COPY)

Amended Location Certificate

Know All Men by these Presents, That Golden Star Mining and Milling Company,

the undersigned citizen ^S of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of

Wallapai Mining District, hereby make and file this ^{its} amended location of the Exchequer Lode, claiming by right of discovery, location, primal appropriation and possession 1498.4 feet, linear and horizontal measurement, on

this vein or lode of quartz, or other rock in place, bearing gold and silver and other valuable minerals, with all dips, variations and angles, the same being 166 feet along the ledge in a Northwest direction from the discovery stake and 1332.6

feet along the ledge in a Southeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, ~~XX~~ and more particularly described as follows, to-wit:

Beginning at Cor.No.1, whence corner to Sections 5-6-7-8, T. 22 N., R.17 W., bears N. 21° 50' E. 4520.6 ft; thence S. 38° 05' E. 1498.4 ft. to Cor.No.2; thence S. 72° 01' W. 314.65 ft. to South end ~~XXX~~ center monument, and 614.65 ft. to Cor.No.3; thence N. 38° 05' W. 1498.4 ft. to Cor.No.4; thence N. 72° 01' W. 300 ft. to North end center monument, whence discovery shaft bears S. 38° 05' E. 166 ft., and 614.65 ft. to Cor.No.1, the place of beginning.

Mean Va. 16° E.

THIS AMENDED LOCATION is made in conformity with the original location, made January 1st, 1899, recorded March 21st 1899, in Book 0, Page 89, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, January 1st, A. D. 1899

Date of Amended Location, February 18th A. D. ~~1899~~ 1910.

Attest:

Golden Star Mining and Milling Company,
By J. E. Perry, Agent.

No.

Amended Location Certificate

LODE.

Recorded at the request of

J. E. Ferry

at 10 minutes past 9 o'clock
A.M., F ebv. 18th, 1910.

in Book D.D. of Mining Claims,
pages 99 & 100

Records of Mohave County, Arizona.

J. V. Morgan.

County Recorder.

By Deputy.

Transferred 190

Book Mining Claims, page

County Recorder.

By Deputy.

The H. M. McNeill Co., Printers, Phoenix, Arizona

TERRITORY OF ARIZONA,

ss.

I, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M., on this day of 190, and duly recorded in Book No. of Records of County, Arizona, at pages. WITNESS my hand and official seal the day and year first above written.

County Recorder.

(COPY)

Amended Location Certificate

Know All Men by these Presents, That **Golden Star Mining and Milling Company,**

the undersigned citizen **S** of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of

Wallapai Mining District, hereby make and file this **its** amended location of

the **Quaker** Lode, claiming by right of discovery, location, primal appropriation and possession **516** feet, linear and horizontal measurement, on

this vein or lode of quartz, or other rock in place, bearing **gold and silver** and other valuable minerals, with all dips, variations and angles, the same being **381.9** feet

along the ledge in a **Northwest** direction from the discovery stake and **67**

feet along the ledge in a **Southeast** direction therefrom, together with **14 - 135 ft.**

feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in **Wallapai** Mining District, County of Mohave,

Territory of Arizona, ~~IX~~ and more particularly described as follows, to-wit:

Beginning at Cor. No. 1, whence corner to Sections 5 - 6 - 7 - 8 T. 22 N., R. 17 W., bears N. 27° 50' 30" E. 4348.6 ft.; thence S. 43° 45' 50" W. 489.74 ft. to Cor. No. 2; thence S. 72° 01' W. 135.2 to south end center monument, and 241 ft. to Cor. No. 3, identical with Cor. No. 2 Idaho lode, Survey No. 2460; thence N. 17° 59' W. 441 ft. to Cor. No. 4; thence N. 72° 01' E. 14 ft. to North end center monument, whence discovery shaft bears S. 28° 41' E. 381.9 ft., and 28 ft. to Cor. No. 1, the place of beginning.

Mean Variation 16° E.

THIS AMENDED LOCATION is made in conformity with the original location, made **Sep. 15th** 1 **906**, recorded **November 8th**, 1 **906**, in Book **V**,

Page **582**, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, **September 15th** A. D. 1 **906**.

Date of Amended Location, **February 18th**, A. D. 19**10**.

Attest:

Golden Star Mining and Milling Company,

By **J. E. Perry,**
Agent.

No.

Amended Location Certificate

LODE.

Recorded at the request of

J. E. Ferry,

at 10 minutes past 9 o'clock

A. M., Feb. 18th, 1910

in Book D. D. of Mining Claims,

pages 100 & 101,

Records of Mohave County, Arizona.

J. V. Morgan,

County Recorder.

By

Deputy.

Transferred 190

Book Mining Claims, page

County Recorder.

By

Deputy.

The H. M. McNeil Co., Printers, Phoenix, Arizona

Mean Variation 16° E.

of bearing.

small bear 0 28° 41' E. 381.9 ft., and 28 ft. to cor. No. 1, the place

thence 72° 01' E. 14 ft. to North end center monument, whence

to 2 Idaho lode, survey No. 246; thence N 17° 59' W. 441 ft. to cor. No. 4;

North end center monument, and 241 ft. to cor. No. 3, identical with cor.

15; 50° W. 489.74 ft. to cor. No. 2; thence S 72° 01' W. 135.2 to

1.21 N., R. 17 W., bear N 27° 50' E. 434.6 ft.; thence S 43°

beginning at cor. No. 1, whence corner to sections 5 - 6 - 7 - 8

TERRITORY OF ARIZONA, }
 ss. }
 I, County Recorder in and for the County and
 Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M.,
 on this day of 190..., and duly recorded in Book No.
 of County, Arizona, at pages
 WITNESS my hand and official seal the day and year first above written.

.....
 County Recorder.

TERRITORY OF ARIZONA, }
 COUNTY OF MOHAVE. } SS.

I, J. W. Morgan, Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of Amended Location Notices of R.A., Exchequer of Oatler mining claims, and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this

18th day of February 1910

By Ross H. Blackely,

J. W. Morgan
 Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

May 24, 1910., 190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The Golden Star Mining and Milling Company

known as the R. A., Exchequer and Quaker

situate in Wallapai

Mining District, Mohave County, Arizona

in Sections 7 & 18, Township No. 22 N., Range No. 17 W., and

designated as Survey No. 2779, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or its grantors, and that said improvements consist of 8 shafts and 1 cut, total value \$2290.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

May 24, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of ^{The} Golden Star Mining and Milling Company

known as the

R. A., Exchequer and Quaker

situate in Wallapai Mining District,

Mohave County, Arizona

in Sections 7 and 18, Township No. 22 N., Range No. 17 W.

, designated as Survey No. 2779

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, Feb. 24-28, 1910, 190, under my instructions dated

Feb. 21st, 1910, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. [Signature]

U. S. Surveyor-General for Arizona.