

JUN 11 1910

JUL 5 1910

4-683.

MINERAL SURVEY No. 2792

LOT No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

"Mascol Mining Company"
by Stratton & Lynch, Attorneys, Stafford, Ariz.

KNOWN AS THE

President and President Jr.
Clark Mining District,

Graham County, Arizona

Section 22 Unsur., Township S.S., Range 22 E

Surveyed under instructions dated Mar 14, 1910

by Geo. S. Audrus
U. S. Mineral Surveyor.

Claims located See location notices, 19
President Jr., Aug 3 1908

Survey commenced Apr 1, 1910

Survey completed Apr 2, 1910

6-822

Address of claimants attys.
Stratton & Lynch,
Stafford, Ariz.

President Lode.

Feet

- Beginning at Corner NO. 1, a pine post 4 inches square and 4 ft long set 18 inches in the ground and surrounded by a mound of stones, scribed PRES-1-2792, Whence, the Original location corner bears S.86°43'W. 103.4 ft
- N. E. Cor Sec 21, T8S, R22E, G. & S. R. B. & M. bears N.39°20'W. 1070.8 ft.
Prom. Peak bears N.77°40'W.
Prom. Peak bears N.88°40'W.
Thence, S.2°08'E.
Var. 13°24'E.
300. West End Center, a pine post 4 inches square and 4 ft long set 1 ft in the ground on bed rock and surrounded by a mound of stones, and scribed PRES-WEC-2792, Whence, original location west end center bears S.84°34'W. 46.6 ft.
600. Corner No. 2, identical with original location corner, a pine post 4 inches square and 4 ft long, set 1 ft in the ground on bed rock, surrounded by a mound of stones and scribed PRES-2-2792, Whence, Prom. Peak bears S.44°06'W.
Thence, N.84°34'E.
Var 13°16'E.
500. Cross road, course S.40°W.
945. Cross Gulch, course S.75°W.
- 1440.2 Corner No. 3, a pine post 4 inches square by 4 ft long set on bed rock, surrounded by a mound of stones and scribed PRES-3-2792, Whence, original location corner bears S.2°08'E. 4.8 ft.
Prom. Peak bears S.36°56'W.
Thence, N.2°08'W.
Var. 13°49'E.
270. Cross gulch, 15 ft wide, course west.
- 398.93 intersect line 2-3 President Jr. lode this survey, at S.86°23'E. 31.8 ft from Corner No. 2.
300. East End Center, identical with the original location monument, a pine post 4 inches square by 4 ft long set

Feet

- monument, a pine post 4 inches square by 4 ft long set on bed rock surrounded by a mound of stones and scribed PRES-EEC-2792,
Whence, Cor. 2. President Jr., this survey bears N.88° 19'W. 31.7 ft.
- 584.2 Corner NO. 4, identical with the original location corner, and coincident with the West End Center monument of the President Jr. Lode this survey, a pine post 4 inches square by 4 ft long set 18 inches in the ground, surrounded by a mound of stones and scribed PRES-4-2792 on west side and PRES JR-WEC-2792 on east side.
No bearings available.
Thence, S.85°12'W.
Var. 13°16'E.
1439. To corner 1 and place of beginning.

President Jr. Lode.
Beginning at Corner No. 1, a pine post 4 inches square by 4 ft long set on bed rock, surrounded by a mound of stones and scribed PRES JR-1-2792,
Whence, Original location corner bears N.12°23'W. 21.4ft.
N. E. Corner Sec 21, T8S. R.22E. G.& S. R. B. & M., bears N.78°29'W. 2176.87 ft.
Prom. Peak bears S.78°35'W.
Prom. Peak bears S.36°05'W.
Thence, S.4°16'W.
Var. 13°40'E.
274. West End Center, coincident with Corner NO.4 President Lode heretofore described, and scribed PRES JR-WEC-2792.
- 557.9 Corner No.2, identical with original location corner, a pine post 4 inches square by 4 ft long set 12 inches in the ground on bed rock, surrounded by a mound of stones and scribed PRES JR-2-2792,
Whence, East End Center President lode this survey, bears S.88°19'E. 31.7 ft.
No bearings available

Survey No. 2792. (continued)

Thence, S.86°23'E.

Var. 13°02'E.

- 31.8 Intersect line 344 President lode this survey at S.2°08'E
285.83 ft from Corner No. 4.
- 270. cross Gulch, 15 ft wide, course S.40°W.
- 1260. cross gulch, 20 ft wide, course S.60°W.
- 1498.95 Corner No. 3, a pine post 4 inches square by 4 ft long
set on bed rock, surrounded by a mound of stones and
scribed PRES JR-3-2792,
Whence, Original location corner bears S.84°58'E. 53.8ft.
Blazed Juniper tree 12 inches in dia, scribed
BT-Pres Jr-3-2792 bears N.83°56'E. 18.3 ft.
Thence, N.4°16'E.
Var. 13°10'E.
- 170. cross Gulch, 25 ft wide. course S.45°W.
- 300. East End Center, a pine post 4 inches square by 4 ft 1
long set on bed rock, surrounded by a mound of stones
and scribed PRES JR-EEC-2792,
Whence, Original location End Center bears S.86°23'E.
14.9 ft
- 579.4 Corner No. 4, a pine post 4 inches square by 4 ft long
set on top of large boulder, surrounded by mound of
stones and scribed PRES JR-4-2792,
Whence, Original location corner bears N.11°23'E. 20.8ft
From Peak bears S.37°W.
Thence, N.87°12'W.
Var 13°40'E
- 160. cross Gulch, 20 ft wide, course South.
- 1110. cross Gulch 10 ft wide, course South
- 1499.45 Corner No. 1 and place of beginning.

Lode Lines.

As near as can be determined from present devel-
opment, the veins of the two locations embraced in this
survey extend as follows from their respective discov-
ery points:

ery points:

President Lode, S.84°34'W. 510 ft; N.84°34'E. 930.2'

President Jr Lode, N. 85°44'W. 976.28'; S.89°21'E.

523.72'.

Areas.

Total area President Lode, 19.541 A.

Total area President Jr. Lode, 19.044 A.

Area in conflict with

President Lode, 0.103 A.

The survey of this claim is within the respective boundaries of each location as staked upon the ground.

Location.

This Survey is located in Sec 22, ^{Unsur.,} T8S, R22E, Gila & Salt River Base & Meridian, and on the Crook National Forest Reserve, Mt Graham Division, in Clark Mining District, Graham Co., Arizona.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claims by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of :-

No. 1, The Discovery Shaft of the President Lode, the center of which is on the Lode line, N.84°34'E. 510 ft from the West end center, and consists of ~~of~~ a shaft in rock 5 by 5 ft by 6 ft deep (partly filled up);

Value ----- \$20.00

No. 2, a Shaft the center of which bears from Cor No. 2 N.37°48'E. 476 ft, 5 by 7 ft by 9 ft deep in rock;

Value ----- \$25.00

No. 3, a Shaft the center of which bears from Cor. 2 N.61°55'E. 748 ft, 4 by 8 ft by 9 ft deep in rock,

Value ----- \$20.00

Survey No. 2792 (continued)

No. 4, a Shaft, the center of which bears from Cor. No. 2 N. 58° 05' E. 660 ft, 6 by 8 ft by 120 ft deep to water, timbered with 8"x8" square timbers; from the 120 ft point an incline is sunk toward the north into the hill which is said to be 50 ft deep; two drifts 50 ft long respectively have been driven to the northeast but I could not get into them so cannot estimate their value; the value of this shaft from what can be seen of it is \$5000.00, and the claimants request that one half of the value be applied on the President Jr claim, this survey, as it is a common improvement to both claims, and was sunk with the intention of working both claims from it.

Value-----\$5000.00

Value of $\frac{1}{2}$ interest credited to this lode, ----- \$2500.00
 No. 5, a Shaft, the center of which bears from Cor. No. 3 N. 70° 55' W. 686 ft, 4 by 7 ft by 10 ft deep in rock.

Value \$20.00

President Jr.

No. 1, The Discovery Cut and Shaft of the President Jr lode which bears from the East End Center, N. 89° 21' W 523.72 ft; the Open cut is 6 by 8 ft by 10 ft face in earth and rock, course West, and the shaft 4 by 6 ft by 10 ft deep in rock.

Value \$40.00

Note: A $\frac{1}{2}$ interest in No. 4 shaft on the President lode of this survey is credited to this lode Value \$2500.00

Instruments.

This survey was made with a Gurley Light Mountain Transit with Burt Solar Attachment; the courses were deflected from the true meridian as determined by solar observation: the distances were measured with 100 and 500 ft steel tapes.

Report.

The side and end lines were run upon the ground and the corners established thereby; all the original location corners are in place and consist of Iron pipe marked with a number, set in the ground along side of a sub-

with a number set in the ground alongside of a substantial mound of stones, the key to the corners being a map on file in the office of the Company.

The N. E. Corner of Sec 21, T8S, R22E. consists of a granite rock set in the ground with a mound of stones on the west side and marked with 3 notches on the south and east edges.

The location of the working shaft on the President Lode is well adapted for a main shaft being topographically well placed; the bottom of the shaft is below the lowest point on the surface ground of either claim, and the Company claim it as a common improvement for the benefit of both claims.

So far as known there are no adjoining contiguous claims. Discrepancies in distances called for in the location certificates, and the monuments found on the ground, are errors in the notices.

As the nearest Notary or officer authorized to administer oaths was 32 miles distant, I administered the oaths to my assistants as U. S. Mineral Surveyor.

Geo. S. Andrews
U. S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Geo. S. Andrews

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of the

Mascot Mining Company

known as the President and President Jr

and showing the respective capacities in which they acted.

J. Geo Hately, Chairman.

Jose Sandoval, Chairman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, J. Geo. Hately

and Jose Sandoval, do solemnly swear that we assisted Geo. S.

Andrews, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of the Mascot Mining Company

known as the President and President Jr

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

J. Geo Hately, Chairman.

Jose Sandoval, Chairman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 16th

day of April, 1910

Geo. Andrews

U.S. Mineral Surveyor

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Geo. S. Andrus, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 14-1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Mascot Mining Co, known as the President and President Jr. Lode Claims situate in Clark Mining District, Graham County, Arizona, in Section 22, Township No. 8 S, Range No. 22 E, and designated as Survey No. 2792, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Geo. S. Andrus
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Geo. S. Andrus
U. S. ~~Deputy~~ Mineral Surveyor, before me A. R. Lynch a
Notary public in and for Graham County, Ariz. this 21st
day of May A.D. 1910,

A. R. Lynch
Notary Public

My commission expires August 29, 1912.

NOTICE OF LOCATION

10

In accordance with the act of Congress of May 10" 1872, we the undersigned have this day located 1500 feet along the course of this lode or mine of mineral bearing quartz, and three hundred feet on both sides from the middle of the ledge, the whole length of the claim in a Easterly direction from this monument, and more particularly described as follows,

Commencing at this monument of stones, being the center of West end of claim , and running thence 300 feet southerly to a monument, thence 1500 feet Easterly to a monument, thence 300 feet Northerly to a monument being center of east end of claim, thence continuing 300 feet Northerly to a monument, thence 1500 feet Westerly, to a monument, thence 300 feet Southerly, to place of beginning.

Said Mine is situated in Clark Mining District, Graham Co.A.T. crosses a gultch near Frys Cabin, is about six miles from Cedar Springs in a Southwesterly direction , is a relocation of the Ben Hill Mine and will be known as the President.

Dated on the ground this 1st day of January, 1887.

J. H. Thomas
Thomas J. Browner Locators
W. A. Smith

Filed for recordx at 9,15 o'clock A. M. March the 1st 1887 , and recorded at the request of Norton & Stewart.

P. Michelena.
Co. Recorder.

SAN ANTONIO
BOND

TERRITORY OF ARIZONA } ss
County of Graham

I, D.H. Claridge, County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the within and following is a true, full and complete copy of the within mentioned mining locati^on, as the same appears of record in my office, and I further certify that the same is recorded in Book 2 Records of Mines , Graham County, Arizona on page 949

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 15th-day of November A.D.1909.

D.H. Claridge
County Recorder..

NOTICE OF MINING LOCATION.
LODE CLAIM.

12

To all whom it may concern:

This Mining Claim, the name of which is the President Jr. Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Mascot Mining Company an Arizona Corporation the undersigned, on the third day of August 1908.

The length of this claim is 1500 feet and we claim 940 feet, in a Northwesterly direction, and 560 feet in a Southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North west to the Southeast.

The claim is situated and located in the Clark Mining District, in Graham County, in the Territory of Arizona, about two miles in a direction from the Mascot Mining Co's Mill and easterly of the President Claim the west centre end of the of the President Jr. claim being the North east corner of the President claim.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a stone Monument at a point in a Northwesterly direction 940 feet from the discovery shaft (at which this notice is posted), being in the center of the North West end line of said claim; thence South westerly 300 feet to a stone monument, being the South west corner of said claim; thence Southeasterly 1500 feet to a stone monument, being at the South east corner of said claim; thence North east 300 feet to a stone monument at the center of the Southeast end of said claim; thence Northeasterly 300 feet to a stone monument, being at the North east corner of said claim; thence North westerly 750 feet to a stone monument at the northwest corner of said claim; thence South westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title ~~XXX~~ II, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 3rd day of August 1908.

The Mascot Mining Company by B.D. Jayne, Supt.
Filed and recorded at request of D.D. Jayne, Oct, 28, ¹⁹⁰⁸ at 2 P.M.

MIT SIMMS County Recorder.

MAR. 19. 1910

13

TERRITORY OF ARIZONA)
County of Graham)

I, D. H. Claridge, County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify that the within and following is a true full and complete copy of the within mentioned Mining Location, and I further certify that the same is recorded in book 20 Record of Mines, on page 296, Records of Graham County, Arizona.

IN WITNESS ~~WHERE~~ EOF, I have hereunto set my hand and affixed my official seal this 15 day of November 1909

D. H. Claridge
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

September 2, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Mascot Mining Company

known as the President and President Jr.

situate in Clark

Mining District, Graham County, Arizona

in Section 22 Unsur., Township No. 8 S., Range No. 22 E., and

designated as Survey No. 2792, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 6 shafts, 1 cut, 2 drifts and 1 incline, total value \$5125.00. Shaft No. 4 on the President lode, being a common improvement for the benefit and development of both of the lodes of this survey, an undivided one-half interest therein, value, \$2500, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

September 2, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Mascot Mining Company

known as the

President and President Jr.

situate in Clark Mining District,

Graham County, Arizona

in Section 22 Unsur., Township No. 8 S., Range No. 22 E.

designated as Survey No. 2792

executed by Geo. S. Andrus, U. S. Deputy Mineral

Surveyor, April 1-2, 1910., 190., under my instructions dated

March 14, 1910., 190., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.