MINERAL SURVEY No. 2794

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Alfred S. Donau, Willard Biggs, R.W. Warren, Albert Steinfeld and T. C. Donau KNOWN AS THE NORTHERN STAR SILVER BELL Mining District, PIMA County, ARIZONA Section Approx. , Township 12 S. , Range 8 E. (Unsurveyed) Surveyed under instructions dated March 21, 19 10 by Edgar C. Dietrich U. S. Mineral Surveyor. Claim located see Tocation notice, 1960 Survey commenced April 1 , 1910 Survey completed April 2 , 1910

Address of Attorney:

William G. Power,

Tucson, Arizona.

じょいいいいし

The same as made with a loung & Son's Light Mounpair from Mr. with a solar man want. The courses were defined from the true meridian as Lateral on My direct

INSPERIMENT .

NORTHERN STAR LODE. Feet SURVEY NO. 2794 A 129 4 Beginning at Cor.No.1, identical with the location, which is a mound of stone 3 ft. base, 2½ ft. high, Also Cor. Nº1 Jesuit lode, Sur. Nº2795.

Set a pine post 4x4 ins.4 ft.long, set 18 ins.in the ground, surrounded with a mound of stone, scribed N S-1-2794 on N.E. face; whence
U.S.L.M.No.1204, brs.S.77°6' W.,1453 ft.dist.
A cross (X) 1-2794 B R chiseled on a porphyry ledge 6x6x4 ft.above ground; brs. N. 89° E.; 19.2 ft. dist. 000 A cross (X) and 1-2794 B R chiseled on a porphyry ledge 12x4x4 ft.above ground; brs.S.9° W.,55.1 ft.dist. re wide Thence N. 75° 06' E. Var. 14.02' E. Aufine 1 30'00 10 V 4 V 300. To South End Center, identical with the location, which is a pine post 4 ins.sq.4 ft.long, set 18 ins.in the ground, and surrounded with a mound of stone, scribed S E C= N S-2794 on N. face. To Cor.No.2, identical with the location, which is a mound of stone 3 ft.base, 2 ft.high; Also Cor. N. 2, Jesuit lode, Sur. N. 2795. Set a pine post 4 ins.sq., 4 ft.long, set 18 ins.in the 600. ground, surrounded with a mound of stone, scribed N S-2-2794 on N.W.face; whence A cross (X) and 2-2794 B R chiseled on a granite boulder, 3x3xl ft.above ground, brs.S.67°30'E., 12.75 ft.dist. A cross (X) and 2-2794 B R chiseled on a granite boulder 2x2x2 ft.above ground, brs.N.33°30'W., 15.6 ft.dist. Thence N. 90 17' W. To 10 Var. 140 02! E. B DURNOMU. the Last Chance erence C.Welf, Albert C. benau; on the Last by 170. Center of Arizona Southern Railway track, Brs. E and W. Center of Arizona Southern Railway track, brs. E. and W. 475. Center of Arizona Southern Railway track, brs. E. and W. 570. 980. Wagon road, brs.N.W. and S.E. 1080. 1500. To Cor. No.3. Set a pine post 4 ins.sq.,4 ft.long, set 18 ins.in the ground, surrounded with a mound of stone, scribed N S-3-2794; on S. W. face; whence Original location monument, which is a mound of stone, 3 ft.base 3 ft.high brs.N.9°17' W.,175 ft.dist... An Ironwood 6 ins.diam., blazed and scribed B T=3-2794 brs.N.53°15' W., 13 ft. dist... A pine post 4 ins.sq., set firmly in the ground, surrounded and scribed 2720-5 5-6 R brs. 5 50° ded with a mound of stone, scribed 2790-S S-C R brs.S.500 20' E., 67.5 ft. dist. This marks the S.S. Center of the Rex lode Sur. Nº 2790. Thence S. 75° 06' W. To Cor, E.1, the plac Var. 14, 05, E. Priand Scoutsers Ballway track, brain, Frances, 264 Road, brs.N. and S. onrue To point from which original N.end Center, which is a mound of stone 3 ft.base 3 ft.high, brs.N.9°17'w.175 ft. Seta pine post 4 ins.sq.,4 ft.long, set 18 ins.in the 300 8701 980. ground, surrounded with a mound of stone, scribed N E C-N S-SIQ. 2794 on S. face. Control of the Chack of M. and S. Road, brs. N. and S. Somenand Harland Clack, ore M. M. and S. 313. 600. To Cor. No.4. Set a pine post 4 ins.sq., 4 ft.long, set 18 ins.in the ground, surrounded with a mound of stone, scribed N S-4-2794 on S.E. face; whence Original location monument, which is a mound of stone 3 ft.base 3 ft.high, brs. N. 9°17'W., 175 ft.dist. An Ironwood 8 ins.diam., blazed and scribed B T-4-2794, brs.N.19°15'W.,13.7 ft.dist.
A cross (X) on a mountain, brs.S.43°45'E.

Feet

33

180.

385. 710.

780.

1500.

10U. JeG.

> 1. 1. S. . T.36/*

Thence S. 9° 17' E. our a line post 4 37 . 11, 4 17, 1077, set 18 1 ...

Road, brs.N.W. and S.E.

Center of Arizona Southern Railway track, brs. N.W. and S.E.

TARA MAR LONGS

Wash, 50 ft.wide, course W. Center of Arizona Southern Railway track, brs.N.E. and S.W.

815. 915

Wash, 5 ft.wide, course N.W.
Wagon road, brs. N.E. and S.W.
Center of Arizona Southern Railway track, brs.N.E. and S.W.
Center of Arizona Southern Railway track, brs.N.E. and S.W.
Center of Arizona Southern Railway track, brs.N.E. and S.W.
To Cor No. 1 the place of harizona. 1205. 1380.

To Cor. No.1, the place of beginning.

AREA.

BP SO

Pima County, Arizona, and within Township 12 S., R. 8 E., Gila and Salt River Base and Meridian, unsurveyed. A pipe-pust-6-les-sq., 4-ft-lang, sat 18 f ... in the

Lord, bra. W. ADJOINING CLAIMS.

This claim is bounded on the North by a claim, unsurveyed, name and owners unknown; on the West by the Heaney and Massachusetts Lodes, unsurveyed, owners unknown; on the South by the Jesuit Lode, Survey No. 2795, owners, Alfred S. Donau, Clarence C. Wolf, Albert Steinfeld & T.C. Donau; on the East by the Last Chance Lode, unsurveyed, owners unknown. PRESUMED COURSE OF VEIN.

The presumed course of the vein of this lode is from the South End Center to the North End Center, N. 9º17! W., 1200 tt. 12 (. above ground, bre. 5.67° 40'E., 18,75 ft. dist. A cross (A) and 2-2701-2-B-elicated en a granite boul-

I certify that the value of the labor and improvements placed thereon by the claimants, or their grantors, is not less than Five Hundred Dollars, and that said improvements

From Cor.No.4:

From Cor.No.4:

Nº2 Open cut No.2,20 ft.long,4 ft.wide,7 ft.deep.course,
N.E.,brs.3.55°E.438 ft.dist. Value \$200.00

Nº3 Open Cut (and Tunnel No.3,4x5 ft.,60 ft.long,course 5.22°30'W.,brs.S.46°E.,620 ft.dist. Value \$250.00

From Cor.No.1:

Nº4 Open 'Cut No.4,28 ft.long,5 ft.wide, average depth 4 ft., course N.48°E., brs.N.8°E., 742 ft.dist. Value \$150.00 N.5 Open Cut No.5, 20x19 ft., 4 ft.deep, brs.N.9°E.730 ft. Gal Alon Ch Value \$150.00 cm Nº6 Open cut No.6, 20x 6 ft., average depth 5 ft., course N.69°E., brs.N.11° E., 760 ft.dist. Value \$150.00 ------

INSTRUMENT.

This survey was made with a Young & Son's Light Mountain transit, with a solar attachment. The courses were deflected from the true meridian as determined by direct

solar observations, which were checked on the lines of the Rex Lode, Survey No.2790, which agreed.with those determined by the solar observations.

The distances were measured with a 100-foot steel tape.

NOTE: No corners found of old adjoining claims, except those mentioned.

U. S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edgar C.	Dietrich
United States Berry Mineral Surveyor, to assist in running, measuring, an	d marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining of	elaim of Alfred S.Donau
Willard Biggs, R.W.Warren, Albert Steinfeld and	
known as theNO HTHERN STAR	
and showing the respective capacities in which they acted.	
Budd Dozier	, Chai <mark>nman.</mark>
Henry Miller	Chainman.
Manuel Salaz	ar , Axman.
Manuel Salaz	zar , Flagman.
FINAL OATHS OF ASSISTA	ANTS.
We, Budd Dozier, Henry Miller	
and Manuel Salazar , do solemnly swear that w	
Districh United States Deputy Mineral Surveyor, in n	
the boundaries of the mining claim of Alfred S. Donau, William	ard Bregs, N.W. Wallell,
Albert Steinfeld and T. C. Donau,	
known as the NORTHERN STAR	
represented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the foregoing field notes as having been surveyed by said depresented in the field notes as having been surveyed by said depresented in the field notes as having been surveyed by said depresented in the field notes as having the f	mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our kr	lowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established acco	rding to law and the instructions
furnished by the United States Surveyor-General for Arizona	
13 indella	Dozie , Chainman.
Henry	Heley Chainman.
Manuel	Talazav., Axman.
Manuel	Salazess, Flagman.
Subscribed and sworn to by the above-named person	Ch.
	a poloto me tura
day of april, 1910, 190	Parts
<i>JY. J</i>	, Vaccet

Notary Public, Pima County, Arizona Torritory, My Commission Express hay 10th, 1912.

9189b5m8-03

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edgar C. Dietrich , U. S. Deputy Minera	.1	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	d	
States Surveyor General for, date	d	
March 21, 1910 , I have, in strict conformity to the laws of th		
United States, the official regulations and instructions thereunder, and the instruction	S	
of said Surveyor General, faithfully and correctly executed the survey of the Minin	g	
Claim of Alfred S. Donau, Willard Biggs, R.W. Warren, Albert Ste	-	
feld and T. C. Donau , known as th		
NORTHERN STAR		
situate in Silver Bell Mining District	,	
Pima County, Arizona , in Section	1	
, Township No. 12 S., Range No. 8 E. (Unsurveyed)		
and designated as Survey No. 2794 , as represented	ł	
in the foregoing field notes, which accurately show the boundaries of said mining clain	1	
as distinctly marked by monuments on the ground, and described in the attached copy	Ţ	
of the location certificate, which was received by me from the Surveyor General with	1	
said instructions, and that all the corners of said survey have been established and per	-	
petuated in strict accordance with the law, official regulations and instructions there	-	
under; and I do further solemnly swear that the foregoing are the true and origina	l	
field notes of said survey and my report therein, and that the labor expended and	l	
improvements made upon said mining claim by claimants or their grantors	3	
are as therein fully stated, and that the character, extent, location and itemized value	9	
thereof are specified therein with particularity and full detail, and that no portion o	f	
said labor or improvements so credited to this claim has been included in the estimate		
of expenditures upon any other claim.		
Odgar to Dietri	-	
U.S. Deputy Mineral Surveyor	w	
Subscribed and sworn to by the said Edgar 6. Dietrich U. S. Deputy Mineral Surveyor, before me a notary Public		
U.S. Deputy Mineral Surveyor, before me a notary Public		
this 10 -	e.	
day of april, 1910,		
2 G P		

My Commission Expires May 16th, 1912.

Motice of Mining Location

TO ALL WHOM IT MAY CONCERN:	2 - 1 21
This Mining Claim, the name of which is the.	Northern Star
Mining Claim, situate on lands belonging to the Unit	ted States of America, and in which there are valuable
	e purposes of exploration and purchase by
mm Klug D. W. Carrigar &	W. Biggs
	<i>(</i>
	o has declared his intention to become a citizen of the United States"
the undersigned, on the	day of June 1903
	feet,
	feet
in a Routherly	direction and
500 feet in a North	ely direction from
	tice is posted, lengthwise of the claim, together with
3 0 0 fe	eet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode	deposit and premises is from the Northerly
to the southerly	
The claim is situated and located in the	ilver Bell Mining District, in
<i>a</i>	Territory of Arizona, about /2 mile
in a Southeast	direction from 1 tlad & Some I tex
and about 1/2 mile north	direction from Atlas Smelter of old Silver Bell
	//
	·
The complete have desired as the state of th	
stone and foot of	I upon the ground as follows: Beginning at monument
A point in a southerly di	0 1
the discovery shaft (at which this notice is posted) be	
end line of said claim; thence 3.00 being the bour	feet to a monimum
being the DMLT	corner of said claim; thence
00 1 l	ument being at the
/ . 0	m; thence 3.0.0, feet
	of the Northerly end of said claim
	manument being at the
	d claim; thence /500
feet to a Mon	ument at the S. West
corner of said claim; thence 300	feet to the place of beginning.
	of Title XXXII, of the Revised Statutes of the United
	zona, entitled "An Act to Revise and Codify the Laws
of the Territory of Arizona," approved March 16, 190	
Dated and posted on the ground this	- "
David and posted on the ground this	nym Kl
	11 · · · · · · · ·
	D. W. Carrigar
	W B
	1. longue
	U U

TERRITORY OF ARIZONA,
County of Pima, \(\sigma\) ss.
I, Ben Beneg County Recorder in and
for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the northern Star Mining Claim, situated in the
· Selver Bell Mining Dist- in Pina Co. arizona Territory,
located on the 15, day of June, 1903,
as appears of record now in my office in Book J. Record of Mines Pages # 3 1 t Ref
IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this
of Marsh A. D. 19/0
Ben Henry County Recorder of Pina County, Arizona.
by I'M Shibell, deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoenix,	Arizona,		
		·	Oct	ober 31,	1910, 200 x
I, U. S. Surveyor-Gener	al for Ariz	ona,			
do hereby certify that the fo	regoing transc	ript of the Fiel	d Notes, retu	rn and appro	val of the survey
of the mining claim of .A11	red S. Do	nau, Will	ard Bigg	s, R.W.Wa	rren, Albert
Steinfeld and T. (l. Donau.	***************************************			
known as the	-	NORTHERN	STAR		
situate in		Silver B	ell		
Mining District,	Pima		County,	Arizor	18.
in Section,	Township No	12 S.	, Range No	E. (Unsur	veyed), and
designated as Survey No. 27	94.	, has been	correctly copie	ed from the o	riginals on file in
this office; that said Field	Notes furnish s	uch an accurat	e description	of said minin	g claim as will, if
incorporated into a patent, se	erve fully to ide	entify the prem	ises, and that	such reference	e is made therein
to natural objects or perman	ent monuments	s as will perpet	uate and fix t	he <i>locus</i> there	of.
And I further certify the	hat five hundr	ed dollars' wor	th of labor h	as been expe	nded or improve-
ments made upon said mini	ng claim by cla	aimants or th	eir_grantors	, and that sa	id improvements
consist of five cuts,	one tunne	el and one	shaft,	total vai	ue, \$910.00
					
		· · · · · · · · · · · · · · · · · · ·			
Years					
	=~~~~~				
and that no portion of said	labor or impro	vements has be	een included i	n the estimate	e of expenditures
upon any other claim.					
I further certify that the	e plat thereof,	filed in the U.	S. Land Office	at Phoeni	x, Arizona,
		Frank	S. Ingall	S.	
	$United \ \mathcal{L}$	States Surveyor- C	General for	TTZOHA,	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of	U. S. Surveyor-General,		
	Phoenix, Arizona,		

		October 31, 1910, kg@x
I, U. S. Surveyor-General for.	Arizona,	
do hereby certify that the foregoin	ng and hereto attached Field No	otes and Return of the Survey of the
Mining Claim of Alfred S. D	onau, Willard Biggs	, R. W. Warren, Albert
Steinfeld and T. C. Do	nau.	
		, known as the
	NORTHERN STAR.	
situate in	Silver Bell	Mining District,
Pima	County,	Arizona
in Section, T	Cownship No. 12 S.	, Range No. 8 E. (Unsurveyed)
, designated a	s Survey No. 2794.	
executed by	Edgar C. Dietri	ch U.S. Deputy Mineral
Surveyor,	April 1 - 2,	, 1960, under my instructions dated
Marc	th 21, 1900, have been critical	ally examined and the necessary cor-
rections and explanations made, as	nd the said Field Notes and R	eturn, and the Survey they describe,
are hereby approved. A true cop	by of the copy of the location of	pertificate filed by the applicant. for
survey is included in the field note	es. Manh s	Lizalla

U. S. Surveyor-General for Arizona.

7360b5m3-03