

6-18-1910.

U. M. C.

1

MAY 31 1910

4-683.

MINERAL SURVEY No. 2802

LOT No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

THE UNITED GLOBE MINES

KNOWN AS THE

CLEVELAND STONE CLAIM (Placer)

Globe Mining District,

Gila County, Arizona

Section 23, Township 1 N., Range 15 E., G. & S. R. B. & M.

Surveyed under instructions dated April 4, 1910.

by Edwin J. Stewart, U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced May 16, 1910.

Survey completed May 16, 1910.

6-822

Address of claimant's attorneys:

Herring & Sorin, Tucson, Arizona.

Mineral Survey No. 2802.

Cleveland Stone Claim.

(Placer)

Beginning at Cor. No. 1, identical with monument of the location.

At intersection of line 1-2, Kirkey lode, Sur.No.2628, with line 6-7, Maggie lode, Sur.No.1107.

A pine post, 4.5 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed C.S.Claim-No.1-2802, whence

The quarter section corner between sections 23 and 24, T.1 N., R. 15 E., Gila and Salt River Base and Meridian, bears N.73°-24'E. 30.2 ft.

Thence N.57°-59'W.

Along line 7-6, Maggie lode, Sur.No.1107.

369.01 Intersect line 4-1, Copper Queen lode, Sur.No.2314, N.31°-59'E. 253.12 ft. from Cor. 1.

394.70 To Cor. No. 2, identical with monument of the location and Cor. 6, Maggie lode, Sur.No.1107.

A pine post, 4.5 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 6-1107-M.L., to which I add 2-C.S.C.-2802, for this claim, whence

A 5/8 inch drill hole in dacite in place, about which is chiseled B.R.-2802, bears S.50°-39'E. 4.4 ft.

Thence S.55°-14'W.

238.20 To Cor. No. 3, identical with monument of the location. On line 4-1, Maurel Placer, Sur.No.2480 and line 1-2, Copper Queen lode, Sur.No.2314.

A pine post, 4.5 ft. long, 4 ins. sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed C.S.C.-No.3-2802, whence

A dacite boulder, 7 x 10 x 12 ft., chiseled cross B.R.

2802, bears S.42°-03'E. 14.5 ft.

Thence S.42°-03'E.

Along line 4-1, Maurel Placer, Sur.No.2480 and line 2-1, Copper Queen lode, Sur.No.2314.

124.50 To Cor. No. 1 of said Copper Queen lode.

298.80 To Cor. No. 4, identical with monument of the location, and Cor. 1, Maurel Placer, Sur.No.2480.

A dacite boulder, 6 x 10 x 17 ft. above the ground, with a 5/8 in. drill hole at the exact corner, chiseled 1-M.P.-2480, to which I add 4-C.S.C.-2802, for this claim.

Thence S.71°-33'W.

Along line 1-2, Maurel Placer, Sur.No.2480.

495.10 To Cor. No. 5, identical with monument of the location.

At the intersection of line 1-2, Maurel Placer, Sur.No. 2480, with line II-III, Mark Twain Millsite, Sur.No. 523 B, N.71°-33'E. 108.9 ft. from Cor. 2 of said Maurel Placer and S.23°-30'E. 160.0 ft. from Cor. III of said Mark Twain Millsite.

A pine post, 4.5 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed C.S.C.-No.5-2802.

Thence S.23°-30'E.

Along line III-II, Mark Twain Millsite, Sur.No.523 B.

164.50 To Cor. No. 6, identical with corner of the location, Cor.No.II, Mark Twain Millsite, Sur.No.523 B and Cor.No.5, Carrie Millsite, Sur.No.1719 B.

An iron pin, 1 in. diameter, driven flush with the surface of the ground. A post and monument was not put at this corner on account of being in a wagon road, where a permanent monument could not be maintained.

Course of road at this point, southwest.

Witness corner bears S.39°-32'E. 65.0 ft.

Thence S.39°-32'E.

Along line 5-4, Carrie Millsite, Sur.No.1719 B.

65.00 To Cor. No. 7, identical with monument of the location,
Cor. 5, True Blue Millsite and Wit. Cor. for Cor. No. 6.

I make this witness corner identical with Cor. No. 7
on account of the fact that should a witness corner be
established at any other point between corners 6 and
7 it would be in a place where it would interfere with
and be destroyed by the traffic between these corners.

A pine post, 4 ins. sq., showing 2.5 ft. out of the
ground, with nail driven at the exact corner, scribed
5-1719B-T.B.M.S., to which I add C.S.C.-No. 7-2802
and W. Cor. -6-C.S.C.-2802, for this claim, whence
Cor. No. 6 of the claim bears N.39°-32'W. 65.0 ft.

Thence N.52°-42'E.

Along line 5-4, True Blue Millsite, Sur. No. 1719 B.

363.00 Cross road, course west.

389.80 To Cor. No. 8, identical with monument of the location,
Cor. No. 4, True Blue Millsite, Sur. No. 1719 B and Cor. No. 1,
Kirkey lode, Sur. No. 2628.

A pine post, 4 ins. sq., with nail driven at the exact
corner, showing 2.5 ft. out of the ground, with mound
of stone, scribed 1-2628-K.L. and 4-1719 B-T.B.M.S.,
to which I add C.S.C.-8-2802, for this claim.

Thence N.54°-49'E.

Along line 1-2, Kirkey lode, Sur. No. 2628.

468.40 To Cor. No. 1, the place of beginning.

oooooooooooooooooooo

Magnetic Variation at all corners, 13°-35'E.

oooooooooooooooooooo

Areas.

Total area Cleveland Stone Claim.	acres.
Area in conflict with:	
Copper Queen lode, Sur. No. 2314.0.412

oooooooooooooooooooo

Location.

This survey is located in section 23, T. 1 N., R. 15

E., Gila and Salt River Base and Meridian, Gila County, Arizona, Globe Mining District.

oooooooooooooooooooooooooooo

Adjoining and Conflicting Claims.

On the north: The Maurel Placer, Sur.No.2480, the Old Dominion Copper Mining & Smelting Co., claimant, and the Copper Queen lode, Sur.No.2314, Mrs. L.C.Woods, claimant.

On the east: The Maggie lode, Sur.No.1107, the United Globe Mines, claimant.

On the south: The Kirkey lode, Sur.No.2628 and the True Blue Millsite, Sur.No.1719 B, the United Globe Mines claimant.

On the west: The Carrie Millsite, Sur.No.1719 B and the Mark Twain Millsite, Sur.No.523 B, the United Globe Mines, claimant.

oooooooooooooooooooooooooooo

Expenditure of Five Hundred Dollars.

I hereby certify that the value of the labor and improvements made upon this claim by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

No. 1, the discovery, an irregularly shaped quarry, averaging 4.5 ft. deep, 45 ft. wide and 50.5 ft. long, course of long sides N.58°-36'E., the S.W. corner of which bears S.84°-51'W. 214.7 ft. from Cor. 8. Value of improvement \$700.00. I estimate that 1/6th of the area of this quarry is within the boundaries of the Maurel Placer, Sur.No.2480, and for this reason is not applicable to this claim, and that the value of that portion of the improvement within the boundaries of this claim is \$585.00.

oooooooooooooooooooooooooooo

Other improvements.

A frame house, 76 x 69 ft., course of long sides N.67°-45'E., the southwest corner of which bears N.25°-32'E. 57.0 ft. from Cor. 7.

A corrugated iron wagon shed, 53.5 x 28 ft., course of long sides S.61°-01'W., the southeast corner of which bears N.12°-24'W. 83.0 ft. from Cor. 7.

A frame house, 10.5 x 24 ft., course of long sides N.29°-59'W., the southeast corner of which bears N.19°-32'W. 132.7 ft. from Cor. 7.

A barn, 84 x 82 ft., course of long sides N.29°-59'W., the southwest corner of which bears N.08°-31'W. 145.9 ft. from Cor. 7.

An aerial tramway, 8 ft. wide, which crosses line 3-4 7 ft. from Cor. 4, and extends N.73°-09'E. across the claim.

oooooooooooooooooooooooooooo

Instrument.

This survey was made with a 6 1/4 inch Berger Engineer's transit. The courses were deflected from the true meridian as determined by direct Polaris observation. The distances were measured with a 650 ft steel tape.

oooooooooooooooooooooooooooo

Report.

The boundary lines and all tie lines were run directly upon the ground.

The quarter section corner between sections 23 and 24, T. 1 N., R. 15 E., Gila and Salt River Base and Meridian, to which tie is given from Cor. No. 1, is a cross on dacite in place, about which is chiseled 1/4 S -23 -24.

Maurel Placer, Sur.No.2480:

The corners of this claim, except corner No. 1, are 4 x 4 posts, properly set and scribed. Cor. No. 1 is a drill hole in a dacite boulder, with the proper markings

about it. I find the lines of this survey correct as approved.

Copper Queen lode, Sur.No.2314:

The corners of this claim are 4 x 4 posts, properly set and scribed. The disagreement between these notes and lines 4-1-2 is nominal. The disagreement between the tie from Cor. No. 1 of said Copper Queen lode, Sur.No. 2314, as reported in the official returns of said survey, and the same tie as computed through the lines of this survey is due to error in Survey No.2314.

Maggie lode, Sur.No.1107:

The corners of this claim are 4 x 4 posts, properly set and scribed. The disagreement between the notes of this survey and line 6-7 is due to error in Survey No.1107.

Kirkey lode, Sur.No.2628:

The corners of this claim are 4 x 4 posts, properly set and scribed. The disagreement between these notes and line 1-2 is nominal. The disagreement between the tie from Cor.No.1 of said Kirkey lode, Sur.No.2628, as reported in the official returns of said survey, and the same tie as computed through the lines of this survey is nominal.

True Blue and Carrie Millsite, Sur.No.1719 B:

The corners of these claims, except corner 5 of the Carrie Millsite, are 4 x 4 posts, properly set and scribed. Corner No. 5 of the Carrie Millsite is an iron pin driven flush with the surface of the ground. The disagreement between these notes and line 4-5, True Blue Millsite is due to error in Sur.No.1719 B.

I find line 4-5, Carrie Millsite, correct as approved.

Mark Twain Millsite, Sur.No.523 B:

Corner No. III is a cross on a dacite boulder, with the proper markings about it. Corner No. II is an iron pin

driven flush with the surface of the ground.

The disagreement between these notes and the location certificate is due to errors in said certificate.

Carr S. Stewart

U.S. Mineral Surveyor.

Globe, Arizona, May 28, 1910.

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

Under paragraph 62, General Mining Circular, approved June 24, 1899, upon the Placer Mining Claim known as the CLEVELAND STONE CLAIM

....., claimed by
THE UNITED GLOBE MINES

situate in Globe Mining District,
Gila County, Arizona, embracing
4.144 acres

in Sec. 23, Town. 1 N., Range 15 E., G. & S.R.B. & M.

Examination made May 16, 1910

By Edwin P. Stewart
U. S. Deputy Mineral Surveyor.

The surface ground of this claim consists of a flow of dacite which has irregularly eroded away and left boulders of various sizes.

- (a) There is practically no vegetation on the claim except a scant growth of grass and weeds.
- (b) The nearest stream to the claim is Pinal Creek, which is about 1400 feet to the west.
- (c) The work on the claim consists of a Quarry, averaging 4.5 ft. deep, 45 ft. wide and 50.5 ft. long, the S.W. corner of which bears S.84°-51'W. 214.7 ft. from Cor. No. 8. This is an irregular shaped excavation where stone for building and other purposes has been removed.
- (d) The nearest post office to the claim is Globe, a city of approximately 10000 inhabitants, located on Pinal Creek, about 1½ miles to the south. The closest railroad is the Arizona Eastern, which passes about 900 ft. to the west of the west end of the claim.
- (e) The nearest lode claims to this placer are the ones bordering on the north, east and south, to-wit: the Copper Queen, Sur.No.2314, the Maggie, Sur.No.1107 and the Kirkey, Sur.No.2628. Approximately 1500 ft. to the southeast are the mines and plant of the Old Dominion Copper Mining and Smelting Company.
- (f) It is the intention of the claimant Company to apply to enter the land embraced in this claim under the act of Congress approved August 4, 1892, authorizing the entry of lands chiefly valuable for building stone under the provisions of the law in relation to placer claims.
- (g) The flow of dacite which covers the entire area of the claim is of unknown depth. I find that the boulders on the surface are of convenient size and of easy access.

to be gotten out for building and other purposes. In the quarry designated as improvement No. 1 on the plat of this survey, stone has been removed from the bedding, and I estimate that \$700.00 was spent in doing so.

(h)

Edwin J. Stewart

Globe, Arizona, May 25, 1910.

(h) There are no mines, salt licks, salt springs or mill seats existing on this claim.

4-696.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

Territory OF Arizona, }
COUNTY OF Gila } ss:

Harold Lee Norton and Harold Stephen Duncan
being first duly sworn, severally depose and say that he is personally and well acquainted with the
placer-mining claim of THE UNITED GLOBE MINES
, known as the CLEVELAND STONE CLAIM
, situate in
Globe Mining District,
Gile County, Arizona, embracing
4.144 acres

in section 23, in Township No. 1 N.,
Range No. 15 E., G. & S. R. B. & M.; and also with the character of all the land included
in said claim, and has been so acquainted for two years last
past; that his knowledge of said claim and land is derived from his own personal
observation, having frequently passed over the premises
and is such as to enable
him to testify understandingly with regard thereto; that he has carefully read the foregoing report
of Edwin T. Stewart, U. S. Deputy Mineral Surveyor, and
that to his own personal knowledge said report is in all respects true and accurate.

Harold Lee Norton
Harold Stephen Duncan

Subscribed and sworn to by the above-named persons before me
this 27th day of May, 1901.
L. M. Brooker
Notary Public.



4116b3m6-02

(My Commission expires Dec. 12, 1912.)

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

THE UNITED GLOBE MINES

known as the CLEVELAND STONE CLAIM (Placer)

and showing the respective capacities in which they acted.

R. A. Smith, *Chainman.*

Chainman.

Arman.

Flagman.

FINAL OATHS OF ASSISTANTS.

We, I, R. A. Smith

and I, do solemnly swear that I assisted Edwin

T. Stewart, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of THE UNITED GLOBE MINES

known as the CLEVELAND STONE CLAIM (Placer)

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA.

R. A. Smith, *Chainman.*

Chainman.

Arman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 27th

day of May, 1910, 1910.

L. M. Brooker

Notary Public.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 4, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The United Globe Mines, known as the CLEVELAND STONE CLAIM (Placer), situate in Globe Mining District, Gila County, Arizona, in Section 23, Township No. 1 N., Range No. 15 E., G. & S. R. B. & M., and designated as Survey No. 2802, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
 U. S. ~~Deputy~~ Mineral Surveyor, before me L.M. Brookner, a
Notary Public this 27th
 day of May, 1910.

L. M. Brookner
 Notary Public.

LOCATION NOTICE

STONE CLAIM

APR 4-1910

NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the Act of Congress, approved August 4th, 1892, being an act to authorize the entry of lands chiefly valuable for building stone under the placer mining laws, has this day located and claims the following described stone claim and parcel of land which is chiefly valuable for building stone, situated in the Globe Mining District, County of Gila, Territory of Arizona, to-wit:

The name of said claim is CLEVELAND STONE CLAIM.

The name of the locator is THE UNITED GLOBE MINES.

The number of acres claim^{ed} is 4.15.

The boundaries of said claim are marked upon the ground by monuments, one at each angle of the claim, except at corner No.6 where it is impossible to erect and maintain a post or monument, and said claim is more particularly bounded and described as follows, to-wit:

Beginning at a pine post 4 x 4 ins. sq. and 4 $\frac{1}{2}$ feet long, set 1 foot in the ground, surrounded by a monument of stones placed at the northeast corner of the claim, at which this notice is posted, and marked C.S.C.No.1; whence the quarter sec. corner between Secs. 23 and 24, Twp. 1 N., R. 15 E., G. & S.R.B. & M., bears N. 73° 24' E. 30.16 feet; thence N. 57° 59' W. 394.72 feet to corner No.2, a pine post 4 x 4 ins. sq. 4 $\frac{1}{2}$ feet long, set 1 foot in the ground and surrounded by a mound of stones and marked C.S.C.No.2; thence S. 55° 14' W. 238.55 feet to corner No.3, a pine post 4 x 4 ins. sq. 4 $\frac{1}{2}$ feet long, set 1 foot in the ground and surrounded by a mound of stones and marked C.S.C.No.3; thence S. 42° 03' E. 299.11 feet to corner No.4, a X on a dacite boulder marked 1 M.P. 2480, being the initial monument of the Maurel Placer claim; thence S. 71° 33' W. 495.13 feet to corner No.5, a pine post 4 x 4 ins. sq., 4 $\frac{1}{2}$ feet long set 1 foot in the ground and surrounded by a mound of stones and marked C.S.C.No.5; thence S. 23° 32' E. 164.53 feet to corner No.6,

identical with corner No. 2 of the Mark Twain Millsite, survey No. 523, and corner No.5 of the Carrie Millsite, survey No.1719 B., an iron pin one inch in diameter driven flush with the ground, whence a witness post, a pine post 4 x 4 ins. sq. $4\frac{1}{2}$ feet long, set 1 foot in the ground and surrounded by a mound of stones and marked C.S.C.No.^{W.C.}6;thence N. $23^{\circ} 32'$ W. 17 feet; thence S. $39^{\circ} 32'$ E. 65 feet to corner No.7, a pine post 4 x 4 ins. sq. $4\frac{1}{2}$ feet long, set 1 foot in the ground and marked C.S.C.No.7;thence N. $52^{\circ} 40'$ E. 389.86 feet to corner No.8, a pine post 4 x 4 ins. sq., $4\frac{1}{2}$ feet long, set 1 foot in the ground and surrounded by a mound of stones, marked C.S.C.No.8;thence N. $54^{\circ} 48'$ E. 468.63 feet to the place of beginning.

Said Mark Twain Millsite and Carrie Millsite bound this claim on the west; the True Blue Millsite survey No.1719 B. bounds it partially on the south and the Maurel Placer Claim, survey No..2480, partially bounds it on the north.

Dated and posted on the ground this 30th day of November, A.D.1908.

Witness:

H.Lee Norton
Robt.B.Riell.

THE UNITED GLOBE MINES,
Locator,
By its Agent,
George Kingdon.

Filed and recorded at the request of United Globe Mines Co., on the 30 day of November, A.D. 1908, at 35 minutes past 3 o'clock P.M.

E.T.STEWART County Recorder.

TERRITORY OF ARIZONA.)
) SS.
County of Gila.)

I, E.T.STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Location Notice of the CLEVELAND STONE CLAIM as the same appears of record in my office in Book 8, Records of Mines, at page 554; that I have compared the same with the original record,

and that the same is a true transcript and of the whole thereof.

WITNESS my hand and seal of office, this 26th, day of
March, A.D. 1910..

E. J. Stewart

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 1, 1910, 190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The United Globe Mines

known as the Cleveland Stone Claim (Placer)

situate in Globe

Mining District, Gila County, Arizona

in Section 23, Township No. 1 N., Range No. 15 E., and designated as Survey No. 2802, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 quarry, total value \$700.00. This quarry is situated partly on the Maurel Placer, Sur. No. 2480, and only \$585 of the value is credited to this claim.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

July 1, 1910., 190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of The United Globe Mines

known as the
Cleveland Stone Claim (Placer)

situate in Globe Mining District,
Gila County, Arizona

in Section 23, Township No. 1 N., Range No. 15 E.
designated as Survey No. 2802


executed by Edwin T. Stewart, U. S. Deputy Mineral
Surveyor, May 16, 1910., 190

April 4, 1910., 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona