

4-683.

MINERAL SURVEY No. 2806

LOT No. \_\_\_\_\_

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

OLD DOMINION COPPER MINING & SMELTING COMPANY.

KNOWN AS THE

CENTRAL PACIFIC, SOUTH PACIFIC and RAILROAD.

GLOBE Mining District,

Gila County, Arizona

Section 20, Township 1 N., Range 14 E.,  
G. & S.R.B. & M., unsurveyed.

Surveyed under instructions dated April 14, 1910.

by Edwin P. Stewart  
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced May 21, 19 10.

Survey completed May 22, 19 10.

6-322

Address of claimant's attorneys:

Herring & Sorin,  
Tucson,  
Arizona.

Mineral Survey No. 2806.

Central Pacific Lode.

Beginning at Cor. No. 1, identical with southeast corner of the location. and Cor. No. 2 South Pacific lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed "1-C.P.-2806" for this claim, whence

The standard corner of sections 31 and 32 T. 1 N., R. 14 E., G. & S.R.B. & M., bears S. 05°-22'-10"W. 11997.4 ft. U.S.M.M. No. 3 bears N. 10°-07'-50"W. 2607.8 ft.

Thence N. 45°-00'W.

300.00 To S.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 14 ins. in the ground, on bed rock, scribed S.W.E.C.-C.P.-2806.

600.00 To Cor. No. 2, identical with southwest corner of the location and Cor. No. 1, North Pacific lode, Survey No. 2756.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-N.P.-2756, to which I add 2-C.P.-2806 for this claim.

Thence N. 45°-00'E.

800.00 Along line 1-4, North Pacific lode, Survey No. 2756.

1490.70 To Cor. No. 3, identical with northwest corner of the location and Cor. No. 4, North Pacific lode, Survey No. 2756.

On line 1-2, Hobo lode, Survey No. 2756, S. 45°-00'E. 345.0 ft. from Cor. 2.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-N.P.-2756, to which I add 3-C.P.-2806 for this claim.

Thence S.45°-00'E.

Along line 2-1, Hobo lode, Sur. No. 2756.

255.00 To Cor. No. 1 of said Hobo lode.

Along line 2-1, Standard lode, Sur. No. 2756.

300.00 To N.E.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.E.C.-C.P.-2806.

600.00 To Cor. No. 4, identical with northeast corner of the location and Cor. No. 3, South Pacific lode, this survey.

On line 1-2, Standard lode, Sur. No. 2756.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 23 ins. in the ground, scribed 4-C.P.-2806 for this claim.

Thence S.45°-00'W.

Along line 3-2, South Pacific lode, this survey.

1490.70 To Cor. No. 1, the place of beginning.

South Pacific Lode.

Beginning at Cor. No. 1, identical with southeast corner of the location and Cor. No. 2, Railroad lode, this survey.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-S.P.-2806 for this claim, whence

The standard corner of sections 31 and 32 T. 1 N, R. 14 E., G. & S.R.B. & M., bears S.07°-38'-50"W. 11623.4 ft.

U.S.M.M.No. 3 bears N.16°-26'-50"W. 3118.7 ft.

Thence N.45°-00'W.

300.00 To S.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 12 ins. in the ground, on bed rock, scribed S.W.E.C.-S.P.-2806.

600.00 To Cor. No. 2, identical with southwest corner of the location and Cor. No. 1, Central Pacific lode, this survey.

Corner previously described, and to which I add 2-S.P. for this claim.

Thence N.45°-00'E.

Along line 1-4, Central Pacific lode, this survey.

1490.70 To Cor. No. 3, identical with northwest corner of the location and Cor. No. 4, Central Pacific lode, this survey. Corner previously described, and to which I add 3-S.P. for this claim.

Thence S.45°-00'E.

Along line 2-1, Standard lode, Sur. No. 2756.

300.00 To N.E.E.C, identical with monument of the location. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 20 ins. in the ground, with mound of stone, scribed N.E.E.C.-S.P.-2806.

600.00 To Cor. No. 4, identical with northeast corner of the location and Cor. No. 3, Railroad lode, this survey. A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 4-S.P.-2806, for this claim.

Thence S.45°-00'W,

Along line 3-2, Railroad lode, this survey.

1490.70 To Cor. No. 1, the place of beginning.

Railroad Lode.

Beginning at Cor. No. 1, identical with southeast corner of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-R.-2806, whence

The standard corner of sections 31 and 32T. 1 N., R. 14 E., G. & S.R.B. & M., bears S.09°-58'-10"W. 11284.2 ft., U.S.M.M.No. 3 bears N.20°-47'-00"W. 3634.3 ft.

A 5/8 inch drill hole in a .7 x 1.2 x 2.5 ft. dacite boulder, which is chiseled B.R.-2806, bears S.35°-06'W 17.25 ft.

Thence N.45°-00'W.

287.60 To S.W.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 12 ins. in the ground, on bed rock, with mound of stone, scribed S.W.E.C.-R-2806.

575.20 To Cor. No. 2, identical with southwest corner of the location and Cor.No.1, Southern Pacific lode, this survey, Corner previously described, and to which I add 2-R. for this claim.

Thence N.45°-00'E.

Along line 1-4, South Pacific lode, this survey.

1490.70 To Cor. No. 3, identical with northwest corner of the location and Cor.No.4, South Pacific lode, this survey.

On line 1-2, Standard lode, Sur.No.2756.

Corner previously described, and to which I add 3-R. for this claim.

Thence S.45°-00'E,

Along line 2-1, Standard lode, Sur.No.2756.

287.6 To N.E.E.C., identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 14 ins. in the ground, on bed rock, with mound of stone, scribed N.E.E.C.-R-2806.

555.00 To Cor. No. 1, Standard lode, Sur.No.2756.

575.20 To Cor. No. 4, identical with northeast corner of the location.

A pine post, 4 ft, long, 4 ins, sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, scribed 4-R.-2806, whence

A pine tree, 13 ins. diameter, blazed and scribed on the southwest side, cross <sup>(x)</sup> B.T.-2806, bears N.53°-31'E. 24.1 ft.

Thence S.45°-00'W.

1490.70 To Cor. No. 1, the place of beginning.

Magnetic variation at all corners 13°-45' E.

oooooooooooooooooooooooooooo

Lode Lines.

As near as can be determined from present developments the veins of the three locations embraced in this survey extend as follows from their respective discovery points:

Central Pacific lode, N.45°-00'E. 20.6 ft and S.45°-00'W. 1470.1 ft.

South Pacific lode, N.45°-00'E. 213.8 ft. and S.45°-00'W. 1276.9 ft.

Railroad lode, N.45°-00'E. 984.7 ft. and S.45°-00'W. 506.0 ft.

oooooooooooooooooooooooooooo

Areas.	acres.
Total area Central Pacific lode,	20.533
Total area South Pacific lode,	20.533
Total area Railroad lode,	19.684

oooooooooooooooooooooooooooo

Location.

This survey is located approximately in Section 20, T. 1 N., R. 14 E., Gila and Salt River Base and Meridian, unsurveyed, Globe Mining District, Gila County, Arizona, in the Crook National Forest.

oooooooooooooooooooooooooooo

Adjoining and Conflicting Claims.

On the northeast: The Hobo and Standard lodes, Sur.No. 2756, owned by the claimant of the claims in this survey.

On the southeast: The Louppe lode, unsurveyed, owned by Henry McCormack.

On the southwest: The Mannie<sup>Fraction</sup> and Dry Slide lodes, unsurveyed, owned by Oscar Scott.

On the northwest: The North Pacific lode, Sur.No.2756, owned by the claimant of the claims in this survey.

oooooooooooooooooooooooooooo

Discovery and Improvements.

Central Pacific Lode.

No. 1, the discovery, a cut 4 x 10 x 13 ft., which is intersected by the lode line 20.6 ft. from the N.E. E.C., and extends thence N.49°W. 4.0 ft. to face and S.49°E. 9.0 ft. to mouth. Value \$30.00.

South Pacific Lode.

No. 1, the discovery, a cut 4 x 10 x 14 ft., the face of which is on the lode line, <sup>213.9 ft. from N.E.E.C.</sup> and which extends thence N.28°-15'E. to mouth. Value \$30.00.

No. 2, 14 ft. of cut and 116 ft. of tunnel, 5.5 x 7.0 ft., the center of the mouth of which bears S.10°-50'E. 312.2 ft. from the N.E.E.C., and extends thence N.52°-27'E. 130.0 ft. to face. Value \$980.00.

~~No. 3~~, 19 ft. of tunnel, 3.5 x 6.5 ft., the center of the mouth of which bears N.71°-08'E. 388.0 ft. from the S.W.E.C., and which extends thence N.31°W. to face.

~~No. 4~~, a cut, 4 x 9 x 11 ft., the center of the mouth of which bears N.76°-36'E. 530.7 ft. from the S.W.E.C., and which extends thence S.31°E. to face.

The value of <sup>the last two</sup> improvements ~~3 and 4~~ is not credited to the claim for the reason that they were made by the claimant or its grantors prior to the date of locating this claim.

Railroad Lode.

No. 1, the discovery, a cut 4 x 10 x 14 ft., the center of the face of which is on the lode line 506.0 ft. from the S.W.E.C., and which extends thence S.22°-20'E. to mouth. Value \$35.00.

No. 2, 13 ft. of cut and 71 ft of tunnel, 5.5 x 6.5 ft., the center of the mouth of which bears N.51°-29'E. 762.4 ft. from Cor. No. 2, and extends thence S.63°-26'E. to face. Value \$615.00.

~~No. 3~~, 16 ft. of cut and 26 ft. of tunnel, 4.5 x 6.5 ft., the center of the mouth of which bears S.37°-34'E. 193.8 ft. from a point on the lode line 512.4 ft. from the S.W.E.C., and which extends thence N.55°-15'W. 42.0 ft. to face.

~~No. 4~~, a cut, 4 x 10 x 15 ft., the center of the face of which bears N.38°-47'E. 419.2 ft. from the S.W.E.C., and which extends thence S.50°-40'W. to mouth.

The value of <sup>the last two</sup> improvements ~~3 and 4~~ is not credited to the claim for the reason that they were made by the claimant or its grantors prior to the date of locating this claim.

At the present time the work on the Central Pacific lode has not the value of \$500.00. Prior to the expiration of the period of publication I will submit a supplemental report of additional work on this claim, and at the same time furnish my certificate as to the sufficiency of the work on each of the claims.

oooooooooooooooooooooooooooo

Instrument.

This survey was made with 6 $\frac{1}{4}$  inch Berger Engineer's transit. The courses were deflected from the true meridian as determined by direct Polaris observation. The distances were measured with a 650 ft. steel tape.

oooooooooooooooooooooooooooo

Report.

The side and end lines of the claims embraced in this survey and all tie lines were run direct upon the ground.

The standard corner of sections 31 and 32 T. 1 N., R. 14 E., Gila and Salt River Base and Meridian, to which tie is given, is a granite boulder, 8 x 8 x 8 ins. out of the ground, chiseled with five notches on the east side, one notch on the west side and S C on the north side.

U.S.M.M.No. 3, to which tie is given, is a pine post, 8 ft. long, 6 ins. sq., set 3 ft. in the ground, with mound of earth and stone, scribed U.S.M.M. No. 3, T.-1-2756 and C-IV.

Survey, <sup>No.</sup> 2756, North Pacific, Hobo and Standard lodes:

The corners of these claims are 4 x 4 posts, properly set and scribed. I find the courses and distances of all the lines correct as approved.

The disagreement between these notes and the certificates of location is nominal.

*Edwin P. Stewart*

U.S.M. Surveyor.

Globe, Arizona, May 28, 1910.



JUN 26 1910  
9

SUPPLEMENTAL REPORT ON MINERAL SURVEY NO. 2806.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the claims embraced in Mineral Survey No. 2806, by the claimant, is not less than five hundred dollars, and that said improvements, in addition to what was reported in the official returns of said survey, dated May 28, 1910, consist of:

No. 2 on the Central Pacific lode, 10.5 ft. of cut and 52.0 ft. of tunnel, 5.5 x 6.5 ft., the center of the mouth of which bears S.60°-44'W. 114.3 ft. from a point on the lode line 503.6 ft. from the S.W.E.C., and which extends thence S.51°-42'W. 62.5 ft. to face. Value \$550.00.

Edwin J. Stewart  
U.S. Mineral Surveyor.

Sworn to and subscribed before me this 24th day of June, 1910.

L. M. Prockner  
Notary Public.

(My Commission Expires December 12, 1912)

# FINAL OATHS FOR SURVEYS.


## LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart  
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
Old Dominion Copper Mining & Smelting Company  
 known as the Central Pacific, South Pacific and Railroad.  
 and showing the respective capacities in which they acted.

R. A. Smith \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Axman.*  
 \_\_\_\_\_, *Flagman.*


## FINAL OATHS OF ASSISTANTS.

~~We~~, I., R. A. Smith \_\_\_\_\_  
 and \_\_\_\_\_, do solemnly swear that <sup>I</sup>~~we~~ assisted \_\_\_\_\_  
Edwin T. Stewart \_\_\_\_\_, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Old Dominion Copper Mining & Smelting Co.  
 known as the Central Pacific, South Pacific and Railroad  
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona.

 \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Axman.*  
 \_\_\_\_\_, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 28th

day of May, 1910, 190.



Notary Public.

# FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated April 14, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Old Dominion Copper Mining & Smelting Company, known as the Central Pacific, South Pacific and Railroad, situate in Globe Mining District, Gila County, Arizona, in Section 20, Township No. 1N, Range No. 14E, G. & S. R. B. & M., uns., and designated as Survey No. 2806, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart  
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart  
 U. S. ~~Deputy~~ Mineral Surveyor, before me L. M. Brookner, a  
Notary Public this 28th  
 day of May, 1910.

L. M. Brookner  
 Notary Public.

## LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that, in accordance with the laws of the United States, and the laws of the Territory of Arizona, the undersigned on the 29th day of November, 1909, has located as a mining claim the following described lead, lode or vein or mineral-bearing earth, rock or quartz, and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is Central Pacific.

The name of the locator is Old Dominion Copper Mining and Smelting Company, a corporation.

The length of the claim along said vein or lode is 1490.7 (fourteen hundred and ninety and seven-tenths) feet. The width of said claim is 300 (three hundred) feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the northeasterly end center monument of said claim is 20.5 feet. The distance from said point of discovery to the southwesterly end center monument is 1470.2 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 20.5 feet northeasterly from said Location Monument; thence S.45° E. 300 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim; thence S.45° W. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N.45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again N.45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N.45° E. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S.45° E. 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: This claim is bounded on the northwest by the North Pacific Mining Claim, on the northeast by the Hobo and Standard Mining Claims, and on the southeast by the South Pacific Mining Claim.

Dated, the 29th day of November A.D. 1909.

Old Dominion Copper Mining And Smelting  
Company. Locator.

By its Agent, George Kingdon.

Witnesses: H. L. Norton  
R. B. Riell

Filed and recorded at the request of Old Dominion C.M. & S. Co,  
on the 1 day of December A.D. 1909 at 5 minutes past 9 o'clock A.M.  
E.T. Stewart County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Location Notice of the  
"CENTRAL PACIFIC" Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines,

at page 38; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th day of

April A. D. 1910.

*E. T. Stewart*

County Recorder, Gila County, A. T.

LOCATION NOTICE.

APR 14 1910

NOTICE IS HEREBY GIVEN that, in accordance with the laws of the United States and the laws of the Territory of Arizona, the undersigned, on the 29th day of November, 1909 has located as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is SOUTH PACIFIC.

The name of the locator is Old Dominion Copper Mining and Smelting Company, a corporation.

The length of the claim along said vein or lode is fourteen hundred and ninety and seven-tenths (1490.7) feet. The width of said claim is three hundred (300) feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the northeasterly end center monument of said claim is 214 feet. The distance from said point of discovery to the southwesterly end center monument is 1276.7 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 214 feet northeasterly from said Location Monument; thence S.45° E. 300 feet to a monument, a post surrounded by a mound of stones being the southeast corner of said claim; thence S.45° W. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N.45° W. 300 feet to a monument, a post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again N.45° W. 300 feet to a monument a post surrounded by a mound of stones, being the northwest corner of the claim; thence N.45° E. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S.45° E. 300 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: This claim is bounded on the northwest by the Central Pacific Mining Claim, on the northeast by the Standard Mining Claim, and on the southeast by the Railroad Mining Claim.

Dated the 29th day of November A.D. 1909.

Old Dominion Copper Mining And Smelting Company. Locator.  
By its Agent, George Kingdon

Witnesses:

H. L. Norton  
R. B. Riell

Filed and recorded at the request of Old Dominion C.M. & S. Co. on the 1 day of December A.D. 1909 at 5 minutes past 9 o'clock A.M.

E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Location Notice of the

"SOUTH PACIFIC" Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines,

38

at page; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th day of

April A. D. 1910.

*E. T. Stewart*

County Recorder, Gila County, A. T.

LOCATION NOTICE.

APR 14 1910

NOTICE IS HEREBY GIVEN, that, in accordance with the laws of the United States, and the laws of the Territory of Arizona, the undersigned, on the 29th day of November, 1909, has located as a mining claim, the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Globe Mining District, in the County of Gila, in the Territory of Arizona, to-wit:

The name of said claim is RAILROAD.

The name of the locator is Old Dominion Copper Mining and Smelting Company, a corporation.

The length of the claim along said vein or lode is fourteen hundred and ninety and seven-tenths (1490.7) feet. The width of said claim is two hundred and eighty-seven and six-tenths (287.6) feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is northeast and southwest.

The distance from the point of discovery to the southwesterly end center monument of said claim is 506 feet. The distance from said point of discovery to the northeasterly end center monument is 984.7 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at a monument, a post surrounded by a mound of stones, placed at the center of the northeasterly end of the claim, which monument is 984.7 feet northeasterly from said Location monument; thence S.45° E. 287.6 feet to a monument, a post surrounded by a mound of stones, being the southeast corner of the claim, thence S.45° W. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the southwest corner of the claim; thence N.45° W. 287.6 feet to a monument, a post surrounded by a mound of stones, being the center of the southwesterly end of the claim; thence again N.45° W. 287.6 feet to a monument, a post surrounded by a mound of stones, being the northwest corner of the claim; thence N.45° E. 1490.7 feet to a monument, a post surrounded by a mound of stones, being the northeast corner of the claim; thence S.45° E. 287.6 feet to the monument, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit: This claim is bounded on the northwest by the South Pacific claim, and on the northeast by the Standard Mining claim. The northeast corner of this claim is about 2100 feet southeast from the southwest corner of the Continental a patented mine.

Dated the 29th day of November A.D. 1909.

Old Dominion Copper Mining And Smelting Company. Locator,  
By its Agent, George Kingson.

Witnesses:

H. L. Norton  
R. B. Riell

Filed and recorded at the request of Old Dominion C.M. & S. Co. on the 1 day of December A.D. 1909 at 5 minutes past 9 o'clock A. M.

E. T. Stewart County Recorder.

TERRITORY OF ARIZONA, }  
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Location Notice of the  
"RAILROAD" Mining Claim,

as the same appears of record in my office in Book 16, Records of Mines

at page 39; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 9th day of

April A. D. 1910.



County Recorder, Gila County, A. T.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 13, 1910., 190

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Old Dominion Copper Mining & Smelting Company

known as the Central Pacific, South Pacific and Railroad

situate in Globe

Mining District, Gila County, Arizona

in Section 20, Township No. 1 N., Range No. 14 E. Unsur., and

designated as Survey No. 2806, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or its grantors, and that said improvements consist of 6 cuts and 3 tunnels, total value \$2240.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona.

July 13, 1910., 190.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of Old Dominion Copper Mining & Smelting Company

....., known as the  
Central Pacific, South Pacific and Railroad

situate in Globe Mining District,  
Gila County, Arizona

in Section 20, Township No. 1 N., Range No. 14 E. Unsur.  
....., designated as Survey No. 2806

executed by Edwin T. Stewart, U. S. Deputy Mineral  
Surveyor, May 21-22, 1910., 190., under my instructions dated

April 14, 1910., 190., have been critically examined and the necessary cor-  
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for  
survey is included in the field notes.

*Frank S. Lyall*

U. S. Surveyor-General for Arizona.