

1-5-1911.

F. L.

JCT. 12 1910

DEC. 29. 1910

4-683.

MINERAL SURVEY No. 2807

LOT No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Sedville Townsite Leasing and Mining Company

KNOWN AS THE

Rosemary

Jurquoise

Mining District,

Cochise

County, Arizona

Section Approximate Township 195, Range 25 E 7ns.

Surveyed under instructions dated Apr. 20, 1910

by John A. Rock fellow U. S. Mineral Surveyor.

Claim located See Location Notes 19 -

Survey commenced Sept 10, 1910

Survey completed " 11, 1910

6-822

Address of Claimant's attorney J. F. Ross, Douglas, Ariz.

S U R V E Y NO. 2807.

ROSEMARY LODE.....

Beginning at corner No. 1 the S.W. corner of location identical with corner No. 2 Triangle lode survey No. 2680, a pine post 4 ins. square 3 ft. above ground in a mound of stone, marked in pencil "Rosemary", scribed N W C - T 2-2680 T L. Add to scribing S W C & R 1-2807.

Whence:

U.S.L.M. No. 1319 brs. S 78°12'W, 2638.6 ft.

X BR 1-2807 chiseled on a quartzite rock 20x18 ins. 8 ins. above ground, brs. N 44°55'W, 19.9 ft.

X BR 1-2807, chiseled on limestone outcrop exposing 14x8 ins. brs. S 76°55'E, 6.2 ft.

Thence: N 10°37'E. Va. 13°10'E.

Along a wagon road

712.2 to corner No. 2 which falls in road hence not suitable for permanent corner. Set temporary stake, *and 587'50"E 244 feet - set a witness corner hereafter described* Whence corner of location identical with N.E. corner

Moving Star lode, unsurveyed, brs. N 10°37'E. 27.1 ft.

Said corner is a pine post 4 ins. square, 3 1/2 ft. above ground in a mound of stone not scribed for Rosemary but for other claims N E C - M S .

Thence S 87°50'E. Va. 13°15'E.

24.4 establish witness corner to corner No. 2. Set a limestone 24x12x8 ins 12 ins. in ground, chiseled a cross (x) at exact point and W C 2-2807 R, raise a monument of stone alongside.

Whence:

X BR 2-2807 chiseled on a limestone 18x10x5 ins. brs. N 10°06'W, 44.0 ft.

S.W. corner of Heron's hotel building (adobe) brs. N 0°39'E, 15.9 ft.

102.4 to corner No. 3, theoretical point for N. center end of location. The ground has been much disturbed in the building of Heron's hotel and no signs of said center

Feet.

end monument can be found. Set a limestone 24x10x8 ins. 12 ins. in the ground, chiseled a cross (x) at exact point. and N C E - R 3-2807. Raise a monument of stone alongside.

Whence N.W. corner of location previously described, brs. N 72°38'E, 102. ft.

X BR 3-2807 chiseled on a quartzite rock ^{forming} corner of hotel foundation brs. N 25°08'W, 18.9 ft.

S.E. corner of hotel brs. N 23°24'W, 19.0 ft.

X BR 3-2807 chiseled on a limestone 12x10x2 ins. brs. S 52°50'W, 13.8 ft.

Thence S 72°38'E. Va. 12°55'E.

150. to corner No. 4 identical with location, a pine post 4 ins. square, 3½ ft. above ground in a mound of stone, unmarked. I scribe N E C - R 4-2807.

Whence:

X BR 4-2807 chiseled on limestone 60x60 ins. triangular, and 24 ins. high brs. S 73°45'E, 9.8 ft.

X BR 4-2807 chiseled on a limestone 30x24x2 ins. brs. N 17°32'W, 18.3 ft.

Thence S 0°20'E. Va. 13°10'E.

665.77 to corner No. 5, identical with location, and with Cor. No. 3 Triangle lode, Survey No. 2680 and N E C Little Tom lode, unsurveyed. A pine post 4 ins. square, 4 ft. above ground in a mound of stone, scribed N E C - T N E C - L T 3-2680. Add to scribing S E C - R 5-2807.

Whence:

X BR 5-2807 chiseled on a limestone 20x10x2 ins. brs. N 38°45'W, 4.95 ft.

X BR 5-2807 chiseled on a limestone 20x14x2 ins. brs. S 2°30'W, 24.2 ft.

Thence N 87°50'W. Va. 13°10'E.

201.8 N. center end Triangle lode, survey No. 2680, a post in a mound of stone.

277.8 S. center end identical with location a stake in a mound of stone.

Feet.
380.8

to corner NO. 1, the place of beginning.

Acres.

AREA,

4.999

LOCATION.

This claim is located in Turquoise Mining District, Cochise County, Arizona, in approximately Tp 19S, R 25E, unsurveyed.

The presumed course of the vein is N 10°34'E, 712.7 ft. from S. center end to corner No. 3.

ADJOINING CLAIMS.

On the North: Luck lode, unsurveyed, James Heron , claimant.

On the East: Scorpion lode, unsurveyed, McCormick & Bagley, claimants.

On the South: Triangle lode , Survey No. 2680, claimants unknown.

On the West: Morning Star lode, unsurveyed, Hearne & Pidwell claimants.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of labor and improvements on this claim placed thereon by claimant or its grantors is not less than five hundred dollars and said improvements consist of :-

No. 1) Discovery Shaft, the center of the east side of which hrs. from S. center end N 10°34'E, 300 ft.

Shaft 6x5 ft. 62 ft. deep from collar of shaft as follows, 6 ft. deep to lower set of timbers, thence conglomerate 10 ft. to bedrock, thence 46 ft. rock in place. Value timbers and first 16 ft.,.....\$100.

Value of remaining 46 ft. at \$11. per ft. \$506.

Total value of shaft,.....\$606.

OTHER IMPROVEMENTS...

From Cor. No. 1.

S.W. corner adobe building 14x22 ft. hrs. N 27°50'E, 170 ft.

Survey No. 2807.

-4-

Feet.

S.E. corner iron roofed tent house 12x20 ft. brs. N 24° 57'E, 170.1 ft., J. Hagel, claimant of both.

From point on line 1-2 at N 10°37'E, 302.5 ft. from corner No. 1, the N.W. corner of board house 14x24 ft. brs. S 17°40'E, 56.5 ft., Jas. Hamilton, claimant.

From point on line 1-2 at N 10°37'E, 534.6 ft. from corner No. 1.

- N.W. corner board house 12x12 ft. brs. S 51°52'E, 189.8 ft. claimant W.J. Hurd.

- S.W. corner board house 12x20 ft. brs. S 86°15'E, 40.6 ft., claimant unknown.

- S.W. corner hip roof house 24x30 ft. brs. N 31°07'E, 15 ft. C.L. Cumming, claimant.

From corner No. 4.

- N.E. corner board house brs. S 26°31'W, 123.7 ft., H. Meyers claimant.


INSTRUMENT.

This survey was made with a Young & Son's Mountain Transit, No. 6855, provided with Smith Solar Attachment. The courses were deflected from true meridians as obtained by direct solar observations. The measurements were made with 500 and 50 ft. steel tapes.

NOTE:- Any discrepancies between this survey and notice of location are due to errors in latter.

Tombstone, Arizona.

Oct. 8, 1910.


U.S. Mineral Surveyor.

DEC 29 1910

TERRITORY OF ARIZONA.)
 COUNTY OF COCHISE,)
 SS.

W.R.Benedict, being first duly sworn, deposes and says that he is familiar with the Rosemary lode mining claim, situate in the Turquoise Mining District, Cochise County, Arizona, fro which The Leadville Townsite Leasing & Mining Co. has made application to the Surveyor-General for the District of Arizona for an official survey, as a basis for an application for patent to said claim; that he is himself a surveyor; that he made a preliminary survey of said claim in the year 1909 for original loc- ators; that he also assisted U.S. Mineral Surveyor J.A.Rockfellow in making Survey No. 2807; that at the time of said preliminary survey he set marked stakes for the north center end and the N.E. corner, the N.W. corner being identical with the N.E. corner of the Morning Star lode, unsurveyed; that the center end stake was on line between the N.E. and N.W. corners and approximately at the point where Cor. No. 3 was located by said J.A. Rockfellow in Survey No. 2807; and futhermore that he is not interested in said claim in any manner whatever.

W. R. Benedict
 Affiant.

Subscribed and sworn to before me this 26 day of Dec., 1910.

(SEAL.)

Samuel S. Rockfellow
 My Commission
 expires Oct 15 1912.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

John A. Rockfellow

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Leadville Townsite Leasing & Mining Company
known as the *Rosemary*

and showing the respective capacities in which they acted.

W. R. Benedict, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

W. R. Benedict

and *John A. Rockfellow*, do solemnly swear that we assisted

John A. Rockfellow, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of *The Leadville Townsite Leasing and Mining Company* known as the *Rosemary*

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for *Arizona*

W. R. Benedict, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this *12*

day of *September* 190*0*

Samuel L. Rockfellow
My Commission Expires Oct 15 1912
Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, John A Rockfellow, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Apr. 20-1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General faithfully and correctly executed the survey of the Mining Claim of The Leadville Townsite Leasing and Mining Company, known as the Rosemary, situate in Furquison Mining District, Cochise County, Arizona, in Section Apprx, Township No. 19S, Range No. 2SE unsurveyed, and designated as Survey No. 2807, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A Rockfellow
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said John A Rockfellow
U. S. ~~Deputy~~ Mineral Surveyor, before me Samuel
L. Rockfellow this 8th
day of October 1910

Samuel L Rockfellow
Notary Public

My Commission expires Oct 15 1912

APR 20 1910

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Rosemary Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by E. A. Rose (2/3) & C. C. Ritter (1/3)

Citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 14th day of June 1908

The length of this claim is 759 feet, and we claim 300 feet, in a Southern direction and 459 feet in a Northern direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 195 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 1/2 Miles in a Northern direction from Courtland

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a South direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the South & East end line of said claim; thence 195 feet to a Monument, being the East corner of said claim; thence 759 feet to a Monument of Stones, being at the North East corner of said claim; thence 150 feet to a Monument of Stone at the center of the North end of said claim; thence 150 feet to a Monument of Stone, being at the West corner of said claim; thence 759 feet to a Monument at the Southwest corner of said claim; thence 195 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 14 th day of June 1908


E. A. Rose } two thirds
C. C. Ritter } one third

Filed and recorded at request of A. J. Benedict, Sep. 5, 1908 at 3:15 P. M. in Book 42 of Record of Mines at page 260.

TERRITORY OF ARIZONA)
 : ss.
 COUNTY OF COCHISE)

I, C. A. McDonald, County Recorder in and for said County and Territory aforesaid, do hereby certify that I have compared the annexed and foregoing copy with the original Location Notice of the Rosemary Lode Mining Claim, located by E. A. Rose and C. C. Ritter, on the 14th day of June, 1908, and filed for record in my office on the 5th day of September, 1908, at 3:15 P. M., in Book 42 of Record of Mines, at page 260, and that the same is a full, true, and correct copy of said original and of the whole thereof.

Given under my hand and official seal, this the 9th., day of April, A. D. 1910.

 County Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

March 17, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

The Leadville Townsite Leasing and Mining Company,

known as the ROSEMARY

situate in Turquoise

Mining District, Cochise County, Arizona,

in Section approx., Township No. 19 S., Range No. 25 E. unsurveyed, and

designated as Survey No. 2807, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 shaft, value \$606.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 17, 1911., 190.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

The Leadville Townsite Leasing and Mining Company,

, known as the

ROSEMARY,

situate in Turquoise mining district,

Cochise County, Arizona,

in Section approximate, Township No. 19 S., Range No. 25 E. unsur.

, designated as Survey No. 2807

executed by John A. Rockfellow, United States Mineral

Surveyor, September 10 - 11, 1910., ~~190~~, under my instructions dated

April 20, 1910., ~~190~~, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Grant S. Ingalls

U. S. Surveyor-General for Arizona,