F.L.

OCT 8- 1070

4-683.

MINERAL S	J	JRI	EY	No.	2809.
-----------	---	-----	----	-----	-------

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

- Chi	arles WyClark,	
The state of	Still Hard and	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
F	NOWN AS THE	
"ENCHANTER NO.2" E	NCHANTER #.1	. Umarita
	Verde	Mining District,
Yavapai	County,	Arizona.
Section Opprox.33, Towns	hip 16 N.	, Range 2 E. (Unsurveyed)
Surveyed under instructions	dated April 2	3rd, , 1910.
	by F.M.Ba	11ey , U. S. Mineral Surveyor.
		es etechnology 16001, 17101
		ces. limite in 1998.
Survey commenced	May 25th,	, 1910.
Survey completed	May 28th,	, 1910.
2-3-2-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3	Trick the 122	

Address of Attorney:

Le Roy Anderson,

Prescott, Arizona.

built a mound of stones 5' high with a 5' base alongaide. Limestone 4" Mineral Shrack No. 5808 Fround, merked Ki-

Feet.

954,13

Thongs S.61.00'W. ENCHANTER NO.2 LODE.

We the east conter and of the location where I set a

Beginning at Cor. No. 1, identical with the original northeast corner of the location, a point on line 3-4 of the Red Jacket Lode, Min. Sur. No. 1271, United Verde Copper Co., claimants, at S.25°42'E.-210.0 feet from Cor.No.3 thereof, a limestone 6"x12"x12"above ground, marked R.J .-3-1271 with a mound of stones 3' high with a 3' base alongside; where I set a limestone 4"x8"x30" one foot in the ground, marked E2-No.1-2809 for Cor.No.1 of this survey and built a mound of stones 3 high with a 3 bac base alongside Pa. No. 1 . Idention

U.S.Min.Mon.No.1, V.D., bears N.53°30'E.-3660.65 feet. A cross on a limestone reef marked BxR-E2-No.1-2809 bears S.66°52'E.-56.4 feet.

Min.Sur.No.281, Lot No.37-F, - - - 0.935 "

Along line 3-4 of the Red Jacket Lode, Min. Sun. No. 1271, 108.63 Intersect line 1-4 of the Virginia Lode, Min. Sur. No. 2463, Verde Grande Copper Co., claiments, at N. 46°39'E.-643.87 feet from Cor No.4 thereof, a limestone 4"x12"x12" marked V-4-2463 with a mound of stones alongside. 23

Intersect line 4-1 of the Eureka Mill-site, Min.Sur.No. 281, Lot No. 37-B, at N.19°00'E.-286.87 feet from Cor.No. In thereof, a limestone marked EMS-No.1 with a mound of stones alongside. (United Verde Copper Co., claimants but all rights waived) Cor.No.4 thereof, a limestone marked 1500.00

EMS-No.IV with a mound of stones alongside, bears N.19° 00'E.-174.57 feet. 343.67

To the east center end of the claim, identical with the the original center end location monument where I set a limestone 5"x10"x30" one foot in the ground, marked E2-ECE-2809 for the east center end of this survey and built a mound of stones 3' high with a 3' base alongside.

A cross on a limestone reef marked BxR-E2-ECE-2809 bears S.17.39 W.-101.70 feet. Terrop Toerser

Intersect line 1-2 of the Eureka Millsite, Min. Sur. No. 2 281, Lot No. 37-B, at S.71900 'E.-283.88 feet from Cor No. 1 thereof, corner as heretofore described Jor No. 2 pone thereof bears \$171.00 E.-188.12 feet, a slate stone mar-461.18 ked EMS-II with a mound of stones salongsides 1 10 5482

697.42 To Cor.No.2, identical with the location corner where I set a limestone 6"x12"x24" one foot in the ground, marked E2-No.2-2809 for Cor.No.2 of this survey and built a mound of stones 3' high with a 3! base alongside.

A cross on a limestone reef marked BxR-E2-No.2-2809 bears N.74º16 W.-117.38 feet.

802.45 To Cor No 3 Where D set a limestone 3 x14 x24 one foot in the ground, marked E2-No.3-2809 for Cor No.3 of this survey and built a mound of stones 3 high with a 3' base alongside.

Cor. No. 4 of the Virginia Lode, Min. Sur. No. 2463 bears N.89937 F.-74.06 feet Corner as heretofore described. A cross or a limestone reef marked BxR-E2-No.3-2809

Lbearsus 138043 OE1436020 Offeet -MOR-3808 LOL 1318 Mest To Cor. No. 4 where I set a Timestone 6"x8"x20" one foot S00 *00 789.85

in the ground, marked E2-No.4-2809 for Cor.No.4 of this survey and built a mound of stones 3' high with a 3' face alongside, was gowner of the joseffon' pests A cross ton a limeston orsef marked BxR-E2-No.4-2809 Nu bears S.04°09'W.-11.61 feet.

Min.Sur.No.2809, (dontinued.)

5808-t

1001

Min.Sur.No.2809, (Continued.)

```
Feet.
         The original location corner, a mound of stones 3' high
        marking the southwest corner of the location, bears
        St18000 E:+152 Of feetoned of stones 3. high with a 2.
         in the ground, marked ES-No.4-2808 for Cor.No.4 of this
         To the west center endoor the claim, identical with the
 789.85
200.00
        location monument where I set a limestone 6"x10"x24" one foot in the ground, marked E2-WCE-2809 for the west cen-
        ter end of this survey and built a mound of stones 3!
        high with a 3' base alongside.
         A cross on a large malpais boulder, marked BxR-E2-WCE-
        2809 bears $.57926"E.-28.70 feet.
543.67
        To Cor. No. 5 where I set a sandstone 6"x8"x20" one feet
        in the ground, marked E2-No.5-2809 for Cor.No.5 of this.
 base alongside. Lyongo N'92.48 14'
         A cross on a limestone reef marked BxR-E2-No.5-2809
        bears S.23°48'E.-14.42 feet!
         The original location corner, a mound of stones 3' high
        marking the worthwest corner of the location, bears
        set a limestone 6"x12"x24" one foot in the ground, mark-
N:41520;M:2-43520 LestCor.No.S of this survey and built a
          To Cor. No. 2, identi Lucate 8.83048 Briton dorner where I
 697.42
        Intersect line 3-4 of the Verwon Lode, Min. Sur. No. 2463,
 461.18
        Verde Grande Copper Co., claimants, at N. 11927 W.-402.46 -
        feet from Cor.No.4 thereof, a limestone 4"x14"x12" above
        ground, marked V-4-2463 with a mound of stones alongside.
 909.51
         Intersect line 1-4 of the Vernon Lode, Min, Sur, No. 3463
        at N.46°39'E.-502.95 feet from Cor.No.4 thereof; Corner
        as heretofore described.
         Corner No.3 of the Virginia Lode, Min. Sur. No. 2463 bears
        N.46°39'E. -50,05 feet.a limestone 6x6x12"nk'd V-3-2463.
        Intersect line 3-4-of the Virginia Lode, Min. Sur. No. 2463
954.13
        at N.11 27 W .- 611.95 feet from Cor. No. 4 thereof, corner
        as heretofore described. Joseppor
         Cor .No. 3 of the Wirginia Lode, Min. Sur. No. 2465, bears 100
 543.6
        N.11°27'W.-40.05 feet.a limestone 6"x6"x12", marked
        V-3-2463 with a mound of stones alongside. poul wile.
        atones alongside. (United Vorde dopper co., claimants but
1500.00
         Variation at all corners 14000 East' ATPU & world of
         281, Lot No. 37-H, at N. 19.00 'E. - 288.87 feet from Cor. No.
         Containing an area of: The Bareka Hill-site, Min. Sur. Ho.
 285,71
        MULTOtal area of the Enchanter No.2 Lode, -1-19.322 A.
         272 Area th conflict with Vernon Lode Tweetone faxis xis
         In Area in conflict with Wirginia Lode, o'HID : 2011 140 .
 T09 '82
          Alon Williams No 346316 Hot Jacket - Ate, Mr. 1871,
             Area in conflict with Eureka M.S.,
               Min.Sur.No.281, Lot No.37-B, - - - - 0.935 "
                             ENCHANTER #1 LODE.
         Beginning at Cor. No.1, identical with Cor. No.3 of the
        Enchanter No.2 Lode of this survey, corner as heretofore
        described. I marked it El-Nol.-2809 for Cor No. 1 of this
        ammentde; where I set a limestone 4"x8"250" one foot
         A cross on a limestone reef marked BxR-E1-No 1-2809
        bearss180°24'Wu-Lausle feet"x18"above ground, marked R.J.-
         The original location corner, a mound of stones 30 12
        high, marking the northeast corner of the location, bears
        NIBBORO BENEGO TO feet Josephon's bornt on line 2-4 of
         U.S.Mineral Momment No Joly.D., beams N.51 940 E .- 4382.27
                          Thence S.61 00 'W.
 Foot.
         To the east center end of the location where I set a
  35.21
        limestone 4"x8"x20" one foot in the ground, marked El-
ECE-2809 for the east center end of this survey and b
built a mound of stones 3' high with a 3' base alongside.
```

2908-1

SEOB-4

Min.Sur.No.2809, (Continued.)

```
Feet.
            A cross on a limestone reef marked BxR-Fl-ECE-2809 bears S.42911 E.-40.88 feet.
The original location monument a mound of stones 3'
            high, marking the east center and of the location, bears,
            S.65°30'E.-27.0 feet
To Cor.No.2 where I chiseled a cross for the corner
point, on a limestone reef marked El-2-2809 for Cor.No.
2 of this survey and built a mound of stones 3 high out
466.68
            with a 3 base alongside compete arked BxR-El-2-2809 bears
            S.60°35'E.-22.68 feet. ... mound of stones 3' high, marking the most southerly corner of the location
            bears 6.64000 World 6.0 feet 2.10.00 .A -82.00 Loor Loom
            To Cor.No.3, identical with the location corner, where I set a limestone 10 "x10 "x20" one foot in the ground,
                                                                      .62-20 E.-277.0 feet
            4 x6', the mouth of which cut
1500.00
            marked El-3-2809 for Cor No.3 of this survey and built a mound of stones 3 high with e 3 base alongside
            A cross on a limestone reef marked BxR-E1-3-2809 bears S.56°58'W. -25.75 feet The blonch control att out the
            the turnel the groun Thence N. 21 00. Elifection of
                                                                          that this impro-
 431.47 To the west center end of the claim, identical with the original corner of the location where I set a limestone 4"x10x20" one feet in the ground, marked El-WCE-2809 for the west center end of this survey and built a mound of
            stones 3' high with a 3' base alongside.
            A cross on a limestone reef marked BxR-El-WCE-2809 of bears N.49°59'W.-22.61 feet.
           To Cor. No. 4, identical with the original location cor-
            ner, where I set a limestone 8"x12"x20" one foot in the
            ground, marked El-4-2809 for Cor No.4 of this survey and built a mound of stones 3' high with a 3' base along-
            A cross on a limestone reef marked BxR-E1-4-2809 bears N.26°40'W.-50.57 feet.
196.84 Lintersect line 4-5 of the Enchanter No.2 Lode of this survey at S.25°42'E.—193.56 feet from Con.No.5 thereof;
            Corner as heretofore described, where I set a limestone 4"x10"x24" one foot in the ground, marked E1-5-2809 for Cor.No.5 of this survey and built a mound of stones 3"
            high with a 3' base alongside.
             A cross on a limestone reef marked BxR-E1-5-2809 bears
            N.37949 W. -23.38 nfoot oleg poston & lerone c.co.
            on the south :-
                                            Thence S.25°42'E.
             Along line 5-4 of the Enchanter No.2 Lode of this sur-
           vey ture rogo him and monument as heretofore described.
150.11
           To Cor No.4 of the Enchanter No.2 Lode of this survey, corner as heretofore described which I marked E1-6-2809
 350.11
            for Cor.No.6 of this survey.

A cross on a limestone reef marked BxR-E1-6-2809 bears
           Steed 121, H'- 50 '62 tleet onel Forest, Yavapal County, Arizone.
           Along line 4-3 of the Enchanter No.2 Lode this survey.
To Cor No.1, the place of beginning to the southwest Variation at all corners 14-00 East.
 789.85
Foot.
             Containing an area of 14.162 Acres.
                              Min . Sur . No . 2809 . ( Continued . )
```

-

8808-8

```
Containing an area of 14.162 Acres.
Feet.
          These claims are located about one mile in a southwesterly direction from the United Verde Copper Co's. mine and smelter at Jerome in what would be if surveyed, Sec. 33, T.16 N. R.2 R.-O. & S.R. Meridian, in the Verde Mining
                                       COLOCATION SOO ENST.
789,85
           District, Prescott National Forest, Yavapai County, Arizona.
                  COL. NO. 8 OF L'ADJOINING CLAIMS.
           On the east - rotate quantiped autou I walled 11-0-3808 Red Jacket Lode Min Sur No.1271, U.V.O. Co. claimant
350.11
             his survey, stone and monument as heretefore described.
Virginia Lode, Min. Sur. No. 2463, Verde Grande C. Co.
                                                                                   rode of
            Vernon line 5-4 of the Ence to a Lone of this sur-
                                           Thence S.25.42'E.
           On the south: -
            Triangle Lode, unsurveyed, Boston & Jerome C.Co.
            Leland
           Chicagon s b, osse shoutside.
            JOP. NO. 5 OF THIS SURVEY SHE C. OLLIE
                                                                a mound of atones 5'
          I hereby certify that the value of the labor and improvements on these claims placed thereon by the claimants is not less than five hundred dollars ($500.00) for
 188.84
           each claim and that the said improvements consist of :-
           ENCHANTER NO.2.-No.1 Discovery Shaft, 4'x6'x10' deep, the
           center of which bears N.83°42'W.-767.00 feet from the
          east center end thereof, Value - - - - - - - - $100.00 Out end tunnel No.2, I35 long with an average cross-section of 4'x6', the mouth of which bears S.8°30'E.- 37.00 feet from the east center end thereof. Course of cut is S.26°35'W.-54 feet from the face of which the
           tunnel bears S.30°00'W.-45 feet, thence S.53°15'W.-25.00 feet, thence N.83°45'W.-11.00 feet.Total Value, $1000.00
            An undivided interest is assigned to this claim,
                                                                                  - $500.00
           Value,
            This tunnel commences on the Enchanter No.2 claim and
           extends at the end in a westerly direction toward the
Enchanter #1 claim which lies westerly from the mouth of
the tunnel, the ground rising in the direction of the
course of the tunnel to such an extent that this impro-
           vement, if extended in its present course, will out the
           lode of the other claim. An undivided 1 interest ($500.00)
           in value of this improvement is therefore properly acc-
redited to the Enchanter No.2 and the Enchanter #1 lode
           claims Truestone
           Cut and tunnel No.3:91.0 feet long, the cut being 4' wide and the tunnel having an average cross-section of
1500.00
           4'x6', the mouth of which cut bears N.62°20'E.-277.0 feet
           from Cor.No.4, course of cut S.16°00'W.-26.00 feet from
           the 10' face of which the tunnel bears S.05°00'W.-65.00
           feet. Total Value, - - - - - - - - - - -
             This tunnel commences on the Enchanter No.2 claim and
           extends in a southerly direction towards the Enchanter
           #1 claim which lies in a southerly direction from the
           mouth of this tunnel, the ground rising in the direction of the course of the tunnel to such an extent that this
           improvement, if extended in its present course, will out the lode of the Enchanter #1 claim. It cannot consista-
466.68
           ntly be considered an improvement for the benefit of the Enchanter No.2 claim as the lode lies just in front of and below the mouth of the cut. Therefore this improvement is properly accredited to the Enchanter #1 claim.
 Feel.
                               Min .Sur . No . 2809 , ( Continued . )
```

Min.Sur.No.2809, (Continued.)

Feet.

ENCHANTER #1:- No.1 Discovery cut and tunnel, the mouth of which cut bears S.71°00'E.-112.00 feet from Cor.No. 6 thereof. Cut is 4' wide by 16' long with a 10' face from which extends a tunnel 4'x6'-20.0 feet long, course of cut and tunnel S.01°30'W.Value, ---- \$300.00 All of improvement No.3 on the Enchanter No.2 Lode, hereinbefore described, Value, ---- \$600.00 An undivided interest in improvement No.2 on the Enchanter No.2 Lode, heretofore described, Value, \$500.00

VEINS.

I further certify that as far as can be determined from the present developments, the strike of the vein on the Enchanter No.2 claim isS.83°42'E.-767.0 feet and N.83°42'W.-733.0 feet along the center line of the claim measured from the center of the mouth of the discovery shaft, and the strike of the vein on the Enchanter #1 is S.74°57'E.-645.0 feet and N.74°57'W.-855.0 feet along the center line of the claim, measured from the center of the discovery tunnel.

The disagreement between these field notes and those of the approved survey of the Virginia lode, Min.Sur.No.2463 as regards the intersection 4-1 of the Virginia Lode with line 3-4 of the Red Jacket Lode, Min.Sur.No.1271, is due to an error in the approved notes of the Virginia Lode. It is given therein as 319.87 feet while I find it to be 318.63 feet from Cor.No.2 of the Red Jacket Lode. Min.Sur.No.1271.

I find a discrepancy existing between the location notice of the Enchanter No.2 and the claim as monumented upon the ground. The distance and course of the east center end as given in the location notice is S.25°42'E 210.0 feet from Cor.No.3 of the Red Jacket Lode.which is the location of the northeast corner. The location notice should have read S.25°42'E.-554.0 feet. This discrepancy is due to an error in the location notice.

INSTRUMENTS.

This survey was made with a Gurley Light Mountain
Transit with a solar attachment. Distances were measured
with 100 foot and 500 foot steel tapes. Courses were
deflected from the true meridian as determined from direct solar observation checked by an observation on
Polaris.

Jerome, Arizona.

June 1st, 1910.

S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals en	mployed by Fergus M. Bailey,
United States Deputy Mineral Surveyor, to	assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field no	otes of the survey of the mining claimSof
	Charles W.Clark,
known as the "Enchanter	#.l" and "Enchanter No.2"
and showing the respective capacities in which	th they acted.
	C.V. Hopkins, Chainman.
- Carlot	Alex Toth, Chainman.
	Jno.J. Harrington, Axman.
	Flagman.
	DITE OF ASSISTANTS.
	THS OF ASSISTANTS.
We,Al	ex Toth, Jno.J.Harrington,
and C.V. Hopkins	do solemnly swear that we assisted
Fergus M.Bailey , United Stat	tes Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claimsofC	harles W.Clark,
known as the "Enchanter #.1"	and "Enchanter No.2"
represented in the foregoing field notes as ha	ving been surveyed by said deputy mineral surveyor and under his
	all respects, to the best of our knowledge and belief, faithfully and
	ndary monuments established according to law and the instructions
furnished by the United States Surveyor-Ger	
Turnished by the United States Burvey of God	COlyland in
	Chainman.
	Chainman.
	Jus. J. Harrington, Axman.
	1
Subscribed and sv	Jno. J. Harrington, Axman.
	Jno. J. Harrington, Axman.
	Juo. J. Harrington, Arman. Flagman. worn to by the above-named persons before me this.
	Juo J. Harrington, Arman. Flagman. worn to by the above-named persons before me this.

FINAL OATH OF U.S. EMERICAN MINERAL SURVEYOR

I,, U. S. Maputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated, dated
April 23rd, 1910, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claimsof Charles W.Clark,
, known as the
"Enchanter #.1" and "Enchanter No.2"
situate in Verde Mining District,
Yayapai County, Arizona. , in Section
and designated as Survey No. 2809
and designated as Survey No. 2809 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Fergus MBailey
U.S. Danity Mineral Surveyor.
Subscribed and sworn to by the said Figure Mb Backey. U.S. Beputy Mineral Surveyor, before me 96 Care,
II C. Wester Wind Company of the said of t
Motary Mibles this 12th
day of July 1910,
Por Constant
(ii) Commission Fund
Commission Expires January 26, 1914 May any Cultures January 26, 1914

Notice of Mining Location Lode Claim

APR.23.1910

To All Whom It May Concern:

This Mining Claim, the name of which is the "Enchanter #1" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Charles W. Clark, a citizen of the United States, the undersigned, on the 12th, day of

January,1910

The length of this claim is fifteen hundred (1500) feet, and I claim seven hundred and fifty (750) feet in a easterly direction and seven hundred and fifty (750) feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about two miles in a southerly direction from the town of Jerome and adjoins the "Enchanter #2" on the south and west and covers the Enchanter #1 Stone and Lime Quarry.

The surface boundaries of the claim are marked upon the ground as Beginning at a monument of stone at a point in a easterly follows: direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence S.61° W-500 feet to a monument of stone, being the most southerly corner of said claim; thence N.81° W.-1500 feet to a monument of stone, being at the most westerly corner of said claim; thence N.61°E.-500 feet to a monument of stone at the center of the west end of said claim; thence N.61°E.-500 feet to a monument of stone, being at the most northerly corner of said claim; thence S.81°E.-1500 feet to a monument of stone at the most easterly corner of said claim; thence S.61°W.-500 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16,1901.

Dated and posted on the ground this 12th, day of January 1910 cus M.Bailey. Chas W Clark Fergus M.Bailey.

Witness

By .C. v . Hopkins

Agent.

Filed and recorded at request of LeRoy Anderson, January 20, A.D. 1910, at 1:35 o'clock P.M., Book 87 of Mines, page 628, Records of Yavapai County, Arizona.

(SEAL) J.C. Bradbury, County Recorder. By G.H.Bishop, Deputy Recorder.

Amended Notice of Mining Location. Lode Claim.

To All Whom It May Concern:

This Mining Claim, the name of which is the Enchanter No.2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Charles W. Clark a citizen of the United States, the undersigned, on the 23 day of July 1908

The length of this claim is fifteen hundred (1500) feet, and I claim eight hundred (800) feet, in an easterly direction and seven hundred (700) feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 7000 feet in a southwesterly direction from the town of Jerome and adjoins the westerly side line of the Red Jacket Lode, Min.Sur. No.1271, on its easterly end

The surface boundaries of the claim are marled upon the ground as follows: Beginning at a point on the westerly side line of the Red Jacket claim which bears \$.25°42' E.-210 feet from corner No.3 thereof, which point bears \$.86° 30' E. 800 feet from the discovery shaft (at which this notice is posted), being in the center of the easterly end line of said claim; thence \$.25°42'E.-350 feet to a monument, being the southeast corner of said claim; thence N.86°30' W.-1500 feet to a monument, being at the southwest corner of said claim; thence N.25° 42' W.-350 feet to a monument at the center of the westerly end of said claim; thence N.25°42' W.-350 feet to a monument, being at the northwest corner of said claim; thence S.86°30' E.-1500 feet to a monument at the northeast corner of said claim; thence \$.85°42' E.- 350 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16,1901.

This is an Amended Location Notice of the Enchanter No.2 Mining Claim, located by Henry W.Nichols on the first day of January, 1907, and recorded in Book 78 of Records of Mines, at page 570, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice

Dated and posted on the ground this 23 day of July 1908

Thos Peacock
Witness.

Charles W Clark
By C.V. Hopkins, Agent

Filed and recorded at request of T.G.Norris, July 27, A.D.1908, at 11:32 o'clock A.M., Book 82 of Mines, page 614 Records of Yavapai County, Arizona.

(SEAL) J.C.Bradbury, County Recorder.

TERRITORY OF ARIZONA,) ss.

County of Yavapai.

I, J.C.Bradbury, County Recorder in and for the aforesaid County of Yavapai and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with and that the same are true and correct copies of the Notices of Location of the following named lode mining claims, as the same appear of record in my said office, the same being situate and located in the Verde Mining District, Yavapai County, Arizona, viz:

ENCHANTER#1 Lode Mining Claim, the notice of location whereof is of record in Book 87 of Mines, at page 628, Records of Yavapai County, Arizona.

ENCHANTER NO.2 Lode Mining Claim, the notice of location whereof is of record in Book 82 of Mines, at page 614, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th day of March , A.D. 1910.



County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
January 21, 1911. , 190.
I, U. S. Surveyor-General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Charles W. Clark,
known as the ENCHANTER NO. 2, ENCHANTER #1,
situate in Verde
Mining District, Yavapai County, Arizona,
in Section Approx. 33, Township No. 16 N., Range No. 2 E. (Unsurveyed), and
designated as Survey No. 2809. , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claim by claimant. or his grantors, and that said improvements
consist of 1 shaft, 3 cuts and 3 tunnels, total value \$2000.00.
Cut and tunnel No. 2 on the Enchanter No. 2 lode being a common
improvement for the benefit and development of both of the claims
of this survey, an undivided 1 interest therein, value \$500, is pro
perly credited to each of the said claims. Cut and tunnel wo. 3
on the Enchanter No. 3 lode being driven to cut the vein on the
Enchanter #1 lode and of no benefit to the Enchanter to 2 lode,
is credited in its entirety to the Enchanter #1 lode.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona.
is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

	Off	ice of U.S	. Surveyor-General,
		Pho	enix, Arizona,
		-	January 21, 1911, 190
I, U. S. Surveyor-	General for	Arizon	a,
do hereby certify that	the foregoing and hereto at	tached Field	Notes and Return of the Survey of the
Mining Claim of			****
	Charle	es W. Cla	ırk,
			, known as the
	ENCHANTER N	0.2, ENCH	ANTER #1,
situate in	v	erde	Mining District,
Yavaj	oai Cou	nty,	Arizona,
in Section Approx.		16 N.	Range No. 2 E. (Unsurveyed)
, d	esignated as Survey No	2809.	
executed by	F. M. Bail	ey,	, U. S. Ďěpkěy Mineral
Surveyor,	May 25 - 28,	1910.	, 138, under my instructions dated
Apri	1 23rd, 1910,136x, 1	lave been criti	ically examined and the necessary cor-
rect <mark>ions an</mark> d explanatio	ons made, and the said Field	d Notes and	Return, and the Survey they describe,
are hereby approved.	A true copy of the copy of	f the location	certificate filed by the applicant for
survey is included in t	he field notes.		
	dho	ml,	Inzaele
		77 G G	a Arizona

TRANSCRIBLE DEPY OF ORIGINAL FIELD MOTES Mineral Survey NO. 2809

Form 9600-20 (December 1978) (formerly 9180-22)

ENCHANTER NO 2, LODE FEET

> Beginning at Cor. No. 1, identical with the original northeast corner of the location, a point on line 304 of the Red Jacket Lode, Min, Sur, No. 1271 United Verde Copper Co. Claimanta st S. 25° 42' E. 210.0 ft. from cor. No. 3. thereof, a limestone 6 x 12 x 12 above ground marked. J. 3-1271 with a mound of stones 3' high with a 3' base alongside. wheere I sat a limestone 4 x 8 x 30" one foot in the ground, marked E2-No. 1-2809 for Or. No. 1 of this survey and built a mound of stones 3' high whith a 3' base alongside.

U. S. Min. mon No. 1, V. D. bears N. 53° 30' E. 3660.65 feet. A cross on a lime stone reef marked BX RE-2No. 1-2809 bears S. 66° 52' E. 56.4 feet.

Thence S. 25° 42' E.

Along line 3-4 of the Red Jacket Lode, Min. Sur. No. 1271 108.63 Intersect line 1-4 of the Virginia Lode, Min. Sur. No. 2463, Verde Grande Copper Cro. claimants, at N. 46° 39' E. 643.87 feet from Cor. No. 4, thereof a limestone 4" x 12"x12 marked V-4-2463 with a mound of stones alongside.

Intersect line 4-1 of the Eureka Mill-site Min. Sur. No. 285.71 281, Lot No. 37-B at N. 19°00 E.-286.87 feet from Cor. No. 1 thereof, a limestone marked EMS-No. 1 with a mound of stones alongside. (United Verde Copper Co. claimants but all rights waived) Cor. No. 4, thereof a limestone marked EMS-No. IV with a mound of stones alongside, bears N. 19° 00'E-174.57 feet.

To the east center end of the claim , identical with the the original center end location. Monument where I set a limestone 5×10 " $\times 30$ one foot in the ground marked E2-ECE 2809 for the east center end of this survey and built a mound of stones 3' high with a 3' base alongsside.

A cross on a limestone reef marked B X R E2-ECE 2809 bears S. 17° 39 W. 101.70 feet.

Intersect line 1-2 of the Eureka Millsite, Min. Sur. No. 281, Lot No. 37-B at S. 71° 00' E. 283.88 feet from Cor. No. 1 thereof, corner as heretofore described. Cor. No. 2 thereof bears S. 71° 00'E 188.12 feet a slate stone marked EMS 11 with a mound of stones alongside.

697.42 To Cor. No. 2, identical with the location corner where 1 set a limestone 6" x 12" x 24" one foot in the ground, marked El-No. 2-2809 for Cor. No. 2 of this survey and built a mound of stones 3' high with a 3' base alongside.

A cross on a limestone reef marked Bx R E-1 No. 2-2809 bears N. 74° 16' W. 117.38 feet.

Thence N. 83° 42' W.

To Cor. No. 3, where I set a limestone $3"x 14" \times 24"$ one foot in the ground marked E-2No. 3-2809 for Or. No. 3, of this survey and built a mound of stones 3' high with a 3' base alongside.

Or. No. 4 of the Virginia Lode, Min. Sur. No. 2463 bears N. 89° 37' E. 74.06 feet. Corner as heretofore described. A cross on a limestone reef marked BxR E2-No. 3-2809 bears S. 38° 43' E. 36.20. feet.

Thence N. 74° 12' W.

To Cor. No. 4, where L set a limestone 6" x 8" x 20 one foot in the ground, marked E2-No. 4-2809 for cor. No. 4 of this survey and built a mound of stones 3' high with a 3' face alongside,

A cross on a limestone reef marked B x R E2-No. 4-2809 pears S. 04' ° 09' W. 11-61 foot.

343.67

689.30

802.45

789.85

TRANSCE!

FEET The original location corner, a mound of stones 3' high marking the southwest corner of the location, bears S. 18° 00' E.-152.0 feet. Thence N. 25° 42' W. To the West center end of the claim, identical with the 200.00 location mounument where I set a limestone 6" x 10" 24" one foot in the ground, amreke E2-WCE-2809 for the West center end of this survey and built a mound of stones 3' high with a 3' base alongside. A cross on a large malpais boulder, marked BxR -E2-WCE-2809 bears S. 57° 26' E. 28.70 feet 543.67 To Cor. No. 5, where I set a snadstone 6"x8"x20" one foot in the ground, marked E2-No. 5-2809 for Cor. No. 5 of this survey and built a mound of stones 3' high with a 3' base alongside. A cross on a limestone reef marked BxR-E2-No. 5-2809 bear's S. 23° 48' E-14.42 feet. The original location corner, a mound of stones 3' high marking the northwest corner of the location, bears N. 41° 30' W. 47.50. Thence S. 83° 42'E Intersect line 3-4 of the Vernon Lode, Min. Sur. No. 2463. 461.18 Verde Grande Copper Cor. claimants, at N. 11° 27' W. 402.46 feet from Cor. No. 4, thereof, a limestone 4" x 14" x 12" above ground, marked V-4-2463 with a mound of stones alongside. 909.51 Intersect line 1-4 of the Vernon Lode, Min. Sur. NO. 2463. at N. 46° 39' E. 502.95 feet from Cor. No. 4, thereof. corner as heretofore described. Corner No. 3 of the Virginia Lode, Min. Sur. No. 2463 bears N. 46° 39' E. 50.05 feet a limestone 6 x 6 12 " mk'd V-3-2463. 954.13 Intersect line 3-4 of the Virginia Lode, Min. Sur. No. 2463. at N. 11° 27' W. 611.95 feet from Cor. No. 4, thereof corner as heretofore described. Or. No. 3 of the Virginia Lode, Min. Sur. No. 2463, bears N. 11° 27' W. 40.05 feet a limestone 6" x 6" x 12" marked V-3-2463 with a mound of stones alongside. 1500.00 To Or. No. 1, the place of beginning. Variation at all corners 14°00' East Containing an area of: -Total area of the Enchanter No. 2 Lode, ----19.322 A Area in conflict with Vernon Lode Min. Sur. No. 2463,-----1.972 A. Area in conflict with Virginia Lode,

Min. Sur. No.2463,-----4.416 " Area in conflict with Eureka M. S., Min. Sur. No. 281, Lot No. 37-B, 0.935 "

ENCHANTER # 1 LODE.

Beginning at Cor. No. 1, identical with Cor. No. 3 of the inchanter No. 2 Lode of this survey, corner as heretofore lescribed. I marked it El-Nol-2809 for cor. No. 1 of this survey.

A cross on a limestone reef marked B. x R-E;-No. 1, 2809 ears S. 80° 24' W. 17.81 feet.

The original location corner, a mound of stones 3! righ marking the northeast corner of the location, bears 65° 30' E. 502.0 feet.

U. S. Mineral Monument No. 1 V. D. bears N. 51° 40' E.4382.27

Thence s.61° 00' W.

35.21 To the east center end of the location where I set a limestone 4" \times 8" \times 20 one foot in the ground , marked El-ECE 2809 for the east center end of this survey and B built a mound of stones 3' high with a 3' base alongside.

Form 9600-20 (December 1978) (formerly 9180-22)

Min. Sur. No. 2809, (Continued)

	MIn. Sur. No. 2809, (Continued)
FEET 466.68	A cross on a limestone reef marked BxR-El-ECE-2809 bears S. 42° 11' E. 40.88 feet. The original location monument, a mound of stones 3' high, marking the east center end of the location, bears S. 65° 30' E. 27.0 feet. To Cor. No. 2 where I chiseled a cross for the corner point, on a limestone reef marked El-2-2809 for Cor. No.
	2 of this survey and built a mound of stones 3' high with a 3' base alongside. A cross on a limestone reef marked BxR-El-2-2809 bears S. 60° 35' E. 22.68 feet. The original location monument, a mound of stones 3' nigh, marking the most southerly corner of the location bears S. 61° 00' W. 236.0 feet.
1500.00	Thence N. 74° 57' W. To cor. No. 3, identical with the location corner, where I set a limestone 10"x10"x20" one foot in the ground. marked El-3-2809 for Cor. No. 3 of this survey and built a mound of stones 3' high with a 3' base alongside. A cross on a limestone reef marked BxR-El-3-2809 bears S. 56° 58' W. 25.75 feet.
431.47	Thence N. 61° 00' E. To the west center end of the claim, identical with the original corner of the location where I set a limestone 4"x10"x20" one foot in the ground, marked El-WCE-2809 for the west center end of this survey and built a mound of stones 3' high with a 3' base alongside.
862.94	A cross on a limestone reef marked BxR-eL-WCE-2809 bears N. 49° 59' W. 22.61 feet. To Cor. No. 4, identical with the original location corner, where I set a limestone 8"x12"x20" one foot in the ground, marked El-4-2809 for Cor. No. 4 of this survey and built a mound of stones 3' high with a 3' base alongside. A cross on a limestone reef marked BxR-El-4-2809 bears
	N. 26° 40' W. 50.57 feet.
÷196.84	Thence S. 74° 57' E. Intersect line 4-5 of the Enchanter No. 2 Lode of this survey at S. 25° 42' E. 193.56 feet from Cor. No. 5 thereof Corner as heretofore described, where I set a limestone 4"xl0"24" one fott in the ground, marked El-5-2809 for Cor. No. 5 of this survey and built a mound of stones 3' high with a 3' base alongside. A cross on a limestone reef marked BxR-El-5-2809 bear
	N. 37° 49' W. 23.38 feet. Thence S.25° 42' E.
150.11 350.11	Along line 5-4 of the Encahnter No. 2 Lode of this survey, To the west center end of the Enchanter No. 2 Lode of this survey, stone and monument as heretofore described. To Cor. No. 4 of the Enchanter No. 2 lode of this survey, corner as heretofore described which I marked El-6-2809 for Cor. No. 6 of this survey. A cross on a limestone reef marked BxR-El-6-2809 bears S. 60° 17' E. 20.65 feet.
789.85	Thence S. 74° 12' E. Along line 4-3 of the Enchanter No. 2 Lode, this survey. To Cor. No. 1, the place of beginning. Variation at all corners 14° 00' East.
	Containing an area of 14.162 Acres.

TYPED COPY OF ORIGINAL FIELD NOTES

Form 9600-20 (December 1978)

Min. Sur. No. 2809, (Continued)

FEET

LOCATION.

These claims are located about one mile in a southwesterly direction from the United Verde Copper Co's mine and smelter at Jerome in what would be if surveyed, SEc. 33, T. 16 N., R. 2 E. R.-G. & S.R. Meridian, in the Verde Mining District, Prescott National Forest, Yavapai Coutny, Arizona.

ADJOINING CLAIMS.

On the east:Red Jacket Lode, Min. Sur. No. 1271, U.V.G.Co., claimant.

On the north:Viriginia Lode, Min. Sur. No. 2463, Verde Grande C. Co. "
Vernon " " " 2463, " " " "

EXPENDITURES.

I nereby certify that the value of the labor and improvements on these claims, placed thereon by the claimants is not less than five hundred dollars (\$500.00) for each claim and that the said improvements consist of:-

ENCHANTER NO. 2.- No. 1 Discovery shaft, 4'x6'x10' deep, the center of which bears N. 83° 42' W. 767.00 feet from the east center end thereof, Value - - - - - - - - - \$100.00 Cut and tunnel No. 2, 135' long with an average corsssection of 4'x6', the mount of which bears S. 8° 30' E.-37.00 grry gtom yhr rsdy vrnyrt rnf yhrtrog, Course of cut is S. 26° 35' W. 54 feet from the face of which, the tunnel bears S. 30° 00' W. 45 feet, thence S. 53° 15' W. 25.00 feet, thence N. 83° 45' W. 11.00 feet. Total Value, \$1000.00 An undivided ½ interest is assigned to this claim, his tunnel commences on the Enchanter No. 2 claim and extends at the end in a westerly direction toward the Enchanter #1 claim which lies westerly from the mouth of the tunnel, the ground rising in the direction of the course of the tunnel to such an extent that this improvement, if extended in tis present course, will cut the lode of the other claim. An undivided ½ interest \$500.00 in value of this improvement is, therefore, properly accredited to the Enchanter No. 2 and the Enchanter #1 lode

Cut and tunnel No. 3191.0 feet. long, the cut being 4' wide and the tunnel having an average cross-section of 4'x6', the mouth of which cut bears N. 62° 20' E. 277.0 feet from Cor. No. 4, Course of cut S. 16° 00' W. 26.00 feet from the 10' face of which the tunnel bears S. 05° 00' W. 65.00 This tunnel commences on the Enchanter No. 2 claim and extends in a southerly direction towards the Enchanter #1 claim which lies in a southerly direction from the mouth of the tunnel, the ground rising in the direction of the course of the tunnel to such an extent that this improvement, if extended in its present course, will cut the lode of ths Enchanter #1 claim. It cannot consistantly be considered an improvement for the benefit of the Enchanter No. 2 claim as the lode lies just in front of and below the mouth of the cut. Therefore this improve

ment is porperly accredited to the Enchanter #1 claim.