4-683.

MINERAL SURVEY No. 2812.

LOT No.

Arizona, Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

UNITED VERDE COPPER CO.,

KNOWN AS THE

DOG, ACQUISITION, LA	TE ACQUISITION, and	d PLATTSBURG	
Verde		Mining District,	
Yavapai	County,	Arizona, approx. in	
Section 21-22-27-28.,	Township 16 N.	, Range 2 E. (Unsurveyed)	
Surveyed under instr	ructions dated April	28th, , 1910.	

by F.M.Bailey, U. S. Mineral Surveyor.

Claim Socated See Location Notices.

Survey commenced June 28th, 1910.

Survey completed July 2nd, 1910. , 19

Address of claimant, Attorney,

Le Roy Anderson,

Prescott, Arizona.

Mineral Survey No.2812.

Feet. DOG LODE. Beginning at Cor.No.I, a point on line 1-5 of the Iron King Lode, Min. Sur. No. 1360, G. W. Hull g, United Verde Copper Co. 2, claimants, which is also line 4-3 of the Fraction Lode, Min. Sur. No. 978, United Verde Copper Co., claimants; where I set a limestone 4"x12"x20" one foot in the ground marked D-1-2812 for Cor. No. 1 of this survey and bui-It a mound of stones 3' high with a 3' base alongside. Cor No.1 of the Iron King Lode, Min. Sur. No.1360, a porphyry stone 6"x14"x18" above ground marked IK-1-1360 with a mound of stones alongside, also marked F-4-978 for Cor. No. 4 of the Fraction Lode, Min. Sur. No. 978, bears 5.30°5'E. 179.70 feet. U.S.Min.Mon.No.1, V.D. bears S.01°45'E.-3783.27 feet.
A cross on a sandstone boulder, marked BkR-D-1-2812
bears S.34°09'W.-7.21 feet. 158.50 The original location monument, a mound of stones 3' high marking the southwest corner of the location bears S.03°07'E.-237.0 feet. Thence N.30°05'W. Along line 1-5 of the Iron King Lode, Min. Sur. No. 1360, also line 4-3 of the Fraction Lode, Min. Sur. Mo. 978, Cor. No. 3 of the Fraction Lode, Min. Sur. No. 978, a sandst-261.22 one 3"x8"x12" above ground, marked F-3-978 with a mound of stones alongside from which Cor.No.2 of the Fraction Lode, a sandstone 4"x10"x12" above ground, marked F-2-978 with mound of stones alongside bears N.71°49'E-178.16ft. Cor.No.5 of the Iron King Lode, Min.Sur.No.1360, a lime-TER*20 1293.00 stone 6"x20"x20" above ground, marked IK-5-1360 with a mound of stones 3' high with a 3' base alongside. I marked it D-2-2812 for Cor.No.2 of this survey. A cross on a limestone reef marked BxR-D-2-2812 bears S.05°08'W.-21.73 feet. Thence S.83°30'W. Along line 4-5 of the Iron King Lode, Min. Sur. No. 1360, 170.29 To Cor. No. 5 where I set a limestone 8"x12"x20"one ft. in the ground, marked D-3-2812 for Cor. No. 3 of this survey and built a mound of stones 3 high with a 3 base alongside
A cross on a limestone reef marked BxR-D-3-2812 bears
N.05°20'E.-10.35 feet.
The original location monument, a mound of stones 5'
high, marking the northwest corner of the location bears
N.88°54'W.-174.0 feet.
Thence N.24°46'E.
To Cor.No.4 where I set a limestone 6"x6"x20" one Foot
in the ground, marked D-4-2812 for Cor.No.4 of this suryew and built a mound of stones 3' high with a 3' base alongside 159.27 vey and built a mound of stones 3" high with a 3' base alongside. cross on a limestone reef marked BxR-D-4-2812 bears N.43°23 W. 67.44 feet. The original location monument, a mound of stones 3' high with a 3 base marking the north center end of the location bears N.41 08 W. 30.0 feet. 01 No 1 of the location bears N.41 08 W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 on W. 30.0 feet. 01 No 1 of the location bears N.41 of the locati Intersect line 1-2 of the Diamond Lode, Min Sur No. 1296 46.45 United Verde Copper Co., claimants, at 8.38 Cl E.-170.51 feet from Cor.No.2 thereof, a limestone 9"x12"x12"above ground marked D=5=1296 for Cor.No.5; where I set a lime-stone 6"x12"x24" one foot in the ground, marked D-5-2812 for Cor.No.5 of this survey and built a mound of stones 5' high with a 3' base alongside. A cross on a limestone reef marked BxR-D-5-2812 bears N.21°46'W.-91.13 feet. The original location monument ,a mound of stones 3' 7.77 · FO high, marking the northeasterly corner of the location bears N.42°45'E.-271.0 feet: Foot. NID BUT NO SEEL (CONTINUES)

9

Min.Sur.No.2812, (Continued.) Feet. Thence S.38°01'E. Along line 2-1 of the Diamond Lode, Min. Sur. No. 1296, Cor. No.1 of the Diamond Lode, Min. Sur. No. 1296, a lime-1314.40 stone 8"x12"x12" above the ground, marked D-1-1296 for Cor.No.1 of the Diamond Lode; I marked it D-6-2812 for Cor.No.6 of this survey. There is built a mound of stones 3' high with a 3" base alongside. A cross on a limestone reef marked BxR-D-6-2812 bears N.28°16'W.-14.65 feet.

Thence N.46°19'E.

Along line 1-4 of the Diamond Lode, Min. Sur. No. 1296, "
Cor. No. 1 of the Chrome Mill-Site, Min. Sur. No. 595, United . 70.60 Verde Copper Co., claimants, a porphyry stone 6"x12"x16" above ground, marked IM-CMS-1-595 for Cor.No.1 of the Chrome Mill-Site; I marked it D-7-2812 for Cor.No.7 of this survey. There is a mound of stones 3' high with a 3' base alongside. Along line 1-4 of the Chrome Mill-Site, Min. Sur. No. 595, Intersect line 3-5 of the Smoke House Lode, Mim. Sur. No. 1078-A, United Verde Copper Co., claimants, at N.71°49'E.-139.50 feet from Cor.No.3 thereof, a pine post 4" square very insecurely set in a small mound of stones, (This I replaced with a sandstone 8"x8"x24" set one foot in the ground and located the corner point on same from the original bearing rock as per original field notes, the bearing from said corner being \$.29°45'W.-7.00 feet. The bearing point is a cross chiseled on a slate rock in place and marked BxR-SH-3-1078-A) where I set a sand-stone 7"x22"x36" two feet in the ground, marked D-8-2812 for Cor.No.8 of this survey and built a mound of stones for Cor.No.8 of this survey and built a mound of stones
3' high with a 3' base alongside.
Cor.No.4 of the Chrome Mill-Site, Min. Sur.No.595, a granite stone 3"x6"x10" above ground, marked CMS-3-595 with
a mound of stones alongside, bears S.43°38'E.-67.14 feet.
Cor.No.4 of the Smoke House Lode, Min. Sur.No.1078-A has
been obliterated but Cor.No.6 of the Badger Lode, Min.
Sur.No.2811 bears N.71°49'E.-196.94 feet.
Thence S.71°49'W. For other bearings see bottom of Along line 5-3 of Smoke House Lode, Min. Sur. No. 1078-A, 8 South center end of claim where I set a sandstone 6"x" 10"x24" one foot in the ground, marked D-SCE-2812 for the south center end of this survey and built a mound-of stones 3' high with a 3' base alongside. page. 129.50 A cross on a sandstone boulder marked BxR-D-SCE-2812 bears S.14°09'W.-20.39 Feet . 20.02 . The original location monument, a mound of stones 3' high, marking the south center end of the location, bears S.43°00'E.-132.0 feet. Intersect line 1-2 of the Fraction Lode, Min.Sur.No.978 139.50 which point is also Cor.No.3 of the Smoke House Lode, Min.Sur.No.1078-A, corner heretofore described, from which Cor.No.2 of the Fraction Lode, Min.Sur.No.978, corner heretofore described, bears N.33°00'W:-264.40 feet. Cor.No.1, the place of beginning, INTERES VARIATION at all corners 14000 East 201 10 1200 8 hold -Other pearings no marked D-1-2812 for dor. No.1 of this survey and buifrom D-8-2812.# A cross on a sandstone boulder marked BxR-D-8-2812 bears S.43°38'E.-7.89 feet.

The original location monument, a mound of stones 3' high, marking the southeast corner of the location, bears
N.87°00'E.-158.0 feet. Find a rever Ho . sell .

1

2818-4

Min.Sur.No.2812, (Continued.) AREA:- Sol pero vocargifies rego - JI 918 a
Total area of the Dog Lode, - 4.810 As a
tions Area in conflict with the Fraction
Lode, Min. Sur. No. 978, net of simed, - 1.086 "
roge Wet area of the Dog Lode, - 3.784 " Feet. Total area of the Late Adquisition Lode, 18.879 Aeres. Beginning at Cor.No.1,a point on line 3-4,extended,of the Bog Lode of this survey where I set a limestone 4"x14"x36" two feet in the ground, marked LA-1-2812 for Cor.No.1 of this survey and built a mound of stones 3" high with a 3' base alongside.

U.S.Min.Mon.No.1,V.D. bears S.12°52'E.-4735.95 feet.

The original location monument, a pile of stones 3' high marking the southeast corner of the location, bears S.54°50'E.-58.0 feet. 1887 .71 1149.15 Intersect line 4-5 of the Iron King Lode, Min. Sur. No. 1360, at S.83°30'W.-170.29 feet from Cor. No.5 thereof and N.83°30'E.-456.01 feet from Cor. No.4 thereof, where is set a limestone 8"x8"x12" above ground marked D-3-290.45 324.84 2812 for Cor.No.3 of the Dog Lode of this survey, with mound of stones as heretofore described. Cor.No.5 of the Iron King Lode is identical with Cor. No.2 of the Dog Lode of this survey. Cor.heretofore described while Cor.No.4 of the Iron King Lode is a limestone. 4"x16"x18" above ground marked IK-4-1360 with a mestone 4"x16"x18" above ground marked IK-4-1360 with a mound of stones alongside.

Thence along line 3-4 of the Dog Lode of this survey,

To the east center end of the claim where I set a limestone 7"x11"x24" one foot in the ground marked LA-ECE-2812 for the East Center End of this survey and built a mound of stones 3" high with a 3" base alongside.

A cross on a limestone reef marked BxR-LA-ECE-2812 bears N.31°07"E.-14.50 feet.

The original location monument, a mound of stones 3" high marking the east center end of the location bears N.54°05'E.-13.0 feet.

Cor.No.4 of the Dog Lode of this survey. Corner as heretofore described.

Intersect line 1-2 of the Diamond Lode, Min.Sur.No.1296 at S.38°01'E.-132.28 feet from Cor.No.2 thereof, corner 330.00 860.00 449.72 498.85 at S.38°01'E.-132.28 feet from Cor.No.2 thereof, corner as heretofore described. Cor.No.5 of the Dog Lode of this survey bears S.38°01'E.-38.23 feet, corner as heretofore described. 660.00 Cor.No.2 where I set a sandstone 8"x15"x24" one foot in the ground marked LA-2-2812 for Cor.No.2 of this survey and built a mound of stones 3' high with a 3' base alongside.

A cross om a limestone reef marked BxR-LA-2-2812 bears N.75°02'W.-29.05 feet.

The original location monument, a mound of stones 3' nigh, marking the northeast corner of the location, bears N.25°45'E.-19.0 feet. 530.00 48.50 Thence West Intersect line 2-3 of the Diamond Lode, Min.Sur.No.1296 at N.46°19'E.-60.97 feet from Cor.No.2 thereof, corner 104.89 as heretofore described. Cross gulch, course northeast and southwest.
Intersect line 1-2 of the Monarch Lode, Min. Sur. No. 2443
Haynes Copper Co., claiments, at N. 24°46 E. -42.30 feet
from Cor. No. 1 thereof which is also Cor. No. 2 of the
Victor Extension Lode, Min. Sur. No. 2443, Haynes Copper Co, 735.00 1357.71 FGGL . claimants, a pine state 4" square set in a mound of stones and marked MeNARCH-1-2443 for Cor.No.1 of the Monarch Lode and VICTOR EXTENSION-2-2443 for Cor.No.2 of

the Victor Extension Lode; where I set a limestone 6"x

3

5

Toh bode and Victor Extension-2-2445 for dor .No.2 of Min Sur No. 2812, (Continued.) nen and marked MenAROH Feet.

12"x24" one foot in the ground marked LA-3-2812 for Cor.
No.3 of this survey and built a mound of stones 3' high
with a 3' base alongside.
A cross on a limestone reef marked BxR-LA-3-2812 bears
N.33°26'W.-18.71 feet.
The original location monument, a mound of stones 3'
high, marking the northwest corner of the location, bears
N.57°00'W.-18.31 feet. Thence S.24°46 W. Along line 2-1 of the Monarch Lode, Min.Sur.No.2443, Cor.No.1 of the Monarch Lode, Min.Sur.No.2443, which is also Cor.No.2 of the Victor Extension Lode, Min.Sur.No. 42.30 2443, corner as heretofore described. Then along line 2-1 of the Victor Extension Lode, Min.Sur.No.2443,
West center end of claim where I set a limestone 8"x10"
x30" two feet in the ground, marked LA-WCE-2812 for the
west center end of this survey and built a mound of
stones 3! high with a 3' base alongside.
A cross on a limestone reef marked BxR-LA-WCE-2812
bears S.16°22'W.-15.30 feet.
The original location monument, a mound of stones 3'
high, marking the west center end of the location bears
N.69°30'W.-22.0 feet.

Cor.No.1 of the Victor Extension Lode, Min.Sur.No.2443,
a pine stake 4" square surrounded by a mound of stones,
marked VICTOR EXTENSION-1-2443, also Devide-2-2443 for
Cor.No.2 of the Devide Lode, Min.Sur.No.2443, Haynes Cop-2-1 of the Victor Extension Lode, Min.Sur.No.2443, 330.00 652 .44 Cor.No.2 of the Devide Lode, Min.Sur.No.2443, Haynes Copper Co., claimants; Cor.No.4, identical with the location monument, a mound 660.00 of stones 3' high marking the southwest corner of the location, where I set a limestone 6"x12"x24" one foot in the ground, marked LA-4-2812 for Cor.No.4 of this survey and built a mound of stones 3' high with a 3' base alongside. and built a mound of stones 3' high with a 3' base alongside.

A cross on a limestone reef marked BxR-La-4-2812 bears S.61°05'E.-28.09 feet.
Cor.No.3 of the Victor Lode, Min.Sur.No.1349, United Verde Copper Co., claimants, a cross chiseled on a limestone reef and marked V-3-1349, bears S.26°09'W.-69.75 ft. Cor.No.2 of the Contention Lode, Min.Sur.No.2443, Haynes Copper Co., claimants, a pine post 4" square, surrounded by a mound of stones and marked Contention-2-2443, bears S.22°31'W.-72.91 feet.

Thence East

1ntersect line 3-4 of the Lime Cap Lode Min.Sur.No.1363 G.W.Hull, claimant, at S.30°05'E.-347'40 feet from Cor.No.3 thereof a limestone 4"x12"x16" above ground, marked LC-3-1363 with a mound of stones alongside, from which Cor.No.2 thereof, a limestone 6"x8"x12" above ground, Cor.No.2 thereof, a limestone 6"x8"x12" above ground, marked LC-2-1363 with a mound of stones alongside, bears N.83°50'E.-590.00 feet.

Intersect line 1-2 of the Lime Cap Lode, Min.Sur.No.1363
which is also line 3-4 of the Iron King Lode, Min.Sur.No.
1360, at S.30°05'E.-424.60 feet from Cor.No.2 of the Lime
Cap Lode and S.30°05'E.-245.10 feet from Cor.No.4 of the
Iron King Lode; corners heretofore described.

Cor.No.1, the place of beginning.
VARIATION at all corners 14°00'East. 1149.15 1357.71 Area:-Total area of the Late Acquisition Lode, 18.679 Acres.
Area in conflict with Diamond Lode, Min. Sur. No. 1296, ---- 0.268 A.

Area in conflict with Iron

King Lode, Min. Sur. No. 1360, --- 1.807 "

Area in conflict with Lime

Cap Lode, Min. Sur. No. 1363, ---- 4.792 " 5.867 " Net area of Late Acquisition Lode, ---- 11.818 COST

the Victor Extension Lode; where I set a limestone Sax

h.

SRIS-8

Min.Sur.No.2812, (Continued.)

Feet. ACQUISITION LODE. Beginning at Cor Noul, the point of intersection of armo. line 2-3 of the Diamond Lode, Min Sur No. 1296 and line 2-30 of the Late Acquisition Lode of this survey where I A-1-2812 for Cor.No.100f this survey and built a mound of stones 3' high with a 3' base alongside. Cor.No.2 of the Diamond Lode, Min.Sur.No.1296 bears S.46°19'W.-60.97 feet, Cor.as heretofore described. Cor.No.2 of the Late Acquisition of this survey bears East-104.89 feet. Cor.as heretofore described. U.S.Min.Mon.No.1, V.D. bears S.9936'E .- 5290.51 feet. A cross on a limestone reef marked BxR-A-1-2812 bears 1500.00 SL45917'WC-214591 feet duranted a chees on a limestone 200.00 The original location monument, a mound of stones 3' high marking the southeast corner of the location bears S.32°20'W.-59.0 feet: Thence West. Along line 3-2 of the Late Acquisition Lode of this sur. 630.11 scross, gulch, course northeast and southwest. Cor.No.3 of the Late Acquisition Lode of this survey; corner as heretofore described; I marked it A-2-2812 1252.82 for Cor. No. 2 of this survey. A cross on a limestone reef marked BxR-A-2-2812 bears S.12012W -39.04 feet rough 2, prop are 2, prop The original location monument, a mound of stones 3 in act high marking the southwest corner of the location bears 206.80 S'.84°00'W.-252.9 feet'. Thence N.24°46'E. Along line 1-2 of the Monarch Lode, Min.Sur.No.2443, To Cor.No.3 where I chiseled a cross on a limestone reef marked A-3-2812 for Cor.No.3 of this survey and built a mound of stones 3 high with a 3 base alongside. 329.35 A cross on a limestone reef marked BxR-A-3-2812 bears MI880finh .- 798622 teefic foot in the ground, marked P-SCF The original location monument, a mound of stones 3 5.00 high marking the west center end of the location bears' S.76°00'W.-47.0 feet 10000 1 -78078.1. Thence N.46°19'E. To Cor.No.4 where I set a limestone 4"x6"x24" one foot 433.00 in the ground marked A-4-2812 for Cor.No.4 of this survey and built a mound of stones 3. high with a 3. base A cross on a limestone reef marked BxR-A-4-2812 bears S.21.946 E. -31.05 feet. Toouriest airp cor ho o or ruo The original location monument, a mound of stones 3' high, marking the northwest corner of the location bears N.75°30'W.-17.60 feet. Thence East. Intersect line 3-4 of the Topaz Lode, Min. Sur. No. 1377, 1427.98 United Verde Copper Co., claimants, at S.46°19'W.-267.50 feet from Cor.No.3 thereof, a malpais stone 8"x12"x16" above ground, marked T-3-1377 with a mound of stones alongside; where I set a malpais stone 4"x12"x20" one 866.00 foot in the ground, marked A-5-2812 for Cor.No.5 of this survey and built a mound of stones 3' high with a 3' base alongside. A cross on a malpais boulder marked BxR-A-5-2812 bears N.23°48'W.-18.30 feet. The original location monument, a nound of stones 3' high, marking the northeast corner of the location, bears 435.00 To the sast center Lycuse 2138013 M. where I set a lime-Along line 3-4 of the Topaz Lode, Min. Sur. No. 1377, 0 1388 Cor.No.4 of the Topaz Lode, Min.Sur.No.1377 which is also Cor.No.3 of the Diamond Lode, Min.Sur.No.1296, a sandstone 8"x14"x12" above ground, marked T-4-1377 for 331.73 Cor.No.4 of the Topaz Lode and D-3-1296 for Cor.No.3 of

39777-3

```
candetone Win Sur No 2812 (Continued ) 1-4-1244 for
           Cor. No. 4 of the Topez Lode, Min. Sur. No. 1377 which is
Roet 12
20.00 the Diamond Lode, with a mound of stones alongside.
Then along line 2-2 of the Diamond Lode, Min. Sur. No. 1296
          To the east, center and of the claim where I set a lime-
         stone 5"x10"x20" one foot in the ground, marked A-ECE-2812 for the east center end of this survey and built a mound of stones 3' high with a 3' base alongside.
          A cross on a sandstone boulder marked BxR-A-ECE-2812 bears N.16°41'W.-26.98 feet.
          The original Tocation monument, a mound of stones 3'
         high, marking the east center end of the location, bears
                                                        for dor. No. 5 of this
          To cor No.1 othe place of beginning? Taxysaxson ous
866.00
                                                         mound of stones
          TANHIVLON Caf all collect 14.00 East stone 8"x12"x15"
           Containing an area of 19.006 Acres. 6 111.211. 10.1244
1437.98
                                   PLATTSBURG LODE.
          Beginning at Cor. No. I, identical with Cor. No. 3 of the
          Acquisition Lode of this survey, corner heretofore des-
cribed which I marked P-1-2812 for Cor.No.1 of this s
survey Online 1-2 Monarch Tode, Sun Nº 2443,5.24 46 W.,23240 R. from Cor. Nº 2
          U.S.Min.Mon.No.1, V.D., bears S.19°55 E.-5866.06 feet. - A cross on a limestone reef marked BxR-P-1-2812 bears
 455 .00
          S.39°49'W.-14.86 feet Volco A. Colo.E.
                                    Thence N.46°19'E.
          Along line 3-4 of the Acquisition Lode of this survey,
          To the south center end of the claim, where I set a
limestone 6"x8"x20" one foot in the ground, marked P-SCE-
   5.00
          2812 for the south center end of this survey and built
          a mound of stones 3 Dhigh with a 3 Dbase alongside store
 258 22 S.63035 FR.-5.78 Feet. Spranger & Gross on a Timestone
           The original location monument, a mound of stones 3
          high, marking the south center end of the location, bears
          S.29°10'E.-22.90 feet.
          To Cor.No.2 where I set a limestone 3"x14x24" one foot in the ground, marked P-2-2812 for Cor.No.2 of this survey and built a mound of stones 3" high with a 3" base
 306.90
          alongside.
          Cor. No. 4 of the Acquisition Lode of this survey bears
          N.46°19'F.-126.10 feet, corner heretofore described.
TSON SON
 A eross on a limestone reef marked BxR-P-2-2812 bears
820 II S.73 52 E. 28 23 feet of the companies.
           The original location monument, a mound of stones 35 - 11.
          high, marking the southeast corner of the location, bears
          S.55°30 'E :- 8.00 feet:
                                    Thence North.
          Cross gulch, course northeast and southwest.
To Cor.No.3 where I chiseled a cross on a limestone
 500.00
1500.00
          reef, marked P-3-2812 for Cor. No. 3 of this survey and
          built a mound of stones 3' high with a 3' base alongside.
            A cross on a limestone reef marked BxR-P-3-2812 bears
          N.68°54'W.-30.08 feet.
The original location monument, a mound of stones 3'
          high marking the northeast corner of the location, bears
          NI3030FRU-68.DIFFETTIF 6 2, page storesido.
           F-I-SSIS Lot QQL "No Thence WS:469184W. Stig DATIT & MORNIG
          To the morthucenter and of the colaim where I meet marked
          Timestone 10 x10 x20 veene foot in the ground marked o
          P-NOE-2812 for the north center end of this survey and
          built a mound of stones 3' high with a 3' base alongside.
A cross on a limestone reef marked BxR-P-NCE-2812 bears
N.41°26'W.-49.46 feet. I Ton Tone
 LOOF *
            The original location monument, a mound of stones 3'
          high, marking the north center end of the location bears
          N.22045 E.-67.0 feet.
            To Cop. To. 4 where I am a
```

Cor. No. 4 of the Toyer Lode and D-5-1286 for Cor. No. 5 of

à

```
www.mugrarq.Min.Sur.No.2812, (Continued.) ol
Feet.
                  An undivided + interest in improvement No.1
 829.68
                 To Cor.No.4 where I chiseled a cross on a limestone
               reef marked P-4-2812 for Cor No.4 of this survey and built a mound of stones 3' high with a 3' base alongside
                A cross on a limestone reef marked BxR-P-4-2812 bears
               N.69°39'E.-11.00 fet.
                The original location monument, a mound of stones 3'
                   gh, marking the northwest corner of the location, bears
               N.22000W.-13.0 feet.
                                                                              No.1, the mouth of which
                                                       Thence S.3º17'E.
               620.00
               Intersect line 2-3 of the Monarch Lode, Min. Sur. No. 2443, at N.65°40 W.-475.77 feet from Cor. No. 2 thereof, a pine post 4" square set in a mound of stones and marked M-2-2443 from which Cor. No. 1 of this survey bears S.24°46'W
733.02
                232.40 feet, corner as heretofore described; where I set
               a limestone 6"x10"x24" one foot in the ground, marked
               P-5-2012 for Cor. No.5 of this survey and built a mound
               of stones 3 high with a 3 base alongside. TT
                No bearings available of the comes protect
                The original location monument a mound of stones 3'
               high marking the southwest corner of the location, bears
               $.00°30'E.-723.0 feet.
                                                                                 Plettaburg,
                extends in a northweathence 2:38633 tE. toward
               To Cor No.1, the place of beginning o sug
527.91
               Variation at all corners 14°00 Ers sear busy
                  Value of tunnel and agoseaut tunnel 6540.00
                  Containing an area of:-
               A Total area of the Plattsburg Lode, ----- 1016.779 A.
                    Area in conflict with the Monarch
                                                                                             ,----- 15.510 "
                Bode, Min . Sur . No . 2443, -----
                             Not area of the Plattsburg Lode, --
               Course of dut 8.580E and turnel M.580W. From
               a lot face from which extends a tunnel 4 x61-52 long.
               ter and of the claimpoculion.4. wide by 16. long with
               These claims are located about 1500 feet in a northw-
               esterly direction from the mouth of the United Verde
               Copper Co's 500 foot tunnel on the Chrome Mill-site
                                                     approximately
               Claim, Min. Sur. No. 595 and in what would be if surveyed
               Sections 21-22-27-28. T.16 N. R.2 E. in the Verde Min-
               ing District, Prescott National Forest, Yavapai County,
               Arizona.
                                                         EXPENDITURES.
                  They are adjoined on the east by the:-
                                                                                U. V. C. Co., claimant.
               Diamond Lode, Min . Sur . No . 1296;
               Topaz Lode, " " 1377; " " " " " Chrome Mill-site, " 1595; " " " " " Copperopolis, (unsurveyed) Arkansas & Arizona C. C."
                     the north by the :-
                  On the south by the:-
               Smoke House Lode, Min Sur No.1078-A, U.V.C.Co., olminis.
               Fraction Lode, HTD " 10 1978 Avon del de 10 1978 Avon de 18 19
               Lime Cap Lode, 190 "-
 Foot.
               Victor Lode,
                                                             10
                                                                      " 1349
                                                                                          U.V.C.Co.
                                       Min.sur.No.2812, (Continued.)
```

Adquisition Lode, heresfter described, Value, --- \$269.00

S875-8

Min.Sur.No.2812, (Continued.)

Feet.

* SHOZIAF

Victor Lode, B*A*G*GO* m T298 e.v. Hill ciment . * 1265 on the west by the:-1380 Iron King Lode, Devide Lode, Min.Sur.No.2443, Haynes Copper.Co, clm'nt. 12 1 2443 Monarch on the south by the :on the north by the:-Copperopolis, un sd. Arkansas & Arizona Copper Co.o.lt.

They are adjoined on the east by the :-

EXPENDITURES.

I hereby certify that the value of the labor and improvements on or for each of these claims is not less than five hundred dollars (\$500.00) each and that the said improvements consist of the culoud Riff-eire Dog Discovery Cut and tunnel No.1, the mouth of which tunnel bears N.36°55'W .- 318.0 feet from the South Center End of the claim. Cutis 4' wide by 16' long with a 10' face from which extends a tunnel 4'x6'-52' long. Course of out S.59°E and tunnel N.59°W.From face of cut Not area of the Pletteburg Lode, -a crossout tunnel 41x6 x25 1 long, bears N.02000 W. Area in conflict with the Monarch dontaining an area of :-

Value of tunnel and crosscut tunnel \$540.00 of which an undivided interest is assigned

to this claim, Value, - - - - - - - - - - - \$135.00 This tunnel commences on the Dog Lode and extends in a northwesterly direction toward the Late Acquisition, Acquisition, Plattsburg, & Rog Lodes all of which lie northwest of the portal of this tunnel, and the surface rises in the direction of the course thereof to such an extent that this improvement will if continued in its present course, cut the tree world lode lines of these three claims. An undivided interest(\$135.00) in the value of this impro- 10 I not lode claims.

An undivided + interest in tunnel No.4 of the - 10 . Acquisition Lode, hereafter described, Value, --- \$269.00 Thence S.Selve

LATE ACQUISITION Discovery Cut No.1, the mouth of which bears East-192.00 feet from the . West Center End thereof is 4' wide by 12' long with a 10' face, course of cut,

built a mound of atonos 5' high with a 5' beat al

To Cor. No. 4 where I chiseled a cress on a limestone An undivided } interest in improvement No.1 of the Dog Lode, herein before described, Value, \$135.00 An undivided } interest in tunnel No.4 of the Acquisition Lode, hereafter described, Value, --- \$269.00

237,91

735,09 es6 * 60

888*88 LOOP .

2812-7

Min.Sur.No.2812.(Continued.)

Feet .

ACQUISITION LODE, Discovery Cut No.1,4' wide by 12' long with a 10' face, the mouth of which bears west 568 feet from the East Center End thereof, course of cut is west, Value. - -Cut No.2, the mouth of which bears N.65920 W.-393.00 f. from Cor.No.1, is 4' wide by 12' long with a 10' face, course of cut N.48°00'W.-Value, - -Tunnel No.3, the mouth of which bears N.16000 E.-158.00 feet from the east center end theteof, is 4'x6'-12' long course of tunnel N.08°00'E. Value, - - - - - \$100.00 Tunnel No.4, the mouth of which bears N.32°45 E.-143.00 feet from the east center end thereof, is 4'x6'-215.00 F. long. Course N.86°00'W. Value \$1076.00 ned from darect An undivided interest is assigned to this claim, Value, BELACL MED DESCRIPT D OFFICE PRESENTATION \$269100-This tunnel commences on the Acquisition claim and extends in a westerly direction towards the lode lines extended of the Dog, Late Acquisition, Acquisition, and Plattsburg Lodes, the ground rising in the direction of the course thereof to such an extent that this improvement will, if continued in its present course, cut the lodes of the Dog and Plattsburg claims and by drifting and crosscutting therefrom, the lodes of the Acquisition and Late Acquisition claims.

This tunnel being centrally located, is a practical and feasible main working tunnel for the group as by driftreasible main working tunnel for the group as by drifting and crosscutting therefrom in different directions
towards and under the several claims of this group, this
entire group may be advantageously developed and the
ore extracted therefrom as it is located at the lowest
point of the 4 claims; This improvement is, therefore, a
common improvement for the benefit of each claim of t
this group and a 1 undivided interest of the total value of this improvement (\$269.00) is properly accredited
to each lode claim of this group. The general slope of
the country is toward the northeast making it possible the country is toward the northeast making it possible to extend crosscuts and drifts from this tunnel and intersect the orebodies under each claim. Cut No.5, the mouth of which bears N.76°00'W.-61.0 feet from the east center end thereof, is 4' wide by 12' long with a 10' face, course S.16000'W .- Value - - - \$100.00 An undivided & interest in tunnel No.1 of the Dog Lode hereinbefore described, Value, - - - - - \$135.00 PLATTSBURG LODE, Discovery Cut No.1, the mouth of which bears N.03017'E.-557.0 feet from the south center end thereof, is 4' wide by 15' long with a 10' face, course

of cut N.03°00'E. Value, - - - - - - - \$100.00

roor.

TT

BRIS-10

of cut N.03.00'E. Value, - -

fulleof, is Min Sur No 2812 (Continued 7) , isce contre

Feet.

An undivided interest tunnel No.1 of the Dod Lode, as hereinbefore described. Value - - - - - - - - - - - - - - - - 3135.00 An undivided interest in tunnel No.4 of the Acquisition lode as hereinbefore described, Value, --- \$269.00

VEINS.

ATEN S TON BUILD

I further certify that as far as can be determined to the from the present developments, the strike of the veins are along the center lines of the claims as follows:

DOG LODE: - S.36°55'E.-318 .0 feet and N.36°55'W.-1177.52 feet measured from the center of the discovery.

LATE ACQUISITION LODE; - East-1165.71 and West-192.0 feet measured from the center of the discovery.

ACQUISITION LODE; - East-568.0 feet and West-859.98 feet measured from the center of the discovery. the lower

PLATTSBURG LODE; - N.03°17'W.-867.33 feet and S.03°17'E.557.00 feet measured from the center of the discovery.

The disagreement between these field notes and those of the approved surveys of the Iron King Lode, Min. Sur. No. 1360; the Lime Cap Lode, Min. Sur. No. 1363; the Victor Extension Lode, Min. Sur. No. 2443; the Monarch Lode, Min. Sur. No. 2443; the Diamond Lode, Min. Sur. No. 1296; and the Topaz Lode, Min. Sur. No. 1377; is due to errors in the approved surveys. abbroad of the bog, late Acquisition, Acquisition, and abbroad shines; the ground rising in the direction

This turnel commonolistiments durattion claim and

This survey was made with a Gurley Light Mountain Transit with a solar attachment. Distances were measured with 100 and 500 foot steel tapes. Courses were deflected from the true meridiam as determined from direct solar observations checked by an observation on Polaris.

oof tron The disagreement between the location notice of the Dog Claim and the claim as posted on the ground is due to errors in the location notice. \$T00*00

foot from the onet conter and theteoftan dans-12. Long

Jerome, Arizona.

Surv. course of out H.48000 *W.- Walke,

from dor, No.1, is 4. wide by is long with a lot fees,

Out No.8, the mouth of which bears N.65-20 TV -505.00

ASTRG*

from the East Center End thereof, dourse of out is west,

with a lot rade, the mouth of which bears west 500 rest

ACQUISITION LODE, Diedovery dut Mo.1, 4* wide by 18* long

Hin .Sur .No .Esla . (Continued .)

Foot.

TO

SSIS-8

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by	F.M.Bailey,					
United States Deputy Mineral Surveyor, to assist in running	g, measuring, and marking the lines, corners, and					
boundaries described in the foregoing field notes of the survey of the mining claim of						
UNITED VERDE COPPE	R 00.,					
known as the ACQUISITION, LATE ACQUISITION	DOG, and PLATTSBURG CLAUFS,					
and showing the respective capacities in which they acted.						
	C.V. Hopkins, Chainman.					
	J.C. Hoyt, Chainman.					
	Jno.J. Harrington,, Arman.					
	Andrew Modoni, Flagman.					
	Water Burgary					
FINAL OATHS OF	ASSISTANTS.					
We, the undersigned, C.V. Hopkins, J.C	.Hoyt, Jno.J.Harrington,					
and Andrew Modoni , do solemn	lly swear that we assisted					
F.M.Bailey United States Deputy Minera	l Surveyor, in marking the corners and surveying					
the boundaries of the mining claim of						
United Verde Coppe:						
known as the Acquisition, Late Acquisition, Dog, and Plattsburg						
represented in the foregoing field notes as having been surveyed	ed by said deputy mineral surveyor and under his					
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and						
correctly executed, and the corner and boundary monuments of						
	Arizona,					
furnished by the United States Surveyor-General for						
	Chainman.					
	Chainman,					
fiv.	Harrington, Arman.					
Und	Her Modoni, Flagman.					
Subscribed and sworn to by the above	ve-named persons before me this2					
day of July	1960.					
day of July	PB O Lane					
nission Expires January 26, 194 4	notary Public					

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,, U. S. Deputy Mineral					
Surveyor, do solemnly swear that, in pursuance of instructions received from the United					
States Surveyor General for, dated, I have, in strict conformity to the laws of the					
					United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining					
Claim of United Verde Copper Co.,					
, known as the					
DOG, ACQUISITION, LATE ACQUISITION, and PLATTSBURG					
situate in Verde Mining District,					
Yavapai County, Arizona, in Sections A	ppro				
21-22-27-28 Township No. 16 N., Range No. 2 E. (Unsurveyed)	14 -				
and designated as Survey No, as represented					
in the foregoing field notes, which accurately show the boundaries of said mining claim					
as distinctly marked by monuments on the ground, and described in the attached copy					
of the location certificate, which was received by me from the Surveyor General with					
said instructions, and that all the corners of said survey have been established and per-					
petuated in strict accordance with the law, official regulations and instructions there-					
under; and I do further solemnly swear that the foregoing are the true and original					
field notes of said survey and my report therein, and that the labor expended and					
improvements made upon said mining claim by claimant or its grantors					
are as therein fully stated, and that the character, extent, location and itemized value					
thereof are specified therein with particularity and full detail, and that no portion of					
said labor or improvements so credited to this claim has been included in the estimate					
of expenditures upon any other claim.					
Hergus Midailey					
U. S. Deputy Mineral Surveyor.					
Subscribed and sworn to by the said of cagus my Bulley.					
U.S. Deputy Mineral Surveyor, before me 1900 Lange					
a Hatary Vubled this 30					
day of July 1910,					
POP					
a and					
Natary Public					
A A					

NOTICE OF MINING LOCATION. Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Dog Mining Claim, situon lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by W.A. Clark a citizen of the United States the undersigned, on the 7th day of July, 1906

The length of this claim is fifteen hundred (1500) feet, and I claim eight hundred (800) feet, in a northwesterly direction and seven hundred (700) feet in a southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about four hundred ft in an easterly direction from the mouth of the United Verde Copper Co's 500 foot tunnel and adjoins the Diamond Lode claim and Chrome Mill Site on the west and the Iron King Lode claim on the east

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument in a northwesterly direction eight hundred feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence three hundred feet to a monument, being the northwest corner of said claim; thence fifteen hundred feet to a monument, being at the south west corner of said claim; thence three hundred feet to a monument at the center of the south end of said claim; thence three hundred feet to a monument, being at the south east corner of said claim; thence fifteen hundred feet to a monument at the northeast corner of said claim; thence the south east corner of said claim; thence three hundred feet to the place of beginning ..

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16,1901

Dated and posted on the ground this 7th day of July 1906

C.V. Hopkins Witness

W.A. Clark

W.A. Clark

Filed and recorded at request of Norris & Ross Sept 13 A.D.1906 at 10:45 o'clock A.M., Book 76 of Mines, pages 598, Records of Yavapai County, Arizona.

(SEAL) Roland Mosher County Recorder. By F.H.Baldwin Deputy Recorder.

TERRITORY OF ARIZONA.)

County of Yavanai.)

I, J.C.Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the records of such office, do hereby certify that I have compared the foregoing with and that the same is a true and correct copy of the Notice of Location of the "DOG" lode mining claim, as appears of record in my said office, the same being situated and located in the Verde Mining District, Yavapai County, Arizona, the notice of location whereof is of record in Book 76 of Mines, at page 598, of the Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th day of March, A.D.1910.

County Recorder.

Certificate of Amended Location.

To All Whom It May Concern: This mining claim the name of which is the Acquisition mining claim was amended, relocated and claimed by right of discovery, and amended location by the undersigned C.V. Hopkins & H.W.Nichols citizens of the United States on the 16th day of April A.D., 1907, the length of which claim is 1500 feet and we claim 600 feet in a easterly direction, and 900 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted lengthwise of the claim, together with 300 feet of the surface of said claim on each side of the center of said claim.

The general course of the lode, deposit and premises is from the east to the west. This mining claim is situated on public lands of the United States in which there are valuable minerals of gold, silver and copper, and is located in the Verde Mining District, Yavapai County, Arizona, about 1500 ft in a northwesterly direction from the mouth of The United Verde Co's 500 ft tunnel and adjoins the Talisman and Copperopolis on the south

The surface boundaries of the claim are marked on the ground as Beginning at a stone monument at a point in a easterly direction 600 ft. from the discovery shaft at which this notice is posted, being the center of the east end line of said claim, thence 425 feet in a N 46°E direction to a stone monument, being the northeast corner of said claim; thence 1500 feet in a due west direction to the northwest corner of the claim; thence 425 feet in a S 46° W direction to a stone monument, being the center of the west end line of said claim; thence 425 feet in a S 46° W direction to a stone monument, being the southwest corner of said claim; thence 1500 feet in a due east direction to a stone monument, being the southeast corner of said claim; thence 425 feet in a N 46° E direction to the E. center end monument of said claim, the place of beginning.

This lode being the same originally located by the undersigned on the 2nd day of March 1907, and recorded in Book 80 of Mines, at page

340, of the records of Yavapai County, Arizona.

This further and amended certificate of location is made without waiver of any previous rights but to correct any error in the prior location or record to extend boundaries, to secure all abandoned overlapping claims, and to secure all the benefits of Act 42, an Act conerning Mines, approved March 20th, A.D., 1895, Laws of the Territory of Arizona. We further certify that we have done the necessary work required by said act for this amended location.

Dated and posted on the ground this 16th day of April A.D. 1907

Date of location March 2nd 1907 Date of amended certificate April 16th 1907

C.v. Hopkins Henry W. Nichols.

Recorded at Request of C.V. Hopkins, May 7, A.D. 1907, At 9:12 o' clock A.M., Book 77 of Mines, Pages 481-482, Records of Yavapai County, Arizona.

(SEAL) J.C. Bradbury, County Recorder.

By H.E.Aston, Deputy

Certificate of Amended Location

To All Whom It May Concern: This mining claim the name of which is the Late Acquisition mining claim was amended, relocated and claimed by right of discovery, and amended location by the undersigned Cv Hopkins & H.W.Nichols citizen s of the United States on the 16th day of April A.D., 1907, the length of which claim is 1500 feet and we claim 1300 feet in a easterly direction, and 200 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted lengthwise of the claim, together with 300 feet of the surface of said claim on each side of the center of said claim.

The general course of the lode, deposit and premises is from the east to the west. This mining claim is situated on public lands of the United States in which there are valuable minerals of gold, silver and copper, and is located in the Verde Mining District, Yavapai County, Arizona, about 1200 in a northwesterly direction from the mouth of the United Verdia 500 ft tunnel. adjoins Iron King Limecap & Victor on north & Acquisition on south.

The surface boundaries of the claim are marked on the ground as follows: Beginning at a stone monument at a point in a easterly direction 1300 ft. from the discovery shaft at which this notice is posted, being the center of the east end line of said claim, thence 350 feet in a N 24° E. direction to a stone monument, being the northeast corner of said claim; thence 1500 feet in a S 83° W direction to the north west corner of the claim; thence 350 feet in a S 24° W direction to a stone monument, being the center of the west end line of said claim; thence 350 feet in a S 24° direction to a stone monument, being the southwest corner of said claim; thence 1500 feet in a N 83° E direction to a stone monument, being the southeast corner of said claim; thence 350 feet in a N 24° E direction to the E.Center end monument of said claim, the place of beginning.

This lode being the same originally located by the undersigned on the second day of March. 1907, and recorded in Book 80 of Mines,

at page 341, of the Records of Yavapai County, Arizona.

This further and amended certificate of location is made without waiver of any previous rights but to correct any error in the prior location or record to extend boundaries, to secure all abandoned overlapping claims, and to secure all the benefits of Act 42, an Act conerning Mines, approved March 20th, A.D.1905, Laws of the Territory of Arizona. We further certify that we have done the necessary work required by said act for this amended location.

Dated and posted on the ground this 16th day of April. A.D.1907.

Date of location

March 2nd 1907

Date of amended certificate

April 16th 1907

Date of amended certificate

Recorded at request of C.V. Hopkins, May 7, A.D. 1907 At 9:11 o'clock A.M., In Book 77 of Mines, Pages 480-481 Records of Yavapai County, Arizona.

(SEAL°) J.C.Bradbury, County Recorder.

By H.E.Aston, Deputy

TERRITORY OF ARIZONA,)

County of Yavapai.

I, J.C.Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with and that the same are true and correct copies of the Notices of Amended Locations, as the same appear of record in my said office, of the following named lode mining claims, situate and located in the Verde Mining District, Yavapai County, Arizona, viz:

ACQUISITION Lode Mining Claim, the notice of amended location whereof is of record in Book 77 of Mines, at pages 481-482, Records of Yavapai County, Arizona.

LATE ACQUISITION Lode Mining Claim, the notice of amended location whereof is of record in Book 77 of Mines, pages 480-481, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th day of March, A.D.1910.

County Recorder.

Notice of Mining Location Lode Claim

To All Whom it May Concern:

APR.28.1910

This Mining Claim, the name of which is the Plattsburg Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.V. Hopkins and H.W. Nichols citizens of the United States the undersigned, on the 16th day of April 1907

The length of this claim id Fifteen hundred (1500) feet, and we claim six hundred (600) feet, in a southerly direction and nine hundred (900) feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 4000 feet in a north-westerly direction from the mouth of the United Verde Copper Co's 500 ft tunnel and adjoins the Copperopolis on the west and the Acquisition on the south.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a southerly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence N 46° 0' E.425 feet to a monument of stone, being the southeast corner of said claim; thence due north 1500 feet to a stone monument, being at the northeast corner of said claim; thence S 46° 0' W-425 feet to a stone monument at the center of the north end of said claim; thence S 46° 0' W.425 feet to a stone monument, being at the north west corner of said claim; thence due south 1500 feet to a stone monument at the south west corner of said claim; thence N 46° 0' E 425 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16,1901.

Dated and posted on the ground this 16 day of April 1907

C v Hopkins Henry W Nichols

Filed and recorded at request of C.V. Hopkins May 7, A.D. 1907, at 9:10 o'clock A.M., Book 80 of Mines, Page 342, Records of Yavapai County, Arizona.

By E.H.Meak Deputy Recorder. (Seal) J.C.Bradbury County Recorder.

TERRITORY OF ARIZONA,) :ss.
County of Yavapai.)

I. J.C.Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with and that the same is a true and correct copy of the Notice of Location of the "PLATTSBURG" lode mining claim, as the same appears of record in my said office, being situate and located in the Verde Mining District, Yavapai County, Arizona, the notice of location whereof is of record on Book 80 of Mines, at page 342, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th day of March, A.D.1910.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoer	nix, Arizona,		
		January 28, 19	911.	, 190
I, U. S. Surveyor	General for Arizon	na,	·	
do hereby certify that	t the foregoing transcript o			
of the mining claim o	f			
	United Ver	de Copper Co.,		
known as the Do	OG, ACQUISITION,	LATE ACQUISITION	N and PLATTSI	BURG,
situate in	Ve	rde	·	
Mining District,	Yavapai	County, Ari	izona, approx	ζ
in SectionS 21-22-	-27-, 28 wnship No. 16	N., Range No. 2	E. (Unsurveye	2 d) , and
designated as Survey	No. 2812, , 1	as been correctly copied	from the originals	on file in
this office; that said	Field Notes furnish such a	n accurate description of	said mining claim	as will, if
incorporated into a pa	tent, serve fully to identify	the premises, and that su	ich reference is mad	e therein
to natural objects or p	permanent monuments as w	vill perpetuate and fix the	locus thereof.	
	ortify that five hundred do ach of d mining claim ⁹ by claiman			
consist of 6 cuts	and 3 tunnels, t	otal value \$2,3	16.00.	
Tunnel No. 1	on the Dog lode,	and_tunnel_No	4ontheAcq	uisiti on
lode each bein	ng so situated as	to be common in	uprovements f	for
the benefit a	nd development of	this group of c	claims, undiv	zided.
	nerein, value \$13			
properly cred	ited to each of t	he lodes in this	survey	
		-		
	24			
and that no portion of	f said labor or improvemen	nts has been included in t	the estimate of expe	enditures
upon any other claim.				
I further certify to	hat the plat thereof, filed is	a the U.S. Land Office at	Phoenix, Ari	zona.
	is correct and in	conformity with the fore	going Field Notes.	
		Frank S. Ingall	8,	
	United States	Surveyor-Con enal for Ar	izona	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

U. S. Surveyor-General for Arizona.

Phoenix, Arizona, January 28, 1911., 190 I, U. S. Surveyor-General for Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of.... UNITED VERDE COPPER CO., DOG, ACQUISITION, LATE ACQUISITION and PLATTSBURG, situate in ______ Mining District, Yavapai County, Arizona, approximately in Section S 21-22-27-28, Township No. 16 N., Range No. 2 E. (Unsurveyed) , designated as Survey No. 2812. executed by ______, U.S. Deputy Mineral Surveyor, June 28, - July 2, 1910. , under my instructions dated April 28, 1910. , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes. Thank I hizally

7360b5m3-03