UN 16.7910

4-683.

MINERAL SURVEY No. 2817

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

***************************************	R.C.McIntosh.	- Control Cont
	KNOWN AS THE	
	ELIZABETH:	
	TURKEY CREEK	Mining District,
YAVAPAI Approximately in	County,A.R	IZONA
	ownship11 N,	Range 1 F. Unsurveyed
Within the Prescott Na Surveyed under instruc	tional Forest ctions dated May, 10	, 19-10
	by J.William	n Waara U. S. Mineral Surveyor.
Main Joseph	August 18, 1904	19
Ciaim tocatea	August 10, 1304	, 10
Survey commend	ced May, 23, 1910	, 19
Survey completed	d May, 25, 1910.	, 19

Address of Attorney.

John J. Hawkins, Atty.

Prescott Arizona.

MINERAL SURVEY No. 2817.

ELIZABETH LODE.

Beginning at Cor. No.1, a rock in place

3 by 4 by 2 ft. exposed, with conical mound of rock

alongside, and chiseled E - 1 - 2817, on its top surface, with + in top for exact corner point, from which

A rock in place 3 by 3 by 1 ft. exposed, and chiseled B + R. E - 1 - 2817, brs.N.44°-05' E.25.4 ft.

A rock in place, being a high outcrop 25 by 40×20 ft. high, and chiseled B + R. E - 1 - 2817, brs. S. 11° -19' E. 20.6 ft.

U. S. M. M. No.2817 brs. S. 80°-13' W. 2591.25 ft.

No more bearings available.

Var. 10°-15' E.

Thence N. 63°-15' E.

Cross gulch, course northerly.

" same gulch, course easterly.

To Cor. No.2, a stone 4 by 12 by 30 inches long, set 12 in. in the ground, with conical mound of rock along-side, and chiseled E-2-2817, on South face, with + in top for exact corner point,

No bearings available.

Var.12°-15' E.

Thence S. 21°-22' E.

Cross gulch, course easterly.

301.33 East center end, a monument of stone.

405. Cross gulch, course north easterly.

Cor. No. 3, a stone 14 by 14 by 24 inches long, set 12 in. in the ground, with conical mound of rock alongside, and chiseled E-3-2817 on West face, with + in top for exact corner point, from which a rock in place

602.66

60

1215

1380

1500

Feet

3 by 3 by 2 ft. exposed, and chiseled B + R.E-3-2817 brs. N. 2°-20' E. 65.7 ft.

No more bearings available.

Var. 15°-0' E.

Thence S. 63°-15' W.

1000

Cross top of ridge.

1500

To Cor. No. 4, a stone 6 by 16 by 30 inches long set 12 inches in the ground, with conical mound of rock alongside, and chiseled E-4-2817 on North face, with + in top for exact corner point, from which a rock in place 3 by 3 by 2 ft. exposed and chiseled B + R., E-4-2817 brs. N. 23°-17' E. 33.4 ft.

No more bearings available.

Var. 15°-0' E.

Thence N. 21°-22' W.

301.33

West center end, a monument of stone.

602.66

To Cor. No.1, the place of beginning.

All corners are identical with their respective locations.

LEDGES

The presumed course of the ledge of this survey, as near as can be ascertained, is as follows:

ELIXABETH LODE.

Course of ledge is from a point on line 4-1, being S. 21°-22' E. 301.33 ft. from Cor. No.1, thence N. 63°-15' E. 1500 ft. to intersect line 2-3, at a point S. 21°-22' E. 301.33 ft. from Cor. No.2.

IMPROVEMENTS

I certify that the value of the labor and improvements upon the claim embraced in this survey placed thereon by the claimant and his grantors is not less than Five Hundred (\$ 500.00) Dollars, for this claim, and that the said improvements consist of:

Improvements, cont'd. Discovery point, a monument of stone, 2 ft. base and 3 ft. high, located on presumed ledge and west end line of claim, from which Cor.No.l brs. N. 21°-22' W. 301.33 ft. No. 1. Shaft 4 by 6 by 12 ft. deep, from center of which Cor. No.1 brs. N.82°-12' W. 563 ft. No. 2 Value, \$120.00 S haft 4 by 6 by 10 ft. deep from center of which Cor.No.1 brs. N.810-18' W.581 ft. No. 3 Value, 100.00 Inclined shaft, 4 by 5 by 35 ft., partly caved, from center of which Cor.No.1 brs. N/85° o' W. 598 ft. No. 4 275.00 Shaft 6 by 7 by 9 ft. deep, from center of which Cor.No.1 brs. N. 79°-16' W. 749 ft. No. 5 Value, 120.00 Tunnel, 4 by 6 by 20 ft. long, from mouth of which Cor. No.1 brs. S. 64°-17' W.1387 ft. No. 6 Value, 150.00 Incline Shaft, 4 by 8 by 12 ft. deep, from center of which Cor. No.1 brs. S. 86°-33' W. No. 7 175 ft. Value, 100.00 The discovery monument is located on the out-Note: crop, thus indicating the presence of the vein. Total area, Elizabeth lode,20.661 acres. ADJOINING CLAIMS So far as known there are no adjoining claims, and the ground surrounding this claim is Public Domain, and subject to entry. LOCATION This claim is located within the Prescott National Forest, in Yavapai County, Arizona, on unsurveyed land, in approximately Sec. 21, T. 11 N., R. 1 E., G. & S. R. B. & M.

INSTRUMENT

This survey was made with a C. L. Berger Transit, No. 1 C., The distances were measured with a 300 ft. steel tape, and all courses were deflected from the true meridian as determined by direct solar observation.

REPORT

I thoroughly satisfied myself, while making the survey, that the amount of work done by claimant exceeded Five Hundred (\$ 500.00) Dollars, which enabled me to make the above certificate.

A THE COLUMN TO THE TAX THE TAX THE

NI MILET CO. TOTA SERVICE

i. . . L brs. r.

Timilian too adier of the

J. S. Mineral Surveyor.

Direct Sales

- 4 -

Description of U. S. M. M. No. 2817.

I established U. S. M. M. No. 2817 in approximately Sec. 27, T. 11 N., R. 1 E., unsurveyed, on a high sharp rocky point about 600 ft. north of Turkey Creek.

It is a rock in place 6 by 3 by 3 ft. exposed, marked U. S..M. M. No. 2817 on its upper, easterly exposure, with + in top for exact point for connection. A substantial conical mound of rock having 6 ft. base and 6 ft. high, standing alongside.

From U. S. M. M. No. 2817,

A rock in place 2 by 4 by 3 ft. exposed, and marked B + R., U.S.M.M.2817, brs. N. 72°-26' W. 85.9 ft.

A rock in place 14 by 14 by 24 in. exposed, and marked B + R., U.S.M.M.2817, brs.N.25°-20' W. 11.3 ft.

Cor.No.1, Elizabeth lode, M.S.2817, brs. N. 80°-13' E. 2591.25 ft.

Sheave Wheel on steel gallows frame of main shaft, Blue Bell Mine, Brs.N.36°-57'E. about 3 miles.

Top of Turret Peak brs. S. 79°-16' E. about 40 miles.

Top of Brady Butte, brs. N.46°-24' W. about 5 miles.

End of trestle on dump of "Hot Number" tunnel of De Soto Mine brs. S. 28°-46' W. about 3 miles.

No more bearings available.

Magnetic declination 12°-0' E.

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	ved by J.William Waara
United States Deputy Mineral Surveyor, to assis	t in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes o	f the survey of the mining claim of R.C.McIntosh
known as the ELIZABETH	
and showing the respective capacities in which the	ey acted.
	. W. Gray, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATH	S OF ASSISTANTS.
F. I, F.W.Giroux	
-wrl-	, do solemnly swear that we assisted
T William Wasts Thitad States Per	puty Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	.McIntosh
known as theELIZABETH	
represented in the foregoing field notes as having	been surveyed by said deputy mineral surveyor and under his
	espects, to the best of my knowledge and belief, faithfully and
The state of the s	
correctly executed, and the corner and boundary	monuments established according to law and the instructions
furnished by the United States Surveyor-General	for ARIZONA
	X J. U. Jero J. Chainman.
	. Chainman.
	, Onumun.
	Axman.
	Flagman.
Subscribed and sworn	to by the above-named person-before me this.
m	044/ 1000
day of//C	m
	Marin V, sinafapo

9489b5m8-03

My commission expires April 13, 1913.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J.William Waara , U	. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions rece	ived from the United
States Surveyor General for Arizona	, dated
May, 10, 1910 , , I have, in strict conformi	ty to the laws of the
United States, the official regulations and instructions thereunder,	and the instructions
of said Surveyor General, faithfully and correctly executed the sa	urvey of the Mining
Claim of R.C. McIntosh	
ELIZABETH	
situate in TURKEY CREEK	Mining District,
YAVAPAI County, ARIZONA	approximately, in Section
27 1, Township No. 11 N., Range No. 1 E. Unsu:	rveyed,
and designated as Survey No. 2817	
in the foregoing field notes, which accurately show the boundaries	
as distinctly marked by monuments on the ground, and described	in the attached copy
of the location certificate, which was received by me from the Su	rveyor General with
said instructions, and that all the corners of said survey have been	established and per-
petuated in strict accordance with the law, official regulations and	l instructions there-
under; and I do further solemnly swear that the foregoing are th	ne true and original
field notes of said survey and my report therein, and that the	labor expended and
improvements made upon said mining claim by claimant or his	grantors
are as therein fully stated, and that the character, extent, location	and itemized value
thereof are specified therein with particularity and full detail, and	that no portion of
said labor or improvements so credited to this claim has been inclu	ided in the estimate
of expenditures upon any other claim.	
J William (baara
J. William C U.S. E	epu ty Mineral Surveyor.
	•
Subscribed and sworn to by the said J. William Waara	***************************************
U. S. Deputy Mineral Surveyor, before me Colonic	thet,
a notomy Public this	15th.
day of June 1910 .	
E	
4/ Line	ree
My Dommuna notace	y Tuoles

Elizabeth,

Notice of Location.

Know all Men by these Presents:

That We the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Northerly direction along the ledge, from discovery shaft.

The Exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred
(300) feet in an easterly direction to monument at S.E.corner of claim;
thence in a northerly direction parallel with the ledge Fifteen Hundred
(1,500) feet to monument at N.E. corner of claim; thence in a
westerly direction at right angles across the ledge three Hundred (300)
feet to monument at at the center of the north end of said claim;
thence westerly three hundred (300) feet to monument N.W. corner of
claim; thence parallel with the lode in a southerly direction Fifteen
Hundred (1,500) feet to monument at S.W. corner of claim; thence at
right angles across the ledge in an easterly direction Three Hundred
(300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated about 2 miles South West of the Blue Bell and is joined on the north by the Pandora; and is about 3 mile north of Turkey Creek in Turkey Creek Mining District, Yavapai County, Arizona Territory, and shall be known as the Elizabeth Mining Claim.

DATED ON THE GROUND, this 18th day of August 1904

Witness

Chauncey Townsend,

D.N.Jenkins.

R.C.McIntosh,

Recorded at request of Chauncey Townsend Oct, 24" A.D.1904, at 9:00 o'clock A.M., in Book 46 of Mines, Page 386 Records of Yavapai County, Arizona.

Seal P.J.Farley County Recorder.

By G.M Dotson, Deputy.

TERRITORY OF ARIZONA, Ss.

I, J. C	C. Bradbury, County Recorder in and for the County of
Yavapai, Territory of Arizona, and custodian	of the records of such office, do hereby certify that I have
compared the foregoing copy with, and that the	same is a full, true and correct copy of
the Notice of Location of the	e "Elizabeth" Lode Mining Claim,
filed for record on October 24, A.I	and as the same appears of
record in my office in Book 46.00f N	fines, at pages
and of the whole thereof.	
	IN WITNESS WHEREOF, I have hereunto set my
	hand and affixed my Official Seal this 9th day
	ofMay, A. D. 1900 .
	L. Balleury, County Regorder.
	County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.
August 18, 1910 , 190
I, U.S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim ofR. C. McIntosh
known as the Elizabeth
situate in Turkey Creek
Mining District, Yavapai County, Arizona, Approx.
in Section 21 , Township No. 11 N. , Range No. 1 E. Unsur. , and
designated as Survey No. 2817 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant. or his grantors, and that said improvements
consist of 5 shafts and 1 tunnel, total value \$865.00
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix
Arizona is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor Consul for Arizone.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona.
	August 18,1910, 190
I, U.S. Surveyor-General for D	ist <mark>rict o</mark> f Arizona.
do hereby certify that the foregoing and	hereto attached Field Notes and Return of the Survey of the
Mining Claim of R. C. McIntos	h
	, known as the
Elizabeth	
Yavapai	County, Arizona, Approx.
in Section 21 , Townsh	nip No. 11 N. Range No. 1 E. Unsur.
, designated as Surv	ey No. 9817
executed by J. William Waara	U. S. Deputy Mineral
Surveyor, May 23-25, 1910.	, 190, under my instructions dated
May 10, 1910.	190, have been critically examined and the necessary cor-
rections and explanations made, and the	said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the	ne copy of the location certificate filed by the applicant for
survey is included in the field notes.	
	W. S. Surveyor-General for Arizona.
7360h5m2.0 3	U. S. Surveyor-General for Arizona.

7360b5m3-03