

9-14-10.

F. L.

JUL 25 1910

1

4-683.

MINERAL SURVEY No. 2823

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Essie R. Nelson

KNOWN AS THE

Jack Pot, Dividend and Lone Jack,

Pine Grove Mining District,

Yavapai County, Arizona.

Approximately in Sections 11 and 14, Township 10 North, Range 1 West (Uns) Within the Prescott National Forest.

Surveyed under instructions dated June 23rd., 19 10

by Herbert C. Shotwell U. S. Mineral Surveyor.

Claim located see location notices., 19

Survey commenced July 1st., 19 10

Survey completed July 5th., 19 10

6-322

Norris, & Smith, Attys.

Prescott, Arizona.

Feet

Mineral Survey No. 2823.

JACK POT lode:

Beginning at Cor. No. 1, identical with location monument, a granite stone 6 x 8 x 26 in. set half way in the ground, and chiseled J. P.-1-2823 on east face, with cross on top for exact corner point, with mound of stone along side, from which U. S. M. M. No. 2, P. G. D. brs. N.59°-08' W. 2140.2 ft., an oak 8 in. in diam. blazed and scribed B. T. - J. P.-1-2823 brs. S.73°-35' E. 25.5 ft. A Granite rock in place, 5 x 6 x 7 ft. exposed, and chiseled B + R.-J. P.-1-2823 brs. S. 80°-20' E. 48.7 ft.

Magnetic declination 15° to E.

Thence S. 70°-48' E.

70.00 Cross gulch flows southerly.

300.00 South center end, a monument of stone.

600.00 Cor. No. 2, identical with location monument, a Granite stone 12 x 8 x 28 in., set half way in the ground and chiseled J. P.-2-2823 on west face, with cross on top for exact corner point, with mound of stone alongside. No bearings available.

Magnetic declination 15°-00' to E.

Thence N. 13°-07' E.

757.00 Point on east side line, from which east side center, original location monument, a mound of stone brs. S. 70°-55' E, 29 ft.

1500.00 Cor. No. 3, identical with Corner No. 2 of Divident lode of this survey; identical with original location monument, a porphyry stone 6 x 6 x 30 in. set half way in the ground and chiseled J. P.-3-2823 on south west face, and D.-2-2823 on north west face, with cross in top for exact corner point, with mound of stone along-

Feet	<u>JACK POT lode, continued.</u>
	side. No bearings available. Magnetic declination 14°-to E. Thence N. 70°-48' W.
290.00	Cross gulch flows southerly.
300.00	North center end, identical with south center end of Dividend lode of this survey, a mound of stone.
420.00	Cross wagon road, course northerly and southerly.
592.20	Intersect line 3-4 of Zika lode, survey No. 2105, N. 28°-14' E. 588.03 ft. from Cor. No.3.
600.00	Cor. No. 4, identical with Cor. No. 1 of Dividend lode of this survey, and identical with original location monument, a porphyry stone 6 x 12 x 24 in., set half way in the ground and chiseled J. P.-4-2823, and D.-1-2823 on east face, with cross on top for exact corner point, with mound of rock alongside, from which an oak 6 in. in diam. blazed and scribed B.T.-J. P.-4-2823 and D.-1-2823 brs. S. 65°-10' W. 4.7 ft. No more bearings available. Magnetic declination 14°-to East. Thence S. 13°-07' W.
29.53	Intersect line 3 - 4, of Zika lode, survey No.2105, N. 28°-14' E. 558.29 ft. from Corner No.3.
390.00	Cross wagon road, course easterly and westerly.
765.00	Point on west side line, from which west side center original location monument, a mound of stone, brs. N. 69°-20' W. 15.0 ft.
1500.00	Cor. No. 1, the place of beginning.

Feet.

DIVIDEND lode:

Beginning at Cor. No. 1, identical with Cor. No. 4 of Jack Pot lode, corner described above, from which U. S. M. M. No. 2, P. G. D. brs. S. 80°-32' W. 2207.3 ft.

Thence S. 70°-48' E.

- 7.80 Intersect line 3 - 4, of Zika lode, survey No.2105, S. 28°-14' W. 927.77 ft. from Cor. No. 4.
- 180.00 Cross road, course northerly and southerly.
- 300.00 South center end, identical with North center end of Jack Pot lode of this survey, a mound of stone.
- 310.00 Cross gulch flows southerly.
- 600.00 Cor. No. 2, identical with Cor. No. 3, of Jack Pot lode of this survey, corner described above.
Thence N. 18°-48' E.
- 10.00 Cross wagon road, course south easterly and north westerly.
- 605.00 Point on east side line from which east side center, original location monument, a mound of stone, brs. S. 62°-20' E. 10.0 ft.
- 980.00 Cross wagon road, course north westerly and south easterly.
- 1230.00 Cross gulch flows south easterly.
- 1407.60 Cor. No. 3, identical with Cor. No. 2 of Lone Jack lode of this survey, a schist rock 6 x 6 x 24 in. set half way in the ground and carved D.-3-2823 on South west face and L. J.-2-2823 on north west face, with cross on top for exact corner point, and a mound of stone alongside, from which original location monument, for N.E. Cor., Dividend lode and S.E. Cor., Lone Jack lode a post in mound of stone, brs. S.70°-48' E. 73.4 ft.
No more bearings available.
Magnetic declination 14°-30' to East.

Feet

DIVIDEND lode, continued:

Thence N. 70°-48' W.

- 120.00 Cross gulch flows southerly.
- 300.0 North center end, identical with south center end of Lone Jack lode of this survey, a post in mound of stone.
- 600.00 Cor. No. 4, identical with Cor. No. 1 of Lone Jack lode of this survey, a schist stone 7 x 16 x 24 in. long set half way in the ground, and chiseled D-4-2823 and L.J.-1-2823 on east face, with cross on top for exact corner point, with mound of stone alongside, from which original location monument, ^{for N.W. Cor Dividend lode and S.W. Cor Lone Jack lode} a post in mound of stone brs. N. 70°-48' W. 11.5 ft.
- Discovery location on the
Cor. No. 2 of War Eagle lode, lot No.37, brs. N.37°-48' E. 324.3 ft. An oak 9 in. in diam. blazed and scribed B. T.-D.-4-2823, L. J.-1-2823 brs. N. 40°-43' E. 23.00 ft.
- No more bearings available.
- Magnetic declination 14°-30' to East,
- Thence S. 18°-48' W.
- 210.00 Cross wagon road, course north westerly and south easterly.
- 489.59 Intersect line 1 - 4, of Zika lode, survey No.2105, N. 70°-11' W. 159.88 ft. from Cor. No. 4.
- 764.00 Point on west side line, from which west side center original location monument, a mound of stone brs. N. 72°-50' W. 68.0 ft.
- 1407.60 Cor. No. 1, the place of beginning.

LONE JACK lode:

Beginning at Cor. No. 1, identical with Cor. No. 4, of Dividend lode of this survey, corner described above, from which U. S. M. M. No. 2, P. G. D. brs. S. 57°-12' W. 3129.8 ft.

Feet.	<u>LONE JACK lode, continued:</u>
	Thence S. 70°-48' E.
300.00	South center end, identical with north center end of Dividend lode of this survey, a post in mound of stone.
480.00	Cross gulch flows southerly.
600.00	Cor. No. 2, identical with Cor. No. 3 of Dividend lode of this survey, corner described above.
	Thence N. 26°-55' E.
761.00	Point on east side line, from which east side center, original location monument, a mound of stone, brs. S. 63°-25' E. 55.00 ft.
1499.50	Cor. No. 3, a porphyry stone, 3 x 10 x 24 in. set half way in the ground and chiseled L. J.-3-2823 on west face with cross on top for exact corner point, with mound of stone alongside, from which original location monument, a mound of stone, brs. N. 67°-48' E. 142.0 ft. A rock in place, 4 x 4 x 6 ft. exposed and chiseled B + R - L. J.-3-2823, brs. N. 49°-05' W. 6.4 ft. No more bearings available. Magnetic declination 15°-00' to East.
	Thence N. 70°-48' W.
300.00	Point for north center end, where I drove a small stake which fell in trail to Lincoln Mine, course easterly and westerly, from which original location monument, a post in mound of stone brs. N. 26°-55' E., 63.0 ft.
600.00	Cor. No. 4, a porphyry stone 6 x 8 x 28 in. set half way in the ground, and chiseled L. J. 4-2823 on east face, with cross on top for exact corner point, with mound of stone alongside, from which original location monument, a mound of stone brs. N. 21°-41' E, 89.0 ft. An oak 10 in. in diam. blazed and scribed B + T. L.J.-4-2823 brs. S. 69°-05' E. 31.0 ft.

Feet.	<u>LONE JACK lode, continued:</u>	
	No more bearings available.	
	Magnetic declination 15°-00' to East.	
	Thence S. 26° 55' W.	
8.00	Cross trail course northerly and southerly.	
65.00	Cross wagon road, course north westerly and south easterly.	
138.62	Intersect line 2 - 3, of 1st North Extension War Eagle lode, Lot No. 39, N. 5°-48' E., 59.54 ft. from Cor. No. 2.	
195.10	Intersect line 1 - 2, of 1st North Extension War Eagle lode, Lot No. 39, N. 65°-36' W. 21.47 ft. from Cor. No. 2, and line 4 - 1, of War Eagle lode, Lot No. 37, N. 65°-36' W., 17.87 ft. from cor. No. 1. Cor. No. 4 Discovery Location on the War Eagle lode brs. S. 24° 24' W. 987.8 ft. from Cor. No. 1 thereof.	
722.00	West side center, original location monument, a mound of stone.	No. 1 thereof.
1175.00	Cross wagon road, course easterly and westerly.	
1183.85	Intersect line 2 - 3, of War Eagle lode, Lot No. 37, N. 65°-36' W. 61.29 ft. from Cor. No. 2.	
1499.50	Corner No. 1, the place of beginning.	

L E D G E S

The presumed courses of the ledges of this survey, as near as can be traced upon the ground, are as follows:

JACK POT lode:

Course of ledge is from a point on line 1 - 2, S. 70°-48' E. 300.00 ft. from Cor. No. 1, thence N. 13°-07' E. 1500.00 ft. to intersection of line 3 - 4.

DIVIDEND lode:

Course of ledge is from a point on line 1 - 2, S. 70°-48' E. 300.00 ft. from Cor. No. 1, thence N. 18°-48' E. 1407.6 ft. to intersection of line 3 - 4.

Ledges, continued:

LONE JACK lode:

Course of ledge is from a point on line 1 - 2, S. 70°-48' E., 300.00 ft. from Cor. No. 1, thence N. 26° 55' E. 1499.5 ft. to intersection of line 3-4

I M P R O V E M E N T S

I certify that the value of the labor and improvements upon the claims embraced in this survey placed thereon by the claimant and her grantors, is not less than \$500.00 for each claim, and that the said improvements consist of:-

JACK POT lode:

- No. 1 Discovery cut, 5 x 15 x 10 ft., face, from which Cor. No. 3 brs. N. 65°-06' E. 378.7 ft.
Value, \$100.00
- No. 2 Tunnel 4 x 6 x 84 ft. long, course N. 21°-E from mouth of which Cor. No. 3 brs. N. 48°-30' E. 790.0 ft.
Value, \$500.00
- No. 3 Tunnel 4 x 6 ft., ^{course} N. 00°-04' E. 43.0 ft. to sta., thence N. 39°-20' W. 23.5 ft. to sta., thence N. 37°-40' E. 26.0 ft. to face. Total length of tunnel, 92.5 ft., from mouth of which Cor. No. 3 brs. N. 45° 40' E. 850.0 ft.
Value, \$900.00
- No. 4 Tunnel 4 by 6 ft., course N. 28°-W., 38 ft. from mouth of which Cor. No. 3 brs. N. 29°-46' E. 900.0 ft.
Value, \$300.00

DIVIDEND lode:

- No. 1 Discovery Tunnel, mouth of which exposes the ledge, from which point Cor. No. 4 brs. N. 30°-36' W. 395.1 ft. Course of tunnel, S. 52°-40' W. 28.0 ft. to sta. Thence S. 35°-10' W. 10 ft. to sta. Thence S. 19°-40' W., 34.5 ft. to Raise 4 by 6 ft., 22 ft. high, and Winze 4 by 6 ft., 35 ft. deep, also from last sta. S. 19°-40' W. 67.0 ft. to sta., thence S. 1°-50' E. 37.0 ft. to sta., thence S. 00°-20' E. 19.0 ft. to face of tunnel, Total length of tunnel, 161 ft.
Value, \$1,127.00
Value of 22 ft. raise, \$176.00
Value of 35 ft. winze, \$350.00
Total value, \$1,653.00
- No. 2 Open cut, 10 by 12 by 6 ft. face, from face of which Cor. No. 4 brs. N. 23°-17' W. 420.0 ft.
Value, \$15.00

IMPROVEMENTS, continued;

Dividend lode:

No. 3 Open cut, 4 by 8 by 6 ft. face, from face of which Cor. No. 4 brs. N. 22°-15' W 436 ft.
Value, \$ 15.00

No. 4 Tunnel 4 by 6 by 75 ft. long, from mouth of which Cor. No. 4 brs. N. 62°-55' W. 271.0 ft. This improvement is to be accredited to the Lone Jack lode, for the reason that it is driven for the sole purpose of developing ore bodies on that claim. It starts from the bottom of a hill, and at a low elevation compared to the balance of the claim, and runs in an opposite direction from the Dividend, and is driven under the Lone Jack ground to developé the ore bodies therein.
Value of improvement, \$700.00

LONE JACK lode:

No. 1 Discovery monument, a mound of stone 4 ft. base and 3 ft. high, located upon the outcrop of the ledge, as indicated by surface indications, from which Cor. No. 1 brs. S. 47°-32' W. 844.4 ft.

To be accredited to this claim is improvement No. 4, of the Dividend lode,
Value, \$700.00

O T H E R I M P R O V E M E N T S

JACK POT lode:

About 450 linear ft, of wagon road.

DIVIDEND lode:

About 1200 linear ft. of wagon road.

LONE JACK lode:

Old Tunnel, from mouth of which Cor. No. 3 brs. N. 56°-37' E. 573.0 ft.
About 1550. linear ft. of wagon road.

A R E A

	Acres	Acres
Total area of Jack Pot lode,		20,545
Area in conflict with Zika lode, Mineral Survey No.2105.....		003

Area, continued:

	Acres	Acres
Total area of Dividend lode,	19.388	
Area in conflict with Zika lode, Mineral Survey No. 2105.,	1,767	
Total area Lone Jack lode,	20.467	
Area in conflict with ^{Discovery Location and The} War Eagle lode, Lot No. 37, .	.897	
Area in conflict with 1st North Extension War Eagle lode, Lot No. 39,	.014	

A D J O I N I N G C L A I M S

The Jack Pot and Dividend claims conflict with the Zika lode, Mineral Survey No. 2105, on the west.

The Lone Jack conflicts with the ^{Discovery Location on The} War Eagle, Lot No. 37, and the 1st North Extension War Eagle, Lot No. 39 on the west.

There are no more known claims adjoining this group, and, so far as known, the balance of the ground surrounding these claims is Public Domain, and subject to entry.

L O C A T I O N

These claims are located upon unsurveyed land, Yavapai County, Arizona, Pine Grove Mining District, approximately in Sections 14 & 15 Township 10 North, Range 1 West, of the G. & S. R. B. & M., within the Prescott National Forest.

I N S T R U M E N T

This survey was made with a Lietz Light Mountain Transit, the distances were measured with a 600 ft. steel tape. All courses were deflected from true meridian as determined by direct solar observation, with a solar attachment, checked by direct solar observation with main telescope.

R E P O R T

The discrepancies between the claims of this survey, as marked upon the ground by the location monuments, and as described in their respective location notices, are due to error in the location notices.

I thoroughly satisfied myself while on the ground making the survey that the improvements mentioned above under the head of "Improvements", were all made by the Claimant and HER grantors.

Report, continued:

I do not agree with the mineral monument tie and line 2 - 3 of Zika lode, Mineral Survey No. 2105.

I also do not agree with the courses and distances of War Eagle lode, Lot No. 37, and 1st North Extension War Eagle lode, Lot No. 39, and the courses and distances, shown by these notes and accompanying preliminary plat, were determined by me in the field from the actual corners on the ground, which still stand properly marked and in a state of good preservation according to the notes on file in your office.

These discrepancies are due to errors in the older surveys.

I tied to the U. S. M. M. No. 2, P. G. D. for the following reasons:

First: The distance to a corner of the public survey is about one and three-quarters miles. I have made a diligent search but have been unable to find corners on either the G. & S. R. B. & M. or Bradshaw Traverse, within a distance of two miles from these claims.

Second: In order to make this connection about four miles of traverse would have to be run, owing to the roughness of the country, which in addition to its roughness, is densely covered with brush.

Third: A tie over this character of country is inaccurate to a large degree.

Fourth: All the older surveys in this vicinity are connected with the Mineral Monument mentioned above.

Herbert C. Lester
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Herbert C. Shotwell

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Essie R. Nelson,

known as the Jack Pot, Dividend and Lone Jack lodes

and showing the respective capacities in which they acted.

....., *Chainman.*
G. Frank Harrington, *Chainman.*
Ike. Patrick, *Arman.*
....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, G. Frank Harrington

and Ike. Patrick, do solemnly swear that we assisted Herbert C.

Shotwell, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Essie R. Nelson

known as the Jack Pot, Dividend and Lone Jack lodes

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

....., *Chainman.*
G. Frank Harrington, *Chainman.*
Ike. Patrick, *Arman.*
....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 23rd day of July, 1910.

Frank Smith
Notary Public
My Com. Expires
6/26/12

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Herbert C. Shotwell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 23rd. 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Essie R. Nelson, known as the Jack Pot, Dividend and Lone Jack, situate in Pine Grove Mining District, Yavapai County, Arizona. Approx., in Sections 11 and 14, Township No. 10 N., Range No. 1 W. unsurveyed and within the Prescott National Forest. and designated as Survey No. 2823, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert C. Shotwell
 U. S. Mineral Surveyor.

Subscribed and sworn to by the said Herbert C. Shotwell
 U. S. Mineral Surveyor, before me E. J. Mitchell, a
Notary Public this 22nd
 day of July, 1910

E. J. Mitchell
 My Commission Expires May 13, 1912.
 Notary Public

"Jack Pot"

Notice of Mining Location.
Quartz Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Jack Pot Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.B.Oliphint, John Vickstrom and John Nelson the undersigned, on the 20th day of May 1899.

The length of this claim is (1500) Fifteen hundred feet, and we claim (300) Three hundred feet, in a Northerly direction and (1200) Twelve Hundred feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with (300) Three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about 1/2 mile in a Northerly direction from the Crown King Mill and adjoins o77 to the south end line of the Dividend claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the north center end monument at a point in a Northerly direction (300) feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly (300) feet to a monument of stone, being the N.E. corner of said claim; thence Southerly (750) feet to a monument at the center of the East side line of said claim; thence Southerly (750) feet to a monument being at the S.E. corner of said claim; thence Westerly (300) feet to a monument at the center of the South end of said claim; thence Westerly (300) feet to a monument, being at the S.W. corner of said claim; thence Northerly (750) feet to a monument being at the center of the West side line of said claim; thence Northerly 750 feet to a monument at the N.W. corner of said claim; thence Easterly (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895.

Dated and posted on the ground this 20th day of May 1899.

W.B.Oliphint 1/3 Int
John Nelson 1/3 "
John Vickstrom 1/3 "

Filed and recorded at request of W.B.Oliphint, Aug 21, A.D. 1899, at 2:30 o'clock P.M., Book 52 of Mines, Page 317, Records of Yavapai County, Arizona.

(SEAL) W.I. Johnson County Recorder.
By E.C.Averyt, Deputy Recorder.

DividendNotice of Mining Location.
Quartz Claim.

JUN 23 1910

To All Whom it May Concern:

This Mining Claim, the name of which is the Dividend Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.B.Oliphint, John Veckstrom, John Nelson and James Rathfon, the undersigned, on the 28 day of March 1899,

The length of this claim is Fifteen hundred (1500) feet, and we claim (300) three hundred feet, in a Northerly direction and (1200) Twelve hundred feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with (300) Three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about $\frac{3}{4}$ of a Mile in a Northerly direction from the Crown King Mill

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northerly direction (300) feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly (300) feet to a monument of stone, being the N.E. corner of said claim; thence Southerly (750) feet to a monument of stone, at the center of the East side line of said claim; thence Southerly (750) feet to a monument of stone being at the S.E. corner of said claim; thence Westerly (300) feet to a monument of stone at the center of the South end of said claim; thence Westerly (300) feet to a monument of stone, being at the S.W. corner of said claim; thence Northerly (750) feet to a monument of stone being at the center of the West side line of said claim; thence Northerly (750) feet to a monument of stone at the N.W. corner of said claim; thence Easterly (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895.

Dated and posted on the ground this 28 day of March 1899.

W.B.Oliphint $\frac{1}{4}$ Int
John Vickstrom $\frac{1}{4}$ "
John Nelson $\frac{1}{4}$ "
James Rathfon $\frac{1}{4}$ "

Filed and recorded at request of C.W.French, June 14", A.D.1899, at 9- o'clock, A M., Book 52 of Mines, Page 160, Records of Yavapai County, Arizona.

(SEAL) W.I.Johnson County Recorder.
By E.C.Averyt, Deputy Recorder.

"Lone Jack"Notice of Mining Location.
Quartz Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the Lone Jack Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.B.Oliphint, John Vickstrom and John Nelson the undersigned, on the 20th day of May 1899.

The length of this claim is (1500) Fifteen Hundred feet, and we claim (750) seven hundred & fifty feet in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 Three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about $1\frac{1}{4}$ miles in a Northerly direction from the Crown King Mill and adjoins on to the North end line of the Dividend claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the north center end monument at a point in a Northerly direction (750) feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly (300) feet to a monument of stone, being the N.E. corner of said claim; thence Southerly (750) feet to a monument at the center of the East side line of said claim; thence Southerly (750) feet to a monument being at the S.E. corner of said claim; thence Westerly (300) feet to a monument at the center of the South end of said claim; thence Westerly (300) feet to a monument, being at the S.W. corner of said claim; thence Northerly (750) feet to a monument being at the center of the West side line of said claim; thence northerly (750) feet to a monument at the N.W. corner of said claim; thence Easterly (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895.

Dated and posted on the ground this 20th day of May 1899.

W.B.Oliphint	1/3 Int.
John Vickstrom	1/3 "
John Nelson	1/3 "

Filed and recorded at request of W.B.Oliphint, Aug 21", A.D.1899, at 2:30 o'clock, P. M., Book 52 of Mines, Page 316, Records of Yavapai County, Arizona.

(SEAL) W.I.Johnson County Recorder.
By E.C.Averyt Deputy Recorder.

TERRITORY OF ARIZONA,)
 County of Yavapai.) ss.

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, Do Hereby Certify that I have compared the foregoing with and that the same are true and correct copies of the notices of location, as the same appear of record in my said office, of the following named lode mining claims, situate in the Pine Grove Mining District, Yavapai County, Arizona, viz:-

DIVIDEND, notice of location whereof is of record in Book 52 of Mines, at page 160, Records of Yavapai County, Arizona.

LONE JACK, notice of location whereof is of record in Book 52 of Mines, page 316, said records.

JACK POT, notice of location whereof is of record in Book 52 of Mines, page 317, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 21st day of June, A.D. 1910.



J. C. Bradbury
 County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 23, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Essie R. Nelson,

known as the JACK POT, DIVIDEND and LONE JACK,

situate in PINE GROVE

Mining District, YAVAPAI County, ARIZONA.

Approximately in
in Sections 11 & 14., Township No. 10 North, Range No. 1 West (Uns.), and
Within the Prescott National Forest,
designated as Survey No. 2823., has been correctly copied from the originals on file inthis office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim^s by claimant or her grantors, and that said improvements consist of 3 cuts, 5 tunnels, 1 raise and 1 winze, total value \$4183.00. Tunnel No. 4 on the Dividend lode being driven solely for the purpose of developing the Lone Jack, its entire value, \$700, is properly credited to the Lone Jack lode.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

September 24, 1910.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Essie R. Nelson,

known as the

JACK POT, DIVIDEND and LONE JACK.

situate in PINE GROVE Mining District,

YAVAPAI County, ARIZONA, Approximately in

in Sections 11 and 14, Township No. 10 North, Range No. 1 West (Unsurveyed.)
Within the Prescott National Forest.
designated as Survey No. 2823.

executed by Herbert C. Shotwell, U. S. Deputy Mineral

Surveyor, July 1 - 5, 1910, under my instructions dated

June 23, 1910, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank P. Lynch

U. S. Surveyor-General for Arizona.