4-683.

MINERAL SURVEY No. 2827

LOT No.

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

E. Block KNOWN AS THE Empire, Friely, and Middle Hassayampa Mining District, Yarahar County, Aryona tion approximately Township 12 N, Range 3. W Une Surveyed under instructions dated July 9th, 19/0 by William H Menth U. S. Mineral Surveyor.

Claim located See location Notices, 19

Survey commenced July 13 the, 1910
Survey completed July 15th, 1910
Address of Clarmant E. Block

Prescott Angona

(5)

Feet

Beginning at Cor. No. 1.

Identical with the loc. and with cor. No. 1 of Empire lode of this survey.

A Granite stone 6 X 10 X 24 ins. set 12 ins. in the ground with mound of stones, chiseled 1-F.1-E-2827 on the sides facing the respective lodes. Whence U.S.E.M.No. 2827 505 feet. No bearings available. brs. N 23°43'E Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.

> Thence S 30°16'E Va.14°E

N.C. End. Identical with the loc. and with the S.C. End of 300

Empire lode of this sur. a mound of stones 3X3 ft.

nout to

Center .Hassayampa river 80 ft.wide course N 84°W

600 To Cor. No. 2.

SPECT.

Identical with the loc.andwith cor. No.4. Empire lode of 2-F.4-E-2827 ohiseled this survey , X, on granite rock in place 2 X 8 X 3 ft. above the ground with mound of stones. No bearings available. Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.

> Thence S 20:25 W Va. 149E

. . Takke file that

635 Center . Hasseyampa river 60 ft. wide course S . 10°E

785. To Cor. No. 3.

Identical with the loc.

A granite stone 4X6X26 ins. set 14 ins. in the ground with mound of stones chiseled 3-F-2827. No bearings available.Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.

Thence N 30%16'W

Va.14° 'E S.C.End. Identical with the loc. a post 4X4 fis. X 4 ft. 300

Y JOHN THE .

in mound of stones.

To Cor. No. 14th Page , to the time. 600

> Identical with the loc.a granite stone 4X6X24 ins.set 12 ins.in the ground with mound of stones, chiseled 4-F-2827. No bearings available. Loc. cor. post 4X4 ins. X 4 ft. in mound of stones.

Feet	Thence N 20 °25'E				
285	Side monument of stones 2X3 ft.				
785	To Cor.No.1 the place of beginning.				
	EMPIRE LODE.				
7	Beginning at Cor.No.1.				
): : = px=	Identical with the loc.and with Cor.No.1 of Friely lode				
	of this sur hereinbefore described .Whence:-				
	U.S.L.M.No.2827. brs.N 23°43'E 505 feet.				
	Thence N 59°44'E Va.14°E				
1500	To Cor.No.2.				
	Identical with the loc.and with cor.No.1 Middle lode of				
9	this sur.s granite stone 6X12X26 ins.set 14 ins.in the				
	ground with mound of stones, chiseled 2-E.1-M-2827.No				
	bearings available.Loc.cor.post 4X4 ins.X 4 ft.in mound				
	of stones.				
	Thence S 30°16' E				
300	Va.14% . N.C.End.Identical with the loc.and with the S.C.End of				
	Middle lode of this sur. a mound of stones 3X3 ft.				
60 0	To Cor.No.3.				
	Identical with the loc.and with cor.No.4 Middle lode				
	of this sur. X-3-E.4-M-2827 chiseled on granite rock in				
	place 14 X 18 X 10 inches above the ground with mound				
	mound of stones. No bearings available. Loc. cor. post 4X4				
	ins.X 4 ft.in mound of stones.				
	Thence S 59°44' IV				
1420 C	enter Hassayampa river 60 ft.wide course N 45°W				
150 0	To Cor.No.4. Identical with theloc. and with cor. No.2				
	Friely lode of this sur.hereinbefore described.				
	Thence N 30°16'E.				
230 30 0	Cr. Hassayampa river course N 84°W 80 ft.wide. S.C. End identical with the loc and with N.C. End Friely lode of this sur.hereinbefore described.				
600	To Cor.No.1. the place of beginning.				
	Type to				

1	draw.
Feet.	Beginning at Cor.No.1.
12	Identical with the loc. and with cor. No. 2 Empire lode of this
	survey hereinbefore described. Whence:-
	U.S.L.M.No.2827 bra. S 74.57'W 1131.11 feet.
	Thence N 23°47'E Va.14°E
1416	To CD.No.2.
	Identical with the loc. X-2-M-2827 chiseled on granite
	bluff 8 ft.above the ground, with mound of stones. No
	bearings available.Loc.cor.mound of stones 3X3 ft.
	Thence S 30°16°E Va.14°E
30 0	N.C. End. Identical with the loc. a mound of stones 3X3 ft.
600_T	To cor. No. 3.
	Identical with thelog. a grant to the log of the land to the log of the log o
	A granite stone 5X8X24ins.set.12 ins.in the ground with
	mound of stones chiseled3-M-2827. No bearings available.
	Loc.cor.post 4X4 ins.X 4 ft.in.mound of stones.
30	Thence S 23:47'W Engire to a fitting va.14:Eight to a fitting of the control of
1416	To Cor. No. 4.
	Identical with the loc.and with cor.No.3. Empire lode of
	this sur.hereinbefore described.
	Thence N. 30°16'W
300	S.C. End Identical with the loc. and with the N.C. End of
*	Empire lode of this sur hereinbefore described.
600	To Cor. No. 1 the place of beginning.
	AREA.
	Friely lode total area 8.365 acres
	Empire " "
	Middle " " "
energy X	ADJOINING CLAIMS This claim is bounded on the North by Rowe claim unsurveyed claimed by Fred Rowe and by unknown claim , claimant un known , unsurveyed , and U.S. land and on all other sides by U.S. Land.
	SIL SIL SERVICE TO THE SERVICE STATE OF THE SERVICE STATE STATE STATE OF THE SERVICE STATE

Survey of THRY gont and

0

LEDGES.

As near as can be determined from present developments
the veins of the several locations embraced in this claim
extend as follows from their respective end centers.

Friely lode 785 ft.S 20°25'W from N.C.E.to S.C.End

Empire "1500" N 59°44'E" S.C.End to N.C.End.

Middle "1416" S 23°47'W "N.C.End to S.C.End.

LOCATION.

This claim is located on unsurveyed land approximately in T.12 N.R.3.W.G.&.S.R.B.&.M.Hassayamap Mining District, Yavapai County, Arizona.in the Prescott National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations emembraced in said mining claim by the claimant or his grantor is not less than five hundred dollars and that said improvements consist of:

FRIELY LODE

No.1 dis.shaft which is on the lode line 442 ft.from the N.C.End 4X6Xlo ft.value.....\$100.00

1/3 of the work in No.2 shaft.Empire lode \$500.00 is credited to this lode.

EMPIRE LODE.

No.1 dis.tunnel which is on the lode line 66 ft.from the S.C.End.4X6X 180 ft.course N 59°E value \$1440.00

No.2 shaft which is on the lode line 53 ft.from the S.C.End 5X6X100ft.timbered value...\$1500.00 this shaft \$500.00 is a common improvement and 1/3 of its value is credited to each lode in this claim Value credited to this lode, \$500.00 MIDDLE LODE.

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100-ft. and 500-ft. st steel tapes.

Other improvements.

A house the Southeast corner of which brs.from the S.C. End of Friely lode. N 62°30 'E 89.ft.12 X 20 ft.course of long side North.....

Note:-

The difference between these notes and the location and notices is due to errors and omissions in the later.

Note:-

From shaft No.2 Empire lode, the common improvement the surface ascends rapid to the North & Northeastand descends slight. South for 490 ft. the ascends. As this shaft is sunk on the ledge, by sinking and drifting in this shaft bach claim in this group can be developed.

William A Mesuff
U.S. Mineral Surveyor.

As there are no cornets of the public survey and no monuments with in the prescribed limits. I established U.S.L.M.No.2827, by chiseleing X-U-S-L-M-No.2827 on granite rock in place 2 X 4 X 2 feet above the ground, with mound of stones whence:-

X-B-R-U-S-L-M-No.2827 chiseled on rock in place brs
N 39°47'W 5.8 ft.

X-B-R-U-S-L-M-No.2827 chiseled on granite rock in place brs.N 66°20'E 10.3 feet.

A round brushy peak bears S 83°50'W

A brushy peak brs. S 32°05'W

Highest point on antelope mts.brs.S 9°08'W

Highest point on 0'Briens mts.brs.S 13°45'E

No other bearings available.

Located on the top of a rocky peak on unsurveyed land, approximately in T.12 N.R.3 W.G.& S. R.B.& M.Hassayamaa Mining District Yavapai County, Arizona, an the Prescott National Forest.

This monument is not within two miles of any other location monument and is about three fourths of a mile nearly North from Quartz Mt. Mine.

U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed	ed by William of Muni	
United States Deputy Mineral Surveyor, to assist	in running, measuring, and marking the	lines, corners, and
boundaries described in the foregoing field notes of	f the survey of the mining claim of	
known as the Empire, Frely	and Andelle	
'	•	
and showing the respective capacities in which the	R La Murrell	Cit.
		, Chainman.
		, Axman.
		, Flagman.
	C OF ACCIONANTS	
	S OF ASSISTANTS.	
	9	
and R. L. Merritt	, do solemnly swear that we assisted	
W. K. Merrut , United States De	eputy Mineral Surveyor, in marking the con	ners and surveying
the boundaries of the mining claim of	& Block	
known as the Empine, Or	rely & Anddle	
· ·		
represented in the foregoing field notes as having		
direction; and that said survey has been in all re		
correctly executed, and the corner and boundary		
furnished by the United States Surveyor-General	for Aryma	
furnished by the United States Surveyor-General	R. Z. Merrit	2, Chainman.
		, Axman.
		, Flagman.
Calcarded and arrows	to by the above-named persons before me th	is 16"
day of	3iba O. Brown o Yavakai Q	M.T. P. 10.
mu (O	geta O Thrown	Turany survey
	/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	~ ~ ~

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Milliam of ment	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions re-	
Surveyor General for Anzuna, I have, in stri	ct conformity to the laws of the
United States, the official regulations and instructions to	
of said Surveyor General, faithfully and correctly execu	nted the survey of the Mining
Claimsof & Black	
	known as the
Empire, Friely and his situate in Hassayampa County,	ridale
situate in Hassanamha	Mining District
Marahai County	in Section
approfe , Township No. 12 H , Range No. 3	W. Magan
and designated as Survey No. 2827	·
•	_
in the foregoing field notes, which accurately show the b	_
as distinctly marked by monuments on the ground, and	2.0
of the location certificate, which was received by me from	
said instructions, and that all the corners of said survey	<u> </u>
petuated in strict accordance with the law, official regu	
under; and I do further solemnly swear that the forego	oing are the true and original
field notes of said survey and my report therein, and	
improvements made upon said mining claim by claimant	or his grantors
are as therein fully stated, and that the character, exten	_
thereof are specified therein with particularity and full	
said labor or improvements so credited to this claim has	
	been meruded in the estimate
or or-postation appearably outlook Citami.	
	· 1/1 II
- Will	iam formeral Surveyor.
Subscribed and sworn to by the said Williams	# 12
II S Minoral Surveyor hafman A M. Tana	Pulling
U. S. Mineral Surveyor, before me a Molary Yavakai Pointi, a. J. day of July , 1900.	more in and for
Simulation of the state of the	this /6
day of, 1900 .	
J	
man (O)	Trown notary Public apai County, a. J.
my Commussion Effeires Jujan	apar County, a 2
10.00	

Empire

Notice of Location

HII 7- 1910

Know all Men by these Presents: That I the undersigned have this day located Fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all Mineral deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge and runs Fifteen hundred (1500) feet in a Northerly direction and

The exterior boundaries are as follows, viz:- Commencing at a Monument of stone on West boundary line, distant Three hundred (300) feet in a westerly direction from discovery monument; thence in a Northerly direction parallel with the ledge Fifteen hundred 1500 feet to Monument of Stone at N.W. corner of claim; thence in an Easterly direction at right angles across the ledge Six hundred (600) feet to monument of stone at N. E corner of claim; thence in a Southerly direction parallel with the ledge fifteen hundred (1,500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge, in a westerly direction six hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a place of beginning.

This ledge may be more generally described as situated as on Hassayampa (Creek) Mining District Yavapai County Arizona and may be more generally described as follows as situated 1 Mile in a Northern direction from Quartz Mt Mine and Mill and $\frac{1}{2}$ Mile east of Catoction Mine and Mill about 12 Miles south of Prescoot in in Hassayampa Mining District Yavapie County Arizona Territory and shall be known as the Empire Mining Claim.

Dated on the ground, this 24 day of March 1893

Owner Frederick .A . Rowe

Witness J.Butler

000000000000000000000

Recorded at the request of F.A.Rowe Mc'h 28" A.D.1893 at 11:20 o'clock A.M. in Book 36 of Mines pages 190-192 Records of Yavapai County, Arizona.

By E.E.Kirkland Deputy

(L.S.) Alex O.Brodie County Recorder

Notice of Location.

Know all Men by these Presents:

That I the undersigned, have this day Located Bight Hundred (800) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 350 feet in a Northerly direction and 450 feet in a Southerly direction along the ledge. from discovery shaft

The Exterior boundaries are as follows, viz:

Commencing at a Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 350 feet to Monument of Stone at N.W. corner of claim; thence in a Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge 800 Hundred (800) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 450 feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated on Hassay-ampa at the Mouth of Board Creek and land miles North of the Quartz Mountain Mill in the Co. Yavapai Arizona. in Hassayampa Mining District, Yavapai County. Arizona Territory, and shall be known as the Friely Mining Claim.

DATED ON THE GROUND this 20th day of September 1899

Fred Rowe

0000000000000000000000000000000

Recorded at request of Fred Rowe Dec. 2" A.D.1899, at 1:25 o'clock P M., in Book 49 of Mines, page 584 Records of Yavapa County, Arizona.

(SEAL) W.I.Johnson County Recorder.

By......Deputy

Notice of Location.

Know all Men by these Presents:

That I the undersigned have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Southerly direction along the ledge, from discovery shaft.

The Exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an Easterly direction to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to monument at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1,500) feet to monument at N.W. corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated being at a the North West end of the Jay Bird Mine on the Hassayampa River about two miles below the Mescal Mill at the Mouth of Big Copper Creek and adjoins the Empire Mine on the S.W. end and is known as the Middle Mining Claim in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the Middle Mining Claim.

DATED ON THE GROUND, this May 31st day of 1901

Locator

Fred Rowe

Recorded at request of Fred Rowe, June 22" A.D.1901, at 9:12 o'clock A.M., in Book 47 of Mines, Page 143 Records of Yavapai County, Arizona.

(SEAL) P.J. Farley County Recorder.

By E.C.Averyt Deputy.

TERRITORY OF ARIZONA,) ss.
County of Yavapai.)

I, J.C.Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the records of such office, do hereby certify that I have compared the foregoing with and that the same are true and correct copies of the Notices of Location, as the same appear of record in my said office, of the following named lode mining claims, situated in the Hassayampa Mining District, Yavapai County, Arizona, viz:-

EMPIRE, the notice of location whereof is of record in Book 36 of Mines, pages 190-192, Records of Yavapai County, Arizona.

FRIELY, the notice of location whereof is of record in Book 49 of Mines, page 584, said records.

MIDDLE, the notice of location whereof is of record in Book 47 of Mines, page 143, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 5th day of July, A.D.1910.

County Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.
September 3,, 1910
I, U. S. Surveyor-General for Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of E. Block
known as the EMPIRE, FRIELY, and MIDDLE
situate in Hassayampa
Mining District, Yavapai County, Arizona
in Section approximate by waship No. 12 N., Range No. 3 W. Unsur, and
designated as Survey No. 2827 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claim by claimant. or his grantors, and that said improvements
consist of 2 shafts and 2 tunnels, total value \$3360.00. Shaft
No. 2 on the Empire lode being a common improvement for the
benefit and development of the three lodes of this survey, an
undivided one-third interest therein, value \$500.00, is properly
credited to each of said lodes.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona
is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalis
United States Surveyor-General for. Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

	Office of $U.S.Surveyor\text{-}General,$				
	Phoenix, Arizona.				
			Septemb	er 3, 1910.	
I, U.S. Surveyo	or-General forA	rizona,			
do hereby certify that	at the foregoing and	d hereto attached F	ield Notes and Return of	the Survey of the	
	EMPI	RE, FRIELY,	and MIDDLE,		
situate in		Hassayampa		Mining District,	
Ya	vapai	County,	Arizona.		
in Section approx	imately, Towns	ship No. 12 N.	, Range No	3 W. Unsur	
	, designated as Sur	vey No2827			
executed by	William H.	Merritt	, U.	S. Deputy Mineral	
Surveyor,		July 13-	15 , 1960 , under my	instructions dated	
	July 9	., 19010, have been	critically examined and	the necessary cor-	
rections and explana	tions made, and th	e said Field Notes	and Return, and the Su	rvey they describe,	
are hereby approved	l. A true copy of	the copy of the loc	ation certificate filed by	the applicant for	
survey is included in	the field notes.				
	C	Mank	Longali		
		U. S. Sur	veyor-General for Ari	zona.	

7360b5m3-03