12-6-10.

F.L.

4-683.

LOT No.

MINERAL SURVEY No. 2828

	Add of

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

INSPIRATION COPPER COMPANY				
	KNOWN AS THE			
APE	X FRACTION DE			
	GLOBE	Mining District,		
GILA	County,	ARIZONA		
Section Unsurveyed , Township Within the Cro Surveyed under instructions	ook National Fo	Range 14 E., G. & S.R.B. & Morest Reserve, 1910 M. M. Merson U. S. Mineral Surveyor.		
		1020		
Claim located	See Location N	otice, 1910,		
Survey commenced	August 6,	, 1910,		
Survey completed	August 8,	, 1910.		

Address of Claimants atterney. Curtis H. Lindley,

6-822

Mills Bldg., rizina.

San Francisco, Cal.

Feet. Beginning at Cor. No.1,

On line 1-2, Apex lode, Sur.No.2655, identical with line 1-2, Apex lode, Sur.No.2379; also on line 3-4, Socker lode, Sur.No.2725, at N.10932 E.108.0 ft. from Cor.No.4.

A sawed pine post 4 ins.square, by 4 ft.long, set 18 ins.in the ground, in mound of earth and stones, which I scribed 1-2828; whence

The section corner common to secs.19 and 30 on the west boundary line of T. 1 N., R. 15 E. G. and S.R.B. and M., bears S.87° 34'E. 4432.0 ft.

The S.E.location corner, identical with Cor.Nos.1,2 and 1-2, Apex and Fraction lodes, Sur.No.2655, and Apex and Fraction lodes, Sur.No.2379, respectively, bears N. 87° 10'E. 720.7 ft.

An oak tree, 7 ins.diameter, blazed and scribed 1-2828 B T, bears N.37° 39'W. 34.9 ft.

Thence N.10° 32'E.

Var.13º 10'E.

- 75.6 To east end center, whence the discovery bears S.87° 10' W. 589.0 ft., and the East End Center location corner bears N.86° 10'E. 702.0 ft.
- 105.8 Intersect line 4-1, Malcom lode, Sur.No.2725, at N.76° 05'E. 250.6 ft. from Cor.No.4.
- 270.0 To Cor.No.2,

On line 3-4, Socker lode, Sur.No.2725, at S.10° 32'W. 218.4 ft.from Cor.No.3.

A sawed pine post 4 ins. square, by 4 ft.long, set 18 ins.in the ground, in mound of earth and stones, which I scribed 2-2828, whence

The N.E. location corner bears N.79° 30'E. 704.0 ft.

Cor.No.4, Malcom lode, Sur.No.2725, bears S.50° 57'W. Feet. 351.9 ft.

> A. cedar tree 7 ins.in diameter, blazed and scribed 2-2828 B T bears N.17º 12'W. 17.9 ft.

> > Thence S.87º 10'W.

Var.13° 15'E.

Intersect line 1-2, Kodeck lode, Sur.No.2725, at N.1º 192.1

> 39'W.209.1 ft.from Cor. No.1, and 190.7 ft. from its intersection with line 4-1, Malcom lode, Sur. No. 2725. Intersect line 3-4 Malcom lode, Sur. No. 2725, at N. 38°

431.0

07.W. 254.7 ft.from Gor. No. 4, and 199.3 ft. from its intersection with line 3-4, Malcom lode, Sur. No. 2725. Intersect line 1-2, Americus lode, Sur. No. 2379, at N. 289 677.3

30'E.307.5 ft.from Cor.No.l, and 21.2 ft.from its intersection with line 4-1, Kødeck lode, Sur. No. 2725.
Intersect line 4-1, Kødeck lode, Sur.No. 2725, at N.71°

734.8

37'W. 577.5 ft.from Cor.No.1, and 49.9 ft.from its intersection with line 1-2, Americus lode, Sur.No. 2379. To Cor. No. 3,

A sawed pine post, 4 ins.square, by 4 It.long, set 18 ins.in the ground, in mound of earth and stones, which I scribed 3-2828; whence

The N.W.location corner bears N.49º 30'W. 125.0 ft. Cor.No.1, Kodeck lode, Sur.No.2725, bears S.72º 58'E. 614.9 It.

No bearing objects available.

Thence S.10° 32'W.

Var.13° 10'E.

194.4 To mest end center, whence the west end center location corner bears N.500 40'W. 25.0 ft.

270.0 To Cor. No.4,

774.8

Identical with Cors. Nos. 2, 1, and 1, Apex, Caravel, and

SURVEY NO. 2828.

APEX FRACTION LODE

Feet.

Americus lode, Sur.No.2379, respectively; also Identical with Cor.No.2, Apex lode, Sur.No.2655, and with SW.corner of the location.

Two sawed pine posts, 4 ins.square, each extending 2½ ft.out of the ground, in mound of earth and stones, one of which is scribed 2-2379, 1-2379, and 1-2379; the other, 2-2655 A; and I further scribed the latter 4-2828 whence

An oak tree, 8 ins.diameter, blazed and scribed 4-2828, bears N.10° 30'W. 5.5 ft.

Thence N.87° 10'E.

774.8

To Cor. No.1,

- BU

The place or beginning.

LODE LINE.

As near as can be determined from present developments, the vein of this lode extends N.87° 10'E.589.0 ft., and S.87° 10'W. 185.8 ft.from the discovery point.

All of the location corners were round in place. The S.W. and the S.E. corners are marked in pencil on the respective patent posts, with which they are identical.

The N.E. and N.W., and the two end center location corners are mounds of stones properly identified by slips of paper contained therein.

W. ACC 1129

SURVEY NO.2828,

APEX FRACTION LODE.

AREA.

LOCATION.

This survey is located in unsurveyed T. 1 N., R. 14 E., G. and S.R.B. and M., Globe Mining District, Gila County, Arizona, within the boundaries of the Crook National Forest Reserve.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of this lade by the claimant or its grantors, is not less than five hundred dollars; and that said improvements consist of:-

- No.1 The discovery point, on a mineralized outcrop of rock in place, bears S.87° 10'W. 589.0 ft.from the East End center.
- No.2, The discovery cut 6 x 8 ft., averaging 11.5 ft.deep, the center of which pears S.46° 52'W. 12.0 ft.from the discovery monument, where the notice is posted.

Note:-

No.3

A drift 575.7 ft.long, 4 x 6 ft.in cross section, in solid rock, running from the Scorpion Shaft; the center of the northerly compartment of said shaft,6 x 12½ x 292 ft.deep, bears N.63° 50'E. 234.4 ft. from Co. No.2 of this lode. Course of long side of shaft is S.27° 15' W.

From a point 267.5 ft.down the center of the southerly compartment of said shaft a drift runs thence S. 63° 39'E. 26.3 ft. to a point; thence S.0° 44'W.195.3 ft. to a point; thence S.38° 40'W.30.8 ft.to a point; thence S.0° 06'W. 166.3 ft. to a point; thence N.89° 57' W.157.0 ft.to face.

The last 94.0 ft.or the above described drift was run subsequent, and the remainder of said drift prior to the location of this lode.

An undivided one-fourth interest in this drift is credited to each of the following named locations, viz: Sur.No.2655, Apex lode; Sur.No.2725, Malcom and Socker lodes; and Apex Fraction lode of this survey.

The Scorpion Shaft is situated within the boundaries of both the Socker and Malcom lodes, Sur.No.2725; and the above described drift tends to the development of this lode, inasmuch as it is running in the direction of this lode; and will intersect at depth the vein of this lode; and is a most economical and practical method for its development.

The Scorpion Shaft was applied as Expenditure of Five Hundred Dollars on Sur.No.2725, Tiger Mine, Black Copper Mine, Kodeck, Pike, Malcom, Old Gift, Socker, and

Salvador lodes; an undivided one-eighth interest being credited to each.

INSTRUMENT.

Transit. The courses were deflected from the true mearidian, as determined by direct solar observations, the details of which were returned by me in my survey of Sur. No. 2656 Joe Bush, Pinto, Copper Wonder, Colorado, Sunset, and Monte Christo Copper lodes.

The distances were measured with two 300-ft.steel tapes.

REPORT.

The section corner common to secs.19 and 30, on the west boundary line of T. 1 N., R.15 E., G. and S.R. B. and M., is a conglomerate stone 6 x 10 ins., extending 8 ins.above the ground; and is marked with four nicks on the north edge; and two nicks on the south edge; a mound of stone clongside.

Sur.No.2379, Americus, Caravel, Fraction, and Apex lodes:

Cor.Nos.1-1 and 2, Americus, Caravel; and Apex

lodes, respectively, previously described.

Cor. No. 2, Americus lode, is a sawed pine post, properly set and scribed with the number of the corner and the survey.

cor.Nos.1-2, Fraction and Apex lodes, is a sawed pine post, properly set and scribed with the number of the corner and the survey.

Sur.No.2655, Apex and Fraction lodes:-

Cor.Nos.1-2, Apex and Fraction lodes, respectively, is a sawed pine post, properly set and scribed with

the numbers of the corner and the survey.

Cor.No.2, Apex lode, previously described.

Sur.No.2725, Socker, Malcom, and Kodeck lodes:
Cors.Nos.3 and 4, Socker lode, Cor.No.4 Malcom

lode, and Cor.No.1 Kodeck lode, are sawed pine posts,

properly set and scribed with the number of the corner

and the survey.

ERRORS.

I find line 1-2 Americus lode, Sur.No.2379, to be
N.28° 30'E. 619.6 ft.,instead of N.28° 33'E. 620.1 ft.
Line 1-2, Apex lode, Sur.No.2379, to be S.87° 10'
W.1495.5 ft., instead of S.87°14'W. 1497.0 ft.

is things the Gentle to Getting

Note:

The surrounding claims on the west are the Americus and Caravel lodes, Sur.No.2379; on the south the Apex lode, Sur.No.2379 and the Apex lode, Sur.No.2655; on the rest is the Socker lode, Sur.No.2725; and on the north are the Malcom and Kodeck lodes, Sur.No.2725; all of which belong to the Inspiration Copper Company.

1. 11 Scott

17/1

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	employed by Ilank Imdersor
	to assist in running, measuring, and marking the lines, corners, and
	notes of the survey of the mining claim of
Inspiration	Copper Company Fraction forte
(Pres)	Wachen forth
known as the Uffley	Justin Laure
and showing the respective capacities in wh	
	Joe McKinzie, Chainman.
	at & death
	Con Sullivan, Axman.
	Oon Oullevan, Axman.
	, Flagman.
	THS OF ASSISTANTS.
We Joe McKinger,	J.K. Scott and Con Sullivan
	Frank!
	, do solemnly swear that we assisted Frank
Sthallton, United St	ates Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Inspiration Copper Company
	Sactification of the sacration of the sa
known as the	achon hote
represented in the foregoing field notes as l	having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been i	n all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and both	undary monuments established according to law and the instructions
furnished by the United States Surveyor-G	eneral for Unigona.
	Jacon & Linzie, Chainman.
	T. T. Scott Chainman.
	We on A Me Margaman.
	, Flagman.
Subscribed and	sworn to by the above-named persons before me this
day of	luguet 1960.
	d Tearse
	Holary Tublic
9489b5m8-08 My Commuss	in Expires fine 2 x 1914

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Frank Underson, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Mizona, dated July 13, 1910, I have, in strict conformity to the laws of the
July 13, 1910, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
Claim of Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Sphiation Copper Company, known as the situate in Slobe Mining District, County, Angona, in Section Insurveyed, Township No. 1. N., Range No. 14 E., G.S.R. B.S.M., and designated as Survey No. 2828, as represented in the formering field at the little state of the surveyed.
known as the
apex Fraction bete
situate in Slobe Mining District.
Gla County, Angona in Section
Insurveyed, Township No. 1 N., Range No. 14 E G&S. R. Bryn
and designated as Survey No. 2828 as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Frank Anderson
U. S. Mineral Surveyor.
4
Subscribed and sworn to by the said Jank and Anderson
U. S. Mineral Surveyor, before me
this 5th
day of August, 1980
My Commussion External Lang 27th 1914
6-1044 Molary Publ
Mus Commussion External for 27th 1911
Kly (mmussen) (oxking) - 101/1

NOTICE OF MINING LOCATION LODE CLAIM.

13 1910

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Apex Fraction Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by William C. Browning alcitizan of the United States, the undersigned on the 23rd. day of May, 1910.

The length of this claim is 1495 feet and I claim

The length of this claim is 1495 feet and I claim 1295 feet in a masterly direction and 200 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of this claim, together with 100 ft. on the south side and 300 ft. on the north side of the center lode line feet in-width-of-the-surface-grounds, on-each-side-of-the center-of-said-olaim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Globe Mining District, in Gila County, in the Territory of Arizona, about 1500 ft. in a northwesterly direction from the Joe Bush shaft of the Inspiration Copper Co. The south side line is identical with the north side line of the Apex Lode claim Survey No, 2655.

The surface boundaries of the claim are marked upon

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of rocks at a point in a westerly direction 200 feet from the discovery shaft (at which this notice is posted), being in-the-center-sf at the west end of center lode line of said claim; thence south 100 feet to a 4" x 4" pine post being the South west corner of said claim; thence N. 87° 10'E. 1495 feet to a 4" x 4" pine post, being at the south east corner of said claim; thence north 100 ft. feet to a monument of rocks, at the-center-ef the east end of center lode line of said claim; thence north 300 feet to a monument of rocks, being at the north east corner of said claim; thence S. 87° 10' W. 1495 feet to a monument of rocks at the north west corner of said claim; thence south 300 feet to the place of beginning.

rocks, being at the north east corner of said claim; thence S. 87° 10' W. 1495 feet to a monument of rocks at the north west corner of said claim; thence south 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title

XXXII, of the Revised Statutes of the United States and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16,

1901

1910.

Dated and posted on the ground this 23 day of May,

W.C.Browning.

Filed and recorded at the request of T.R.Drummond on the 17 day of June, A.D. 1910, at 30 minutes past 1 o'clock P.M.

E.T.Stewart, County Recorder.

Territory of Arizona,)

SS.

County of Gila.

I, E.T.Stewart, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Location Notice of the APEX FRACTION Mining Claim, as the same appears of record in my office in Book 21, Records of Mines, at page 177; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this Qih day of July, A.D. 1910.

E. S. Stewart Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,		
	,	January 7, 1911, 190	
I, U. S. Surveyor-G	deneral for Arizona,		
do hereby certify that t	he foregoing transcript of the Fiel	eld Notes, return and approval of the survey	
of the mining claim of.			
	Inspiration C	opper Company,	
known as the	APEX FRACTION		
situate in	Globe		
Mining District,	Gila	County,Arizona	
in Section Unsurvey	ed, Township No. 1 N.	, Range No.14 E., G. & S.R.B. & and	
	2000	correctly copied from the originals on file in	
this office; that said Fi	eld Notes furnish such an accurat	te description of said mining claim as will, if	
incorporated into a pate	ent, serve fully to identify the prem	nises, and that such reference is made therein	
to natural objects or pe	rmanent monuments as will perpet	tuate and fix the locus thereof.	
And I further cert	ify that five hundred dollars' wor	orth of labor has been expended or improve-	
ments made upon for said	mining claim by claimant. or. i	ts grantors, and that said improvements	
consist of 1 cut ar	id an undivided 🗜 inte	erest, value \$1434, in a	
drift from the	Scorpion shaft, situa	ate on the Socker and Malcom	
lodes, Sur. No.	2725, total value \$1	1 <mark>43</mark> 4.00. Said drift is a	
common improven	ent for the benefit a	and development of the Malcom	
and Socker lode	es, Sur. No. 2725, the	Apex lode, Sur. No. 2655, and	
the Apex Fracti	on lode, a <mark>nd an undi</mark> v	vided \frac{1}{2} interest in the value	
		ted to this survey.	
and that no portion of	said labor or improvements has be	een included in the estimate of expenditures	
upon any other claim.	^		
		S. Land Office at Phoenix, Arizona,	
	is correct and in conformi	ity with the foregoing Field Notes.	
	Frank	S. Ingalls,	
	II. t. I Chaire C	Arizona	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General, Phoenix, Arizona, January 7, 1911. , 190 I, U. S. Surveyor-General for Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of.... Inspirati<mark>on Co</mark>pper Company, known as the APEX FRACTION, Globe situate in Gila County, Arizona, in Section Unsurveyed , Township No. 1 N. , Range Nol 4 E. C. & S. R. B. & M. , designated as Survey No. 2828 executed by _______, U.S. Deputy Mineral Surveyor, August 6 - 8, 1910, , under my instructions dated July 13, 1910. , 190% , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes. drank I Jugalle U. S. Surveyor-General for Arizona.