9-28-10. F. L.

4-683.

MINERAL SURVEY No. 2836

LOT No.

	Arizi	ona Land	District	
*************		Zarte Z	21307100.	

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	The Consolidated Holding	& Trust Co.	
	KNOWN AS	THE	
	Apache Leap and Panic		
	Pioneer		Mining District,
	Pinal Count	y, Arizona	
Section 5	1 and 2 , Township 2	S. , Range	12 E. (unapproved survey)
Surve	yed under instructions dated A	igust 6 , 19	10.
	<i>by</i>	John F. Hesse U. S	. Mineral Surveyor.
	Claim located See location	notices. ,	19
	Survey commenced August	8	19 10
	Survey completed August	8,	19 10
6—322	Address of claimant	Phoenia, in	Lone.
	Fen S. Hildreth,	Atty.	
	Phoenix, Ar	iz.	

----SURVEY NO. 2836----

Panic Lode

Beginning at cor. No.1
A pine post 3 ft. long,4 ins.sq.set 18 ins.in the ground, with a mound of stone 2 ft.base,2 ft.high,alongside, marked,P21-2836 on S.E.face, with a nail driven in top. U. S. L. M. No. 2381 bears S.54 49 W. 4195.36ft. dist.

Thence N. 80° 54' E.

300. ToN. end center.

A pine post 3 ft.long,4 ins.sq.set 18 ins.in the ground. with a mound of stone 2 ft.base 2 ft.high,alongside, marked, P-2-3836 on S.W. face,and A L-1-2836 on S.E. face for cor. No.1 of the Apache Leap Lode Of this survey, with a nail driven in top. No bearings available.

Thence S. 37° 45' E.

A pine post 3 ft.long,4 ins.sq.set 18 ins.in the ground, with a mound of stone 2 ft.base,2 ft.high,alongside, marked, P-3-2836 on N.W.face, and A L-4-2836 on N.E.face for cor. No.4 of the Apache Leap Lode of this survey, with a nail driven in top. No bearings available.

Thence S. 80° 54' W. V

Thence N.37° 45' W.

1500 To cor. No.1 the place of beginning.

Apache Leap Lode

Beginning at cor. No.1

Identical with cor. No.2 of the Panic Lode previously described.

U. S. L. M. No.2381 bears S.58° 00' W. 4740.77ft. dist.

Thence N 80° 54' E.

300. To N. end Center. 600. Tocor. No. 2

A pine pest 3 ft.long,4 ins.sq.set 18 ins.in the ground, with a mound of stone 3 ft.base,2 ft.high, alongside, marked, A L-2-3836 on S.W.face, with a nail driven in top. No bearings available.

Thence S.36° OO' E.

A pine post 3 ft.long, 4 ins.sq.set 18 ins. in the ground, with a mound of stone 2 ft.base, 2 ft.high alongside, marked, A L-3-2836 on N.W.face, with a nail driven in top. No bearings available.



Thence S. 80° 54' W.

248.5 To S. end center. To Core nos. 1-2 Connecting Link + Hillside lodes, Dur. No. 2838. 548.5 To cor. No. 4 Identical with cor. No.3 of the Panic Lode previously described. described.

Thence N.37° 45' W.

1500. To cor. No.1 the place of beginning.

Wariation at all cors. 14° 30' E. total ment

LODE LINES

As nears as can be determined from present developments the veins of the two locations embraced in this claim extend as follows from their respective discovery points
Apache Leap lode 1068 ft. N. 37° 45' W. and 432
ft. S. 37° 45' E.

Panic lode 355 ft. N. 37° 45' W. and 1145 ft. S. 37º 45' E.

AREA

Acres.

Total area, Apache Leap lode 17.353 Total area, Panic lode 18.131

LOCATION. Wining District This claim is located in the Pioneer Mining District Pinal Countyin secs. 1 and 2 Tp. 2 S. Rg. 12 E. the survey being under supposeion, Arizona.

Adjoining Claims.

This survey is bounded on the north by the Quincy No. 2 lode, the Quincy No. 3 lode and the Quincy No. 8 lode all unsurveyed, the claimant of which is unknown, on the east by public land, on the south by the Connecting Link lode, Survey No. 3838, the Hillside lode, Survey No. 2838 and the Skiberean lode Survey No. 2837 owned by the Consolidated Holding and Trust Co., on the west by the Leadyille lode unsurveyed, claimant unknown and by public land.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benifit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

Apache Leap lode.
No. 1, discovery cut, 4 x 12 ft. 8 ft. face, which bears from the S. end center N. 37° 45' W. 432 ft. Value

No. 2, Cut, 6 x 18 ft. 9 ft. face, which bears from the S. end center N. 33° W. 360 ft. Value \$ 100.00

No. 7, Cut, 6 x 12 ft. 11 ft. face, which bears from the . end center N. 42° W. 346 ft. Value

An undivided half interest in Tunnel No. 4 on the Panic lode is credited to each of the lodes in this survey. The surface included in this claim ascends rapidly from the west side line of the Panic lode to the east side line of the Apache Leap lode and the tunnel NO. 4 on the Panic lode continued in its present course will cut the veins on the Apache leap lode at great depth whereby one system of workings will develop the two claims most economically.

An undiveded half interest in Tunnel No. 4 on the Panic lode Credited to this lode, total value \$1300.

Value \$ 600.00

Panic lode

No. 1, Discovery cut and tunnel, mouth of cut 6 x 22 ft. 12 ft. face, in face of cut is tunnel running east $5\frac{1}{2}$ x $6\frac{1}{2}$ ft. 41 ft. long, bears S. 37° 45' E. 355 ft. from the N. end center.

Value \$500.00
No. 2, Cut 15 x 15 ft. 12 ft. face, which bears from
Cor. No. 2 S. 22° 45! E. 360 ft.

Value \$150.00 No. 3, Cut, 5 x 10 ft. 12 ft. face, which bears from Cor. No. 2, S. 10° 45' E. 510 ft.

Value \$60.00

No. 4, Tunnel 4 x 6 ft. 125 ft. long runs N. 70° E.

44 ft. in tunnel is upraise 13 x 13 ft. 27 ft. long
65 ft. in tunnel is upraise 10 x 10 x 31 ft. long
and at end of tunnel is upraise 10 x 10 ft. 40 ft. long
An undivided half interest in tunnel credited to this
lode \$600. value of raises credited to this lode \$600.

Mouth of tunnel bears from cor. No. 3 N. 65° 15' W. 440

ft. dist.

Value \$1200.00, for the
No. 5. Shaft 7 x 7 ft. 40 ft deep, which bears from cor.

No. 5, Shaft 7 x 7 ft. 40 ft deep, which bears from cor. 2 x No. 3 N. 58° 15' W. 400 ft.

Value \$400.00
No. 6, Shaft7 x 7 ft. 24 ft. deep, which bears from cor.
No. 3 N. 53° 45' W. 370 ft.

Value \$240.00

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run directly upon the ground. All cors. Were identical with the locations corners which were in every instance a 4 x 4 post set in a mound of stone 3 ft. base 2 ft. high.

INSTRUMENT

This survey was made with an A. Lietz light mountain transit, No. 5631, with solar attachment, The courses were deflected from the true meridian as determined by solar observations. The distances were measured with 100 and 300 ft. steel tapes.

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by John F. Hesse	
United States Deputy Mineral Surveyor, to a	ssist in running, measuring, and marking	the lines, corners, and
boundaries described in the foregoing field not	es of the survey of the mining claim of	
The Consolidated Holding &	Trust Co.	
known as the Apache Leap and Par	nic	
and showing the respective capacities in which	they acted.	
	A. N. Oliver	, Chainman.
	A. E. Lyon	
		, Axman.
34	***************************************	, Flagman.
TINA I CATS	HE OF ACCIONATION	
	HS OF ASSISTANTS.	
and A. E. Lyon	, do solemnly swear that we assisted	
John F. Hesse , United States	s Deputy Mineral Surveyor, in marking the	e corners and surveying
the boundaries of the mining claim of		
the boundaries of the mining claim of	Company of the treatment of	
known as the Apache Leap and Pa	inic	
represented in the foregoing field notes as havi	ng been surveyed by said deputy mineral	surveyor and under his
direction; and that said survey has been in al	l respects, to the best of our knowledge ar	ad be <mark>lief, faithfully</mark> and
correctly executed, and the corner and bounds	ary monuments established according to la	aw and the instructions
furnished by the United States Surveyor-General	ral for Arizona,	
	a.n. Clins	, Chainman.
	a. E. Lyon	, Chainman.
		, Axman.
		, Flagman.
Coloredte day day	rn to by the above-named persons before me	ist
Subscribed and swo	rn to by the above-named persons before me) tills
day of	hlember, 1900.	110
\mathcal{L}	usula Du	Leud no.
Mycom, Expus Hay 19,	1913. Kolary	· Tuble .


FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

Surveyor, do solemnly swear that, in	, U. S. Deputy Mineral pursuance of instructions received from the United
	Arizona , dated
	, I have, in strict conformity to the laws of the
	and instructions thereunder, and the instructions
	and correctly executed the survey of the Mining
	ted Holding & Trust Co
	, known as the
Apache Leap and Panic	,
situate in Pioneer	Mining District,
Pinal	County, Arizona , in Section s
	, Range No. 12 E. (unapproved survey),
and designated as Survey No. 28	36, as represented
	curately show the boundaries of said mining claim
	on the ground, and described in the attached copy
	received by me from the Surveyor General with
	ners of said survey have been established and per-
	e law, official regulations and instructions there-
	year that the foregoing are the true and original
	eport therein, and that the labor expended and
	claim by claimant or its grantors
	the character, extent, location and itemized value
	rticularity and full detail, and that no portion of
	d to this claim has been included in the estimate
of expenditures upon any other claim.	
or expenditures upon any other claim.	
**	
	OS Dellara
	John Desse U. S. Donnety Mineral Surveyor.
	John Jesse U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the	said John F. Cesse
Subscribed and sworn to by the U.S. Deputy Mineral Surveyo	said John F. Cesse
	said John F. Cesse
	said why F. Hesse or, before me Arsula DE Mund
U.S. Deputy Mineral Surveyo	said what I desse or before me Assula D'Mund
U.S. Deputy Mineral Surveyo	said what I desse or before me Assula D'Mund
U.S. Deputy Mineral Surveyo	said what I desse or before me Assula D'Mund
U.S. Deputy Mineral Surveyor Aday of Ceplember	said John F. Hesse or, before me Asula D'Aund this this Lund Aund Aund Audauf Public.

Motice of Mining Location

LODE CLAIM

	Co fill allom at may concern:
	This Mining Claim, the name of which is the Apache Leap
	Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and
	purchased by The Consolidated Holding & Trust Co., by H. R. Daggs, its
	Vice president and lawful agent and who is a citizen of the United (Locator must insert either "a citizen of the United States.")
	States, the undersigned, on the last day of June 1909
	The length of this claim is fifteen hundred feet,
	and I claim one thousand and sixty eight . feet,
	in a northerly direction and four hundred
	and thirty two feet in a southerly direction from
	the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
	with 'three hundred feet in width of the surface grounds, on each
	side of the center of said claim. The general course of the lode deposit and premises is from the north to the south
	The claim is situated and located in the Pioneer Mining District, in
	Pinal County, in the Territory of Arizona, about four miles
	in an easterly direction from Picket Post Butte, the most prom-
	inent natural object in this horizon. It is also about 1-1/4 miles
	southoof the mouth of Queen Creek canon and adjoins the Panic claim
	on the east.
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at
	a 4x4 post in a stone monument
	at a point in a northerly direction 1068.0 feet from
	the discovery shaft (at which this notice is posted), being in the center of the north
	end line of said claim; thence N. 80° 54 E. 300.0 feet to a 4x4 post in a
	stone monument , being the northeast corner of said claim; thence
	S. 36° 00 E. 1476.3 feet to a 4x4 post in stone monument, being at the southeast corner of said claim; thence S. 80° 54 W. 248.5 feet
	to a 4x4 post in stone monumentat the center of the south end of said claim;
K	thence S. 80° 54' W. 300.0 feet to a 4x4 post in stone mon, being at the
	southwest corner of said claim; thence N. 37° 45' W. 1500.0
	feet to a4x4 post in stone mon, at the northwest corner of said claim;
	thence N. 80° 54 E. 300.0 feet to the place of beginning.
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
	This is an Amended Location Notice of the Apache Leap
	Mining Claim, located by J. H. Brown and C. Peterson
	on the 25th day of
	June 19 08, and recorded in Book 26 of Records of Mines, at
	page 354, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
h -	Dated and posted on the ground this 1st day of June 19 09
s ic	further certificate if location made without waiver of any pre- The Consolidated Holding & Trust Co., ous rights, but to correct any er- by V. P. Lagger
Y	its Vice president and lawful agent.
	NOS.—AMENDED NOTICE OF LOCATION OF LODE CLAIM—The H. H. McNeil Company's Red-Line Blanks Phoenix Arizona. 1-09-2m



NOFXED

center end monument, giving its dis-tance and direction from center of Discovery Shaft; thence bound the claim in either direction. In descrip-tion be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim. This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the order. Commence description of claim at a

By

NOTICE OF LOCATION.

Notice is hereby given that the PANIC Mining Chaim was located by C. Peterson, on this 14th day of January, 1908, for mining purposes. Said claim is 1500 feet in length along this vein or deposit of mineral bearing rock in place, and 300 feet width on each side of the center of said vein or deposit, from end to end of said claim.

The general course of this claim is northerly and southerly and it is situated in the Pioneer Mining District, Pinal County, Arizona, about 4 miles east of the Picket Post Mountain and about 2 miles southerly from the town of Superior and is an abandoned mine known as the Big Sam.

This claim runs from the discovery monument, or stake, on which this notice is posted 550 feet in a southerly direction to the south center end monument, or stake, and 950 feet in a northerly direction from the aforesaid location monument, or stake, to the north center end monument or stake, and is also marked by two corner monuments, or stakes, at each end of said claim, one on each side of and 300 feet from the center end monuments, or stakes, making the claim in the form of a parallelogram.

C. Peterson Locator.

Territory of Arizona

Pinal County. ss
I, C. Peterson, hereby certify that I am a locator of the aforesaid mining claim and that the location work was performed thereon within ninety days from the date of location, to the full amount and in the maner required by law.

Witness my hand and seal this 25 day of March, 1908.

C. Peterson (SEAL)
Filed and recorded at request of J. H. Brown , March 28th 1908, at 9 A. M.

Recorder. G. F. Watson.

By Deputy N. N. Wells.

Records of Mines. Book No. 26 at pages 221 and 222.

Territory of Arizona

County of Pinal. ss

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing " Notice of Location " of the Panic Mining claim, is a full, true and correct copy of the original, as the same appears on record in this office in Book No. 26 of Mines, at pages 221 and 222. Witness my hand and seal of office this the 9th day of June, A. D. 1910

County Recorder. Wallation

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,				
	October 13, 1910 , 190). <u></u> .			
I, U. S. Surveyor-General for	Arizona,				
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of					
	APACHE LEAP and PANIC,				
situate in	PIONEER				
Mining District, Pina	County, Arizona,	74			
in Sections 1 and 2, Township	p No. 2 S. , Range No. 2 E. Unapproved Su	r. and			
	, has been correctly copied from the originals on file				
this office; that said Field Notes fur	rnish such an accurate description of said mining claim as wil	l, if			
incorporated into a patent, serve fully	y to identify the premises, and that such reference is made the	rein			
to natural objects or permanent monu	uments as will perpetuate and fix the <i>locus</i> thereof.				
•	And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claim by claimant or its grantors, and that said improvements				
consist of 6 cuts, 2 tunnel	ls, 2 shafts & 3 raises, total value \$3	3420.00			
Tunnel No. 4 on the Par	nic lode being a common improvement for	.			
the benefit and develop	pment of both of the claims in this sur	rvey,			
an undivided one-half i	interest therein, value \$600, is proper	ly			
	e said lodes.				
	improvements has been included in the estimate of expenditu	ıres			
upon any other claim.					
	ereof, filed in the U.S. Land Office at Phoenix, Arizon	ia.			
is con	rrect and in conformity with the foregoing Field Notes.				
	Frank S. Ingalis.				
	rulau a Arizona				

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

	Office of U. S. Surveyor-General,	
	Phoenix, Arizona,	
	October 13, 1910., 190	
I, U. S. Surveyor-Gen	eral for Arizona,	
do hereby certify that the	foregoing and hereto attached Field Notes and Return of the Survey of the	
	Consolidated Holding & Trust Co.	
	, known as the	
	APACHE LEAP and PANIC	
situate in	PIONEER Mining District,	
Pinal	County,Arizona,	
in Section S 1 and 2,	Township No. 2 S, Range No. 12 E, Unapproved	
Survey, desig	nated as Survey No. 2836.	
executed by	John F. Hesse, U.S. Deputy Mineral	
Surveyor,	August 8, 1910, xxxxx, under my instructions dated	
August	6, 1910., 190., have been critically examined and the necessary cor-	
rections and explanations	made, and the said Field Notes and Return, and the Survey they describe,	
are hereby approved. A	true copy of the copy of the location certificate filed by the applicant for	
survey is included in the f	Trans I digale	
	U.S. Surneyor-General for Arizona.	

7360b5m3-03