

12-9-10.
F.L.

4-683.

SER. 30. 1910

MINERAL SURVEY No. 2840

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

CROWN POINT COPPER COMPANY.

KNOWN AS THE

CROWN POINT NO.1, CROWN POINT NO.5, CROWN POINT NO.6
CROWN POINT NO.8, CROWN POINT NO.4, CROWN POINT NO.2, CROWN POINT NO.7

GLOBE Mining District,

GILA County, ARIZONA, approximately in

Section s 25 and 36, Township 1 N., Range 13 E., Uns.

Surveyed under instructions dated August 8, 1910

by Edwin P. Stewart
U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced September 19, 1910

Survey completed September 23, 1910.

6-822

Address of claimants attorney:

Geo. R. Hill,
Globe, Arizona

Feet.	Mineral Survey No.2840.
	Crown Point No.1 Lode.
	Beginning at Cor. No.1, identical with the S.E.Cor. of the location.
	On line 3-4, Pinto Lode, Sur ^{No.} 2690, N.65°23'W. 193.8 ft. from Cor.No.4.
	A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-C.P.No.1-2840, whence
	The standard corner of Sections 31 and 36, T.1 N., Rs. 13 and 14 E., G. & S.R.B. & M., bears S.30° 03' 20" E. 4389.6 ft.
	An oak tree 1.5 ft. in diameter, blazed and scribed cross B.T.-2840, bears S.80°33'E. 65.2 ft.
	Thence N.65° 23' W.
	Along line 4-3, Pinto Lode, Sur ^{No.} 2690.
300.00	To S.E.C., identical with monument of the location.
	A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.C.- C.P.No.1-2840.
600.00	To Cor. No.2, identical with S.W.Cor. of the location and Cor. No.1 of Crown Point No.5 Lode, this survey.
	On line 3-4, Pinto Lode, Sur ^{No.} 2690.
	A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-C.P.No.1-2840, for this claim.
	Thence N.24° 37' E.
	Along line 1-4, Crown Point No.5 Lode, this survey.
420.00	Cross wagon road, course east.
1465.00	Cross the water course of Pinto Creek, course north.
1499.00	To Cor. No.3, identical with N.W.Cor. of the location, Cor.No.4, Crown Point No.5 Lode, Cor. No.1, Crown

Point No.7 Lode, and Cor. No.2, Crown Point No.2 Lode, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 24 ins. in the ground, scribed 3 - C.P.No.1-2840, for this claim, whence

An oak tree 1.1 ft. in diameter, blazed and scribed cross B.T.-2840 on the northwest side, bears $S.51^{\circ}02'$ E. 88.35 ft.

Thence $S.65^{\circ}23'$ E.

Along line 2-1, Crown Point No.2 Lode, this survey.

300.00 To N.E.C., identical with monument of the location and S.E.C., Crown Point No.2 Lode, this survey.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.C. - C.P.No.1-2840 for this claim.

600.00 To Cor. No.4, identical with N.E.Cor. of the location, Cor. No.1, Crown Point No.2 Lode and Cor. No.2, Crown Point No.4 Lode, both of this survey.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-C.P.No.1-2840 for this claim.

Thence $S.24^{\circ}37'$ W.

298.68 Intersect line 2-3, Alto Lode, Sur.No.2676, $N.33^{\circ}48'E$. 584.74 ft. from Cor. No.2 and $S.33^{\circ}48'$ W. 5.0 ft. from Cor. No.3.

891.01 Intersect line 2-1 and 3-4 of Alto and Red Wing Lodes, Sur.No.2676, $S.56^{\circ}12'E$. 94.53 ft. from Cors.^{No.2} and 3 respectively, from which Corner, Cor. No.2 of said Red Wing Lode, bears $S.33^{\circ}48'$ W. 599.8 ft.

- 991.00 Cross the water course of Pinto Creek, course northwest.
 1140.00 Cross wagon road, course north.
 1498.60 Intersect line 1-2 Red Wing Lode, Sur. No. 2676, S. 56° 12' E.
 191.5 ft. from Cor. No. 2.
 1499.00 To Cor. No. 1, the place of beginning.

Crown Point No. 5 Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location and Cor. No. 2 Crown Point No. 1 Lode, this survey.

On line 3-4, Pinto Lode, Sur. No. 2690.

Corner previously described and to which I add 1-C.P. No. 5 for this claim.

The standard corner of Sections 31 and 36, T. 1 N., R. 13 and 14 E., G. & S. R. B. & M., bears S. 34° 07' 20" E.

4891.3 ft.

Thence N. 65° 23' W.

Along line 4-3, Pinto Lode, Sur. No. 2690.

- 300.00 To S.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.C.-C.P. No. 5-2840.

- 600.00 To Cor. No. 2, identical with S.W. Cor. of the location.

At the intersection of line 4-1, Crown Point No. 6 Lode, this survey, with line 3-4, Pinto Lode, Sur. No. 2690.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-C.P. No. 5-2840.

Thence N. 24° 37' E.

Along line 1-4 Crown Point No. 6 Lode, this survey.

- 235.00 Cross wagon road, course southeast.

- 1198.50 To Cor. No. 4 of said Crown Point No. 6 Lode.

- 1499.00 To Cor. No. 3, identical with N.W. Cor. of the location and Cor. No. 2, Crown Point No. 7 Lode, this survey.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stones, scribed 3-C.P.No.5-2840 for this claim.

Thence S.65° 23' E.

Along line 2-1, Crown Point No.7 Lode, this survey.

300.00 To N.E.C., identical with monument of the location and S.E.C. of said Crown Point No.7 Lode.

580.00 Cross the water course of Pinto Creek, course north.

600.00 To Cor. No.4, identical with N.E.Cor. of the location, Cor. No.1, Crown Point No.7 Lode, Corn No.2, Crown Point No.2 Lode, and Cor. No.3, Crown Point No.1 Lode, all of this survey.

Corner previously described, and to which I add 4-C.P. No.5 for this claim.

Thence S.24° 37' W.

Along line 3-2, Crown Point No.1 Lode, this survey.

1499.00 To Cor. No.1, the place of beginning.

Crown Point No.6 Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-C.P.No.6 - 2840, whence The standard corner of Sections 31 and 36, T.1 N.,Rs. 13 and 14 E., G. & S.R.B. & M., bears S.40°18'00" E. 5278.8 ft.

Thence N.65°23'W.

85.80 Intersect line 2-3, Pinto Lode, Sur.^{No}2690, at the W.E.C. and S.24° 37' W. 300.5 ft. from Cor.No.3.

300.00 To S.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact point, set 3 ins. in the ground,

- on bed rock, with mound of stone, scribed S.E.C.-C.P. No.6 - 2840.
- 600.00 To Cor. No.2, identical with S.W.Cor. of the location and Cor. No.1, Crown Point No.8 Lode, this survey.
- A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-C.P.No.6-2840 for this claim.
- Thence N.24°37' E.
- Along line 1-4, Crown Point No.8 Lode, this survey.
- 1499.00 To Cor. No.3, identical with N.W.Cor. of the location and Cor. No.4 of said Crown Point No.8 Lode.
- A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-C.P.No.6-2840, for this claim.
- Thence S.65° 23' E.
- 300.00 To N.E.C., identical with monument of the location.
- 300.00 A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.C.-C.P.No.6-2840.
- 600.00 To Cor. No.4, identical with N.E.Cor. of the location.
- 300.00 On line 2-3, Crown Point No.5 Lode, this survey.
- A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 14 ins. in the ground, on bed rock, with mound of stones, scribed 4-C.P.No.6 - 2840.
- Thence S.24° 37' W.
- Along line 3-2, Crown Point No.5 Lode, this survey.
- 1198.50 To Cor. No.2 of said Crown Point No.5 Lode and intersect line 3-4, Pinto Lode, Sur. No.2690, S.65°23'E.85.8 ft. from Cor. No.3.
- 1499.00 To Cor. No.1, the place of beginning.

Crown Point No.8 Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location and Cor. No.2, Crown Point No.6 Lode, this survey.

Corner previously described, and to which I add 1 - C.P. No.8 for this claim.

The standard corner of Sections 31 and 36, T.1 N., Rs. 13 and 14 E., G. & S.R.B. & M., bears S.42°48'10"E. 5828.0 ft.

Thence N.65° 23' W.

300.00 To S.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.C.-C.P.No.8-2840.

600.00 To Cor. No.2, identical with S.W.Cor. of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 2-C.P.No.8-2840, whence

A dacite boulder 3 ft. x 3 ft. x 1.5 ft. out of the ground, chiseled cross B.R.-2840 bears N.25°15'E. 18.2 ft.

Thence N.24° 37' E.

1499.00 To Cor. No.3, identical with N.W.Cor. of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set on bed rock, with mound of stone, scribed 3-C.P.No.8-2840, whence

A cross on dacite in place about which is chiseled B.R.-2840 bears S.81° 43' W. 20.8 ft.

Thence S.65°23' E.

300:00 To N.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.C.-C.P.No.8-2840.

- 600.00 To Cor. No. 4, identical with N.E. Cor. of the location, and Cor. No. 3, Crown Point No. 6 Lode, this survey. Corner previously described and to which I add 4 - C.P. No. 8 for this claim.
- Thence S. 24° 37' W.
- Along line 3-2 Crown Point No. 6 Lode, this survey.
- 1499.00 To Cor. No. 1, the place of beginning.
- Crown Point No. 4 Lode.
- Beginning at Cor. No. 1, identical with S.E. Cor. of the location.
- A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-C.P. No. 4-2840, whence
- The standard corner of Sections 31 and 36, T. 1 N., R. 13 and 14 E., G. & S. R. B. & M., bears S. 11° 49' 40" E. 5018.8 ft.
- Thence N. 65° 23' W.
- 300.00 To S.E.C., identical with monument of the location.
- A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed S.E.C. - C.P. No. 4-2840.
- 600.00 To Cor. No. 2, identical with S.W. Cor. of the location, Cor. No. 4, Crown Point No. 1 Lode, and Cor. No. 1, Crown Point No. 2 Lode, both of this survey.
- Corner previously described, and to which I add 2-C.P. No. 4 for this claim.
- Thence N. 24° 37' E.
- Along line 1-4, Crown Point No. 2 Lode, this survey.
- 1499.00 To Cor. No. 3, identical with N.W. Cor. of the location and Cor. No. 4 of said Crown Point No. 2 Lode.
- A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 3-C.P. No. 4 - 2840 for this claim, whence
- A granite boulder 2 ft. x 4 ft. x 1 ft. out of the ground, chiseled cross B.R. - 2840, bears S. 65° 18' E.

65.6 ft.

Thence S.65° 23' E.

300.00 To N.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail driven at the exact point, set 10 ins. in the ground, on bed rock, with mound of stone, scribed N.E.C.-C.P. No.4 -2840.

600.00 To Cor. No.4, identical with N.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 14 ins. in the ground, on bed rock, with mound of stone, scribed 4-C.P.No.4-2840.

Thence S.24°37' W.

1499.00 To Cor. No.1, the place of beginning.

Crown Point No.2 Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location, Cor. No.2, Crown Point No.4 Lode and Cor. No.4, Crown Point No.1 Lode, both of this survey.

Corner previously described, and to which I add 1-C.P. No.2 for this claim.

The standrad corner of Sections 31 and 36, T.1 N., Rs. 13 and 14 E., G.& S.R.B.& M., bears S.16°57'30" E.

5396.8 ft.

Thence N.65°23' W.

Along line 4-3, Crown Point No.1 Lode, this survey.

300.00 To S.E.C., identical with monument of the location and

N.E.C., Crown Point No.1 Lode, this survey.

Corner previously described and to which I add S.E.C.-C.P.No.2 for this claim.

600.00 To Cor. No.2, identical with S.W.Cor. of the location,

Cor. No.3, Crown Point No.1 Lode, Cor. No.4, Crown Point No.5 Lode and Cor. No.1, Crown Point No.7 Lode, all of this survey.

Corner previously described, and to which I add 2-C.P.No.2 for this claim.

Thence N.24°37' E.

Along line 1-4, Crown Point No.7 Lode, this survey.

1499.00 To Cor. No.3, identical with N.W.Cor. of the location
and Cor. No.4 of said Crown Point No.7 Lode.

A redwood post, 4 ft. long, 4 ins.sq., with nail
driven at the exact corner, set 18 ins. in the ground,
with mound of stone, scribed 3-C.P.No.2.-2840 for
this claim.

Thence S.65°23'E.

300.00 To N.E.C., identical with monument of the location.

A redwood post, 4 ft. long, 4 ins.sq., with nail
driven at the exact point, set 18 ins. in the ground,
with mound of stone, scribed N.E.C.-C.P.No.2-2840 for
this claim.

600.00 To Cor. No.4, identical with N.E.Cor. of the location
and Cor. No.3, Crown Point No.4 Lode, this survey.
Corner previously described, and to which I add 4-C.P.
No.2 for this claim.

Thence S.24°37'W.

Along line 3-2, Crown Point No.4 Lode, this survey.

1499.00 To Cor. No.1, the place of beginning.

Crown Point No.7 Lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the
location, Cor. No.2 Crown Point No.2 Lode, Cor. No.3,
Crown Point No.1 lode, and Cor. No.4, Crown Point No.5
Lode, all of this survey.

Corner previously described, and to which I add 1-C.P.No.
7 for this claim.

The standard corner of Sections 31 and 36, T.1 N., Rs.
13 and 14 E., G. & S.R.B. & M., bears S.21°23'10" E.
5812.2 ft.

Thence N.65°23' W.

Along line 4-3, Crown Point No.5 Lode, this survey.

- 300.00 To S.E.C., identical with monument of the location and N.E.C., of said Crown Point No.5 Lode. Corner previously described, and to which I add S.E.C.-C.P.No.7 for this claim.
- 600.00 To Cor. No.2, identical with S.W.Cor. of the location and Cor. No.3 of said Crown Point No.5 Lode. Corner previously described and to which I add 2 - C.P. No.7 for this claim.
Thence N.24°37'E.
- 416.00 Cross water course of Pinto Creek, course northwest.
- 1499.00 To Cor. No.3, identical with N.W.Cor. of the location, A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-C.P.No.7-2840, whence A dacite boulder 3ft. x5ft. x5.5ft. out of the ground, chiseled cross B.R.-2840 on the east face, bears N:73° 34'E.37.5.ft.
Thence S.65°23'E.
- 300.00 To N.E.C., identical with monument of the location. A redwood post, 4 ft. long, 4 ins.sq., with nail driven at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.C.-C.P.No.7-2840.
- 600.00 To Cor. No.4, identical with N.E.Cor. of the location and Cor. No.3, Crown Point No.2 Lode, this survey. Corner previously described and, to which I add 4-C.P.No.7 for this claim.
Thence S.34°37' W.
- 1499.00 To Cor. No.1, the place of beginning.

.....
Magnetic variation at all corners 13°-20' E.
.....

Lode Lines.

As near as can be determined from present developments, the veins of the several locations embraced in this survey extend as follows from their respective discovery points:

Crown Point No.1, N.24°37' E.1320.9 and S.24° 37' W. 178.1 ft.

Crown Point No.5, N. 24° 37' E. 1074.0 and S.24° 37' W. 425.0 ft.

Crown Point No.6, N.24° 37' E. 1244.0 and S.24° 37' W. 255.0 ft.

Crown Point No.8, N.24° 37' E. 1406.0 and S.24° 37' W. 93.0 ft.

Crown Point No.4, N. 24° 37' E. 1340.2 and S. 24° 37' W. 158.8 ft.

Crown Point No.2, N.24° 37' E. 1372.0 and S.24° 37' W. 127.0 ft.

Crown Point No.7, N.24° 37' E. 1239.7 and S.24° 37' W. 259.3 ft.

oooooooooooooooooooooooooooooooooooo

Areas.

	Acres.	Acres.
Total Area Crown Point No.1 Lode,		20.647 ✓
Area in conflict with:		
Alto Lode, Sur.No2676,	0.634 ✓	
Red Wing Lode, Sur.No2676,	1.969 ✓	
Total Area Crown Point No.5 Lode,		20.647 ✓
Total Area Crown Point No.6 Lode,		20.647 ✓
Area in conflict with:		
Pinto Lode, Sur.No2690,	0.592 ✓	
Total Area Crown Point No.8 Lode,		20.647 ✓
Total Area Crown Point No.4 Lode,		20.647 ✓
Total Area Crown Point No.2 Lode,		20.647 ✓
Total Area Crown Point No.7 Lode,		20.647 ✓

oooooooooooooooooooooooooooooooooooo

Location.

This survey is located approximately in Sections 25 and 36, T.1 N., R. 13 E., G. & S.R.B. & M., unsurveyed, Globe Mining District, Gila County, Arizona, in the Crook National Forest.

oooooooooooooooooooooooooooo

Adjoining and Conflicting Claims.

On the north: the Crown Point No. 10 and Crown Point No. 11 Lodes, unsurveyed, owned by the claimant of this survey; the Henry lode, unsurveyed, owned by Henry Goos; the Riverside lode, unsurveyed, owned by M. Palmatier et al., and unknown claims.

On the east; the San Bernardino lode, unsurveyed, owned by M. Palmatier et al.; the Ajax lode, unsurveyed, owned by Carl Eder; the Binder lode, unsurveyed, owned by Charles Miller et al., and the Alto and Red Wing Lodes, Mineral Sur. No. 2676, owned by the Cactus Copper Co.

On the south: the Pinto lode, Mineral Sur. No. 2690, the Old Crow, Copper Peak and West Pinto lodes, unsurveyed, owned by The Pinto Copper Mining Company,

On the west: the Crown Point No. 9 lode, unsurveyed, owned by the claimant of this survey.

oooooooooooooooooooooooooooo

Discovery and Improvements.

Common Improvement.

No. 6 on the Crown Point No. 6 Lode, a shaft, 7 x 8 x 65 ft. deep, partially timbered, the southeast corner of which bears N. 16° 25' W. 339.4 ft. from the point on line 4-1, 300.5 ft. from Cor. No. 1. Value \$1400.00.

This shaft is being sunk to be used as a working shaft from which to develop and mine all of the claims embraced in this survey. At the present time it is down to a depth of 65 ft. and the scheme of the development proposed to be carried out by the claimant is to continue the sinking of this shaft to a greater depth and then

by drifts and crosscuts from said shaft, toward and under the several claims embraced in the group, to develop and mine each of such claims. The plan of developing and mining a group of claims through one system of work being the one generally adopted by the legitimate mining companies operating in this district, and in this instance a feasible one, consistent with good mining, the value of this shaft is, therefore, distributed equally to the seven claims embraced in this survey, one seventh of the value of which, amounting to \$200.00, being credited to each claim.

Crown Point No.1 Lode.

One seventh of the common improvement, ^{No.6 on the Crown Point No.6} Value \$200.00.

No.1, the discovery cut, 4 x 10 x 19 ft. which is intersected by the lode line, 178.1 ft. from the S.E.C. and which extends thence N.62° W. 5.0 ft. to the face and S.62° E. 14.0 ft. to the mouth. Value \$35.00.

No.2, cut, 6 x 6 x 12 ft. the mouth of which bears S.02° 20' W. 216.7 ft. from a point on line 2-3, 487.0 ft. from Cor. No.2 and which extends thence S.54° W. to face. Value \$25.00.

No.3, cut, 4 x 8 x 12 ft. the mouth of which bears S. 85° 40' E. 75.2 ft. from a point on line 2-3, 487.0 ft. from Cor. No.2 and which extends thence N.06° W. to face. Value \$35.00.

No.4, cut, 5 x 5 x 30 ft., the mouth of which bears S. 89° 30' E. 63.9 ft. from a point on line 2-3, 487.0 ft. from Cor. No.2 and which extends thence N.17° 10' W. to face. Value \$50.00.

No.5, cut, 4 x 5 x 20 ft. the mouth of which bears N. 74° 47' E. 47.0 ft. from a point on line 2-3, 487.0 ft. from Cor. No.2 and which extends thence N.04° W. to face. Value \$30.00.

No.6, 228.0 ft. of cut and tunnel, partially timbered, 4.5 x 7 ft. the portal of which bears S.14° 25' W. 463.1 ft. from Cor. No.3 and which extends thence S.85° 52' W. 207.0 ft. to face, and N.85° 52' E. 21.0 ft. to mouth. Value \$2800.00.

The surface of the ground from the portal of the above described tunnel rises in a westerly direction to the extent that if said tunnel was continued in its present general course it would cut the lodes of the Crown Point No.5, Crown Point No.6 and Crown Point No.8 claims at depth, and such tunnel being driven for the purpose of developing each of these claims and not so situate that it tends to develop any other claim of this group other than the three above mentioned claims and the Crown Point No.1 claim, the value thereof amounting to \$2800.00 is distributed equally to the said Crown Point No.1, Crown Point No.5, Crown Point No.6 and Crown Point No.8 lodes, \$700.00 being credited to each.

Value credited to this claim

\$700.00

Crown Point No.5 Lode.

One seventh of the value of the common improvement No.6 on the Crown Point No.6 Value \$200.00.

One quarter of the value of improvement No.6 on the Crown Point No.1 Lode, Value \$700.00.

No.1, the discovery cut, 4 x 10 x 14 ft. the face of which is on the lode line, 425.0 ft. from the S.E.C. and which extends thence S.09° W. to mouth. Value \$35.00.

No.2, 53.7 ft. of cut and tunnel, 3 x 6 ft. the mouth of which bears N.55° 46' E. 518.2 ft. from Cor. No.2 and which extends thence N.53° 10' E. 21.6 ft.; thence N. 06° W. 11.4 ft.; thence N. 24° 50' W. 20.7 ft. to face. Value \$300.00.

No.3, 37.0 ft. of cut and tunnel, 4 x 6 ft. the mouth of which is on line 4-1, 507.0 ft. from Cor. No.1 and which extends thence N. 39° W. to face. Value \$160.00.

No.4, 192.0 ft. of cut and tunnel, 3.5 x 6 ft. the mouth of which bears S.26° 48' W. 564.6 ft. from Cor. No.4 and which extends thence N.75° 50' W. 133.0 ft.; thence N.73° W. 40.0 ft. to face. And, commencing at the end of the first course a lateral extends N.57° 05' E. 19.0 ft. to face. Value \$1900.00.

No.5, cut, 3 x 5 x 32 ft. the mouth of which bears N.80° 50' W. 184.4 ft. from Cor. No.4 and which extends thence N.80° 50' W. to face. Value \$40.00.

No.6, cut, 5 x 6 x 15 ft. the mouth of which bears N.76° 47' W. 179.5 ft. from Cor. No.4 and which extends thence N.86° W. to face. Value \$25.00.

Crown Point No.6 Lode.

~~One seventh of the value of the common improvement.
Value \$200.00.~~

One quarter of the value of improvement No.6 on the Crown Point No. 1 Lode, Value \$700.00.

No.1, the discovery, shaft, 4 x 6 x 10 ft. the center of which is on the lode line, 255.0 ft. from the S.E.C. Value \$35.00.

No.2, cut, 5 x 11 x 12 ft. the mouth of which bears N.18° 54' W. 547.3 ft. from a point on line 4-1, 300.5 ft. from Cor. No.1 and which extends thence N.05° E. to face. Value \$35.00.

No.3, cut, 4 x 5 x 30 ft. the mouth of which bears N.16° 05' W. 549.5 ft. from a point on line 4-1, 300.5 ft. from Cor. No.1 and which extends thence N.21° 40' E. to face. Value \$45.00.

No.4, cut, 3 x 5 x 12 ft. the mouth of which bears N.14° 47' W. 524.2 ft. from a point on line 4-1, 300.5 ft. from Cor. No.1 and which extends thence N.49° E. to face. Value \$20.00.

No.5, 58.0 ft. of tunnel, 4.5 x 6 ft. the portal of

which bears N.15° 28' W. 345.6 ft. from a point on line 4-1, 300.5 ft. from Cor. No.1 and which extends thence N.14° 02' E. to face. Value \$600.00.

No.6, shaft, described under common improvements, only one seventh of the value of which is distributed to this claim. value ~~value~~ \$200

No.7, cut, 4 x 4 x 6 ft. the mouth of which bears N.11° 55' E. 383.3 ft. from a point on line 4-1, 300.5 ft. from Cor. No.1, and which extends thence North to face. Value \$7.00.

~~No.8~~, 35.0 ft. of cut and tunnel, 4 x 6 ft. the mouth of which bears N.20° 23' W. 144.0 ft. from the S.E.C. and which extends thence S.24° E. to face. The value of this improvement is not credited to this claim for the reason that the improvement was not made by the claimant or its grantors.

Crown Point No.8 Lode.

One seventh of the value of the common improvement, *No.6 on the Crown Point No.6 Lode*
Value \$200.00.

One quarter of the value of improvement No.6 on the Crown Point No.1 Lode. Value \$700.00.

No.1, the discovery, cut, 4 x 10 x 13 ft. which is intersected by the lode line, 93.0 ft. from the S.E.C. and which extends thence N.06° W. 3.0 ft. to face and S. 06° E. 10.0 ft. to mouth. Value \$35.00.

Crown Point No.4 Lode.

One seventh of the value of the common improvement, *No.6 on the Crown Point No.6 Lode*
Value \$200.00.

One half of the value of improvement No.2 on the Crown Point No.2 Lode. Value \$80.00.

No.1, the discovery, cut, 4 x 10 x 12 ft. the face of which is on the lode line 158.8 ft. from the S.E.C. and which extends thence S.11° 30' E. to mouth. Value \$35.00.

At the present time the improvements upon or for the benefit of this claim are not sufficient to make the value of \$500.00. Prior to the expiration of the period of publication I will make supplemental report of other improvements to be made upon this claim.

Crown Point No.2 Lode.

One seventh of the value of the common improvement,
No.6 on the Crown Point No.6 lode
 Value \$200.00.

No.1, the discovery, shaft, 4 x 6 x 10 ft. the center of which is on the lode line, 127.0 ft. from the S.E.C. Value \$35.00.

No.2, 34.0 ft. of cut and tunnel, 4 x 6 ft. the mouth of which bears N.73° 20' E. 55.4 ft. from the S.E.C. and which extends thence N.84° E. to face. Value \$160.00.

The surface of the ground from the portal of the above described tunnel rises in an easterly direction to the extent that if said tunnel was continued in its present course it would pass through the side line of the Crown Point No.2 Lode and into the Crown Point No.4 Lode, and would, if continued, cut the lode of the said Crown Point No.4 Lode, at depth, and such tunnel being driven for the purpose of developing each of these two claims and is so located that it does tend to actually develop said claims, and not so situated that it would develop any other claim of this group, the value thereof, \$160.00, is distributed between the two claims, \$80.00 being credited to each.

No.3, shaft, 8 x 3 x 11 ft. the center of the west side of which bears S.88° 48' E. 55.4 ft. from the S.E.C. Value \$20.00.

No.4, 142.0 ft. of cut and tunnel, 3.5 x 5.5 ft. the mouth of which bears N.26° 09' E. 667.4 ft. from Cor. No.2 and which extends thence N.03° 55' W. 125.0 ft. to face. And, commencing 38.0 ft. from the mouth of which

a lateral extends N.44° E. 17.0 ft. to face. Value \$1000.00

This tunnel commences near the westerly side line of the Crown Point No.2 claim and extends through said side line into the Crown Point No.7 claim and the course of said tunnel being such that when continued on from either face it will not be directed toward or tend to develop any other claim in this group, the value thereof, \$1000.00, is, therefore, distributed equally between said Crown Point No. 2 and Crown Point No.7 Lodes, \$500.00, being credited to each.

Crown Point No.7 Lode.

One seventh of the value of the common improvement. *No.6 on the Crown Point No.6 lode*
Value \$200.00.

One half of the value of improvement No.4 on Crown Point No.2 Lode. Value \$500.00.

No.1, the discovery, cut, 4 x 10 x 12 ft. the face of which is on the lode line, 259.3 ft. from the S.E.C. and which extends thence N.45° E. to mouth. Value \$35.00.

No.2, cut, 6 x 10 x 10 ft. the mouth of which bears S. 57° 03' E. 126.1 ft. from a point on line 2-3, 224.3 ft. from Cor. No.2 and which extends thence S.20° E. to face. Value \$30.00.

No.3, cut, 6 x 11 x 12 ft. the mouth of which bears N.15° 21' E. 628.4 ft. from Cor. No.1 and which extends thence N.17° E. to face. Value \$ 30.00.

oooooooooooooooooooooooooooooooooooo

Other improvements.

A frame tool house, 12 ft. square, course of sides N. 88° 30' W., which bears S.10° 24' W. 449.9 ft. from Cor. No.3. *Crown Point No.1, lode*

oooooooooooooooooooooooooooooooooooo

Instrument.

This survey was made with a 6 1/4 inch Berger Engineer's

transit. The courses were deflected from the true meridian as determined by direct Polaris observation. The distances were measured with a 650 ft. steel tape.

oooooooooooooooooooooooooooo

Report.

The side and end lines of the several claims in this survey and all tie lines were run directly upon the ground.

The standard corner of Sections 31 and 36, T.1 N., Rs. 13 and 14 E., G. & S.R.B. & M., to which tie is given, is a schist boulder .5 x .9 x 1.5 ft. out of the ground, marked with six notches on each face, and 14 E. on the east face, as nearly as can be discerned.

Survey^{No} 2676, Alto and Red Wing lodes:

The corners of these claims are pine posts properly set and scribed. The disagreement between these notes and lines 2-3 of each of these claims is nominal. I find the courses of lines 1-2-3-4, Red Wing lode, and lines 1-2-3, Alto lode, correct as approved. The disagreement between the tie to the standard corner of Sections 31 and 36, T.1 N., Rs. 13 and 14 E., G. & S.R.B. & M., from Cor. No. 1 of said Alto and Red Wing lodes as reported in the returns of Sur. No. 2676, and as calculated through the lines of this survey, is nominal.

Survey^{No} 2690, Pinto lode:

The corners of this claim are pine posts properly set and scribed. The disagreement between these notes and line 3-4 of said Pinto lode is nominal. The disagreement between these notes and the bearing of line 2-3 of said Pinto lode is nominal. The disagreement between the tie to the standard corner of Sections 31 and 36, T.1 N., Rs. 13 and 14 E., G. & S.R.B. & M., from Cor. No. 1 of said Pinto lode as reported in the returns

of Sur. No. 2690 and as calculated through the lines of this survey is nominal.

The disagreement between these notes and the several certificates of location of the claims embraced in this survey is due to errors in said certificates.

Edwin P. Stewart

U.S. Mineral Surveyor.

Globe, Arizona, September 27th., 1910.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

CROWN POINT COPPER COMPANY

known as the Crown Point No. 1, Crown Point No. 5, Crown Point No. 6
Crown Point No. 8, Crown Point No. 4, Crown Point No. 2, Crown Point No. 7
and showing the respective capacities in which they acted.

Percy Bell, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~ I. Percy Bell

~~and~~ _____, do solemnly swear that ~~we~~ ^I assisted

Edwin T. Stewart, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of the Crown Point Copper Company

Crown Point No. 1, Crown Point No. 5, Crown Point No. 6,
known as the Crown Point No. 8, Crown Point No. 4, Crown Point No. 2
Crown Point No. 7

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and *under his* direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA

Percy Bell, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 27th

day of September, 1910-190

L. M. Prochner

Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated August 8, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of CROWN POINT COPPER COMPANY

known as the CROWN POINT NO. 1, CROWN POINT NO. 5, CROWN POINT NO. 6, CROWN POINT NO. 8, CROWN POINT NO. 4, CROWN POINT NO. 2 and CROWN POINT NO. 7 situate in Globe Mining District, Gila County, Arizona, approx., in Section s 25 and 36, Township No. 1 N., Range No. 13 E., G. & S. R. E. & M., uns. and designated as Survey No. 2840, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. ~~Deputy~~ Mineral Surveyor, before me L. M. Brookner, a Notary Public this 27th day of September, 1910,

L. M. Brookner
NOTARY PUBLIC.

My Com. Ex. Dec. 12, 1912.

AMENDED LOCATION NOTICE.

AUG. 6- 1910

KNOW ALL MEN BY THESE PRESENTS:

That the CROWN POINT COPPER COMPANY, a corporation, has this 18th day of April, 1910, amended, located and claimed, and by these presents does amend, locate and claim, by right of discovery and amended location, in compliance with the laws of the United States and of the Territory of Arizona and with local customs, laws and regulations, 1500 feet, horizontal measurement, on the Crown Point No. 1 lode or deposit, with 300 feet on each side of the said vein at the surface, so far as the same can be determined from present development, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim. This claim is situate on Pinto Creek in Globe Mining District, in Gila County, Arizona Territory, and is particularly described as follows,-

Beginning at a post on the south end line 176.5 feet, S. 24° 37' W. from the center of discovery shaft where this notice is posted; thence S. 65° 23' E. 300 feet to a post at the south-east corner of said claim; thence N. 24° 37' E. 1500 feet to a post at the north east corner of said claim coincident with the south west corner of Crown Point No. 12 claim; thence N. 65° 23' W. 300 feet to a post at the north end center of said claim; thence same course 300 feet to a post at the north west corner of said claim; thence S 24° 37' W. 1500 feet to a post at the S. W. Corner of said claim; thence S. 65° 23' E. 300 feet to the point of beginning.

The south end line of this claim is coincident with the north side line of the Pinto Sur. 2690, and the Crown Point Camp is about 600 feet north east of the point of discovery.

The west side line of this claim is coincident with the east side line of the Crown Point No. 5.

Corner No. 4 Pinto Sur. 2690 bears S. 65° 23' E. 193.8 feet from the south east corner of this claim. This is an amended location of the Crown Point No. 1, the certificate of location whereof is recorded in the office of the County Recorder of Gila County, Territory of Arizona at Book 14 Records of Mines page 72. The general course of this claim lode is from the south west to the North east so far as the same is disclosed by development. The

name of this claim is CROWN POINT NO. I, and the company claims 176.5 feet south west and 1323.5 feet north east from the center of this discovery shaft, along the said lode.

This further and amended certificate of location is made without waiver to any previously acquired rights for the purpose of relocating and adjusting the boundaries of said claim and correcting errors in the ^{description} ~~discovery~~ thereof, and to secure any abandoned or any overlapping claims, and to secure all the benefits of Paragraph No. 3238 of the Revised Statutes of the Territory of Arizona.

Dated this 18th day of April, 1910.

CROWN POINT COPPER COMPANY

By

George R. Hill
Its Attorney in Fact.

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS:

That the CROWN POINT COPPER COMPANY, a corporation, has this 18th day of April, 1910, amended, located and claimed, and by these presents does amend, locate and claim, by right of discovery and amended location, in compliance with the laws of the United States and of the Territory of Arizona and with local customs, laws and regulations, 1500 feet, horizontal measurement, on the Crown Point No. 5 lode or deposit, with 300 feet on each side of the said vein at the surface, so far as the same can be determined from present development, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim. This claim is situate on Pinto Creek in Globe Mining District, in Gila County, Arizona Territory, and is particularly described as follows:-

Beginning at a post on the south end line 419.2 feet, S. 24° 37' W. from the center of discovery shaft where this notice is posted; thence S. 65° 23' E. 300 feet to a post at the south east corner of said claim; thence N. 24° 37' E. 1500 feet to a post at the north east corner of said claim; thence N. 65° 23' W. 300 feet to a post at the north end center of said claim; thence same course 300 feet to a post at the north west corner of said claim; thence S. 24° 37' W. 1500 feet to a post at the S. W. corner of said claim; thence S. 65° 23' E. 300 feet to the point of beginning.

The north west corner of Pinto Sur. 2690 is about 600 feet south west of the discovery cut on this claim. The south end line is coincident with the north side line of the Pinto Sur. 2690. This is an amended location of the Crown Point No. 5, the certificate of location whereof is recorded in the office of the County Recorder of Gila County, Territory of Arizona at Book 14, Records of Mines page 626. The general course of this lode is from the south west to the North east so far as the same is disclosed by development. the name of this claim is Crown Point No. 5 and the company claims 419.2 feet south west and 1080.8 feet north east from the center

of this discovery shaft, along the said lode.

This further and amended certificate of location is made without waiver to any previously acquired rights for the purpose of relocating and adjusting the boundaries of said claim and correcting errors in the description thereof, and to secure any abandoned or any overlapping claims, and to secure all the benefits of Paragraph No. 3238 of the Revised Statutes of the Territory of Arizona.

Dated this 18th day of April, 1910.

CROWN POINT COPPER COMPANY

By George R. Hill
Its Attorney in fact .

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS:

That the CROWN POINT COPPER COMPANY, a corporation, has this 18th day of April, 1910. amended. located and claimed, and by these presents does amend, locate and claim, by right of discovery and amended location, in compliance with the laws of the United States and of the Territory of Arizona and with local customs, laws and regulations, 1500 feet, horizontal measurement, on the Crown Point No. 6 lode or deposit, with 300 feet on each side of the said vein at the surface, so far as the same can be determined from present development, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim. This claim is situate on Pinto Creek in Globe Mining District, in Gila County, Arizona Territory, and is particularly described as follows:-

Beginning at a post on the south end line 250.8 feet, S. 24° 37' W. from the center of discovery shaft where this notice is posted; thence S. 65° 23' E. 300 feet to a post at the south east corner of said claim; thence N. 24° 37' E. 1500 feet to a post at the north east corner of said claim, thence N. 65° 23' W. 300 feet to a post at the north end center of said claim; thence same course 300 feet to a post at the north west corner of said claim; thence S. 24° 37' W. 1500 feet to a post at the S. W. corner of said claim; thence S. 65° 23' E. 300 feet to the point of beginning.

The Crown Point Camp is about 1600 feet east of the discovery cut, at which place this notice is posted.

The south end line is coincident with the north end line of Copper Peak, uns. North west corner Pinto Sur. 2690 is about 205 feet east of discovery cut. East side line of ^{Crown} ~~Happy~~ Point No. ^{Crown} ~~Happy~~ Point No. 5. This is ^{is} ~~is~~ coincident with west side line of ~~Happy~~ Point No. 5. This is an amended location of the Crown Point No. 6, the certificate whereof is recorded in the office of the County Recorder of Gila County, Territory of Arizona at Book 14 page 627. The general course of

this lode is from the south west to the north east so far as the same is disclosed by development. The name of this claim is CROWN POINT NO. 6, and the company claims 250.8 feet wouth west and 1249.2 feet north east from the center of this discovery shaft, along the said lode.

This further and amended certificate of location is made without waiver to any pfeviously acquired rights for the purpose of relocating and adjusting the ~~xxx~~ boundaries of said claim and correcting errors in the description thereof, and to ~~xxxx~~ secure any abandoned or any overlappinh claims, and to secure all the benefits of Paraghaph No 3238 of the Revised Statutes of the Territory of Arizona.

Dated this 18th day of April, 1910.

CROWN POINT COPPER COMPANY

By

Gordon R. Hill
Its Attorney in Fact.

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS:

That the CROWN POINT COPPER COMPANY, a corporation, has this 18th day of April, 1910, amended, located and claimed, and by these presents does amend, locate and claim, by right of discovery and amended location, in compliance with the laws of the United States and of the Territory of Arizona and with local customs, laws and regulations, 1500 feet, horizontal measurement, on the Crown Point No. 8 lode or deposit, with 300 feet on each side of the said vein at the surface, so far as the same can be determined from present development, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim. This claim is situate on Pinto Creek in Globe Mining District, in Gila County, Arizona Territory, and is particularly described as follows:-

Beginning at a post on the south end line 95.9 feet, S. 24° 37' W. from the center of discovery shaft where this notice is posted; thence S. 65° 23' E. 300 feet to a post at the south east corner of said claim; thence N. 24° 37' E. 1500 feet to a post at the north east corner of said claim; thence N. 65° 23' W. 300 feet to a post at the north end center of said claim; thence same course 300 feet to a post at the north west ~~corner of~~ ^{corner of} said claim; thence S. 24° 37' W. 1500 feet to a post at the S. W. corner of said claim; thence S. 65° 23' E. 300 feet to the point of beginning.

The discovery cut is about 850 feet west of the north west corner of Pinto Sur. 2690. East side line coincident with west side line of Crown Point No. 6. North end line is coincident with south end line Crown Point No. 10. This is an amended location of the Crown Point No. 8, the certificate of location whereof is recorded in the office of the County Recorder of Gila County, Territory of Arizona at Book 14 Records of Mines, page 629, The general course of this lode is from the south west to the north east so far as the same is disclosed by development. The name of this claim is CROWN POINT NO 8, and the company claims 95.9 feet

south west and 1404.1 feet north east from the center of this discovery shaft, along the said lode.

This further and amended certificate of location is made without waiver to any previously acquired rights for the purpose of relocating and adjusting the boundaries of said claim and correcting errors in the description thereof, and to secure any abandoned or any overlapping claims, and to secure all the benefits of Paragraph No. 3238 of the Revised Statutes of the Territory of Arizona.

Dated this 18th day of April, 1910.

CROWN POINT COPPER COMPANY.

By

George K. Hiea
Its Attorney in Fact.

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS:

That the CROWN POINT COPPER COMPANY, a corporation, has this 18th day of April, 1910, amended, located and claimed, and by these presents does amend, locate and claim, by right of discovery and amended location, in compliance with the laws of the United States and of the Territory of Arizona and with local customs, laws, and regulations, 1500 feet, horizontal measurement, on the Crown Point No. 4 lode or deposit, with 300 feet on each side of the said vein at the surface, so far as the same can be determined from present development, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim. This claim is situate on Pinto Creek in Globe Mining District, in Gila County, Arizona Territory, and is particularly described as follows:-

Beginning at a post on the south end line 158.8 feet, S. 24° 37' W. from the center of discovery shaft where this notice is posted; thence S. 65° 23' E. 300 feet to a post at the south-east corner of said claim; thence N. 24° 37' E. 1500 feet to a post at the north east corner of said claim; thence N. 65° 23' W. 300 feet to a post at the north end center of said claim; thence same course 300 feet to a post at the north west corner of said claim; thence S. 24° 37' W. 1500 feet to a post at the S. W. Corner of said claim; thence S. 65° 23' E. 300 feet to the point of beginning.

The west side line of this claim is coincident with the east side line of the Crown Point No. 2, and the Crown Point Camp is about 900 feet south west of discovery shaft where this notice is posted and Pinto Sur. 2690 is 1500 feet S. 24° 37' W. from the south west corner of this claim. This is an amended location of the Crown Point No. 2. the certificate of location whereof is recorded in the office of the County Recorder of Gila County, Territory of Arizona at Book 17 page 13, also Crown Point No. 4 recorded in said County Recorder's office at Book 14 page 625, which locations are hereby merged and combined. The general course

of this lode is from the south west to the North east so far as the same is disclosed by development. The name of this claim is CROWN POINT NO 4 and the company claims ^{feet South west and 1341.2 feet} 158.8 feet north east from the center of this discovery shaft, along the said lode.

This further and amended certificate of location is made without waiver to any previously acquired rights for the purpose of relocating and adjusting the boundaries of said claim and correcting errors in the description thereof, and to secure any abandoned or any overlapping claims, and to secure all the benefits of Paragraph No. 3238 of the Revised Statutes of the Territory of Arizona.

Dated this 18th day of April, 1910.

CROWN POINT COPPER COMPANY

By

George R. Hill
Its Attorney in Fact.

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS:

That the CROWN POINT COPPER COMPANY, a corporation, has this 18th day of April, 1910, amended, located and claimed, and by these presents does amend, locate and claim, by right of discovery and amended location, in compliance with the laws of the United States and of the Territory of Arizona and with local customs, laws and regulations, 1500 feet, horizontal measurement, on the Crown Point No. 2 lode or deposit, with 300 feet on each side of the said vein at the surface, so far as the same can be determined from present development, and all veins, lodes, ledges or deposits and surface ground within the lines of said claims. This claim is situate on Pinto Creek in Globe Mining District, in Gila County, Arizona Territory, and is particularly described as follows,--

Beginning at a post on the south end line 128.0 feet, S. 24° 37' W. from the center of discovery shaft where this notice is posted; thence S. 65° 23' E. 300 feet to a post at the south-east corner of said claim; thence N. 24° 37' E. 1500 feet to a post at the north east corner of said claim; thence N. 65° 23' W. 300 feet to a post at the north end center of said claim; thence same course 300 feet to a post at the north west corner of said claim; thence S. 24° 37' W. 1500 feet to a post at the S. W. corner of said claim; thence S. 65° 23' E. 300 feet to the point of beginning.

The south end line of this claim is coincident with the north end line of the Crown Point No. 1, east side line ^{is} coincident with west side line of the Crown Point No. 2, west side line is coincident with the east side line of Crown Point No. 7, and the Crown Point Camp is about 800 feet south of the discovery point where this notice is posted. This is an amended location of the Crown Point No. 2, the certificate of location whereof is recorded in the office of the County Recorder of Gila County, Territory of Arizona at Book 14 Records of Mines page 623. The general course of this

lode is from the south west to the north east so far as the same is disclosed by development. The name of this claim is CROWN POINT NO. 2, and the company claims 128.0 feet south west and 1372 feet north east from the center of this discovery shaft, along the said lode.

This further and amended certificate of location is made without waiver to any perviously acquired rights for the purpose of relocating and adjusting the baundaries of said claim and correctng errors in the description thereof, and to secure any abandoned or any overlapping claims, and to secure all the benefits of Paragraph No. 3238 of the Revised Statutes of the Territory of Arizona.

Dated this 18th day of April, 1910.

CROWN POINT COPPER COMPANY

By George R. Hill
Its Attorney in Fact.

AMENDED LOCATION NOTICE.

KNOW ALL MEN BY THESE PRESENTS:

That the CROWN POINT COPPER COMPANY, a corporation, has this 18th day of April, 1910. amended, located and claimed, and by these presents does amend, locate and claim, by right of discovery and amended location, in compliance with the laws of the United States and of the Territory of Arizona and with local customs, laws and regulations, 1500 feet, horizontal measurement on the Crown Point No. 7 lode or deposit, with 300 feet on each side of the said vein at the surface, so far as the same can be determined from present development, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim; This claim is situate on Pinto Creek in Globe Mining District, in Gila County, Arizona Territory, and is particularly described as follows:-

,Beginning at a post on the south end line 265.9 feet, S. 24° 37' W. from the center of discovery shaft where this notice is posted; thence S. 65° 23' E. 300 feet to a post at the south east corner of said claim; thence N. 24° 37' E. 1500 feet to a post at the north east corner of said claim; thence N. 65° 23' W. 300 feet to a post at the north end center of said claim; thence same course 300 feet to a post at the north west corner of said claim; thence S. 24° 37' W. 1500 feet to a post at the S. W. corner of said claim; thence S. 65° 23' E. 300 feet to the point of beginning.

East side line is coincident with west side line of Crown Point No. 2, and south side line is coincident with north end line of Crown Point No. 5. The Crown Point Camp is about 1400 feet south easterly of discovery ~~shaft~~ cut. North west corner Pinto Sur. 2690 is 1500 about S. 26° W. from the south west corner of this claim. This is an amended location of the Crown Point No. 7, the certificate of location whereof is recorded in the office of the County Recorder of Gila County, Territory of Arizona at Book 14 Records of Mines page 628. The general course of this lode is from the south west to the north east so far as the same is dis-

closed by development. The name of this claim is CROWN POINT NO.7 and the company claims 265.9 feet south west and 1234.1 feet north east from the center of this discovery shaft, along the said lode.

This further and amended certificate of location is made without waiver to any previously acquired rights for the purpose of relocating and adjusting the boundaries of said claim and correcting errors in the description thereof, and to secure any abandoned or any overlapping claims, and to secure all the benefits of Paragraph No. 3238 of the Revised Statutes of the Territory of Arizona.

Dated this 18th day of April, 1910.

CROWN POINT COPPER COMPANY

By George R. Hill
Its Attorney in Fact.

Territory of Arizona,)
 : ss.
 County of Gila.)

I, E. T. Stewart, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing =14= pages contain and constitute full, true and correct copies of Amended Location Notices as the same appear of record in my office in the Book and Pages as follows, to-wit:

Crown Point No. 1	Book 16, Page 63
Crown Point No. 2	Book 16, Page 64
Crown Point No. 4	Book 16, Page 64
Crown Point No. 5	Book 16, Page 64
Crown Point No. 6	Book 16, Page 65
Crown Point No. 7	Book 16, Page 65
Crown Point No. 8	Book 16, Page 66; That I have

compared the same with the original record, and that same are true transcripts and of the whole thereof.

Given under my hand and seal of office this 4th day of August
 A.D, 1910.

E. T. Stewart County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE
ON FIELD NOTES.

+=====+

DEPARTMENT OF THE INTERIOR,
Office of U. S. Surveyor-General,

Phoenix, Ariz., December 22, 1910.

I, U. S. Surveyor-General for Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Crown Point Copper Company, known as the Crown Point No. 1, Crown Point No. 5, Crown Point No. 6, Crown Point No. 8, Crown Point No. 4, Crown Point No. 2, Crown Point No. 7, situate in Globe Mining District, Gila County, Arizona, approximately in Sections 25 & 36, Township No. 1 N., Range No. 13 E., and designated as Survey No. 2840, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that Five Hundred Dollars worth of labor has been expended, or improvements made, by the claimant or its grantors, upon or for each of the following claims: Crown Point No. 1, Crown Point No. 5, Crown Point No. 6, Crown Point No. 8, Crown Point No. 2, and Crown Point No. 7 Lodes, and that less than Five Hundred Dollars worth of labor has been expended or improvements made upon or for the Crown Point No. 4 Lode, and that said improvements consist of 4 shafts, 23 cuts, and 7 tunnels, total value, \$8,957. Shaft No. 6 on the

Crown Point No. 6 Lode being the main working shaft for the benefit and development of each of the claims of this group, an undivided 1-7 interest therein, value, \$200, is credited to each of the claims in this survey. Cut and Tunnel No. 6 on the Crown Point No. 1 Lode being a common improvement for the development of the Crown Point No. 1, Crown Point No. 5, Crown Point No. 6 and Crown Point No. 8 Lodes, and only said lodes, an undivided $\frac{1}{4}$ interest therein, value \$700, is credited to each of the said four claims. Cut and Tunnel No. 2 on the Crown Point No. 2 Lode being of benefit to the Crown Point No. 2 and Crown Point No. 4 Lodes, and being so situated that it does not develop any other claim of this group, an undivided $\frac{1}{2}$ interest therein, value \$80, is credited to each the Crown Point No. 2 and Crown Point No. 4 Lodes. Cut and Tunnel No. 4 on the Crown Point No. 2 Lode extends into the Crown Point No. 7 Claim and as its course is such that it will not develop any other claim in this group, the value thereof, \$1000, is properly distributed equally between the Crown Point No. 2 and Crown Point No. 7 Lodes; further that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

U. S. Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Ariz.,

December 22, 1910., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Crown Point Copper Company,

known as the

CROWN POINT NO. 1, CROWN POINT NO. 5, CROWN POINT NO. 6, CROWN POINT NO. 8, CROWN POINT NO. 4, CROWN POINT NO. 2, CROWN POINT NO. 7. situate in Globe Mining District,

Gila County, Arizona, approximately

in Section s 25 and 36, Township No. 1 N., Range No. 13 E.

designated as Survey No. 2840.

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, September 19, - 23, 1910., under my instructions dated

August 8, 1910., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona.

CERTIFICATE OF U. S. SURVEYOR GENERAL

as to

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF
MINING CLAIM.

I, U. S. Surveyor General for Arizona, do hereby certify that Five Hundred Dollars' worth of labor has been expended or improvements made by claimant or its grantors, upon or for each of the mining claims of the Crown Point Copper Company, known as the Crown Point No. 1, Crown Point No. 2, Crown Point No. 5, Crown Point No. 6, Crown Point No. 8, Crown Point No. 4 and Crown Point No. 7, situate in the Globe Mining District, Gila County, Arizona, in Sections 25 and 36, Township 1 N., Range 13 E., unsurveyed; and that said improvements in addition to those reported at the time of survey consist of a cut and tunnel on the Crown Point No. 4 Lode, value \$200.00, and a 25 foot extension of No. 6 shaft on the Crown Point No. 8 Lode which increases the value thereof from \$1400.00 to \$2100.00, and the amount credited to each claim of the group from \$200.00 to \$300.00, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim. A copy of the report of Edwin T. Stewart, U. S. Mineral Surveyor, dated January 23, 1911, is hereto attached.

Frank D. Lynch
U. S. Surveyor General for Arizona.

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

January 25, 1911.

SUPPLEMENTAL REPORT ON MINERAL SURVEY NO. 2840.

I certify that the value of the labor and improvements made upon or for the benefit of each of the claims embraced in Mineral Survey No. 2840, by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements in addition to what was reported in the official returns of said survey, dated September 27th, 1910, consist of:

No. 6 on the Crown Point No. 8 lode, the common improvement shaft, which was reported as 7 x 8 x 65 ft. and which has since been extended to a depth of 90 ft., increasing the value thereof from \$1400.00 to \$2100.00 and the amount credited to each claim of the group from \$200.00 to \$300.00.

No. 2 on the Crown Point No. 4 lode, 40 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears N.23°-06'W. 253.4 ft. from the S.E.C., and which extends thence N.48°E. to face. Value \$200.00

Edwin J. Stewart
U.S. Mineral Surveyor.

Subscribed and sworn to before me this 23rd day of January, 1911.

Edw. Brooker
Notary Public.

My Commission Expires December 12, 1912.