

(4-683.)

MAR 16 1911

Mineral Survey No. 2 8 4 9 B

Lot No.

A R I Z O N A Land District.

FIELD NOTES

Millsite
OF THE SURVEY OF THE ~~MINING~~-CLAIM OF

Old Dominion Copper Mining & Smelting Company

KNOWN AS THE

GLOBE MILLSITE

Globe Mining District,

Gila County, Arizona

Section s 23 and 24, Township 1 N., Range 15 E.

Surveyed under instructions dated August 15, 1910.

by Erwin D. Stewart

U. S. ~~Deputy~~ Mineral Surveyor

Claim located See location notice, 1

Survey commenced October 6, 1910,

Survey completed October 8, 1910,

o 6-100

Claimant's Attorneys:

Herring & Sorin,

Tucson, Arizona.

-1-

Survey No. 3849B,

Globe Millsite.

Beginning at Cor. No. 1, identical with South Corner of the location and Cor. No. 1, Globe Ledge Millsite, Sur. No. 2850B.

At the intersection of line 1-3, Globe Southwest Millsite, Sur. No. 2142B and line 6-1, Happy Jack lode, Sur. No. 2377, with the section line between Sections 24 and 25, T. 1 N., R. 15 E., G. & S. R. B. & M., the said section line being also a part of the north boundary line of North Globe Township.

An iron pipe, 1.5 ins. diameter, 2.0 ft. long, set in concrete, flush with the surface of the ground, in the center of railroad track. Course of track southeast,

Witness Corner bears N. 20°-29' E. 42.4 ft.

Section corner common to Sections 23, 24, 25 and 26, T. 1 N., R. 15 E., G. & S. R. B. & M., bears S. 89°-51' W. 168.1 ft. And the Quarter corner between said Sections 24 and 25 bears N. 89°-51' E. 2451.7 ft.

Cor. No. 3, Globe Southwest Millsite, Sur. No. 2142B and Cor. No. 6, Happy Jack lode, Sur. No. 2377, bears S. 29°-30' E. 0.5 ft.

Cor. No. 1, Globe lode, Lot 39, the claim in conjunction with which this Millsite is held, bears N. 29°-04' E. 2586.2 ft.

Thence N. 27°-30' W.

Along lines 3-1, Globe Southwest Millsite, Sur. No. 2142B and 6-1, Happy Jack lode, Sur. No. 2377.

69.00 Cross railroad track, course southwest.
 220.40 Cross railroad track, course southwest.
 240.10 Cross railroad track, course southwest.
 268.60 Cross railroad track, course southwest.
 305.60 Cross railroad track, course southwest.

335.83 To Cor. No.2, identical with monument of the location.
 At the intersection of lines 3-1, Globe Southwest Mill-
 site, Sur.No.2142B, and 6-1, Happy Jack lode, Sur.No.2377,
 with the section line between Sections 23 and 24, T.1
 N., R.15 E., G.& S.R.B.& M., the said section line
 being also a part of the east boundary of the North
 Globe Townsite.

A pine post, 4 ft. long, 4 ins. sq., with nail driven
 at the exact corner, set 2 ft. in the ground, scribed
 3-G.M.S.-2849B, whence

Cor. No.1, Globe Southwest Millsite, bears N.29°-30' W.
 5.40 ft.

Cor. No.1, Happy Jack lode, Sur.No.2377, bears N.29°-30'
 W. 197.31 ft.

Section corner common to Sections 23, 24, 25 and 26, T.
 1 N., R. 15 E., G.& S.R.B.& M., bears S. 00°-32' W.
 292.80 ft., and the quarter corner between said
 sections 23 and 24 bears N.00°-32' E. 2338.70 ft.

Thence N.00°-32' E.

Along section line and the east boundary of North Globe
 Townsite.

27.20 To Cor. No.3, identical with monument of the location.

A pine post, 3 ft. long, 4 ins. sq., with nail driven
 at the exact corner, set 18 ins. in the ground, scribed
 3-2849B-G.M.S., whence

Section corner common to Sections 23,24,25 and 26, T.1
 N., R.15 E., G.& S.R.B.& M., bears S. 00°-32' W.
 320.00 ft., and the quarter corner between said
 sections 23 and 24 bears N.00°-32' E. 2311.50 ft.

Thence S.89°-41' W.

15.59 Intersect line 6-1, Happy Jack lode, Sur.No.2377, S.29°-
 30' E. 166.19 ft. from Cor. No.1.

57.00 To Cor. No.4, identical with monument of the location.
 On line 1-7, Hypatia lode, Sur.No.2209A, N.54°-17' E.
 2.0 ft. from Cor. No.1.

A pine post, 3 ft. long, 4 ins. sq., with nail driven
 at the exact corner, set 18 ins. in the ground,
 scribed 4-2849B- G.M.S.

Thence N.54°17' E.

Along line 1-7, Hypatia lode, Sur.No.2209A.

36.37 Intersect line 6-1, Happy Jack lode, Sur.No.2377, S.29°-
 30' E. 142.06 ft. from Cor. No.1.

70.67 Intersect the section line between Sections 23 and 24
 T.1 N., R. 15 E., G.& S.R.B.& M., the said section
 line being also a part of the east boundary of North
 Globe Townsite, N.00°-32' E. 360.94 ft. from the
 section corner common to sections 23,24,25 and 26, T.
 1 N., R.15 E., G.& S.R.B.& M., and S.00°-32' W.
 2270.56 ft. from the quarter corner between said
 Sections 23 and 24.

180.00 Cross railroad track, course southwest.

216.00 Cross railroad track, course southwest.

574.90 To Cor. No.5, identical with monument of the location,
 Cor. No.2, Happy Jack lode, Sur.No.2377, Cor. No.1,
 Castle Hill lode, Sur.No.2330 and Cor. No.2, Globe
 Ledge Millsite, Sur.No.2850B.

On line 1-7, Hypatia lode, Sur.No.2209A.

A pine post, 4 ins. sq., with nail driven at the exact
 corner, showing 1.5 ft. above the surface of the
 ground, scribed 1-2330-C.H.L., 2-2377-H.J.L., to
 which I add 5-2849B-G.M.S. for this claim.

Thence S.20°-29' W.

Along line 2-1, Globe Ledge Millsite, Sur.No.2850B.

112.00 Cross railroad track, course southwest.

- 123.00 Cross railroad track, course southwest.
- 136.00 Cross railroad track, course southwest.
- 159.00 Cross railroad track, course southwest.
- 249.00 Cross railroad track, course southwest.
- 400.00 Cross railroad track, course southwest.
- 656.60 To Witness Corner for Cor. No.1, identical with Witness corner for Cor. No.1, Globe Ledge Millsite, Sur.No.2850B.
A pine post, 3 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, scribed Wit.Cor.1-2849B-G.M.S.
- 699.00 To Cor. No.1, the place of beginning.

.....

Mean magnetic variation at all corners 14°-00' E.

.....

Area.

	Acres.	Acres.
Total Area Globe Millsite		2.409
Area in conflict with:		
Happy Jack lode, Sur.No.2377,	2.399	
Happy Jack lode, Sur.No.2377,		
2.399 acres, exclusive of the common conflict, 0.017 acre, between said Happy Jack lode, the North Globe Townsite and this claim,	2.382	
North Globe Townsite,	0.027	
North Globe Townsite, 0.027 acre, exclusive of the common conflict 0.017 acre, between the said North Globe Townsite, the Happy Jack lode, Sur. 2377, and this claim,	0.010	

.....

Location.

This claim is located in the South East Quarter (S.E. $\frac{1}{4}$) of Section 23 and the South West Quarter (S.W. $\frac{1}{4}$) of Section 24, T.1 N., R.15 E., G.& S.R.B.& M., in the Globe Mining District, Gila County, Arizona.

.....

Improvements.

A lime bin, 13 x 71 ft., the northeast corner of which bears N.73°-13' E. 34.80 ft. from Cor. No.2.
Course of long sides S.55°-38' W.

Report.

The lines between the corners of this claim and all tie lines were run directly upon the ground.

The corner of Sections 23, 24, 25 and 26, to which tie is given is an iron pipe set in concrete, upon which is screwed a 4 inch cap, stamped Sec. 23, Sec. 24, Sec. 25, Sec. 26. The quarter corner between Sections 23 and 24 to which tie is given, is a cross on dacite in place, about which is chiseled $\frac{1}{4}$ S-23-24. The quarter corner between Sections 24 and 25, to which tie is given, is a quartzite stone, 5 x 5 x 8 ins. out of the ground, marked $\frac{1}{4}$ -S-24, on the north face.

Survey No. 2142B, Globe Southwest Millsite:

Cor. No. 3 of this claim is an iron pin driven in the railroad track and Cor. No. 2 is a 4 x 4 pine post properly set and scribed. The disagreement between these notes and line 3-1, is due to error in Sur. No. 2142B.

Survey No. 2377, Happy Jack lode:

Cor. No. 1 of this claim I establish by the witness corner for it. Cor. No. 2 is a pine post as described herein and Cor. No. 6 is an iron pin driven in the center of railroad track. The witness corner for Cor. No. 6 has been destroyed. The disagreement between the section tie from Cor. No. 1 as reported in Sur. No. 2377 and the same tie as computed through the lines of this survey is nominal.

Cor. No. 1, Globe Lode, Lot 39, to which tie is given is a 4 x 4 pine post, set in concrete, flush with the surface of the ground, in railroad track.

Survey No. 2209A, Hypatia lode:

Corners 1 and 7 are 4 x 4 posts, properly set and scribed. The disagreement between these notes and the bearing of line 7-1, is due to error in Sur. No. 2209A.

The disagreement between the section tie from Cor. No. 1, as reported in Sur.№ 2209A, and the same tie as computed through the lines of this survey is due to error in said Sur.№ 2209A.

Survey№ 2330, Castle Hill lode:

Cor. No. 1 of this claim is a pine post as described herein. The disagreement between the section tie from Cor. No. 1 as reported in Sur.№ 2330 and the same tie as computed through the lines of this survey is due to error in said Sur.№ 2330.

Survey№ 2850B, Globe Ledge Millsite:

This is an unapproved survey. Cors. Nos. 1 and 2 are as described herein.

The disagreement between the notes of this survey and the location notice is due to errors in the latter.

Elliott P. Stewart
U.S.M.S.

Globe, Arizona, March 14, 1911.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the Millsite mining claim of

Old Dominion Copper Mining & Smelting Company

known as the GLOBE MILLSITE

and showing the respective capacities in which they acted.

I. Percy Bell, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I. Percy Bell

and, do solemnly swear that ~~we~~ ^I assisted

Edwin T. Stewart, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the Millsite mining claim of Old Dominion Copper Mining & Smelting Co-

mpany

known as the GLOBE MILLSITE

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for ARIZONA

I. Percy Bell, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 16th

day of February, 1912

L. M. Brooker

Notary Public

4-686.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 15, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the ^{Millsite} ~~Mining~~ Claim of Old Dominion Copper Mining & Smelting Company, known as the GLOBE MILLSITE, situate in Globe Mining District, Gila County, Arizona, in Section ^s 23 and 24, Township No. 1 N., Range No. 15 E., G. & S. R. B & M., and designated as Survey No. 2849B, as represented in the foregoing field notes, which accurately show the boundaries of said ^{Millsite} ~~mining~~ claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, ~~and that the labor expended and improvements made upon said mining claim by claimant or~~ grantors are as ~~therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.~~

Edwin T. Stewart

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. ~~Deputy~~ Mineral Surveyor, before me L.M. Brookner, a Notary
Public this 14th
day of March, 1911.

L.M. Brookner

Notary Public.

o 3-152

My Com. Ex. Dec. 12, 1912.

AUG 13 1910

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned, Old Dominion Copper Mining and Smelting Company, a corporation, which on the 29th day of July, A.D. 1908, located the Globe Mill-site in connection with and appurtenant to the Globe Lode Mining Claim, designated as Lot No. 39, a patented mine then owned by said Old Dominion Copper Mining and Smelting Company, and situated in Globe Mining District, County of Gila and Territory of Arizona, the location notice of which mill-site is of record in the office of the Recorder of said Gila County in Book 8, Records of Mines, at page 547, has on this 7th day of July, 1910, made an amended location of said mill-site, by virtue of which and of said original location it claims the following described land and premises as a mill-site in connection with and appurtenant to said Globe Lode Mining Claim, now owned by the undersigned; said mill-site is not contiguous to the above named lode, and is located on non-mineral land in said Mining District, County and Territory, and is bounded and described as follows, to-wit:

Beginning at the southerly corner of said mill-site, an iron pin one inch in diameter set in concrete in bed of Railroad Track, whence section corner of Sections 23, 24, 25 and 26, in Township 1 North, Range 15 East, Gila & Salt River Base and Meridian, bears S. 89° 51' W. 168.2 feet, and a witness post 4 by 4 inches and 4 feet above the surface of the ground bears S. 60° 50' E. 49.84 feet; thence N. 29° 30' W. 336.04 feet to a corner, a post surrounded by a mound of stone; thence

N. 0° 32' E. 27.08 feet to a corner, a post 4 inches square and 4 feet high set in concrete; thence S. 89° 41' W. 56.56 feet to a corner, a post 4 inches square and 4 feet high set in concrete; thence N. 57° 17' E. 574.94 feet to the northeast corner, a post surrounded by a mound of stone, at which this notice is posted; thence S. 20° 31' W. 699.23 feet to the place of beginning, containing 2.5 acres, more or less.

This mill-site is bounded on the east by the Globe Ledge Mill-site, and is partially bounded on the west by the Globe Southwest Mill-site, survey No. 2142 B.

The name of this mill-site is GLOBE MILL-SITE.

Dated, July 7th, A.D. 1910.

OLD DOMINION COPPER MINING AND SMELTING COMPANY,

By its Agent,

Locator,

Angus McAlpine

WITNESS:

G. H. Dowell

P. P. Boyd

Filed and recorded at the request of A. McAlpine on the 8 day of July, A.D. 1910, at 5 minutes past 9 o'clock A.M.

E. T. Stewart, County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF GILA } ss.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the GLOBE MILLSITE,
as the same appears of record in my office in Book 16, Records of Mines,
at page 71; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 30th. day of

July A. D. 1910.

E. T. Stewart

County Recorder, Gila County, A. T.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 1, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Old Dominion Copper Mining & Smelting Company,

known as the GLOBE MILLSITE,

situate in Globe

Mining District, Gila County, Arizona,

in Section s 23 & 24., Township No. 1 N., Range No. 15 E., and

designated as Survey No. 2849 B., has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 1, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Old Dominion Copper Mining & Smelting Company,

, known as the

GLOBE MILLSITE,

situate in Globe Mining District,

Gila County, Arizona,

in Sections 23 and 24, Township No. 1 N., Range No. 15 E.

, designated as Survey No. 2849 B.

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, October 6 - 8, 1910., under my instructions dated

August 15, 1910., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank J. Lynch

U. S. Surveyor-General for Arizona,