

MAR 16 1911

(4-683.)

Mineral Survey No. 2850B

Lot No. _____

A R I Z O N A _____ Land District.

FIELD NOTES

Mill site
OF THE SURVEY OF THE ~~MINING~~ CLAIM OF

Old Dominion Copper Mining & Smelting Company

KNOWN AS THE

GLOBE LEDGE MILLSITE

Globe _____ Mining District.

Gila _____ County, Arizona

Section 24 _____, Township 1 N. _____, Range 15 E.

Surveyed under instructions dated August 15, _____, 1910.

by Edwin P. Stewart _____,
U. S. ~~Deputy~~ Mineral Surveyor

Claim located _____ See location notice _____, 1

Survey commenced October 6, _____, 1910.

Survey completed October 8, _____, 1910.

9 6-100

Claimant's Attorneys:

Herring & Sorin,
Tucson, Arizona.

<p>Feet.</p> <p>620' 70</p> <p>507' 70</p> <p>388' 00</p> <p>278' 30</p> <p>167' 70</p> <p>57' 20</p> <p>47' 30</p> <p>268' 00</p> <p>238' 00</p> <p>217' 00</p> <p>207' 00</p> <p>142' 40</p> <p>120' 00</p> <p>88' 00</p>	<p>Survey No. 2850B, Globe Ledge Millsite.</p> <p>Beginning at Cor. No. 1, identical with Southwest corner of the location, and Cor. No. 1, Globe Millsite, Sur. No. 2849B.</p> <p>At the intersection of line 1-3, Globe Southwest Millsite, Sur. No. 2142B and line 6-1, Happy Jack lode, Sur. No. 2377, with the section line between Sections 24 and 25 T. 1 N., R. 15 E., G. & S. R. B. & M., the said section line being also a part of the North boundary line of North Globe Townsite.</p> <p>An iron pipe, 1.5 ins. in diameter, 2.0 ft. long, set in concrete, flush with the surface of the ground, in the center of railroad track. Course of track south-east.</p> <p>Witness corner bears N. 20°-29' E. 42.4 ft.</p> <p>Section corner common to Sections 23, 24, 25 and 26, T. 1 N., R. 15 E., G. & S. R. B. & M., bears S. 89°-51' W. 168.1 ft. And the Quarter corner between said Sections 24 and 25, bears N. 89°-51' E. 2451.70 ft.</p> <p>Cor. No. 3, Globe Southwest Millsite; Sur. No. 2142B, and Cor. No. 6, Happy Jack lode, Sur. No. 2377, bears S. 29°-30' E. 0.5 ft.</p> <p>Cor. No. 4, Globe Ledge lode, Lot 40, the lode claim in conjunction with which this millsite is held, bears N. 29°-04' E. 2586.20 ft.</p> <p>Thence N. 20°-29' E.</p> <p>Along line 1-5, Globe Millsite, Sur. No. 2849B.</p> <p>To Witness corner, identical with Wit. Cor. for Cor. No. 1, Globe Millsite, Sur. No. 2849B.</p> <p>A pine post, 3 ft. long, 4 ins. sq., with nail driven at the exact point, set 18 ins. in the ground, scribed Wit. Cor. 1-2849B-G.M.S., to which I add Wit. Cor. 1-2850B-</p>
---	---

-2-

G.L.M.S. 2850B

- 299.00 Cross railroad track, course southwest.
 450.00 Cross railroad track, course southwest.
 540.00 Cross railroad track, course southwest.
 563.00 Cross railroad track, course southwest.
 576.00 Cross railroad track, course southwest.
 587.00 Cross railroad track, course southwest.
 699.00 To Cor. No. 2, identical with monument of the location
 and Cor. No. 5, Globe Millsite, Sur. No. 2849B, Cor. No. 2
 Happy Jack lode, Sur. No. 2377, and Cor. No. 1, Castle
 Hill lode, Sur. No. 2330.

On line 7-1, Hypatia lode, Sur. No. 2209A.

A pine post, 4 ins. sq., with nail driven at the exact
 corner, showing 1.5 ft. above the surface of the
 ground, scribed 1-2330-C.H.L.; 2-2377-H.J.L., 5-
 2849B-G.M.S., to which I add 2-2850B-G.L.M.S., for
 this claim.

Thence S. 29°-43'E.

Along lines 2-3 and 1-8, Happy Jack lode, Sur. No. 2377
 and Castle Hill lode, Sur. No. 2330, respectively.

- 76.70 Cross railroad track, course southwest.
 91.50 Cross railroad track, course southwest.
 104.60 Cross railroad track, course southwest.
 121.20 Cross railroad track, course southwest.
 178.90 Cross railroad track, course southwest.
 189.00 Cross railroad track, course southwest.
 204.00 Cross railroad track, course southwest.
 650.10 To Cor. No. 3, identical with S.E. Cor. of the location
 and Cors. Nos. 3 and 8, respectively, of Happy Jack lode,
 Sur. No. 2377 and Castle Hill lode, Sur. No. 2330.
 A pine post, 4 ins. sq., with nail driven at the exact
 corner, showing 2.5 ft. above the ground, surrounded
 by a mound of stone, scribed 8-2330-C.H.L., 3-2377-
 H.J.L., to which I add 3-2850B-G.L.M.S. for this claim.

178.75 To Cor. No.4, identical with monument of the location. On Section line between Sections 24 and 25, T.1 N., R.15 E., G.& S.R.B.& M., N.89°-51'E. 580.00 ft. from Section corner and S. 89°-51'W. 2239.80 ft. from quarter corner, the said section line being also a part of the north boundary line of North Globe Townsite.

Apine post, 4 ft. long, 4 ins. sq., with nail driven at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-2850B-G.L.M.S.

Thence S.89°-51'W.

Along the section line and the north boundary line of North Globe Townsite.

411.90 To Cor. No.1, the place of beginning.

oooooooooooooooooooooooooooooooooooo

Mean magnetic variation at all corners 14°-00' E.

oooooooooooooooooooooooooooooooooooo

Area.

	acres.	acres.
Total Area Globe Ledge Millsite,		4.427
Area in conflict with:		
Happy Jack lode, Sur N ^o 2377,	4.427	

oooooooooooooooooooooooooooooooooooo

Location.

This claim is located in the South West Quarter (S.W.¼) of Section 24, T.1 N., R. 15 E., G. & S.R.B. & M., in Globe Mining District, Gila County, Arizona.

oooooooooooooooooooooooooooooooooooo

Improvements.

A coke bin, 70 x 358 ft., partially upon the claim, the N.W. Cor. of which bears S.31°-07'W. 206.00 ft. from Cor. No.2, the course of the northwest side of which is S.46°-20'W. 230.00 ft.; thence S.25°-04'W. 128.00 ft:

oooooooooooooooooooooooooooooooooooo

Instrument.

This survey was made with a 6¼ inch Berger Engineer's

transit. The courses were deflected from the true meridian, as determined by direct Polaris observation. The distances were measured with a 650 ft. steel tape.

oooooooooooooooooooooooooooooooooooo

Adjoining and Conflicting Claims.

The Hypatia lode, Sur. No. 2209A, owned by the claimant of this survey, on the north.

The Castle Hill lode, Sur. No. 2330, owned by Barney Rice, on the east.

The North Globe Townsite, on the south.

The Globe Millsite, Sur. No. 2849B, and the Globe Southwest Millsite, Sur. No. 2142B, both owned by the claimant of this survey, on the west.

This claim conflicts in its entirety with the Happy Jack lode, Sur. No. 2377.

oooooooooooooooooooooooooooooooooooo

Report.

The lines between the corners of this claim and all tie lines were run directly upon the ground.

The corner of Sections 23, 24, 25 and 26, to which tie is given, is an iron pipe, set in concrete, upon which is screwed a 4 inch cap, stamped Sec. 23, Sec. 24, Sec. 25, Sec. 26. The quarter corner between sections 24 and 25 to which tie is given is a quartzite stone 5 x 5 x 8 ins. out of the ground, marked 1/4-S-24, on the north face.

Cor. No. 4, Globe Ledge Lode, Lot 30, to which tie is given is a 4 x 4 pine post, set in concrete; flush with the surface of the ground, in railroad track:

Survey No. 2142B, Globe Southwest Millsite:

Cor. No. 3, of this claim is an iron pin driven in the railroad track and Cor. No. 3 is a 4 x 4 pine post properly set and scribed.

Survey#2377, Happy Jack lode:

Cors. Nos 2 and 3 are pine posts as described herein and Cor. No. 6, is an iron pin driven in the center of railroad track. The witness corner for Cor. No. 6 has been destroyed. The disagreement between these notes and line 2-3 is due to error in Sur. #2377.

Survey#2330, Castle Hill lode:

Cors. Nos 1 and 8 are pine posts as described herein. The disagreement between these notes and line 8-1 and the section tie from Cor. No. 1 as reported in Sur. No. 2330 and the same tie as computed through the lines of this survey is due to error in said Sur. #2330.

Survey#2209A, Hypatia lode:

Cors. Nos 1 and 7 are 4 x 4 pine posts properly set and scribed.

Survey#2849B, Globe Millsite:

This is an unapproved survey. Corners #1 and 5 are as described herein.

The disagreement between the notes of this survey and the location notice is due to errors in the latter.

Erwin P. Stewart
U.S.M.S.

Globe, Arizona, March 14th, 1911.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the Millsite ~~mining~~ claim of

Old Dominion Copper Mining & Smelting Company

known as the GLOBE LEDGE MILLSITE

and showing the respective capacities in which they acted.

Percy Bell, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Percy Bell,

and _____, do solemnly swear that ^I~~we~~ assisted

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the Millsite ~~mining~~ claim of Old Dominion Copper Mining & Smelting

Company

known as the GLOBE LEDGE MILLSITE

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for ARIZONA

Percy Bell, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 16th

day of February, 1911.

L. M. Brooker

Notary Public.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated August 15, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the ^{Millsite} ~~Mining~~ Claim of Old Dominion Copper Mining & Smelting Company, known as the GLOBE LEDGE MILLSITE, situate in Globe Mining District, Gila County, Arizona, in Section 24, Township No. 1 N., Range No. 15 E., G.&S.R.B.& M. and designated as Survey No. 2 8 5 0 B, as represented in the foregoing field notes, which accurately show the boundaries of said ^{Millsite} ~~mining~~ claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, ~~and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.~~

Edwin T. Stewart
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. ~~Deputy~~ Mineral Surveyor, before me L.M. Brookner,
a Notary Public this 14th
day of March, 1911.

L.M. Brookner
Notary Public.

NOTICE OF LOCATION OF GLOBE LEDGE MILL-SITE.

NOTICE IS HEREBY GIVEN by the undersigned, OLD DOMINION COPPER MINING AND SMELTING COMPANY, a corporation that it has this day located and claims the following described land and premises as a mill-site in connection with and appurtenant to the GLOBE LEDGE Lode Mining Claim, designated as Lot No. 40, a patented mine owned by the undersigned, and situated in Globe Mining District, County of Gila, and Territory of Arizona; said mill-site is not contiguous to the above named lode or mine and is located on non-mineral land in the said County and Territory, and is bounded and described as follows, to-wit:

Beginning at the corner of said mill-site, a post 4 by 4 inches and 4 feet in height above the surface of the ground, set in a monument of stone, in which this notice is posted; whence section corner of Sections 23, 24 and 26 in Township 1 north, range 15 East, Gila & Salt River Meridian, bears south 89° 51' West 580 feet; thence north 60° 7' east 178.75 feet to a corner, a post 4 by 4 inches and 4 feet in height above the surface of the ground, set in a monument of stone; thence north 29° 41' west 649.96 feet to a corner, identical with the northeast corner of the Globe Mill-site, a post 4 by 4 inches and 4 feet in height above the surface of the ground, set in a monument of stone, thence south 20° 30' west 699.51 feet to the southwest corner of said mill-site, identical with the southerly corner of the Globe Mill-site, an iron pin one inch in diameter set in concrete in bed of Railroad Track from whence a witness post 4 by 4 inches and 4 feet in height above the surface of the ground, bears south 60° 50' east 49.84 feet; thence north 89° 51' east 411.8 feet to a corner, the point or place of beginning, containing 4.424 acres.

This mill-site is bounded on the west by the Globe Mill-Site.

The name of this mill-site is Globe Ledge Mill-site.
Dated July twenty ninth A.D. 1908.

OLD DOMINION COPPER MINING AND SMELTING COMPANY, Locator,

By its Agent: Robert B. Hegardt

Witness:
Harold L. Norton
Shepard Gilbert Emilio.

Filed and recorded at the request of O.D. Copper M. & S. Co., on the 29 day of July, A.D. 1908 at 25 minutes past 2 o'clock P.M.

E.T. STEWART, County Recorder

TERRITORY OF ARIZONA,)
: SS.
County of Gila.)

I, E.T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contains and constitutes a full, true and correct copy of the Notice of Location of the GLOBE LEDGE MILLSITE, as the same appears of record in my office in Book 8, Records of Mines, at page 548; that I have compared the same with the original records and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 26th day of May, A.D. 1910.

E. T. Stewart
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 1, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the ^{millsite} ~~mining~~ claim of

Old Dominion Copper Mining & Smelting Company,

known as the GLOBE LEDGE MILLSITE,

situate in GLOBE

Mining District, GILA County, ARIZONA,

in Section 24, Township No. 1 N., Range No. 15 E., and

designated as Survey No. 2850 B., has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said ^{millsite} ~~mining~~ claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said ^{millsite} ~~mining~~ claim by claimant or its grantors, and that said improvements consist of~~

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 1, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Millsite Mining Claim of

Old Dominion Copper Mining & Smelting Company,

, known as the

GLOBE LEDGE MILLSITE,

situate in Globe Mining District,

Gila County, Arizona,

in Section 24, Township No. 1 N., Range No. 15 E.

, designated as Survey No. 2850 B.

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, October 6 - 8, 1910., 190, under my instructions dated

August 15, 1910., 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Frank D. Ingalls

U. S. Surveyor-General for Arizona.