12-24-10.

F.L.

(4—683.)//

Mineral Survey No. 2857

Lot No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF		
The Arizona Copper Company,		
KNOWN AS THE		
Iron King, First West Extension of the Thompson, N	Torfolk, and	
Margarita, Copper Mountein	Mining District,	
Graham County, Arizona.	Approximately	
Sections 20 and 21 Uns., Township 4 S., Range 29 E.,		
Surveyed under instructions dated August 29 , 1910.		
by Lamar Cobh		
	Deputy Mineral Surveyor	
Claim located see location notices	, 1	
Survey commenced Sept. 1,	, 1910,	
Survey completed Sept. 8,	_, 1910,	
o 6—160		
Address:		
J.R. Hampton, Attorney for the Claimant,		

Clifton, Arizona.

Survey No. 2857.

Iron King lode

Beginning at Cor. No. 1.

Identical with Cor. No. 3, Lot No. 50, Thomson lole.

A pine post, in place, 4x8 ins., 3.5 ft. above ground, with mound of stone, scribed I.K.-2857, whence

No bearings available.

U.S.M.M., No. 4 bears N. 42° 34'E., 1496. 3 ft.

Thence S.11°39'E.

300. End center of the location and lode.

600. To Cor. No.2.

A pine post, in place, 4x6 ins., 3.5 ft. above ground,, with mound of stone, scribed I.K.2-2857,

No bearings available.

Thence S.78°21'W.

170. Intersect road, course from North to South.

940.5 Intersect line 1-2, Sur. No. 2609, Tomb Stone lode, at S.44°23'E., 127.8 ft. fro Cor. No.1.

1151.58 Intersect line 4-1, Sur. No. 2609, Tomb Stone lode, at S.41°13'W., 178.08 ft. from Cor. No.1.

1476.4 To Cor. No.3.

A pine post, in place, 4x6 ins., 3 ft. above ground, with mound of stone, scribed I.Z.3-1857,

No bearings available.

Thence N.11°39'W.

300. End center of the location and lode.

555.6 Cor. No.2, First West Extension of the Chompson lode, of this survey.

600. To Cor. No.4.

A pine post, in place, 4x6 ins., 3.5 ft. high, with mound of stone, scribed I.K.4-2857, whence Across (X) and B.R.4-2857, chiseled on porphyry bed rock, lxl ft., facing Forth, bears S.56°40'W., 4.4 ft.

3

Peet Thence M. 78°21'E. Cor.4, Lot No. 50, Thomson lode, and intersect line 1-2, First West Extension of the Thompson lode of this sur., whence, 0.48 Cor. No. 0, First West Extension of the Thompson lode, of this survey, bears S, 11°00'E., 44.4 ft. Intersect road, course from Northwest to Southeast. To Cor. No. 1, the place of beginning. 1226. 1476.4 First West Extension of the Thompson lode Beginning at Cor. No.1. Identical with Cor. No. 6, Lot No. 50, Thomson lode, and with Cor. No.1, Eur. To.1172, Crescent lode. A pine post, in place, 4x6 ins., 3.5 ft. above ground, scribed F.W.E.T.1-2857, whence Across (X) and B.R.1-2857, chiseled on porphyry bed rock, 1xl ft., facing Southeast, bears 8.80°W., 26.3 ft. U.S.M.M., No. 4. bears N. 72°28'E., 2698 ft. Thence S.11°08'E. End center of the lole, monument obliterated. 321.5 Cor. No.4, Lot No. 50, Thomson lode, and intersect line 598.2 4-1, From King lote, of this survey, at W.76°21'E., 0.48 ft., from Cor. No.4. To Cor. No.2. 642.6 On line 3-4, Iron King lode, at S.11°39'E., 44.4 ft. from Cor.No. 4. A pine post, in place, 4x6 ins., 3.5 ft. above ground, with mound of stone, scribed F.J.E.T.2-2057. No bearings available. _____ Thence S.57°57'W. Intersect road, course from Northwest to Coutheast. 1084. To Cor. No.3. 1499. On line 1-2, Morfol' lode, of this survey. A pine post, in place, 4x6 ins., 3.5 ft. above ground, with mount of stone, scribed 7.V.E.T.3-2857,

whence

Teet

Across (X) and B.R.3-2857, chiseled on shale bed roc', 3x6 ft., facing Southeast, bears N.59°W.,35.6 ft.

Thence N.11°02'W.

224.6 Intersect road, course from East to West.

321.3 End center of the location and lode.

648.6 To Cor. No.4.

On line 7-8, Sur. No.1172. Crown lode.

Identical with Cor. No. 1, Norfolk lode, of this survey.

A pine post, in place, 4x6 ins., 3.5 ft. above ground, with mound of stone, scribed N.1, F.W.E.T.4-2857, whence

Across (X) and B.R.1-4-2857, chiseled on porphyry bed rock, 2x2 ft., facing South, bears N.14°44'E., 38.5 ft.

Thence M.57°57'E.

40. Intersect gulch, course from East to West.

869.2 Cors. Nos. 7-2, Crown and Crescent lodes, Sur No. 1172, respectively.

1499. To Cor. No. 1, the place of beginning.

Horfolk lode

On line 7-8, Sur. No.1172, Crown lode.

Identical with Cor. No.4, First West Extension of the Thompson lode, of this survey, heretofore described

U.S.M.N. No.4 brs. N. 67° 18° E. 4166. 2 ft.

Thence S.11°02'E.

366.5 End center of the location and lode.

Beginning at Cor. No.1.

418. Intersect road, course from East to West.

642.6 Cor. No.3, First West Extension of the Thompson lode, of this survey.

735. To Cor. No.2.

A pine post, in place, 4x6 ins., 5.5 ft. above ground, with mound of stone, scribed N.2-2857,

No bearings available.

Feet	Thence 5.43°45'
1500	To Cor. No.3.
	On line 1-2, Margarita lode, of this survey.
	A pine post, in place, 4x6 ins., 5 ft. above ground,
	with mound of stone, scribed N.3-2857,
	No bearings available.
	Thence N.11°0 W.
366,5	End center of the location and lode.
622.9	Cor. No.1, Margarita lode, of this survey.
733.	To Cor. No.4.
	A pine post, in place, 4x4 ins., 3 ft. above ground,
	with mound of stone, scribed H.4-2857, whence
	Across (X) and B.R.4-2857, chiseled on porphyry bed
	rock, lx3 ft., facing West, bears N.67°55'7., 9.9 ft.
	*
	Thence N.43°45'E.
820.	Intersect sulch, course from Southeast to Torthwest.
860.	Intersect road, course from Southeast to Northwest.
1500.	To Cor. No.1, the place of beginning.
	Margarita lole
	Beginning at Cor. No.1.
	On line 3-4, Norfolk lode, of this survey.
	A pine post, in place, 4x6 inc., 3.5 ft. above
	ground, with mound of stone, scribed M.1-2857, whence
	No bearings available.
	U.S.M.M. No. 4 bears N. 60°03'E., 5, 608.1 ft.
	Thence .ll°O2'E.
415.	End center of the location and lole.
622.9	Cor. To.5, Norfolk lote, of this survey.
830.	To Cor. No.2.
	A pine post, in place, 4 inc. square, 3 ft. above

Feet

ground, with mound of stone, scribed M.2-2857, whence Across (X) and B.R.2-2857, chiseled on shale bed rock, lx2 ft., facing South, bears S.37°23'I., 20.1 ft.

Thence S.34°52'W.

1500. To Cor. No.3.

A pine post, in place, 4x6 ins., 5 ft. above ground, with mound of stone, scribed M.3-2857.

No bearings available.

Thence H.11°02'W.

415. End center of the location and lode.

830. To Cor. No.4.

A pine rost, in place, 4x6 ins., 5 ft. above ground, with mound of stone, scribed 1.4-2857.

No bearings available.

Thence N.34°58'E.

1500. To Cor. Ho.1, the place of beginning.

Variations at all corners 13°30'E.

LODE LINES.

As near as can be determined from resent developments, the veins of the several locations embraced in this claim extend, as follows, from their respective discovery joints:

Iron King lode, 566.4 ft., S.78°21'/. and 910 ft., N.78°21'E.

First Jest Extension of the Thompson lode; 1305 ft., S.57°57'7., and 196 ft., N.57°57'E.

Norfolk lole; 160 ft., S.43°43'W. and 1540 ft., N.45°45'E.

Margarita lole; 205 ft., N.54°58'E. and 1895 ft.,
S.54°58'W.

1

AREA

Acres

Thompson lode----20.642

rea in conflict with;

The survey of each lode of this location is identical with the respective locations, as stated upon the ground.

LOCATION

This survey is located, approximately, in Secs., 20 and 21, unsurveyed, ... T. 45., R. 29 E., Copper Tountain Mining District, Graham County, Arizona.

ADJOINING LOD NO

This claim is bounded on the Horth and West by Cuprite,

Malachite, Poney and Glance lodes, unsurveyed, Arizona

Yorenci Copper Co., claimant, Apache and Imperial lodes,
unsurveyed, Sur. No.1172, Crown and Crescent lodes, and

Lot Mo. 50, Thomson lode, Detroit Copper Mining Co.,
claimant; on the East and South by the '97 lode and
Chalkos Extn., lodes, Detroit Copper Mining Co., claimant,
Pittsburg, unsurveyed, and Mur. No. 2609, Tomb Stone
lodes, claimant: unknown, Iron Queen and Stamboul lodes, unsur,
Detroit Copper Mining Co., claimant.

EXPENDITURE OF FIVE BUH RED DOLLAR.

I hereby certify that the value of the labor and improvements made open each of the locations embraced in anid mining claim by the claimant, or its granters, is not less than five hundred dollars, and that said improvements consist of:

Iron King lode .

- No. 1 The discovery of the Iron Hing lode, showing minoral, in place, in the outcrop, which is on the lode line, 506.4 ft. from line 5-4.
- No. 2 A tunnel, the mouth of open cut approach to which, is on line-4-1, 626 ft. from Cor. No.4, running South 26 ft. in open cut, and 220. ft. in tunnel, 5x6 ft.

Value---- \$2200.00

First West Extension of the Thompson lode

- No. 1 The discovery of the First West Extension of the Thompson lode, showing mineral, in place, in the outcrop, which is on the lode line, 196 ft. from line 1-2.
- No. 2 A tunnel, the mouth of which bears from Cor. No.3,
 N.43°30'E., 281 ft., running N.36°50'E., 139 ft., 5x6 ft.

 Value-----\$1390.00

Norfolk lode

- No. 1 The discovery of the Norfelk love, showing mineral, in place, in the out crop, which is on the lode line, 160 ft. from line 3-4.
- No. 2 A shaft, which bears from Cor. No.4, S. 42°54'E., 367 ft., 85 ft. deep, 4x6 ft.

Value-----\$1020.00

Margarita lode

No. 1 The discovery shaft, which is on the load line, 205 ft. from line 1-2, 85 ft. deep, 4x6 ft.

Value-----\$1020.00

INSTRUMENT

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian, as determined by Polar observations. The distances were measured with 50 ft. and 500 ft. steel tages.

Report

Lot. No.50 Thomson lode:

cors. Nos. 3,4,8-6 are pine posts preperly set and serified.

Sur. No. 1172, Trown and Cescent lodes.

cors. Nos. 1,2,7, and 8 are pine posts properly set and and scribed.

The end centers of all the lodes embraced in this claim are monuments of atone; the side center monuments have been obliterated.

The differences between these field notes and the location certificates are due to errors in the latter.

The differences between these field notes and the returns of Sur. No. 1172, Crown and Grescent lodes, Sur, No. 2609 Tombstonelode, and Lot No. 50 Thomson lode are due to errors in the latter.

U.S. Mineral Surveyor.

Sur. No. 2857

TERRITOR OF ARIZONA) ss.

COUNTY OF GRAHAM

John b. Molder, being first duly sworn, deposes and says that he is familiar with the First West Extension of the Thompson, Norfolk, Margarita, and Iron King Mine lode mining claims, situate in the Copper Mountain Mining District, Graham County, Arizona, for which The Arizona Copper Company has made application to the Surveyor-General for the District of Arizona for an official survey, as a basis for an application for patent to said claims, that he has actually been on these mining claims and has seen all the monuments of location defining the boundaries thereof, as are described in the location notices of said lode claims on which this survey is based; that the original end and side center monuments of location were actually established on the ground by the locators at the approximate centers of the end and side lines of these claims; that said end and side center monuments of location were not situate within the boundaries of said lode claims, as defined by straight lines connecting the respective corner monuments; and further more that he is not interested in said lode claims in any manner what soever.

Subscribed and sworn to before me this 2/5 day of December, 1910.

John R. Sampson Notary Public

My commission expires July 8, 1911,

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by	y Hemel CODD	
United States Deputy Mineral Surveyor, to assist in	running, measuring, and marking th	e lines, corners, and
boundaries described in the foregoing field notes of the	survey of the mining claim of The	Arizona
Copper Company,	G.S	
known as the Iron Hing, First Vest Exte	nsion of the Thompson, No	orfolk, and
Margarita and showing the respective capacities in which they act	ted.	
	R.T.Morton	Chainman
	W.F.Collier	
		}
FINAL OATHS	OF ASSISTANTS.	
We, E.T. Morton		
and W.F.Collier , do	solemnly swear that we assisted	ımar Cobb
United States Departs	Mineral Surveyor, in marking the co	rners and surveying
the boundaries of the mining claim of The Arizon	a Copper Company	
Thom Wine Direct Wood Verter		
known as the Iron King, Pirat West Exter Margarita		
represented in the foregoing field notes as having been	surveyed by said deputy mineral surveyed	veyor and under his
direction; and that said survey has been in all respect	s, to the best of our knowledge and b	pelief, faithfully and
correctly executed, and the corner and boundary monu	ments established according to law a	nd the instructions
furnished by the United States Surveyor-General for	Arizona.	
	ET Moto	Chainman.
	W Fi Collie	, Chainman.
		}
		Axman.
		Flagman.
Subscribed and sworn to by the	he above-named persons before me thi	John
day of Septem	her , 198/0	
	made Namp	tan
	notany Put	e i
14224b5m8-04 My Commes	ion ex pins de	e22/1913

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Lemar Cobb	U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuand	
States Surveyor General forArizona	, dated
August 29, 1910 , I ha	
United States, the official regulations and insi	
of said Surveyor General, faithfully and corn	
Claim of The Arizona Copper Company	-
***************************************	, known as the
Iron King, First West Extension of	the Thompson, Norfolk, and
Margarita Copper Mountain	Mining District,
Graham Cou	nty, Arizona, approx., in Sections
20 and 2,1Township No. 4 8. Range	No.29 E.
and designated as Survey No. 2857	
in the foregoing field notes, which accurately	show the boundaries of said mining claim
as distinctly marked by monuments on the gr	
of the location certificate, which was received	
said instructions, and that all the corners of sa	aid survey have been establ <mark>ished and per-</mark>
petuated in strict accordance with the law, of	ficial regulations and instructions there-
under; and I do further solemnly swear that	the foregoing are the true and original
field notes of said survey and my report th	erein, and that the labor expended and
improvements made upon said mining claim h	
are as therein fully stated, and that the char	racter, extent, location and itemized value
thereof are specified therein with particularit	
said labor or improvements so credited to this	
of expenditures upon any other claim.	
#	0 1 1 1
Le	secent de
	U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	
U.S. Deputy Mineral Surveyor, before	e me Wall Hamphan
0 1	this 10 Fh
day of September 191	0, .
	2-00 1/
	any ampson
0 8—154	Notary Public
Mycommuss	ion ex pine Dec. 22/1913

AUG. 26 1910

I, D	. H. Clarid <mark>ge</mark> , (County Recorder in and for the County of Graham, Territory of Arizona, do hereby certify
notice		wing, is a true, full, and complete copy of the within mentioned Mining location ur, in Number)
as the sam	e appears of re	ecord in my office, in books 3, 10, & 11, of Records of Mines
		at page ^S 222, 199, 413, and 414.
		IN WITNESS WHEREOF, I have hereunto set my hand and seal of office this
	(SEAL)	24th, day of August 1910. A.D. 191 S. N. Colaridge County Recorder.
		By Tillie Colamoge Deputy

AMENDED LOCATION NOTICE.

LODE CLAIN.

To ALL WHOM IT MAY CONCERN, - The Arizona Copper Company, has this 19th day of July, 1899. entered upon and located by right of discovery and location fifteen hundred (1500) feet of this vein, or lode, of mineral bearing rock together with three hundred (300) feet on each side of the centre of same, The hame of this m mining claim shall be the First west Extension of the Thompson and it is situated about one mile south west of the town of Morenci in Copper Mountain Mining District, County of Graham Territory of Arizona.

The general course of the vein, or lode is from the south west to the north east and we claim 196 feet in a N.58°04' F., direction and 1304 feet in a S.58° 04' W. direction from the centre of discovery shaft at which this notice is posted lengthwise of the claim together with 300 feet in width on each side of the center of same. The surface boundaries are more particularly described as follows, to wit:-

Beginning at a monument at the centre of the north easterly end line of the claim, from which the discovery shaft bears S.58°04' W. 196, feet thence N.11° \frac{1}{2}7' W.,320.2 ft. to a stake at the N.E.Cor. this Cor. is identical with the N.W. Cor. of Thompson Lode. U.S.Patent Lot No.50, thence S.58°04'W. 750 feet to a monument thence S.58°04' W., 750 feet to a stake at the N.W.corner, thence S. 11°27' E.320.2 ft to a monument at centre of the south west end line of claim, thence S.11°27' E.320.2 ft to a stake at the S.W.Cor of claim thence N.58°04' feet to a monument thence N.58°04' feet to a stake at the S.E.Cor. of claim, thence N°11°27'W.,320.2 ft. to the place of beginning.

This amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location.

All done under the provisions of Chapter Six, of Title Thirty Two, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March, 2pth, 1895.

Dated on the ground this 19th day of July 1899.

W.J.Atkinson Thomas J.Knox. 'The Arizona Copper Co.
Tocators.
By James Colquboun, Agent.

Date of original Location Jan; 1st.1882. Date of Recording Jan.9th,1882.

Book 1,pages 450-451.

Recorded the 14th day of Sept.1899. at 2 o'clock P.M. at the request of Arizona Copper Co.

PEDRO MICHELENA COUNTY RECORDER.

By Fred Dysart, Deputy.

(Book 11-Pg 414)

NOTICE OF LOCATION.

NOTIC is hereby given that the undersigned in compliance with the requirements of the Mining Act of Congress, approved Maylo"1872, have this day located and claim Fifteen Hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz. Three hundred feet in width on ach side of the middle of said lead, lode or vein, situate in the Copper Mountain Mining District, County of Graham, Arizona, and more particularly described as follows to-wit:

Commencing at this mon. of stones, being the center of the west end of claim, and upon which this notice is posted. thence southerly three hundred feet to a mon. of stones, thence easterly fifteen hundred feet to a mon of stones thence three hundred feet northerly to a mon. of stones being the center of the east, and of claim; thence northerly three hundred feet to a mon. of stones; thence westerly fifteen hundred feet to a mon. of stones@ thence southerly three hundred feet to the place of beginning.

This claim is situated on the south side of the Thompson Mine(a patented mine) joining on the same, and shall be known as the Iron King Mine,

Located July 6" A.D.1883.

Witnesses

Al.S.Stevens. J.Humphries Mose V.Stevens
A.E.Campbell
E.N.Stevens
Al. Harwood.

Locators.

Copper mountain Mining District, Graham Co. Arizona Territory, I hereby certify that the foregoing notice of location of Iron King was filed for

Record in my office on Jyly 10" A.D.1883, at 2 o'clR.M.
and duly recorded on page 270 of book"C" Sig Weisl, Recorder.
of records of said District.
Recorded at the request of Sig Weisl Aug 28,1883, at 9:45 o'c A.M.

Pablo Salcido Co. Recorder By P. Michelena Deputy.

(Book 3 pg. 222)

AMENDED LOCATION NOTICE.

LODE CLAIM.

To all whom it may concern :- The Arizona Copper Company has this 19th day of July,1899. ENTERED upon and located by right of discovery and location fifteen hundred (1500) feet of this vein or lode of mineral bearing rock, together with three hundred (300) feet on each side of the center of same. The name of this mining claim shall be the Norfolk and it is situated about one mile and a half of south west of the town Morence in Copper Mountain mining district County of Graham, Territory of Arizona.

The General course of the vein or lode is from the south west to the not north east and we claim 1340 feet, N.43°30'E., direction and 160 feet in a S.43° 30'W. direction from the centre of discovery shaft at which this hotice is posted, lengthwise of the claim, together with 300 feet inwidth on each side of the centre of same.

The surface boundaries are more particularly described a follows, to-wit: Beginning at a monument at the center of the suth westerly end line of claim,
from which the discovery shaft bears N 43°30' E. 160 feet thence N.11° 27'W.,
328 feet to a stake at the N.W.cor. thence N.43°30' E., 750 feet to a monument
thence N 43°30'E.,750 feet to a stake at the N.E.cor.

This cor. is on the south easterly side line of the Crown Lode U.S.Patent Lot N.1172 also identical with the N.W.cor. of First West Ext. of Thompson Lode thence S.11°27'E.,368 feet to amonument at the center of the north easterly end line of claim thence S.11°27'E. 368 feet to a stake at the S.E.Cor. thence S. 43° 30'W., 750 feet to a monument thence S.43°30'W., 750 feet to a stake at the S.W.cor. Thence N.11°27'W., 368 feet to the place of beginning.

The amended certificate of location is made without watver of any previously acquired rights, but for the purpose rights, but for the purpose of correcting any errors in the original location.

All done under the previsions of Chapter Six, of Title Thirty Two, of the Rebised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th 1895.

Dated on the ground this 19th day of July 1899.

Witness W.J.Atkinson Thomas J. Knox. The Arizona Copper Co.
Locators.
By James Colquboun, Agent.

Recorded the 14th day of Sept.1899. at 2 o'clock, P.M. at the request of Arizona Copper Co.

PEDRO MICHELENA, County Recorder

By Fred Dysart, Deputy.

(Book 11-Pg 413)

AMENDED LOCATION NOTICE.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN: The Arizona Copper Company has this 10th day of November, 1898, entered upon and Rocated by right of discovery and location 1500 feet of this vein, or lode, of mineral bearing rock, togerher with 300 feet in each side of the center of same. The name of this Minking claim shall be the Margarita and it is situated about one mile and a half in a south westerly-direction from town of Morenci, in Copper Mountain mining District, Cannty of Graham, Territory of Arizona, The general course of the vein, or lode, is from the South west to the North East. The surface boundaries are more particularly described as follows towit:— Beginning at a monument at the center of the North east end line of the claim, from which the discovery shaft bears \$.34°52' W. 50 feet, thence \$.11°15'E.213.3 ft. to the S.W. cor. of Norfolk Lode thence \$.11°15' E. 202.9 ft to the S.E.cor. thence \$.34°52' West 1500 feet to the S.W. cor. thence N.11°15'W. 8324 ft to the N.W. cor. thence N.34° 52'E.1500 ft. to the N.E.Cor. thence \$.11°15'E.416.2 ft. to the place off beginning.

This amended certificate of location is made without wavier of previous rights but for the purpose of correcting any errors in the original location, description or record.

All done under the previsions of Chapter Six, of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona entitled "An Act Concerning Mines" approved March, 20, 1895,

Dated on the ground, this 10th day of November, 1898.

Witnes W.J. Atkinson G.A. Smith.

The Arizona Copper Co.

Pr. James Colquhoun, Agent. Locators.

Red rded at request of ArizonCopper Go. Nov.14,1898, at llo'clock, A.M.

P.MICHELENA, Recorder.

(Book 10 Pg 199-200)

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

P	hoenix	, Arizona,	~~~~~~	
		January 6	, 1911	, 190
I, U. S. Surveyor-General for-		Arizma,		
do hereby certify that the foregoing transcri	ipt of the	Field Notes, re	turn and app	roval of the survey
of the mining claim of				
The Arizo	na Cop	per Compar	ıy,	
known as the IRON KING, FIRST WES and MARGARITA, situate in COP				
Mining District, GRAHAM		County,	ARIZ	ONA, approx.
Uns., in Sections 20 and 21 Township No.	4 S.	, Range No	29 E.	and
designated as Survey No. 2857				
this office; that said Field Notes furnish such				
incorporated into a patent, serve fully to iden	atify the p	oremises, and the	at such refere	nce is made therein
to natural objects or permanent monuments	as will pe	erpetuate and fix	the locus the	re <mark>of</mark> .
And I further certify that five hundred				
ments made upon said mining claim by clai				
consist of 1 cut, 2 tunnels and				
,				
		5		·

and that no portion of said labor or improve	ements ha	as been included	in the estima	ate of expenditures
upon any other claim.				
I further certify that the plat thereof, fil	led in the	U.S. Land Offi	ce at Phoen	ix, Arizona,
is correct an	d in confo	ormity with the	foregoing Fie	ld Notes.
	Fr	ank S. Ing	alls,	
United Ste	ates Survey	or-General for	Arizona.	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

rnoe	nix, Arizon	a,	
	Januar	y 6, 1911,	, 190
I, U. S. Surveyor-General for	Ariz	ona,	
do hereby certify that the foregoing and h	ereto attached Fie	ld Notes and Return of	f the Survey of the
Mining Claim of			
The Arizona	Copper Com	pany.	
			, known as the
IRON KING, FIRST WEST EXTEN	SION OF THE	THOMPSON, NORI	FOLK and
MARGARIA,	TO RECTION A TAX		
situate inCOPPE	R MOUNTAIN		mining district,
GRAHAM	County,	Arizona, ar	proximately
in Section 5 20 and 21 , Township	No. 4 S.	, Range No. 29) E.,
, designated as Surve			
executed by Lamar Cob	b,	, Uni	ted States Mineral
Surveyor, September 1 -	8, 1910,	,-190 , under my	instructions dated
August 29, 1910, ,x	90., have been co	ritically examined and	the necessary cor-
rections and explanations made, and the sa	aid Field Notes an	nd Return, and the Sur	vey they describe,
are hereby approved. A true copy of the	copy of the location	on certificate filed by t	the applicant for
survey is included in the field notes.			
	Mank	Sinzar	Ch_
	U. S. Surve	yor-General for Ari	zona,
	17-4		