

1-3-11.

F.L.

OCT 24 1910

(4-683.)

Mineral Survey No. 2865

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

B. O. Webb

KNOWN AS THE

Perry & Elk

Hassayampa Mining District.

Yavapai County, Arizona

Section approximately, Township 12 N-, Range 2 W. (uns.)

Prescott National Forest
Surveyed under instructions dated Oct 19th, 1910

by William H. Merritt,
U. S. ~~Deputy~~ Mineral Surveyor

Claim located See location notes, 1

Survey commenced Oct 22nd, 1910

Survey completed " " , 1910

⁶⁻¹⁷¹
Address of Claimant
W. H. Merritt Atty-in-fact
Prescott Yavapai County
Arizona

Feet Beginning at Cor. No. 1, identical with the location.
 Porphyry stone 3X10X24 ins. set 12 ins. in the ground, with
 mound of stones chiseled 1-E-2865. on line 2-3 Sur. No.
 2025 at N 24°45'W 39.38 ft. from cor. No. 2, a porphyry stone
 8X10X12 ins. chiseled 0-2-2025 with mound of stones 3X3 ft.
 Whence :- U.S.L.M. No. 2024 brs. S 63°04'E 871.58 ft.
 No bearings available. Loc. cor. Mound of stones 3X3 ft.
 Thence S 10°33'E
 Va. 14°E

1501.3 To Cor. No. 2.
 Identical with the loc. and with cor. No. 1 Perry lode of
 this sur. A Granite stone 8X8X24 ins. set 12 ins. in the ground
 with mound of stones chiseled 2-E. 1-P-2865. No bearings
 available. Loc. cor. Mound of stones 3X3 ft.
 Thence S 15 81°48'W
 Va. 14°E

300 S.C. End identical with the loc. and with N.C. End of Perry
 lode of this sur. a mound of stones 3X3 ft.

457 Cen. Hassayampa River 50 ft. wide course N 20°E

507 To Cor. No. 3.
 Identical with the loc. and with cor. No. 4 Perry lode of this
 survey. X-3-E. 4-P-2865 chiseled on Porphyry in place 4X6
 ft. above the ground with mound of stones. Whence :-
 X-B-R-3-E. 4-P-2865 chiseled on rock in place brs.
 S 35°00'W 5.2 ft. No other bearings available. Loc. cor.
 mound of stones 3X3 ft.
 Thence N 8°12'W
 Va. 14°E

150 Cen. Hassayampa River 50 ft. wide course S 82°W
 1500 To Cor. No. 4.
 Identical with the loc.
 X-4-E-2865 chiseled on porphyry stone in place 10X12X12
 ins. above the ground with mound of stones. No bearings avail-
 able. Loc. cor. mound of stones 3X3 ft.
 Thence N 81°48'E
 Va. 14°E

Feet
 207 ft. N.C. End identical with the loc. a mound of stones 3X3 ft.
 445.6 To Cor. No. 1 the place of beginning.

PERRY LODGE.

Beginning at cor. No. 1.
 Identical with the loc. and with cor. No. 2 Elk lode of this
 survey hereinbefore described. Whence:-
 U.S.L.M. No. 2024 brs. N 24°55'E 1192.1 ft.

Thence S 8°12'E
 Va. 14°E

280 Cen. Hassayampa river 50 ft. wide course S 43°00'W
 1500 To Cor. No. 2.
 Identical with the loc.
 A Porphyry stone 3X12 X30 ins. set 15 ins. in the ground
 with mound of stones chiseled 2-P-2865. No bearings
 available. Loc. cor. mound of stones 3X3 ft.

Thence S 81°48'W
 Va. 14°E

300 S.C. End identical with the loc. a mound of stones 3X3 ft.
 390 To Cor. No. 3.
 Identical with the loc.
 A Porphyry stone 5X6X24 ins. set 12 ins. in the ground
 with mound of stones chiseled 3-P-2865. No bearings
 available. Loc. cor. mound of stones 2 X3 ft. high.

Thence N 12°40'W
 Va. 14°E

1080 Cen. Hassayampa River 70 ft. wide course N 70°W
 1390 Cen. Hassayampa River 50 ft. wide course N 10°E
 1504.57 To Cor. No. 4.
 Identical with the loc. and with cor. No. 3 Elk lode of this
 sur. hereinbefore described.

Thence N 81°48'E
 Va. 14°E

50 Cen. Hassayampa River 50 ft. wide course N 20°E
 207 N.C.E. identical with the loc. and with S.C.E. of Elk lode of
 this sur. hereinbefore described.
 507 To Cor. No. 1 the place of beginning.

AREA.

ELK LODGE total area16,401 acres
 PERRY Lode " "15,444. "

31,845

ADJOINING CLAIMS.

This claim is bounded on all sides by U.S.Land, the N.E.cor. touches survey No.2025 Old Ohio lode.

LOCATION

This claim is located on unsurveyed land approximately in T.12 N.R.2.W.^{uns,} Hassayamaa Mining District, Yavapai County, Arizona Territory, in Prescott National Forest.

LEDGES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective end centers.

ELK lode 1500 ft. N 8°12'W from S.C.E.to the N.C.E.
 PERRY " 1500 " N 8°12'W " S.C.E. " " N.C.W.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon each location embraced in this mining claim by the claimant or his grantors, is not less than five hundred dollars, and that said improvements consist of:

ELK lode.

- No.1 dis.tunnel which is on the lode line distance 500 ft from the S.C.End.4X6X130 ft.course N8°W value \$1040.00
- No.2 shaft which is on the lode line distance 780 ft. from S.C.E.4X6X30 ft.value \$800.00
- No.3 tunnel which brs.from S.C.End N 29°50'W 226 ft.4X6X 500 ft.course N 7°W value \$3500.00
- No.4 tunnel which brs.from S.C.End N 33°40'W 286 ft.4X6X50 ft. course N 7°00'W value\$400.00

PERRY LODGE.

- No.1 dis,tunnel which is on the lode line distance 585 ft. from N.C.End.4X6X30 ft.course S 8°E value ...\$240.00
- No.2 tunnel which brs.from cor.No.1 S 33°30'W 500 ft. 4X6X 170 ft.course N 8°00'W value \$1360.00

Note:-

The difference between these field notes and the location notices, is due to errors and omissions in the later.

INSTRUMENT

This survey was made with a Gurley Solar Transit.The courses were deflected from the true meridian as determined by direct solar observations.The distances were measured with 100-ft.and 500-ft.steel tapes.

William H. Merritt
 U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

known as the B. O. Webb
Perry and Elk

and showing the respective capacities in which they acted.

F. M. Merritt, Chairman.
_____, Chairman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We F. M. Merritt

and _____, do solemnly swear that we assisted William H. Merritt, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of B. O. Webb

known as the Perry & Elk

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

F. M. Merritt, Chairman.
_____, Chairman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd

day of October, 1910.

My Commission Expires Nov. 1-1913.

Ziba O. Brown
Notary Public

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, William H. Merritt, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Oct. 19, 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of B. O. Webb, known as the Perry & Elk, situate in Hassayampa Mining District, Yavapai County, Arizona, in Section Apprx, Township No. 12 N., Range No. 2 West (unsurveyed) and designated as Survey No. 2865, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt
U. S. ~~Deputy~~ Mineral Surveyor, before me a Notary Public in
and for Yavapai County, Arizona this 22nd
day of October 1910,

my Commission
Expires Nov 1-1913.

Ziba O. Brown
Notary Public

OCT. 20. 1910

Perry.

Notice of Location of the Perry Ledge or claim Containing Fifteen hundred 1500 feet and located as a Silver Mine. The undersigned claim for mining purposes. Fifteen Hundred 1500 feet of this Quartz Ledge in length Along the ledge or vein. and three hundred (300) feet on each side of the middle of the vein at the Surface together with all the dips. Spurs and angles and all Valuable Mineral deposits contained therein. and all timber growing within the limits of said Claim. and all Water and Water privileges thereon or appurtenant thereto under and according to the provisions of An Act of Congress approved May 10th 1872. "Entitled" An Act to promote the development of the Mining Resources of the United States.

This Claim Commences at this Notice which is posted in a Conspicuous place on the Ledge in a Monument of stone. running thence (750) feet in a northerly direction and (750) feet in a Southerly direction from this Monument Making Fifteen hundred (1500) Linear feet. The Exterior Boundaries are as follows. Commencing at a Monument on the Ledge. 750 feet from the discovery Monument North thence Easterly. 300 feet. to monument at N.E. Corner thence Southerly. parallel with the Ledge. 1500 feet to S.E. Corner a Monument thence Westerly 600 feet to Monument at S W Cor. thence 1500 feet Northerly to monument at N.W. Cor. thence Easterly 300 feet to Monument and place of beginning.

This Ledge is situated on Hassay ampa Creek and this Monument is placed about. One Hundred (100) feet on the South side of the Creek about 1/2 mile below the site of the Old. Umpaqua Mill and about three (3) Miles Southerly from the old Sterling Mill Site in Hassayampa Mining District Yavapai County Arizona Territory and shall be known as the Discovery Location on the Perry Lode.

Located in accordance with the Mining Laws of Congress May 10 1872

Dated on the ground this 2nd day of July ^{A D} 1877

Witness
N Leighton

T Otto

Filed for record July 14th 1877 at 8 oclock. A.M. at the request of T. Otto. and duly recorded in Book E 5 of Mines Records of Yavapai County, Arizona at folio 552 and 553.

William Wilkerson
County Recorder

AMENDED
Notice of Mining Location
Lode Claim

OCT 22 1910

To All Whom It May Concern:

This Mining Claim, the name of which is the Elk Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by B O Webb the undersigned, on the 15th day of Oct, 1910

The length of this claim is 1500 feet, and I Claim 720 feet, in a N¹/₂Y direction and 786 feet in a S¹/₂Y direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 ft. on the East & 207 ft on the West feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Hassayampa Mining District, in Yavapai County in the Territory of Arizona, about 800 feet in a W¹/₂Y direction from U S L M. No 2024 And joins the Perry Mining Claim on the South

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument of Stone at a point in a N¹/₂Y direction 720 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence E¹/₂Y 300 feet to a Monument, being the N E corner of said claim; thence S¹/₂Y 1500 feet to a Monument, being at the S.E corner of said claim; thence W¹/₂Y 300 feet to a Monument at the center of the South end of said claim; thence W¹/₂Y 207 feet to a Monument, being at the S W corner of said claim; thence N¹/₂Y 1500 feet to a Monument at the N W corner of said claim; thence E¹/₂Y 207 feet to the place of beginning..

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Elk Mining claim, located by Charles Capelle & Geo P Kendall on the 1st day of Jan 1889, and recorded in Book 26 of Records of Mines, at page 494, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended location Notice is made and posted to correct errors in the description in the said original Location Notice

Dated and posted on the ground this 15th day of Oct , 1910.

B O Webb.

by F.M.Merritt Atty-in-fact

Filed and Recorded at request of F.M.Merritt, Oct. 17, A.D. 1910, at 10:49 o'clock A.M., Book 86 of Mines, Page 179, Records of Yavapai County, Arizona.

By, Deputy Recorder. (SEAL) J.C. Bradbury, County Recorder.

TERRITORY OF ARIZONA,)
County of Yavapai.) ss.

OCT 20 1910

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with and that the same are true and correct copies of the notice of locations of the following named lode mining claims, as appears of record in my said office; the same being located in the Hassayampa Mining District, Yavapai County, Arizona, viz:

PERRY, the original notice of location whereof is of record in Book E 5 of Mines, at pages 552-553, Records of Yavapai County, Arizona.

ELK, the amended notice of location whereof is of record in Book 86 of Mines, at page 179, said Records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th day of October, A.D. 1910.



J. C. Bradbury
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 2, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

B. O. Webb,

known as the PERRY, BLK,

situate in Hassayampa

Mining District, Yavapai County, Arizona,

in Section approximately Township No. 12 N., Range No. 2 W. uns., and

designated as Survey No. 2865, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 5 tunnels and 1 shaft, total value \$7340.00.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

February 2, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

B. O. Webb,

, known as the

PERRY and ELK,

situate in Hassayampa mining district,

Yavapai County, Arizona,

in Section approximately, Township No. 12 N., Range No. 2 W. uns.,
Prescott National Forest,
, designated as Survey No. 2865,

executed by William H. Merritt, United States Mineral

Surveyor, October 22, 1910., ~~1908~~, under my instructions dated

October 19, 1910., ~~1908~~, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.