

1-25-1911.

F.L.

1
NOV 22 1910

(4-683.)

Mineral Survey No. 2869

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

O. D. M. Gaddis and the heirs of W. E. Sauls, deceased.

KNOWN AS THE

Gold Crown, Gold Dome, Watchman, Dip, Site, Standard, Protection
King Edward, in San Francisco Mining District.

Mohave County, Arizona, approximately
in Sections 3 & 34, Township 21 & 22 N., Range 20 W., unsurveyed,
Surveyed under instructions dated Nov. 2nd, 1910.

by Peter McCardell
U. S. Deputy Mineral Surveyor

Claim located see location notices, 1
Survey commenced November 7 th., 1910
Survey completed November 14 th., 1910

6-100

Address of claimants Attorney,
E. S. Clark, Prescott, Arizona.

SURVEY No.2869.

GOLD CROWN

Beginning at Cor. No.1.

Identical with Cor. No.1-1, Site and Protection lodes, both of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G. C. 1-2869, S. 1-2869 and P. 1-2869 on their respective faces, whence A cross (X) and B. R. 1-1-1-2869 chiseled on a porphyry rock 5 ft. above the ground, bears S. 15° 50' W. 94.4 ft. and a cross and B. R. 1-1-1-2869 chiseled on a porphyry rock 5 ft. above the ground, bears S. 83° 50' W. 93.1 ft. U. S. M. M. No.2869, San Francisco Mining District, bears S. 52° 01' W. 255.83 ft.

Thence N. 33° 47' W.

Va. 15° 09' E.

Feet.

Along line 1-4 Site lode of this survey.

1500 To Cor. No.2.

Identical with Cor. No.1-4 Watchman and Site lodes both of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W. 1-2869, G. C. 2-2869 and S. 4-2869 on their respective faces, whence Thumb Butte bears S. 16° 06' W. Indian School bldg. at Ft. Mohave, bears S. 44° 25' W., no other bearing objects available.

Thence N. 56° 13' E.

Va. 15° 15' E.

Along line 1-4 Watchman lode of this survey.

300 To north end center.

Identical with south end center of Watchman lode of this survey.

SURVEY No. 2869 - Continued.

GOLD CROWN LODE - Continued.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G. C., N. E. C. Feet. 2869 and W., S. E. C. 2869 on their respective faces.

600 To Cor. No. 3.

Identical with Cor. No. 1-2-4, Dip, Standard and Watchman lodes all of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed D. 1-2869, S. 2-2869, G. C. 3-2869 and W. 4-2869 on their respective faces, Whence

A cross (X) and B. R. 1-2-3-4-2869 chiseled on a granite rock 3 ft. above the ground, bears N. 35° 50' W. 106 ft., no other bearing objects available.

Thence S. 33° 47' E.

Va. 15° 37' E.

Along line 2-1 Standard lode of this survey.

1335 Gulch, drains S. W.

1500 To Cor. No. 4.

Identical with Cor. No. 1-2, Standard and Protection lodes respectively, both of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed S. 1-2869, P. 2-2869 and G. C. 4-2869 respectively. No bearing objects available.

Thence S. 56° 13' W.

Va. 15° 11' E.

Along line 2-1 Protection lode of this survey.

244 Same gulch, drains south.

300 To south end center.

Identical with north end center Protection lode of this survey.

SURVEY No. 2869 - Continued.

GOLD CROWN LODE &- Continued.

Feet. 2869 and P., N. E. C. 2869 on their respective faces.
 600 To Cor. No.1, the place of beginning.

GOLD DOME LODE.

Beginning at Cor. No.1.

Identical with the south end center of Site lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G. D. 1-2869 and S., S. E. C. 2869 on their respective faces, whence U. S. M. M. No. 2869, San Francisco Mining District, bears N. 78° 54' E. 48.62 ft., no other bearing objects available.

Thence S. 50° 39' E.

Va. 15° 08' E.

627 Union Pass road, course S. W. & N. E.

914 Gulch, drains S. 60° W.

1335.97 Intersect line 1-4 Protection lode of this survey, at S. 37° 36' E. 1271.73 ft. from Cor. No.1 and N. 37° 36' W. 119.77 ft. from Cor. No.4.

1450.85 Intersect line 3-4, Protection and line 1-2, King Edward Lodes, of this survey, at S. 56° 13' W., 571.74 ft. from Cor. No. 3-2 and N. 56° 13' E., 28.26 ft. from Cor. No. 4-1.

1500 To Cor. No.2.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G. D. 2-2869, whence

A cross (X) and B. R. 2-2869 chiseled on a rhyolite rock 2 ft. above the ground, bears S. 77° 56' W. 23.1 ft.,

SURVEY No. 2869 - Continued.

GOLD DOME LODE - Continued.

no other bearing objects available.

Thence S. 56° 13' W.

Va. 15° 15' E.

Feet.

50.87 Intersect line 1-4, King Edward lode of this survey, at N. 23° 43' W. 1452.23 ft. from Cor. No. 4 and S. 23° 43' E. 47.77 ft. from Cor. No. 1.

300 To south end center.

A pine post, 4 ft. long, 4 ins. square, set 12 ins. in the ground, with mound of stone, scribed G. D., S. E. C. 2869.

613.4 To Cor. No. 3.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G. D. 3-2869, no bearing objects available.

Thence N. 50° 39' W.

Va. 15° 13' E.

667 Gulch, drains S. 50° W.

723 Union Pass road, course S. W. & N. E.

1500 To Cor. No. 4.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed G. D. 4-2869, whence

Thumb Butte bears S. 18° 39' W., Indian school Bldg., at Ft. Mohave, bears S. 45° 13' W., no other bearing objects available.

Thence N. 56° 13' E.

Va. 14° 45' E.

313.4 To north end center.

Identical with Cor. No. 2, Site lode of this survey.

(4)
SURVEY No. 2869 - Continued.

GOLD DOME LODE - Continued.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed S. 2-2869 and G. D., N. E. C. 2869 on their respective faces, thence
Feet. along line 2-1 Site lode of this survey.
613.4 To Cor. No. 1, the place of beginning.

WATCHMAN 1:21.

Beginning at Cor. No. 1.

Identical with Cor. No. 2-4, Gold Crown and Site lodes respectively, both of this survey and hertofore described, whence

U. S. M. M. No. 2869, San Francisco Mining District, bears S. 24° 14' 50" E. 1540.30 ft.

Thence N. 56° 48' W.

Va. 15° 15' E.

983 Gulch, drains south.

1500 To Cor. No. 2.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W. 2-2869, whence Thumb Butte bears S. 10° 33' W., no other bearing objects available.

Thence N. 56° 13' E.

Va. 15° 07' E.

300 To north end-center.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W., N. E. C. 2869.

600 To Cor. No. 3.

Identical with Cor. No. 2, Dip lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in

(5)

SURVEY No.2869 - Continued.

WATCHMAN LODE - Continued.

the ground, with mound of stone, scribed W. 3-2869 and D. 2-2869 on their respective faces, no bearing objects available.

Thence S. 56° 48' E.

Va. 15° 00' E.

Feet. Along line 1-2 Dip lode of this survey.

82 Gulch, drains south.

1500 To Cor. No.4.

Identical with Cor. No.1-2-3- Dip, Standard, and Gold Crown lodes all of this survey, and heretofore described.

Thence S. 56° 13' W.

Va. 15° 37' E.

300 Along line 3-2 Gold Crown lode of this survey.

To south end center.

Identical with the north end center of Gold Crown lode of this survey and heretofore described.

600 To Cor. No.1, the place of beginning.

DIP

Beginning at Cor. No.1.

Identical with Cor. No.2-3-4, Standard, Gold Crown and Watchman lodes, all of this survey and heretofore described, whence

U. S. M. M. No.2869, San Francisco Mining District, bears S. 4° 24' E. 1742.94 ft.

Thence N. 56° 48' W.

Va. 15° 37' E.

Along line 4-3 Watchman lode of this survey.

1500 To Cor. No.2.

Identical with Cor. No.3 Watchman lode of this survey,

SURVEY No. 2869 - Continued.

DIP LODE - Continued.

and heretofore described.

Thence N. 56° 13' E.

Va. 15° 00' E.

Feet.

34 Gulch, drains south.

300 To north end center.

A pine post, 4 ft. long, 4 ins. square, set 18 ins in the ground, with mound of stone, scribed D., N. E. C. 2869.

600 To Cor. No. 3.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed D. 3-2869, whence

A cross (X) and B. R. 3-2869 chiseled on a granite rock 3 ft. above the ground, bears N. 73° 20' E. 119.7 ft. Thumb Butte bears S. 13° 42' W., no other bearing objects available.

Thence S. 56° 48' E.

Va. 15° 18' E.

1500 To Cor. No. 4.

Identical with Cor. No. 3 Standard lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed S. 3-2869 and D. 4-2869 on their respective faces, whence

A cross (X) and B. R. 3-4-2869 chiseled on a granite rock 1.5 ft. above the ground, bears S. 60° 58' W. 14 ft., no other bearing objects available.

Thence S. 56° 13' W.

Va. 15° 38' E.

Along line 3-2 Standard lode of this survey.

-SURVEY No. 2869 - Continued.

Feet.

DIP LODE - Continued.

300 To south end center.

Identical with north end center Standard lode of this survey.

A pine post, 4 ft. long, 4 ins. square; set 18 ins. in the ground, with mound of stone, scribed D., S. E. C. 2869 and S., N. E. C. 2869 on their respective faces.

600 To Cor. No.1, the place of beginning.

 SITE 1869.

Beginning at Cor. No.1.

Identical with Cor. No.1-1, Gold Crown and Protection lodes both of this survey and heretofore described, whence

U. S. M. M. No. 2869, San Francisco Mining District, bears S. 52° 01' W. 255.83 ft.

 Thence S. 56° 13' W.

Va. 15° 09' E.

300 To south end-center.

Identical with Cor. No.1 Gold Dome lode of this survey and heretofore described.

600 To Cor. No.2.

Identical with north end center Gold Dome lode of this survey and heretofore described.

 Thence N. 33° 47' W.

Va. 15° 11' E.

1500 To Cor. No.3.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed S. 3-2869, whence

SURVEY No.2869 - Continued.

SITE LODE - Continued.

A cross(X) and B. R. 3-2869 chiseled on a granite rock 3 ft. above the ground, bears S. 71° 49' E. 80.1 ft., Thumb Butte bears S. 14° 30' W., no other bearing objects available.

Thence N. 56° 13' E.

Va. 15° 07' E.

300 To north end center.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed S., N. E. C. 2869.

600 To Cor. No.4.

Identical with Cor. No.1-2, Watchman and Gold Crown lodes, both of this survey and heretofore described.

Thence S. 33° 47' E.

Va. 15° 15' E.

Along line 2-1 Gold Crown lode of this survey.

1500 To Cor. No.1, the place of beginning.

STANDARD

Beginning at Cor. No.1.

Identical with Cor. No.2-4-Protection and Gold Crown lodes respectively, both of this survey and heretofore described, whence

U. S. M. M. No.2869, San Francisco Mining District, bears S. 54° 57' W. 855.34 ft.

Thence N. 33° 47' W.

Va. 15° 11' E.

Along line 4-3 Gold Crown lode of this survey.

1500 To Cor. No.2.

SURVEY No. 2869 - Continued.

STANDARD LODE - Continued.

Identical with Cor. No. 1-3-4, Dip, Gold Crown and Watchman lodes respectively, all of this survey and heretofore described.

Thence N. $56^{\circ} 13'$ E.

Va. $15^{\circ} 37'$ E.

Along line 1-4 Dip lode of this survey.

300 To north end center.

Identical with south end center of Dip lode of this survey and heretofore described.

600 To Cor. No. 3.

Identical with Cor. No. 4 Dip lode of this survey and heretofore described.

Thence S. $33^{\circ} 47'$ E.

Va. $15^{\circ} 38'$ E.

1110 Gulch, drains S. 15° W.

1230 Union Pass road, course S. W. & N. E.

1500 To Cor. No. 4.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed S. 4-2869, whence Indian School Bldg. at Ft. Mohave, bears S. $45^{\circ} 32'$ W., Sugar Loaf mountain bears S. $62^{\circ} 01'$ W., no other bearing objects available.

Thence S. $56^{\circ} 13'$ W.

Va. $15^{\circ} 10'$ E.

272 Union Pass road, course south.

300 To south end center.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed S., S. E. C. 2869.

SURVEY No. 2869 - Continued.

Feet.

STANDARD LODE - Continued.

600 To Cor. No. 1, the place of beginning.

PROTECTION

Beginning at Cor. No. 1.

Identical with Cor. No. 1-1, Gold Crown and Site lodes, both of this survey, and heretofore described, whence U. S. M. M. No. 2869, San Francisco Mining District, bears S. 52° 01' W. 255.83 ft.

 Thence N. 56° 13' E.

Va. 15° 09' E.

Along line 1-4 Gold Crown lode of this survey.

300 To north end center.

Identical with south end center Gold Crown lode of this survey and heretofore described.

600 To Cor. No. 2.

Identical with Cor. No. 1-4, Standard and Gold Crown lodes respectively, both of this survey, and heretofore described.

 Thence S. 37° 36' E.

Va. 15° 11' E.

296 Union Pass road, course S. 35° W. & N. 35° E.

701 Gulch, drains S. 40° W.

1391.5 To Cor. No. 3.

Identical with Cor. No. 2, King Edward lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P. E. 1-2869 and P. 3-2869 on their respective faces, no bearing objects available.

 Thence S. 56° 13' W.

Va. 15° 32' E.

Along line 2-1 King Edward lode of this survey.

SURVEY No.2869 - Continued.

Feet.

PROTECTION LODE - Continued.

No.300

To south end center.

Identical with north end center King Edward lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P., S. E. C. 2869 and K. E., N. E. C. 2869 on their respective faces.

571.74

Intersect line 1-2, Gold Dome lode of this survey, at S. 50° 39' E. 1450.85 ft. from Cor. No.1 and N. 50° 39' W. 49.15 ft. from Cor. No.2.

600

To Cor. No.4.

Identical with Cor. No.1, King Edward lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed K. E. 1-2869 and P. 4-2869 on their respective faces, whence

A cross (X) and B. R. 1-4-2869 chiseled on a rhyolite rock 3 ft. above the ground, bears S. 80° 37' W. 5.1 ft. and a cross (X) and B. R. 1-4-2869 chiseled on a rhyolite rock 3 ft. above the ground, bears S. 27° 55' E. 4.3 ft.

Thence N. 37° 36' W.

Va. 15° 13' E.

119.77

Intersect line 2-1 Gold Dome lode of this survey, at N. 50° 39' W. 174.03 ft. from Cor. No.2 and S. 50° 39' E. 1325.97 ft. from Cor. No.1.

510

Gulch, drains S. W.

815

Union Pass road, course S. 35° W. & N. 35° E.

1391.5

To Cor. No.1, the place of beginning.

KING EDWARD LODE.

Beginning at Cor. No.1.

Identical with Cor. No.4, Protection lode of this survey

SURVEY No. 2869 - Continued.

KING EDWARD LODE - Continued.

and heretofore described, whence

U. S. M. M. No. 2869, San Francisco Mining District,
bears N. 48° 02' W. 1413.22 ft.

Thence N. 56° 13' E.

Va. 15° 13' E.

Feet. Along line 4-3 Protection lode of this survey.

23.26 Intersect line 1-2, Gold Dome lode of this survey, at
S. 50° 39' E. 1450.85 ft. from Cor. No. 1 and N. 50° 39'
W. 49.15 ft. from Cor. No. 2.

300 To north end center.

Identical with the south end center Protection lode of
this survey and heretofore described.

600 To Cor. No. 2.

Identical with Cor. No. 3, Protection lode of this survey
and heretofore described.

Thence S. 23° 43' E.

Va. 15° 32' E.

1450 Union Pass wash, drains S. W.

1500 To Cor. No. 3.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the
the ground, with mound of stone, chiseled N. E. 3-2869,
whence

A cross (X) and B. R. 3-2869 chiseled on a porphyry
rock 5 ft. above the ground, bears N. 37° 56' E. 37.65
ft., no other bearing objects available.

Thence S. 56° 13' W.

Va. 15° 02' E.

300 To south end center, falls in Union Pass wash.

SURVEY No. 2869 - Continued.

KING EDWARD LODE - Continued.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed K. E., S. E. C. 2869.

600 To Cor. No. 4. falls in Union Pass wash.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed K. E. 4-2869, whence

A cross (X) and B. R. 4-2869 chiseled on a quartzite rock 5 ft. above the ground, bears S. $46^{\circ} 17'$ E. 117 ft. no other bearing objects available.

Thence N. $23^{\circ} 43'$ W.

Va. $15^{\circ} 03'$ E.

1452.23 Intersect line 2-3 Gold Dome lode of this survey, at S. $56^{\circ} 13'$ W. 50.87 ft. from Cor. No. 2 and N. $56^{\circ} 13'$ E., 562.53 ft. from Cor. No. 3.

1500 To Cor. No. 1, the place of beginning.

Note: the S.E.C. and Cor. No. 4 King Edward lode are well protected from any washout that may occur in the Union Pass wash, each post being surrounded with large boulders.
Lode Lines.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Gold Crown lode, 300 ft. N. $33^{\circ} 47'$ W. and 1200 ft. S. $33^{\circ} 47'$ E.

Gold Dome lode, 498 ft. N. $50^{\circ} 39'$ W. and 1002 ft. S. $50^{\circ} 39'$ E.

Watchman lode, 1208 ft. N. $56^{\circ} 48'$ W. and 292 ft. S. $56^{\circ} 48'$ E.

Dip lode, 1140 ft. N. $56^{\circ} 48'$ W. and 360 ft. S. $56^{\circ} 48'$ E.

SURVEY No.2869 - Continued.

Site lode, 580 ft. N. 33° 47' W. and 920 ft. S. 33° 47' E.

Standard lode, 9683ft.4N! 33° 47' W. and 532 ft. S. 33° 47' E.

Protection lode, 1278.5 ft. N. 37° 36' W. and 113 ft. S. 37° 36' E.

King Edward lode, 603 ft. N. 23° 43' W. and 807 ft. S. 23° 43' E.

AREA.

Area Gold Crown lode.....	20.661	acres
" " Gold Dome "	20.214	"
" " Watchman "	19.015	"
" " Dip "	19.015	"
" " Site "	20.661	"
" " Standard "	20.661	"
Total area Protection lode.....	19.124	"
Area in conflict with Gold Dome....	.039	acres.
Total area King Edward lode.....	20.343	"
Area in conflict with Gold Dome....	.043	acres.

This survey is identical with the respective locations.

LOCATION.

This survey is located in San Francisco Mining District, Mohave County, Arizona. Approximately in ^{Secs.3+34} T. 21+22 N., R. 20 W., G. & S. R. B. & M. *Uns.*

ADJOINING CLAIMS.

There are no adjoining claims.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements

SURVEY No. 2869 - Continued.

the center of line 3-4, 5 ft. wide, 10 ft. face, running S. 57° W. 17 ft.

Value, \$50

KING EDWARD LODGE.

No. 1. The discovery shaft, on the center line 693 ft. from the center of line 1-2, 4 X 6 ft., 8 ft. deep.

Value, \$80

STANDARD LODGE.

No. 1. The discovery cut, the face of which being the point of discovery is on the center line 532 ft. from the center of line 1-4, 5 ft. wide, 10 ft. face, running S. 65° W. 17 ft.

Value, \$45

SITE LODGE.

No. 1. The discovery shaft, on the center line 580 ft. from the center of line 3-4, 4 X 6 ft., 10 ft. deep.

Value, \$45

WATCHMAN LODGE.

No. 1. The discovery cut, the face of which being the point of discovery is on the center line 292 ft. from the center of line 1-4, 5 ft. wide, 10 ft. face, running N. 26° E. 17 ft.

Value, \$40

No. 2. A shaft, which bears from Cor. No. 1, N. 55° 47' W. 766.4 ft., 4 X 6 ft., 18 ft. deep.

Value, \$180

DIP LODGE.

No. 1. The discovery shaft, on the center line 360 ft. from the center of line 1-4, 4 X 6 ft., 10 ft. deep.

Value, \$50

OTHER IMPROVEMENTS.

Mill No. 1, the upper mill, the N. E. corner of which bears from Cor. No. 4, Site Lodge 16' E. 451.7 ft., 50 X 90 ft., course of long side N. 44° 30' W.

Mill No. 2, lower mill, the N. W. corner of which

(1A)
SURVEY No. 2869 - Continued.

made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimants or their grantors is not less than five hundred dollars, and that said improvements consist of:

~~GOLD CROWN.~~

No.1. The point of discovery, a winze, in tunnel No. 2, 130 ft. from the mouth of said tunnel and on the center line 300 ft. from the center of line 2-3, 4 X 6 ft., 10 ft. deep, in rock.

Value, \$80

No.2. A tunnel, the mouth of which bears from Cor. No.2, S. 62° 27' E. 352 ft., 4 X 6 ft., running N. 49° E. 220 ft., thence S. 78° 22' E. 100 ft. to breast, in rock.

Value, \$3,200

No.3. A tunnel, the mouth of which bears from Cor. No.2, N. 75° 25' E. 321 ft., 4 X 6 ft., running S. 53° 34' E. 250 ft. to breast, in rock.

Value, \$2500

No.4. A tunnel, the mouth of which bears from Cor. No.2, S. 35° 32' E. 412 ft., 4 x 6 ft., running N. 38° 36' E. 280 ft., thence N. 86° 45' E. 75 ft. to cross cut running S. 3° 15' E. 18 ft., 185 ft. to cross cut running S. 35° E. 22 ft., 200 ft. to breast.

Value of tunnel and cross cuts \$4,800

GOLD DOME

No.1. The discovery cut, the face of which being the point of discovery, is on the center line 498 ft. from the center of line 1-4, 5 ft. wide, 10 ft. face, running N. 60° E. 18 ft., at the face of this cut is a tunnel, 4 X 6 ft., running S. 60° W. 30 ft., in rock.

Value, \$360

PROTECTION LODE.

No.1. The discovery cut, the face of which being the point of discovery, is on the center line 113 ft. from

SURVEY No.2869 - Continued.

bears from Cor. No.3, Site lode, S. $55^{\circ} 20'$ E. 551.8 ft.,
60 X 90 ft., course of long side N. $44^{\circ} 30'$ W.

A boarding house, the S. W. Cor. of which bears from
Cor. No.1, Protection lode, S. $87^{\circ} 15'$ E. 299.8 ft.,
16 X 36 ft., course of long side N. 6° E.

An Office, the N. W. Cor. of which bears from Cor.
No.1, S. $79^{\circ} 13'$ E. 299.8 ft., 18 X 36 ft., course of
long side N. 6° E.

Instrument

This survey was made with a Buff and Berger Transit.
The courses were deflected from the true meridian as
determined by observation on Polaris. The distances
were measured with a 100-ft. and 500-ft. steel tapes.

REPORT.

The lode line of each location of this claim was
run directly upon the ground, and the several corners
established by means of offsets from the lode line.
All tie lines were run either directly upon the ground
or by traverses, run upon the ground and submitted in
a separate report herewith.

DESCRIPTION OF U. S. M. M. No.2869,

San Francisco Mining District, Mohave County, Arizona.

Approximately in T. 21 N., R. 20 W., G. & S. R. B. & M. Latitude 35° 13' N.

This monument is established on the summit of a porphyry mountain, at an altitude of 3225 ft., chiseled cross (X) at the initial point, U. S. M. M. No.2869, monument of stone alongside on the south, 6 ft. base, 5 ft. high, whence

A cross (X) and B. R. U. S. M. M. No.2869 chiseled on a porphyry rock 5 ft. above the ground, bears N. 22° 50' W. 25.24 ft. and a cross (X) and B. R. U. S. M. M. No.2869 chiseled on a porphyry rock 3 ft. above the ground, bears S. 73° 19' W. 31.5 ft. Indian School Bldg. at Ft. Mohave, bears S. 45° 21' W., Thumb Butte bears S. 20° 51' W. Mt. Newberry bears N. 75° 41' W. Mt. McNutt bears S. 24° 47' E.



U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter McCardell

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of O. D. M. Gaddis and the heirs of W. E. Sauls, deceased.

known as the Gold Crown, Gold Dome, Watchman, Dip, Site, Standard, Protection and King Edward, and showing the respective capacities in which they acted.

- Lloyd Kerr , *Chainman.*
- , *Chainman.*
- , *Arman.*
- , *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~we~~ I, Lloyd Kerr

and do solemnly swear that ^I~~we~~ assisted Peter McCardell United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of O. D. M. Gaddis and the heirs of W. E. Sauls, deceased

known as the Gold Crown, Gold Dome, Watchman, Dip, Site, Standard, Protection and King Edward represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ^{my}~~our~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- Lloyd Kerr , *Chainman.*
- , *Chainman.*
- , *Arman.*
- , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 19th.

day of November 1910 , 190....

Wesley H. Smith

U. S. Commissioner
4th District Arizona

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter McCardell....., U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona....., dated
November 2nd. 1910....., I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of C. D. M. Gaddis and the heirs of W. E. Sauls, deceased.
....., known as the
Gold Crown, Gold Dome, Watchman, Dip, Site, Standard, Protection and
King Edward.
situate in San Francisco..... Mining District,
Mohave..... County, Arizona, Approx., in Sections
3 & 34 Township No. 21 & 22 N, Range No. 20 W., G. & S. R. B. & M.,
unsurveyed
and designated as Survey No. 2869....., as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their..... grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Peter McCardell
.....
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter McCardell.....
U. S. Mineral Surveyor, before me Anson H. Smith, U. S. Commissioner
..... this 19th.....
day of November 1910....., 190

Anson H. Smith
.....
U. S. Commissioner. 4th District
Arizona

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Gold Crown.

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.E.Sauls and O.D.M.Gaddis

Citizens of the United States.
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the first day of January ~~1900~~ 1908.

The length of this claim is fifteen hundred feet
and we claim 1200 feet

in a Southerly direction and 300

feet in a Northerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

Northerly to the Southerly

The claim is situated and located in the San Francisco

Mining District, in Mohave County, in the Territory of Arizona, about one mile

in a Westerly direction from the Expansion Gold Mining

Company's Camp and is the abandoned ground of the North Thumb Butte Mining Claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument

at a point in a Northerly direction 300 feet from

~~the discovery shaft~~ a stone monument (at which this notice is posted), being in the center of the North

end line of said claim; thence Easterly 300 feet to a stone monument

, being the N.E. corner of said claim; thence

Southerly 1500 feet to a stone monument, being at the

S.E. corner of said claim; thence Westerly 300 feet

to a stone monument at the center of the south end of said claim;

thence Westerly 300 feet to a stone monument, being at the

S.W. corner of said claim; thence Northerly 1500

feet to a stone monument at the N.W. corner of said claim;

thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of January ~~1900~~ 1908

Witness
L.C.Richardson

W.E.Sauls
O.D.M.Gaddis

Filed and recorded at request of O.D.M.Gaddis March 12th A.D. 1908, at 9 o'clock AM in Book AA at Page 115

Thos. McNeely
County Recorder

By Marie Carrow Deputy J. Morgan, County Recorder of Mohave County, Arizona

The title work was done on this claim on the flat toward S.W. Corner & Side line.

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the GOLD DOME

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.E.Sauls and O.D.M.Gaddis
Citizens of the United States.

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the first day of Janauary 1908

The length of this claim is 1500 feet
and we claim 750 feet

in a Northerly direction and 750

feet in a Southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

Northerly to the Southerly

The claim is situated and located in the San Francisco

Mining District, in Mohave County, in the Territory of Arizona, about one mile

in a Westerly direction from the Camp of the Expansion

Gold Mining Company and is the abandoned ground of the Equator Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument

at a point in a Northerly direction 750 feet from

the discovery shaft (at which this notice is posted), being in the center of the Northerly

end line of said claim; thence Easterly 300 feet to a stone monument

, being the N.E. corner of said claim; thence

Southerly 1500 feet to a stone monument, being at the

S.E. corner of said claim; thence Westerly 300 feet

to a stone monument at the center of the south end of said claim;

thence Westerly 300 feet to a stone monument, being at the

S.W. corner of said claim; thence Northerly 1500

feet to a stone monument at the N.W. corner of said claim;

thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of Janauary 1908

Witness W.E.Sauls

L.C.Richardson. O.D.M.Gaddis

Filed and recorded at request of O.D.M.Gaddis March 12th A.D. 1908, at 9 o'clock AM in Book A A at page 114.

Thos McNeely
County Recorder

By Marie Carrow, Deputy.

Compliments of J. W. Morgan, County Recorder of Mohave County, Arizona

Notice of Mining Location

LODE CLAIM

NOV. 1 - 1910

To All Whom It May Concern:

This Mining Claim, the name of which is the Watchman

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.E.Sauls & O.D.M.Gaddis

Citizens of the United States.
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the first day of January ~~1907~~ 1908

The length of this claim is (1500) feet

and we claim 1100 feet

in a Northerly direction and 400

feet in a Southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

Northerly to the Southerly

The claim is situated and located in the San Francisco

Mining District, in Mohave County, in the Territory of Arizona, about one mile

in a Westerly direction from the Camp of the Expansion

Gold Mining Company and is the abandoned ground of the Look out mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stone

at a point in a Northerly direction 1100 feet from

the discovery shaft (at which this notice is posted), being in the center of the North

end line of said claim; thence Easterly 300 feet to a stone monument

, being the N.E. corner of said claim; thence

Southerly 1500 feet to a stone monument, being at the

S.E. corner of said claim; thence Westerly 300 feet

to a stone monument at the center of the south end of said claim;

thence Westerly 300 feet to a stone monument, being at the

S.W. corner of said claim; thence Northerly 1500

feet to a stone monument at the N.W. corner of said claim;

thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of January ~~1907~~ 1908

Witness W.E.Sauls

L.C.Richardson O.D.M.Gaddis

Filed and recorded at request of O.D.M.Gaddis March 12th A.D. 1908, at 9 o'clock AM, in Book A A at Page 112

By Marie Carrow, Deputy. Thos. McNeely County Recorder
Compliments of J. W. Morgan, County Recorder of Mohave County, Arizona

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the DIP

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.E.Sauls and O.D.M.Gaddis

Citizens of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the first day of January ~~1907~~ 1908

The length of this claim is 1500 feet
and we claim 1025 feet

in a Northerly direction and 475
feet in a Southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about one mile in a Westerly direction from the Camp of the Expansion Gold Mining Company and is the abandoned ground of the East Side Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument

at a point in a Northerly direction 1025 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 300 feet to a stone monument, being the N.E. corner of said claim; thence Southerly 1500 feet to a stone monument, being at the S.E. corner of said claim; thence Westerly 300 feet to a stone monument at the center of the south end of said claim; thence Westerly 300 feet to a stone monument, being at the S.W. corner of said claim; thence Northerly 1500 feet to a stone monument at the N.W. corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of January ~~1907~~ 1908

Witness W.E.Sauls
L.C.Richardson O.D.M.Gaddis

Filed and recorded at request of O.D.M.Gaddis March 12th A.D.1908, at 9 o'clock AM. in Book A A at Page 113

By Marie Carrow, Deputy, Thos McNeely County Recorder
Ccompliments of J. W. Morgan, County Recorder of Mohave County, Arizona

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Site

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.E.Sauls and O.D.M.Gaddis

Citizens of the United States.
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the first day of January ~~1908~~ 1908

The length of this claim is 1500 feet
and we claim 680 feet
in a Northerly direction and 820
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Northerly to the Southerly

The claim is situated and located in the San Francisco
Mining District, in Mohave County, in the Territory of Arizona, about one mile
in a Westerly direction from The camp of the Expansion
Gold Mining Company and is the abandoned ground of the West Side Mining
claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
stone monument

at a point in a Northerly direction 680 feet from
the discovery shaft (at which this notice is posted), being in the center of the North
end line of said claim; thence Easterly 300 feet to a stone monument
, being the N.E. corner of said claim; thence
Southerly 1500 feet to a stone monument, being at the
South East corner of said claim; thence Westerly 300 feet
to a stone monument at the center of the south end of said claim;
thence Westerly 300 feet to a stone Monument, being at the
S.W. corner of said claim; thence Northerly 1500
feet to a stone monument at the N.W. corner of said claim;
thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of January ~~1908~~ 1908

Witness
L.C.Richardson

W.E.Sauls

O.D.M.Gaddis.

Filed and Recorded at request of O.D.M.Gaddis March 12 A.D.1908. at 9
o'clock AM. in Book A A at Page 116

Thos. McNeely

County Recorder

By Marie Carrow, Deputy

Compliments of J. W. Morgan, County Recorder of Mohave County, Arizona

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Standard

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.E.Sauls and O.D.M.Gaddis.

Citizens of the United States.

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the first day of January ~~191~~1908

The length of this claim is 1500 feet and we claim 715 feet

in a Northerly direction and 785

feet in a Southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

Northerly to the Southerly

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about one mile in a Westerly direction from the Camp of the Expansion Gold Mining Company and is the abandoned ground of the Wedge Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone Monument

at a point in a Northerly direction 715 feet from

the discovery shaft (at which this notice is posted), being in the center of the North

end line of said claim; thence Easterly 300 feet to a stone monument

, being the N.E. corner of said claim; thence

Southerly 1500 feet to a stone monument, being at the

S.E. corner of said claim; thence Westerly 300 feet

to a stone monument at the center of the Southerly end of said claim;

thence Westerly 300 feet to a stone monument, being at the

S.W. corner of said claim; thence Northerly 1500

feet to a stone monument at the N.W. corner of said claim;

thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of January ~~191~~1908

Witness W.E.Sauls
L.C.Richardson. O.D.M.Gaddis.

Filed and recorded at request of O.D.M.Gaddis March 12th A.D. 1908, at 9 o'clock AM., in Book A A at Page 117.

Thos. McNeely County Recorder

By Marie Carrow, Deputy County Recorder
Compliments of J. W. Morgan, County Recorder of Mohave County, Arizona

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Protection

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W.E.Sauls and O.D.M.Gaddis

Citizens of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the first day of January ~~1908~~ 1908

The length of this claim is 1500 feet
and we claim 1330 feet
in a Northerly direction and 170

feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Northerly to the Southerly

The claim is situated and located in the San Francisco
Mining District, in Mohave County, in the Territory of Arizona, about one mile
in a Westerly direction from the Camp of the Expansion
Gold Mining Companys & is The abandoned ground of the Upright Mining
Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
Stone Monument

at a point in a Northerly direction 1330 feet from
the discovery shaft (at which this notice is posted), being in the center of the North
end line of said claim; thence Easterly 300 feet to a stone monument
, being the N.E. corner of said claim; thence
Southerly 1500 feet to a stone monument, being at the
S.E. corner of said claim; thence Westerly 300 feet
to a stone monument at the center of the South end of said claim;
thence Westerly 300 feet to a stone monument, being at the
S.W. corner of said claim; thence Northerly 1500
feet to a stone monument at the N.W. corner of said claim;
thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this first day of January ~~1908~~ 1908

Witness W.E.Sauls
L.C.Richardson O.D.M.Gaddis

Filed and recorded at request of O.D.M.Gaddis March 12th A.D.1908, at
9 o'clock AM, in Book A A at page 118.

Thos. McNeely
County Recorder.

By Marie Carrow, Deputy.

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the King Edward.

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J.C. Stewart A Citizen of the United States, This Claim was originally owned and abandoned by W.E. Sauls & O.D.M. Gaddis known as the King Edward.

the undersigned, on the 1st day of January ~~1911~~ 1907

The length of this claim is 1500 feet and I claim 500 feet

in a Northerly direction and 1000 feet in a Southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 2 miles in a Westerly direction from Union Pass Ranch

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument of stone

at a point in a Northerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the Northerly end line of said claim; thence 300 feet to a Monument

, being the N.E. corner of said claim; thence 1500 feet to a Monument, being at the

So Easterly corner of said claim; thence 300 feet to a Monument at the center of the South end of said claim;

thence 300 feet to a Monument, being at the So West corner of said claim; thence 1500

feet to a Monument at the N. West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of January ~~1911~~ 1907


J.C. Stewart

Filed and recorded at request of J.C. Stewart February 14th A.D. 1907, at 1 o'clock PM Book V 687 page

Thos McNeely
County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } ss.

I, J. W. Morgan Recorder of Mohave County, Territory
of Arizona, do hereby certify that I have compared the foregoing copies of Location
Notices of Gold Crown, Gold Dime, Watchman, Dip, Site, Standard, Protection,
and King Edward Lode Mining Claims.
and of the endorsement thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.



WITNESS my hand and the seal of said office, this
26th day of October 1910

J. W. Morgan
Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 9, 1912.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

O. D. M. Gaddis and the heirs of W. E. Sauls, deceased,

known as the GOLD CROWN, GOLD DOME, WATCHMAN, DIP, SITE, STANDARD, PROTECTION, KING EDWARD, situate in San Francisco

Mining District, Mohave County, Arizona, approx.

in Sections 3 & 34, Township No. 21 & 22 N Range No. 20 W., unsurveyed, and designated as Survey No. 2869,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ~~said mining claim by claimants or their~~ grantors, and that said improvements ~~consist of~~ the Gold Crown lode, and that less than five hundred dollars' worth of labor has been expended or improvements made upon each the Gold Dome, Protection, King Edward, Standard, Site, Watchman and Dip lodes, by claimants or their grantors, and that said improvements consist of 4 cuts, 4 tunnels, 4 shafts, 1 winze, and 2 crosscuts, total value \$11420.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 9, 1912.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of

O. D. M. Gaddis, and the heirs of W. E. Sauls, deceased,

, known as the

GOLD CROWN, GOLD DOME, WATCHMAN, DIP, SITE, STANDARD, PROTECTION, KING EDWARD,

situate in San Francisco mining district,

Mohave County, Arizona, approximately

in Section 3 & 34, Township No. 21 & 22 N., Range No. 20 W., unsurveyed,

designated as Survey No. 2869.

executed by Peter McCardell, United States Mineral

Surveyor, November 7 - 14, 1910, under my instructions dated

November 2, 1910, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona.

MINERAL SURVEY NO. 2869

SUPPLEMENTAL REPORT OF IMPROVEMENTS.

I hereby certify that the value of labor performed and improvements made upon or for the benefit of the claims embraced in Mineral Survey No. 2869 by the claimant or its grantors is not less than \$500 for each claim and that said improvements, in addition to those which were reported at the time of making the survey, consist of:--

GOLD DOME LODE.

No. 2. A shaft, which bears from Cor. No. 1 S. 4° 28' E. 390 ft., 4 X 6 ft., 13 ft. deep. Value, \$130

No. 3. A shaft, which bears from Cor. No. 1 S. 18° 35' W. 363 ft., 4 X 6 ft., 11 ft. deep. Value, \$110

WATCHMAN LODE.

No. 2. Sinking this shaft to further depth of 6 ft. Value, \$60

No. 3. A cut, the face of which bears from Cor. No. 4 N. 86° 49' W. 20 ft., 10 ft. face, running N. 87° W. 18 ft., at the face of this cut is a shaft 4 X 6 ft., 10 ft. deep, at the bottom of which is a drift 4 X 6 ft. running N. 8° E. 10 ft. And a drift 4 X 6 ft. running S. 10° W. 10 ft. Value of cut shaft and drifts, \$270

DIP LODE.

No. 1. The discovery shaft, from the bottom of which is a drift 4 X 6 ft. running S. 57° E. 12 ft. Value, \$120

No. 2. A tunnel, the mouth of which bears from Cor. No. 1 N. 0° 20' W. 227.2 ft., 4 X 6 ft., running N. 38° 40' W. 55 ft. Value, \$550

SITE LODE.

No. 2. A shaft, which bears from Cor. No. 1 N. 37° W. 335 ft., 4 X 6 ft., 10 ft. deep. Value, \$100

No. 3. A cut, the mouth of which bears from Cor. No. 3 S. 54° 28' E. 534 ft., 20 ft. wide, 15 ft. face running N. 70° E. 39 ft., thence S. 70° E. 24 ft. to face. Value, \$400

STANDARD LODE.

No. 2. A tunnel, the mouth of which bears from Cor. No. 2 S. 36° 58' E. 495 ft., 4 X 6 ft., running S. 55° W. 30 ft. Value, \$300

No. 3. A tunnel, the mouth of which bears from Cor. No. 2 S. 35° 28' E. 250 ft., 4 X 6 ft., running S. 30° W. 17 ft. Value, \$170

PROTECTION LODE.

No. 2. An open cut, the face of which being on the lode line, 28 ft. from the center of line 3-4, 5 ft. wide, 10 ft. face, running west 18 ft. Value, \$50

No. 3. An open cut, the face of which being on the lode line, 56 ft. from the center of line 3-4, 5 ft. wide, 10 ft. face running west 20 ft. Value, \$50

No. 4. An open cut, the face of which being on the lode

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended on
improvements made by claimant ~~or their~~ ^{each of} grantors, upon ~~the~~ mining claim ~~of~~
O. D. M. Gaddis and the heirs of W. E. Sauls, deceased.

known as the GOLD CROWN, GOLD DOME, WATCHMAN, DIP, SITE,
STANDARD, PROTECTION, KIND EDWARD.
situate in San Francisco mining district,
Mohave County, Arizona

in Sections 3 & 34, Township No. 21 & 22, Range No. 20 W., unsur.,
that said improvements consist of , in addition to those reported at
time of survey, 7 shafts, 5 cuts, 2 drifts and 4 tunnels, with
additional work in shaft No. 2 on the Watchman lode, total
value of such additional improvements being \$3362.00

, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
Peter McCardell, U. S. ~~Deputy~~ Mineral Surveyor, dated
September 18, 1913, 18-, is hereto attached.

Frank Ingalls

U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,
Phoenix, Arizona,

September 20, 1913., 18-