

JAN 26 1911

4-683.

MINERAL SURVEY No. 2878A-B

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Reynert Mining Co

KNOWN AS THE
America, Alaska, Africa, Asia, Australia, Europe, Great Pacific, India, Ammonia, Asia, Australia, Great Pacific, Mill Sider

Pioneer Mining District,

Pinal County, Arizona, approximately in

Sections 20, 24 and 28, Township 2 S, Range 11 E, unsurveyed.

Surveyed under instructions dated Jan 4th, 1911

by William H. Bennett
U. S. Mineral Surveyor.

Claim located See location notes, 19

Survey commenced January 6th, 1911

Survey completed January 14th, 1911

6-822

Address of Claimant:

J. P. Carson, Supt.,

1717, 12th Ave., Seattle, Wash.

Feet. Beginning at Cor.No.1.
 Identical with the loc.and with cor.No.2 Alaska lode of this sur.
 A Schist stone 4X6X24 ins.set 12' ins.in the ground,with post 4X4 ins.X 4 ft.in mound of stones, chiseled 1 Am.2 Al. 2878 A.Whence:-
 U.S.L.M.No.2878A brs.S 21°33'E 2798.26 feet.No bearings available.Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.
 Thence N 25°04'W
 Va.13°30'E

1487 To Cor.No.2.
 Identical with the loc.
 A Schist stone 4X7X26 ins.set 13 ins.in the ground,with post 4X4 ins.X.4 ft.in mound of stones, chiseled 2-Am-2878A
 No bearings available. Loc.cor.post 4X4 ins.X.4 ft.in mound of stones.
 Thence N 65°20'E
 va.13°30'E

300 N.C.End.identical with the loc.a post4X4 ins.X 4 ft.in mound of stones.

600 To Cor.No.3.
 Identical with the loc.
 A Schist stone 4X5X22 ins.set 12 ins.in the ground with post 4X4 ins.X 4 ft.in mound of stones, chiseled 3-Am. 2878A.No bearings available.Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.
 Thence S 25°04'E
 Va.13°30'E

1487 To Cor.No.4.
 Identical with the loc.and with cor.No.3 Alaska lode of this sur.
 A Schist stone 6X8X24 ins.set 12 ins.in the ground with post 4X4 ins.X 4 ft.in mound of stones chiseled, 4-Am.3Al. 2878A.No bearings available.Loc.cor.post 4X4 ins.X.4 ft.in mound of stones.

Feet	S 65°20'W Va. 13°30'E
300	S.C. End. identical with the N.C. End of Alaska lode of this and with sur. loc. a post 4X4 ins. X 4 ft. in mound of stones.
600	To Cor. No. 1 the place of beginning.
	ALASKA LODGE.
	Beginning at Cor. No. 1.
	Identical with the loc. and with Cor. No. 2 Asia lode of this sur.
	A Schist stone 3X8X24 ins. set 12 ins. in the ground with post 4X4 ins. X 4 ft. in mound of stones chiseled 1 Al.
	2 As. 2878A. Whence:-
	U.S.L.M. No. 2878A hrs. S 23°24'E 2050.14 ft. No bearings available. Loc. cor. post 4X4 ins. X 4 ft. in mound of stones.
	Thence N 16°28'W Va. 13°30'E
752	To Cor. No. 2.
	Identical with the loc. and with Cor. No. 1 of America lode of this sur. hereinbefore described.
	Thence N 65°20'E Va. 13°30'E
300	N.C. End. identical with the loc. and with the S.C. End of America lode of this sur. hereinbefore described.
600	To Cor. No. 3.
	Identical with the loc. and with Cor. No. 4 America lode of this sur. hereinbefore described.
	Thence S 16°28'E Va. 13°30'E
752	To Cor. No. 4.
	Identical with the loc. and with Cor. No. 3 Asia lode of this sur.
	A Schist stone 3 X6X24 ins. set 12 ins. in the ground with post 4X4 ins. X 4 ft. in mound of stones, chiseled 4-Al. 3 As. 2878A. No bearings available. Loc. cor. post 4X4 ins. X 4 ft. in mound of stones.

Feet. Thence S 65°20'W
 Va.13°30'E
 300 S.C.End.identical with the loc.and with the N.C.E.of
 Asia lode of this sur.a post 4X4 ins.X4 ft.in mound of
 stones.
 600 To Cor.No.1 the place of beginning.

ASIA LODGE.

Beginning at Cor.No.1.
 Identical with the loc.and with Cor.No.2 Australia lode
 of this sur.
 A schist stone 3X6X24 ins.set 12' ins.in the ground with
 post 4X4 ins.X 4 ft.in mound of stones chiseled 1-As.
 2 Au.-2878A. Whence:-
 600 U.S.L.M.No.2878A brs. S 36°31'E 783.98 ft.No bearings
 available.Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.

Thence N 15°33'W
 Va.13°30'E

1299 To Cor.No.2.
 Identical with the loc.and with cor.No.1 Alaska lode of
 this sur.hereinbefore described.

Thence N 65°20'E
 Va.13°30'E

300 N.C.End identical with the loc.and with the S.C.E.of
 Alaska lode of this sur.hereinbefore described.

600 To Cor.No.3.
 Identical with the loc.and with Cor.No.4 Alaska lode of
 this sur.hereinbefore described.

Thence S 15°33'E
 Va.13°30'E

1299 To Cor.No.4.
 Identical with the loc.and with Cor.No.3 Australia lode
 of this sur.
 A X-4-As.3-Au.-2878A chiseled on schist rock in place
 24 X 24 ins.above the ground with post 4X4 ins.X 4 ft.in
 mound of stones.No bearings available.Loc.cor.post 4X4 insx4 ft.
 in mound of stones.

Feet

Thence S 65°20'W
va. 13°30'E

300 S.C. End identical with the loc. and with the N.C.E. of
Australia lode of this sur. a post 4X4 ins. X 4 ft. in mound.
600 To Cor. No. 1 the place of beginning.

AUSTRALIA LODGE.
Beginning at Cor. No. 1.

Identical with the loc. and with Cor. No. 1 Africa lode of this
survey.

A Schist stone 5X8X24 ins. set 12 ins. in the ground with
post 4X4 ins. X 4 ft. in mound chiseled 1-Au. 1-Af-2878A.

Whence U.S.L.M. No. 2878A brs. N 66°42'E 245. ft. No bearings
available. loc. cor. post 4X4 ins. X 4 ft. in mound.

Thence N 18°22'W
va. 13°30'E

766 To Cor. No. 2.

Identical with the loc. and with Cor. No. 1 Asia lode of this
sur. hereinbefore described.

Thence N 65°20'E
va. 13°30'E

300 N.C.E. identical with the loc. and with the S.C.E. of
Asia lode of this sur. hereinbefore described.

600 To Cor. No. 3

766 Identical with the loc. and with Cor. No. 4 Asia lode of this
sur. hereinbefore described.

Thence S 18°22'E
va. 13°30'E

300
766

S.C. End identical with the loc. and with the N.C.E. of Africa
To Cor. No. 4.
lode of this sur. a post 4X4 ins. X 4 ft. in mound of stones.
Identical with the loc. and with Cor. No. 2 Africa lode

of this sur. A Schist stone 5X8X30 ins. set 15 ins. in the
ground with post 4X4 ins. X 4 ft. in mound of stones
chiseled 4-Au. 2-Af-2878A. No bearings available. Loc. Cor.
post 4X4 ins. X 4 ft. in mound of stones.

Thence S 65°20'W
va. 13°30'E

300 S.C.E. identical with the loc. and with the N.C.E. of Africa
lode of this sur. post 4X4 ins. X 4 ft. in mound of stones

Feet.
600

To Cor.No.1 the place of beginning.

AFRICA LODE.

Beginning at Cor.No.1

Identical with the loc.and with cor.No.1 of Australia lode of this sur.hereinbefore described.Whence:-

U.S.L.M.No.2878A brs. N 66°42'E 245 ft.

Thence N65°20'E
va.13°30'E

300

N.C.E.identical with the loc.and with the S.C.E.of Australia lode of this sur.hereinbefore described.

600

To Cor.No.2.

Identical with the loc.and with cor.No.4 Australia lode of this sur.hereinbefore described.

Thence S 17°45'E
va!13°30'E

1006.

To Cor.No.3.

Identical with the loc.and with cor.No.2 Europe lode of this sur.A Schist stone 3X12X36 ins.set 18 ins.in the ground with post 4X4 ins.X 4 ft.in mound of stones, chiseled 3-Af.-2-E-2878A.No bearings available.Loc.cor.post 4X4 ins.X 4 ft.in mound of stones.

Thence S 65°20'W
va.13°30'E

300

S.C.E. identical with the loc.and with the N.C.E. of Europe lode of this sur.a post 4X4 ins.X 4 ft.in mound.

600

To Cor.No.4.

Identical with the loc.and with Cor.No.1 Europe lode of this sur.

A Schist stone 3X6X30 ins.set 15 ins.in the ground with post 4X4 ins.X 4 ft.in mound of stones chiseled, 4-Af.

1-E-2878A.No bearings available.Loc.cor post 4X4 ins.X 4 ft.in mound of stones.

Thence N 17°45'W
va.13°30'E

1006

To Cor.No.1 the place of beginning.

Feet
1000 Beginning at Cor.No.1.
Identical with the loc.and with Cor.No.4 Africa lode of this sur.hereinbefore described.Whence:-
U.S.L.M.No.2878A brs. N 4°26'W 1058.17 feet.
Thence N 65°20'E
va.13°30'E

300 N.C.E.identical with the loc.and with the S.C.E.of Africa lode of this sur.hereinbefore described.

600 To Cor.No.2.
Identical with the loc.and with cor.No.3 Africa lode of this sur.hereinbefore described.
Thence S 4°14'W
va.13°30'E

1500 To Cor.No.3.
Identical with the loc.and with cor.No.2 Great Pacific lode of this sur.
A Schist stone 3X 12X24 ins.set 12 ins.in the ground with post 4X4 ins.X4 ft.in mound of stones chiseled,3-E. 2-G.P-2878A.No bearings available.Loc.cor.post 4X4 ins. X 4 ft.
Thence S 65°20'W
va.13°30'E
the location and with

300 S.C.E.identical with the N.C.E.of Great Pacific lode of this sur.post 4X4 ins.X 4 ft.in mound of stones.

600 To Cor.No.4.
Identical with the loc.and with cor.No.1 Great Pacific lode of this sur.A Schist stone 4X7X28 ins.set 14 ins.in the ground with post 4X4ins.X4 ft.in mound of stones chiseled 4-E.1-G.P.2878A.No bearings available.Loc.cor. post 4X4 ins.X 4 ft.in mound of stones
Thence N 4°14'E
va.13°30'E

1500 To Cor.No.1 the place of beginning
Great Pacific lode
Beginning at cor.No.1
Identical with the loc.and with Cor.No.4 Europe lode of

Feet.

this sur.hereinafore described. Whence U.S.L.M.No.2878A
 brs. N 0°39'E 2551.06 ft.

U.S.MM.No.1 brs. S 7°12'E 5683.5 feet. *Mineral Hill District*

Thence N65°20'E
 va.13°30'E

300

N.C.E.identical with the loc.and with the S.C.E of
 Europe lode of this sur.hereinafore described.

600

To Cor.No.2.

Identical with the loc.and with Cor.No.3 Europe
 lode of this sur.hereinafore described.

Thence S 5°23'W
 va.13°30'E

1483

To Cor.No.3.

Identical with the loc.

A Schist stone 4X12X24 ins.set 12 ins.in the ground
 with post 4X4 ins.X 4 ft.in mound of stones, chiseled

3-G.P.2878A. No bearings available.Loc.cor.post 4X4 ins
 X 4 ft.in mound of stones.

Thence S 65°20'W
 va.13°30'E

300

S.C.End identical with the loc.a post 4X4 ins.X 4 ft.in
 mound of stones.

600

To Cor.No.4.

Identical with the loc.

A Schist stone 4X12X28 ins.set 14 ins.in the ground
 with post 4X4 ins.X 4 ft.in mound of stones, chiseled

4-G.P.-2878A. No bearings available.Loc.cor.post 4X4 ins.
 X 4 ft.in mound of stones.

Thence N 5°23'E
 va.13°30'E

1483

To Cor.No.1 the place of beginning.

Feet.

LEDGES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective end centers.

America lode	1487 feet	N 25°04'W	from S.C.E	to N.C.E.
Alaska "	752 "	N 16°28'W	" S.C.E.	" N.C.E.
Asda "	1299 "	N 15°33'W	" S.C.E.	" N.C.E.
Australia"	766 "	N 18°22'W	" S.C.E.	" N.C.E.
Africa "	1006 "	N 17°45'W	" S.C.E.	" N.C.E.
Europe "	1500 "	N 4°14'E	" S.C.E.	" N.C.E.
Great Pacific lode	1483 ft.	N 5°23'E	" S.C.E.	" N.C.E.

ASIA MILL-SITE

Beginning at Cor.No.1

Identical with the location.

A Schist stone 4X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 1-As.-M-S-2878B.Whence:-

U.S.L.M.No.2878A.brs.N 34°33'E 4660.9 feet.

Cor.No.1 Asia lode brs.N 25°58'E 4970.71 feet.
No bearings available. Loc.cor.mound of stones 3X3 ft.
Thence S 30°20'E
va.13°30'E

1000 (sw.willow Creek 10 ft.wide course \searrow 41°W

1089 To Cor.No.2.

Identical with the loc.

A Porphyry stone 8X10X24 ins.set 12 ins.in the ground with mound of stones, chiseled 2-As.-M-S-2878B.No bearings available.Loc.cor.mound of stones 3X3 ft.

Thence S 59°40'W
va.13°30'E

200 To Cor.No.3.

Identical with the loc.

A Schist stone 6X6X24 ins.set 12 ins.in the ground with mound of stones, chiseled 3-As.-M-S-2878B.No bearings available.Loc.cor.mound of stones 3 X 3 ft.

Thence N 30°20'E
va.13°30'E

1089 To Cor.No.4

Feet. Identical with the loc.

A schist stone 4X6X24 ins. set 12 ins. in the ground with mound of stones, chiseled 4-As.-M-S-2878B. No bearings available. Loc. cor. Mound of stones 3X3 ft.

Thence N 59°40'E
va. 13°30'E

170 Cen. Willow Creek 20 ft. wide course N 38°W

200 To Cor. No. 1 the place of beginning. Containing 5 acres.

AUSTRALIA MILL--SITE

Beginning at Cor. No. 1.

Identical with the loc.

A Schist stone 4X6X24 ins. set 12 ins. in the ground with mound of stones, chiseled 1-Au.-M-S-2878B. Whence:-

U.S.L.M. No. 2878A brs. N 41°57'E 4356.28 feet

Cor. No. 1 of Australia lode brs. N 40°33'E 4135.36 feet.

No bearings available. Loc. cor. mound of stones 3X3 ft.

Thence S 30°20'E
va. 13°30'E

60 Cen. of road in wash, course N 70°E & S 53°W, wash 10 ft. wide, course S 70°W

653 To Cor. No. 2.

Identical with the loc.

A schist stone 4X12X24 ins. set 12 ins. in the ground with mound of stones, chiseled 2-Au.-M-S-2878B. No bearings available. Loc. cor. mound of stones 3X3 ft.

Thence S 59°40'W
va. 13°30'E

70 Cor. No. 1 Asia Mill-Site of this sur.

100 Cen. Willow Creek 20 ft. wide course N 38°W

270 Cor. No. 4 Asia Mill-Site of this sur.

333.5 To Cor. No. 3.

Identical with the loc.

A Porphyry stone 4X12X24 ins. set 12 ins. in the ground with mound of stones, chiseled 3-Au.-M-S-2878B. No bearings available. Loc. cor. mound of stones. 3X3 ft.

Thence N 30°20'W
va. 13°30'E

Survey No. 2878B

(10)

Feet	
423	Cor. Willow Creek 20ft. wide course N 81°W N 58°W
470	Gen. road course N 74°W
615	Cr Wash 10' wide course S 59°W
653	To Cor. No. 4.
	Identical with the loc.
	A schist stone 4X12X24 ins. set 12 ins. in the ground with mound of stones, chiseled 4-Au.-M-S-2878B. No bearings available. Loc. cor. mound of stones 8X3 ft.
	Thence N 59°40'E. va. 13°30'E
333.5	To Cor. No. 1 the place of beginning. Containing 5. acres.
	GREAT PACIFIC MILL-SITE
	Beginning at cor No. 1
	Identical with the loc.
	A schist stone 6X8X30 ins. set 15 ins. in the ground with mound of stones, chiseled 1-G.P.-M-S-2878B. Whence:- U.S.L.M. No. 2878A brs. S 27°27'E 2356.61 ft. Cor. No. 1 Great Pacific lode brs. S 12°50'E 4761.12 ft. Cor. No. 1 of Australia lode of this sur. brs S 52°21'E 343.4 ft. No other bearings available. Loc. cor. mound of stones 3X3 ft.
	Thence S 77°30'W va. 13°30'E
200	cross pipe line to mill course S 6°W
250	Gen. road in wash course S 6°W & N 6°E wash 30 ft. wide course N 6°E
300	To Cor. No. 2.
	Identical with the loc.
	A schist stone 4X10X26 ins. set 13 ins. in the ground with mound of stones, chiseled 2-G.P.-2878B. No bearings available. Loc. cor. mound of stones 3X3 ft.
	Thence N 12°30'W va. 13°30'E
726	To Cor. No. 3
	Identical with the loc.
	A schist stone 4X10X 30 ins. set 15 ins. in the ground with

- mound of stones, chiseled 3-G.P-M-S-2878B. No bearings available. Loc. cor. mound of stones 3X3 ft.
- Thence N 77°30'E
va. 13°30'E
- 210 Cen. road in Reymert wash course N 29°W & S 29°E, wash 30 ft. wide flows N 29°W
- 300 To Cor. No. 4
Identical with the loc.
A schist stone 4X6X36 ins set 20 ins. in the ground with mound of stones, chiseled 4-G.P-M-S-2878B. No bearings available. Loc. cor. mound of stones 3X3 ft.
- Thence S 12°30'E
va. 13°30'E
- 726 To Cor. No. 1 the place of beginning. Containing 5 acres.
- AMERICA MILL-SITE.
- Beginning at cor. No. 1.
Identical with the loc.
A granite stone 4X8X24 ins. set 12 ins. in the ground with mound of stones, chiseled 1-A-M-S-2878B. Whence:-
U.S.L.M. No. 2878B. brs. S 86°23'W 136.7 feet.
Cor. No. 1 of America lode brs. S 25°55'W 13280.5 ft.
No bearings available. Loc. cor. mound of stones 3X3 ft.
- Thence N 63°41'W
va. 13°30'E
230. Cross pipe line to mill course S 36°W
- 435.6 To Cor. No. 2.
Identical with the loc.
sand stone 6X12X28 ins. set 15 ins. in the ground, with mound of stones, chiseled 2-A-M-S-2878B. No bearings available. Loc. cor. mound of stones. 3X3 ft.
- Thence N 26°19'E
va. 13°30'E
- 350 Cen. Queen Creek 60 ft. wide course N 76°W
- 500 To Cor. No. 3.
Identical with the loc.

within the Crook Nat'l. Forest,
 America mill-site approximately in sec.10, T.2.S.R.11

E. Pioneer Mining District Pinal County, Arizona Territory, and
 none of the claims are within two miles of any of the corners of
 EXPENDITURE OF FIVE HUNDRED DOLLARS. T.2 S. R.12 E.

I certify that the value of the labor and improvements
 made upon this claim by the claimant or ^{their} grantors, is
 not less than five hundred dollars for each lode in the
 claim, and that said improvements consist of:

America lode.

No.1 Dis.tunnel on the lode line 370 ft. from S.C.E. 5X7ft.
 S. 52°E. 220ft. thence S. 15°E. 1000ft. value \$8540. Portion on this claim 410ft. value \$2970.
*Note: 760ft. of this tunnel is on the Alaska lode of this survey, and 50ft. on the Asia lode,
 of this survey, and the value of such portions is credited to the respective lodes.*

- No.2 shaft which brs. from cor. No.4 N 74°W 275 ft.
 4X6X100 ft. timbered . value\$2000.00
- No.3 tunnel which brs. from cor. No.4 N 75°W 5X7X 140 ft.
^{260ft}
 course S 15°E value\$980.00

Alaska lode.

No.1 dis. shaft which is on the lode line 270 ft. from
 S.C.E. 4X6X100ft. value.....\$1000.00
*Note: 760ft. of tunnel No. 1 on the America lode of this survey being situate on this claim,
 the value of such portion, \$5320, is credited to this claim.*
 Asia lode.

- No.1 dis. cut which is on the lode line 65 ft. from S.C.E.
 4X12 X 10 ft....value\$50.00
- No.2 tunnel which bra. from Cor. No.4 ~~4~~ N. 63°W 248ft.
 4X7X60 ft. course South value ...\$420.00

No.3 tunnel which bra from cor. No.4 N 47°W 420 ft.
¹³
 4X7X100 ft. course N 33°E value \$700.00
*Note: 50 ft. of tunnel No.1 on the America lode of this survey being situate on this
 claim, the value of such portion, \$350, is credited to this claim.*
 Australia lode.

- No.1 dis. tunnel which is on the lode line 370 ft. from
 the S.C.E. 5X7X30 ft. course N 18°W value \$210.00
- No.2 shaft which brs. from cor. No.2 S 66°E 300 ft. 4X6
 X 40 ft. value \$400.00
- No.3 cut which brs. from cor. No. N 33°E 350 ft. 6X25 X20 ft.
 value\$75.00

Africa lode.

No.1 dis. tunnel which is on the lode line. 255 ft. from
 N.C.E. 5X7X 150 ft. course N 18°W value. \$1050.00

No. 2 tunnel which brs. from the S.C.E.N 27°37'W 550 ft.
5X7X 600 ft. course N 8°W value\$4200.00

Europe lode

No. 1 dis. cut which is on the lode line 300 ft. from the
N.C.E. 5X30X20 ft....value\$75.00

No. 2 shaft which brs. from N.C.E. S 8°50'E 600 ft.
4X6X150 ft.... ..\$1800.00

Great Pacific lode.

No. 1 dis. shaft which is on the lode line 160 ft. from
the N.C.E. 4X6X 100 ft. value.....\$1200.00

No. 2 tunnel which brs. from cor. No. 1S 72°E 350 ft. 5X7X
100 ft. course N 4°E value.....\$700.00

No. 3 tunnel which brs. from cor. No. 1^{342 ft} S 42°E 5X7X20 ft.
course S 5°Wvalue \$84.00

The difference between these field notes and the location
notices are due to errors in the later.

I administered oaths to my assistants to save delay
and expense.

This survey was made with a Gurley Solar Transit. The
courses were deflected from the true meridian as
determined by direct solar observations. The distances
were measured with 100-ft. and 500-ft. steel tapes.

William A. Merrill
U.S. Mineral Surveyor.

OTHER IMPROVEMENTS.

America mill-site, a well which brs. from Cor. No. 1 N 20°50'W
275 ft. 5X7X24 ft. timbered, value \$250.00 with pump and pipe
line to mill.. value \$20,000.00

GREAT PACIFIC Mill-site, a well which brs. from Cor. No. 4
S 40°W 120 ft. 5X5X30 ft. value \$240.00

ASIA MILL-SITE a well which brs. from Cor. No. 2N 44°W 45 ft.
4X6X100 ft. value \$800.00 from which water was pumped to
the mill. Pipe line has been destroyed by floods.

AUSTRALIA MILL-SITE.

From Cor. No. 2 the south cor. of 20 stamp quartz mill bears

N 82°W 95 ft. 78 X 80 ft. course of long side N 32°E

Value.....\$20,000.00

From Cor.No.2 a well brs.N 65°W 192 ft.4X6X85ft.then a 7
inch bore for 700 ft.Value.....\$5000.00

From Cor.No.1 the following improvements bear,

A well S 2°30'W 30 ft.4X6X125 ft.timbered value
\$2500.00

N.W.Cor.of office S 2°W 212 ft.16 X 20 ft.course of
long side North,value ...\$100.00

N.E.Cor.of black-smith shop S 8°15'W 200 ft.20 X 30 ft.
course of long side North, value,\$200.00

N.E.Cor.of store S 1°00'W 395 ft. 30 X 30 ft.course of
side S 6°00'W ...value \$300.00

William H. Merrill
U.S.Mineral Surveyor.

U.S.L.M.No.2878 A.

As there are no corners of the public survey and no monuments within the prescribed limits, I established U.S.L.M.No.2878 A by chiseling X.U.S.L.M.No2878A, on quartz rock in place 2X2X2 ft.above the ground with mound of stones 6 ft.base X 5 ft.high.Whence:-

X-B-R- U.S.L.M.No.2878A chiseled on rock in place brs. N 52°58'W 8.ft.

X-B-R-U-S-L-M-No.2878A chiseled on rock in place brs. S 3°33'W 8.2 ft.

Weavers Needle brs. N 36°31'W

Walkers Peak brs. S 56°32'W

Highest point Picacho Mts.brs.S 18°00'W

Located on a high rocky peak on unsurveyed land approximately in sec.21 T.2.S.R.11 E.Pioneer Mining District Pinal County Arizona Territory.

William H. Merritt
U.S.Mineral Surveyor

U.S.L.M.No.2878 B.

As there are no corners of the public survey and no monuments within the prescribed limits, of the America mill-site I established U.S.L.M.No.2878B.by planting a Granite stone 12 X 18 X 36 ins.18 ins.in the ground, chiseled X-U-S-L-M-No.2878 B.with mound of stones 6ft.

base X 5 ft.high. Whence:-

chiseled on rock in place
X-B-R-U-S-L-M-No.-2878B, brs.S 87°35'W 18.4 ft.

X-B-R-U-S-L-M-No.-2878B chiseled on rock in place brs.

N 0°20'W 23.9 ft.

Weavers Needle brs. N 45°25'W

Highest point Superstition Mts.brs. N 54°20'W

" " Picket Post Mts.brs. S 49°03'E

Located on the North point of a ridge about 450 ft.South of Queen creek, on unsurveyed land approximately in sec. 10 T.2.S.R.11.E Pioneer Mining District Pinal County Arizona Territory.

William H. Merritt
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
 known as the Reynold Mining Co.
America, Alaska, Arizona, Australia, Europe, Great Pacific and America, Australia & Great Pacific Mill-Ste
 and showing the respective capacities in which they acted.

J R Carson, Chainman.

R A Merritt, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, J R Carson
 and R A Merritt, do solemnly swear that we assisted William
H Merritt, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Reynold Mining Co.
America, Alaska, Arizona, Australia, Europe, Great Pacific and America, Australia & Great Pacific Mill-Ste
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

J R Carson, Chainman.

R A Merritt, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 14th

day of January, 1911

William H Merritt
 U.S. Mineral Surveyor

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H. Merritt, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Jan 4th 1911, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Reynold Mining Company, known as the
America, Alaska, Asia, Australia, Africa, Europe, Great Pacific Islands, and America, Asia, Australia, Great Pacific Islands,
situate in Pima Mining District,
Pinal County, Arizona approximately, in Sections
10, 21 + 28, Township No. 2-S, Range No. 11-E, unsurveyed,
and designated as Survey No. 2878 A+B, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or them its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

William H. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt
U. S. Mineral Surveyor, before me a Notary Public in and for
Yavapai County, A. T. this 23rd
day of January, 1911.

Ziba O. Brown
Notary Public

my Commission
6-1044
Expires Nov. 1-1913.

N O T I C E.

I have this day located under the laws of the U. S. this claim of Mineral ground. Commencing at this monument of stone erected near a cactus at the willows Spring trail about 3 miles from the Picket Post Mountain, in a Westerly direction from where this notice is placed, and running thence 1500 feet in a southerly direction along the Mineral Ledge or vein to another monument of stone by me there erected and I also claim 300 feet on each side of said main ledge or central line. This claim shall be known as the "America", and it is situated in the Pioneer Mining District, Pinal County, A. T. about one mile easterly from the Willows Spring.

Dated on the ground this 1st day of December, A.D. 1879.

Witness.

J. D. Reymert.

C. H. Weeler.

Filed and Recorded at request of J. D. Reymert, December 8th, 1879 at 3 O'Clock P.M.

Jno. J. Devine, Recorder.

By D. F. Hodges, Deputy.

Book No. 3 at page 513.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full, true and correct copy of the Notice of Location of the America Mining Claim as the same appears of record in Book No. 3 of Records of Mines at page 513, of the Records of Pinal County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.



County Recorder.

NOTICE OF LOCATION.

We locate and claim fifteen hundred feet along this Mineral bearing ledge from this monument in a southerly direction to a monument and three hundred feet on each side thereof.

The corners of this claim being marked by monuments of stone. This claim shall be known as the "Alaska" is about three hundred feet south of the tunnel on the "America" mine. Adjoins the "America" mine on the northerly end and the "Asia" on the southerly end, is in the Pioneer Mining Bistrict, Pinal County, Arizona.

Dated this Sept. 8th, 1888.

The J. D. Reymert Mg. Co. an INCORPORATION.
By J. D. Reymert Jr. Resident agent.

Witness:

A. J. Doran.

Filed and Recorded at request of J. D. Reymert Jr, Sept 10th, A.D. 1888 at 2:05 P.M.

Bo. J. Whiteside, Recorder.

By J. P. Welles, Deputy.

Territory fo Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify the above and foregoing instrument is a full, true and correct copy of the Notice of Location of the Alaska Mining Claim, as the same appears of record in Book No. 11 of Records of Mines, at page 278, Records of Pinal County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.

G. F. Watson
County Recorder.

N O T I C E.

I have this day located under the laws of the U. S. this claim of Mineral ground. Commencing at this monument of stone, where this notice is placed near the Willow Spring Trail, about 3 miles in a westerly direction from the Picket Post Mountain, running thence in a southerly direction along this mineral ledge or vein to another monument of stone, by me there erected 1500 feet, and I also claim 300 feet on each side of said main ledge or central line.

This claim shall be known as the "Africa". It adjoins the "Australia" Claim on the northerly end and is situated in Pioneer District, Pinal County, A. T. about 1/2 mile in an east-erly direction from Willow Spring.

Dated on the ground this 1st day of December, 1879.

Witness:

C. H. Wheeler.

J. D. Reymert.

Filed and Recorded at request of J. D. Reymert, December 8th, 1879, at 3 O'Clock P.M.

Jno. J. Devine, Recorder.

By D. F. Hodges, Deputy.

Book No. 3 of Mines at page 515.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full, true and correct copy of the Notice of Location of the Africa Mining Claim as the same appears of record in Book No. 3 of Records of Mines at page 515, of the Records of Pinal County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.

G. F. Watson
County Recorder.

AMENDED
Notice of Mining Location
 LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the ----- Asia -----
 Mining Claim, situate on lands belonging to the United States of America, and in which there are
 valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased
 by Reymert Mining Company a Corporation existing under the laws
of Arizona. Citizens of the U. S.
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
 the undersigned, on the 31st day of December, 1910.

The length of this claim is Fifteen Hundred feet,
 and We claim Eight hundred feet,
 in a Southerly direction and Seven hundred
 feet in a Northerly direction from
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
 with Three hundred feet in width of the surface grounds, on each
 side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in the Pioneer Mining District, in
Pinal County in the Territory of Arizona, about 1 1/2 Miles
 in a Northerly direction from The Reymert Mill is South of and
adjoins the Alaska Mine and North of and adjoins the Australia
Mine. All on the Continental ledge.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
A Monument of Stone

at a point in a Northerly direction Seven hundred feet from
 the discovery shaft (at which this notice is posted), being in the center of the North
 end line of said claim; thence three hundred feet to a stone
monument, being the North West corner of said claim; thence
fifteen hundred feet to a Stone monument, being at the
South West corner of said claim; thence three hundred feet
 to a Stone monument at the center of the South end of said claim;
 thence three hundred feet to a Stone monument, being at the
South East corner of said claim; thence fifteen hundred
 feet to a Stone monument at the North East corner of said claim;
 thence three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
 United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and
 Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the ----- Asia -----
 Mining claim, located by J. D. Reymert

on the first day of
December 1879, ~~1879~~, and recorded in Book three of Records of Mines, at
 page 514, in the office of the County Recorder of the aforesaid County of Pinal
 to which reference is hereby made, and this Amended location Notice is made and posted to correct
 errors in the description in the said original Location Notice.

Dated and posted on the ground this 31st day of December, 1910.

Reymert Mining Co.
by T. P. Carson,
Superintendent.

N O T I C E

I have this day located under the laws of the U. S. this claim of Mineral ground. Commencing at this monument of stone, where this notice is placed near the Willows Spring trail, about 3 miles in a westerly direction, from the Picket Post Mountain, running thence in a southerly direction along this mineral ledge or vein to another monument of stone by me there erected 1500 feet, and I also claim 300 feet on each side of said main ledge or central lines.

This claim shall be known as the "Australia" it adjoins the "Asia" claim on the northerly end and is situated in Pioneer District, Pinal County, A.T. about $1/2^a$ mile in an easterly direction from Willows Spring.

Dated on the ground this 1st December, 1879.

Witness:

C. H. Wheeler.

J. D. Reymert.

Filed and Recorder at request of J. D. Reymert, December 8th, 1879, at 3 O'Clock P. M.

Jno. J. Devine, Recorder.

Ey. D. F. Hodges, Deputy.

Book No. 3 of Mines at page 514.

BERKSHIRE LINEN

U.S.A.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full, true and correct copy of the Notice of Location of the Australia Mining Claim as the same appears of record in Book No. 3 of Records of Mines at page 514, of the Records of Pinal, County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.


County Recorder.

N O T I C E

I have this day located under the laws of the U. S. this claim of Mineral ground. Commencing at this monument of stone where this notice is placed, near the Willow Spring Trail, about 3 miles in a westerly direction from the Picket Post Mountain, running thence in a southerly direction along this Mineral, Ledge or vein to another monument of stone by me there erected 1500 feet and I also claim 300 feet on each side of said main ledge or central line.

This claim shall be known as the "Europe" Claim. It adjoins the Africa claim on the northerly end, and is situated in Pioneer District, Pinal County, A.T. about 1/2 mile in an Easterly direction from Willow Spring.

Dated on the ground this 1st day of December, 1879.

Witness.

C. H. Wheeler.

J. D. Reymert.

Filed and Recorded at request of J. D. Reymert, December, 1879 at 3 O'Clock P.M.

Jno. J. Devine, Recorder.

By D. F. Hodges, Deputy.

Book No. 3 of Mines at page 515.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full, true and correct copy of the Notice of Location of the Europe Mining Claim as the same appears of record in Book No. 3 of Records of Mines at page 515, of the Records of Pinal County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.


County Recorder.

NOTICE OF LOCATION.

I have this day located the following described mining grounds in persuance of law, Viz: Commencing at the Southerly end of the Europe Mine on the Continental ledge running thence Southerly 1500 feet to a monument of stone on the same ledge and I claim 300 feet on each side of said Central line. This is the same ground formerly known as the Mark Twain location. It is about 5 miles M. O. L. from Picket Post and One Mile M. O. L. from Willow Springs. It has monuments showing the boundaries and shall be known as the Great Pacific mine.

This notice is placed on the ground of the location near the old shaft and workings now abandoned and vacated January 2nd 1885.

J. D. Reymert, Locator.

Filed and recorded at request of J. D. Reymert, January 29th 1885 at 1 o'clock P. M.

Hinson Thomas, Recorder.

By Chas. P. Mason, Deputy.

Territory of Arizona,)
(ss.
County of Pinal.)

I, G. F. Watson, County Recorder in and for the County of Pinal, Territory of Arizona, hereby Certify that the above and foregoing is a full, true and correct copy of the Great Pacific Mining Claim, as the same appears of record in Book No.9 Records of Mines, on page 271 thereof. Records of Pinal County, Arizona.

Witness my hand and seal of office, this 31st day of December, A. D. 1910.

.....*G. F. Watson*.....
County Recorder.

LOCATION NOTICE

of

THE "AMERICA" MILL-SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS, That we the undersigned have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "AMERICA" Mining Claim, situate in Pioneer Mining District, Pinal County, Arizona Territory. The exterior boundaries of said America Mill-Site Claim, are as follows, viz:

COMMENCING at a monument of stone at N.E. corner of claim and running thence in a westerly direction, 435 1/2 feet to monument of stone at N.W. corner of claim, thence in a southerly direction 500 feet to monument of stone at S.W. corner of claim, thence in an easterly direction, 435 1/2 feet to monument ^{of stone} at S.E. corner of claim, thence in a northerly direction, 500 feet to monument of stone at N.E. corner of claim and place of beginning.

This location may be more generally described as being situated on Queen Creek, about 4 miles northerly from the Reymert Mill and about 2 1/2 miles northerly from the America Mine.

That we have also located in connection with the said Mill-Site claim five thousand inches miners' measure of the water of this Creek under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights.

The means for diverting the water from its natural course at the head, being as follows: a 4 inch pipeline wide at top,.... wide at bottom..... in depth, with a uniform grade of to the rod.

Dated on the ground, this 31st day of December, 1910.

Witness: T. Ross Carson.

Robt. Merritt.

Reymert Mining Co.

by
T. P. Carson,
Superintendent.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full-true and correct copy of the location notice of the "America" Mill-Site Claim and Water Right, as the same appears of record in Book No. 13 of Records of Miscellaneous, at page 76, of the Records of Pinal County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.


County Recorder.

LOCATION NOTICE
of
THE "ASIA" MILL-SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS, That we the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "Asia" Mining Claim, situate in Pioneer Mining District, Pinal County, Arizona Territory. The exterior boundaries of said Asia Mill-Site Claim, are as follows, viz:

COMMENCING at a monument of stone at N. E. corner of claim and running thence in a westerly direction 200 feet to monument of stone at N.W. corner of claim, thence in a southerly direction 1089 feet to monument of stone at S. W. corner of claim, thence in an easterly direction 200 feet to monument of stone at S.E. corner of claim, thence in a northerly direction; 1089 feet to monument of stone at N.E. corner of claim and place of beginning.

This location may be more generally described as being situated in and near Willow Springs Gulch and about 1/4 mile from Reymert Mill and about 1 1/2 miles southerly from the Asia Mine.

That we have also located in connection with the said Mill-Site claim One Thousand inches miners' measure of the water of this Gulch under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights.

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows:..... wide at top,.....wide at bottom,.....in depth, with a uniform grade of to the rod.

Dated on the ground, this 31st day of December, 1910.

Witness:

T. Ross Carson.

Robt Merritt.

Reymert Mining Co.

by

T. P. Carson.

Superintendent.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full, true and correct copy of the Location Notice of the "Asia" Mill Site Claim and Water Right, as the same appears of record in Book No. 13 of Records of Miscellaneous, at page 76, of the Records of Pinal County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.

G. F. Watson
County Recorder.

USA
BERKSHIRE PLINEN

LOCATION NOTICE

of

THE "AUSTRALIA" MILL-SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS, That we the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "Australia" Mining Claim, situate in Pioneer Mining District, Pinal County, Arizona Territory. The exterior boundaries of said Australia Mill-Site Claim, are as follows, viz:

COMMENCING at a monument of stone at N.E. corner of claim, and running thence in a westerly direction, 333 feet to monument of stone at N.W. corner of claim, thence in a southerly direction, 653 feet to monument of stone at S.W. corner of claim, thence in an easterly direction, 333 feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 653 feet to monument of stone at N.E. corner of claim and place of beginning.

This location may be more generally described as being situated in and near Willow Springs Gulch and the Reymert Mill is located on this Mill Site and is about 1 1/2 miles southerly from the Australia Mine.

That we have also located in connection with the said Mill-Site claim One Thousand inches miners' measure of the water of this Gulch under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights.

Dated on the ground, this 31st day of December, 1910.

Witness:

T. Ross Carson,

Robt. Merritt.

Reymert Mining Co.

by

T. P. Carson,
Superintendent.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full, true and correct copy of the Location Notice of the "Australia Mill Site Claim and Water Right, as the same appears of record in Book No. 13 of Records of Miscellaneous, at page 77, of the Records of Pinal County, Territory of Arizona.

Witness my hand and seal of office this 31st day of December, A.D. 1910.

G. F. Watson
County Recorder.

RECORDED
INDEXED
DECEMBER 31 1910
PINAL COUNTY ARIZONA

LOCATION NOTICE

of

THE GREAT PACIFIC MILL-SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS, That we the undersigned, have this day located a mill-site for the purpose of erecting suitable works for reducing the ores of the "Great Pacific" Mining Claim, situate in Pioneer Mining District, Pinal County, Arizona Territory. The exterior boundaries of said Great Pacific Mill-Site Claim, are as follows, viz:

COMMENCING at a monument of stone at N.E. corner of claim, and running thence in a westerly direction, 300 feet to monument of stone at N.W. corner of claim, thence in a southerly direction 726 feet to monument of stone at S.W. corner of claim, thence in an easterly direction, 300 feet to monument of stone at S.E. corner of claim, thence in a northerly direction, 726 feet to monument of stone at N.E. corner of claim and place of beginning.

This location may be more generally described as being situated in Reymert Mine Wash about 1 1/2 miles northerly from the Reymert Mill, and about 1 mile Northerly from the Great Pacific Mine.

That we have also located in connection with the said Mill-Site claim One thousand inches miners' measure of the water of this Gulch under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights.

Dated on the ground, this 31st day of December, 1910.

Witness:

Robt. Merritt.

Reymert Mining Co.

by
T. P. Carson,

Superintendent.

Territory of Arizona,)
County of Pinal,) ss:-

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing instrument is a full, true and correct copy of the location notice of the "Great Pacific" Mill-Site Claim and Water Right, as the same appears of record in Book No. 13 of Records of Miscellaneous, at page 78, of the Records of Pinal County, Territory of Arizona,

Witness my hand and seal of office this 31st day of December, A.D. 1910.


County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 15, 1911.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Reymert Mining Co.,

known as the AMERICA, ALASKA, AFRICA, ASIA, AUSTRALIA, EUROPE, GREAT PACIFIC Lodes and AMERICA, ASIA, AUSTRALIA, GREAT PACIFIC Millisites, situate in Pioneer

Mining District, Pinal County, Arizona, approximately

in Sections 10, 21 & 28, Township No. 2 S., Range No. 11 E., unsurveyed, and

designated as Survey No. 2878 A & B, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or its grantors, and that said improvements consist of 9 tunnels, 5 shafts and 3 cuts, total value \$23484.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 15, 1911.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Reymert Mining Co.,

known as the AMERICA, ALASKA, AFRICA, ASIA, AUSTRALIA, EUROPE, GREAT PACIFIC Lodes and AMERICA, ASIA, AUSTRALIA, GREAT PACIFIC Millisites,

situate in Pioneer mining district,

Pinal County, Arizona, approximately

in Section s 10, 21 & 28, Township No. 2 S., Range No. 11 E., unsurveyed,

designated as Survey No. 2878 A & B,

executed by William H. Merritt, United States Mineral

Surveyor, January 6 - 14, 1911. under my instructions dated

January 4, 1911. have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.