

MINERAL SURVEY NO. 2880

Claims M & B Desc. Improvements Loc. Notices

Barney No.	pg.	Improvements	Loc. Notices
1	1		<u>Red</u>
"	2	48	<u>1</u>
"	3	48	<u>2</u>
"	4	49	<u>3</u>
"	5	49	<u>4</u>
"	7	50	<u>5</u>
"	9	50	<u>6</u>
"	10	51	<u>7</u>
"	12	51	<u>8</u>
"	13	52	<u>9</u>
"	15	52	<u>10</u>
"	16	52	<u>11</u>
"	18	52	<u>12</u>
"	19	53	<u>13</u>
"	21	53	<u>14</u>
"	22	53	<u>15</u>
"	23	54	<u>16</u>
"	25	54	<u>17</u>
"	26	55	<u>18</u>
"	28	55	<u>19</u>
"	30	56	<u>20</u>
"	32	56	<u>21</u>
"	34	57	<u>22</u>
"	36	57	<u>23</u>
"	38	58	<u>24</u>
"	38	58	<u>25</u>
"	39	58	<u>26</u>
"	41	59	

Copied June 13, 1912.

A. I. H.

(4-683.)

Mineral Survey No. 2880

Lot No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

BARNEY COPPER COMPANY

Barney No.1, Barney No.2, Barney No.3, ^{KNOWN AS THE} Barney No.4, Barney No.5, Barney No.6, Barney No.7, Barney No.8, Barney No.9, Barney No.10, Barney No.11, Barney No.12, Barney No.13, Barney No.14, Barney No.15, Barney No.16, Barney No.17, Barney No.18, Barney No.19, Barney No.20, Barney No.21, Barney No.22, Barney No.23, Barney No.24, Barney No.25 and Barney No.26 Globe Mining District.

Gila County, Arizona

Sections 26, 27 and 28 Township 1 N., Range 14 E., uns.

Surveyed under instructions dated December 8, 1911.

by Edwin T. Stewart, U. S. Deputy Mineral Surveyor

Claim located See location notices 1

Survey commenced January 7, 1912

Survey completed January 27, 1912,

Address:

Alderman & Ellicott, Globe, Arizona, Attorneys for Claimant.

Feet

Mineral Survey No. 2880.

Barney No.1 lode.

Beginning at Cor. No.1, identical with the N.E.Cor. of the location and Cor. No.4, Barney No.4 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 10 ins. in the ground, on bed rock, with mound of stone, scribed 1-B.1-2880, for this claim, whence

U.S.L.M.No. 2652 bears N.64°-00' E. 5841.5 ft.

A granite stone, 1 x 1.5 x 2 ft. out of the ground, chiseled cross B.R. 2880, bears S. 86°-42' E. 44.93 ft.

A granite stone, 1 x 2 x 3 ft. out of the ground, chiseled cross B.R. 2880 bears N.76°-37' E. 21.64 ft.

Thence S.10°-46' E.

Along line 4-3 of said Barney No.4 lode.

296.70 To E.E.C., identical with monument of the location and W.E.C. of said Barney No.4 lode.

A pine post, 3.5 ft long, 4 ins. sq., with nail at the exact point, set 9 ins. in the ground, on bed rock, with mound of stone, scribed 2880 for this claim.

324.40 Cross bed of gulch, course northeast.

596.70 To Cor. No.2, identical with S.E.Cor. of the location, and Cors. 3,4 and 1, respectively, of Barney No.4, Barney No.5 and Barney No.2 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.1-2880, for this claim, whence

A dacite stone, 1 x 2.6 x 2.6 ft. out of the ground, chiseled cross B.R. 2880, bears N.67°-04' W. 20.5 ft.

Thence S. 78°-53' W.

Along line 1-4 of said Barney No.2 lode.

- 502.00 Cross bed of gulch, course northeast.
- 1486.30 To Cor. No.3, identical with S.W.Cor. of the location and Cor. No.4 of said Barney No.2 lode.
- A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set on bed rock, with mound of stone, scribed 3-B.1-2880, for this claim.
- A granite stone, 1.6 x 2.3 x 2.3 ft. out of the ground, chiseled cross B.R. 2880, bears N.43°-22' W. 4.80 ft.
- A dacite stone, 1.8 x 1.8 x 2.0 ft. out of the ground, chiseled cross B.R. 2880, bears N.63°-32' E. 9.50 ft.
- Thence N.10°-46' W.
- 296.60 To W.E.C., identical with monument of the location.
- A pine post, 3.5 ft. long, 4 ins. sq., with nail at the exact point, set 12 ins. in the ground, with mound of stone, scribed 2880.
- 593.20 To Cor. No.4, identical with N.W.Cor. of the location.
- A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set on bed rock, with mound of stone, scribed 4-B.1-2880, whence
- A dacite stone, 2.3 x 2.3 x 5.0 ft. out of the ground, chiseled cross B.R. 2880, bears S.18°-26' E. 45.91 ft.
- A dacite stone, 1.7 x 1.0 x 1.7 ft. out of the ground, chiseled cross B.R.2880, bears S.05°-40' E. 11.80 ft.
- Thence N.78°-45' E.
- 1486.30 To Cor. No.1, the place of beginning.
- Barney No.2 lode.
- Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.1, Barney No.4 and Barney No.5 lodes, all of this survey.
- Corner previously described; to which I add 1-B.2 for this claim, whence
- U.S.L.M. No.2652 bears N.58°-31'-10" E. 6025.7 ft.

Thence S.10°-46' E.

Along line 4-3 of said Barney No.5 lode.

300.00 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.5 lode.

A pine post, 3 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed 2880 for this claim.

598.10 To Cor. No.3, identical with S.E.Cor. of the location, and Cors. 3, 4 and 1, respectively, of Barney No.5, Barney No.6 and Barney No.3 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.2-2880, for this claim, whence

A dacite stone, .8 x 1.5 x 1.9 ft. out of the ground, chiseled cross B.R.2880, bears N.09°-22' W..14.25 ft.

Thence S.79°-09' W.

Along line 1-4 of said Barney No.3 lode.

1229.00 Cross bed of gulch, course northeast.

1486.30 To Cor. No.3, identical with S.W.Cor. of the location, and Cor. No.4 of said Barney No.3 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 13 ins. in the ground, on bed rock, with mound of stone, scribed 3-B.2-2880, for this claim, whence

A juniper tree, 1 ft. in diameter, plazed and scribed cross B.T. 2880, bears S. 82°-46' W. 82.84 ft.

A granite stone, 1.0 x 1.5 x 2.0 ft. out of the ground, chiseled cross B.R. 2880, bears N.77°-29' W.. 24.85 ft.

Thence N.10°-46' W.

156.00 Cross bed of gulch, course northeast.

294.60 To W.E.C., identical with monument of the location.

A pine post, 3.5 ft. long, 4 ins. sq., with nail at the

exact point, set 12 ins. in the ground, with mound of stone, scribed 2880.

591.40 To Cor. No.4, identical with N.W. Cor. of the location, and Cor. No.3, Barney No.1 lode, this survey. Corner previously described; to which I add 4-B.2, for this claim.

Thence N.78°-53' E.

Along line 3-2 of said Barney No.1 lode.

984.3 Cross quarter, course N. E.
1486.30 To Cor. No.1, the place of beginning.

Barney No.3 lode.

Beginning at Cor. No.1, identical with N.E. Cor. of the location, and Cors. 2, 3 and 4, respectively, of Barney No.2; Barney No.5 and Barney No.6 lodes, all of this survey.

Corner previously described; to which I add 1-B.3 for this claim, whence

U.S.L.M.No.2652 bears N.53°-23'-40" E. 6262.50 ft.

Thence S. 10°-46' E.

Along line 4-3 of said Barney No.6 lode.

300.00 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.6 lode.

A pine post, 3.5 ft long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed 2880 for this claim.

300.00 To Cor. No.2, identical with S.E. Cor. of the location, and Cor. No.3 of said Barney No.6 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.3-2880, for this claim, whence

A dacite stone, .8 x 1.0 x 1.7 ft. out of the ground, chiseled cross B.R.2880, bears S.87°-31' W. 37.9 ft.

A dacite stone, 1.5 x 2.5 x 3.5 ft. out of the ground,

chiseled cross B.R. 2880, bears N.03°-27' W. 16.70 ft.

Thence S. 79°-21' W.

1358.00 Cross bed of gulch, course northeast.

1486.30 To Cor. No.3, identical with S.W.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-B.3-2880, whence

A juniper tree, 4.5 ft. in diameter, blazed and scribed cross B.T. 2880, bears N.48°-58' E. 111.40 ft.

A cross on schist in place about which is chiseled B.R. 2880, bears S.32°-50' W. 83.26 ft.

Thence N.10°-46' W.

297.70 To W.E.C., identical with monument of the location.

A pine post, 3.3 ft. long, 4 ins.sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed 2880.

594.70 To Cor. No.4, identical with N.W.Cor. of the location, and Cor. No.3, Barney No.2 lode, this survey.

Corner previously described; to which I add 4-B.3 for this claim.

Thence N.79°-09' E.

Along line 3-2 of said Barney No.2 lode.

257.30 Cross bed of gulch, course northeast.

1486.30 To Cor. No.1, the place of beginning.

Barney No.4 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location and Cors. 3 and 4, respectively, of Barney No. 26 and Barney No.7 lodes, both of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-B.4-2880, for this claim, whence

U.S.L.M.No.2652, bears N.59°-04'-00" E. 4408.40 ft.

A granite stone, 1.3 x 2.5 x 3.0 ft. out of the ground, chiseled cross B.R. 2880, bears N.19°-52' W. 35.67 ft.

A granite stone 1.0 x 1.6 x 2.0 ft. out of the ground, chiseled cross B.R. 2880, bears S.53°-30' W. 35.20 ft.

Thence S.10°-46' E.

Along line 4-3 of said Barney No.7 lode.

296.20 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.7 lode.

A pine post, 5 ft. long, 4 ins. sq., with nail at the exact point, set 6 ins. in the ground, with mound of stone, scribed 2880, for this claim.

583.65 To Witness Corner for Cor. No.2, identical with Witness Cor. for Cor. No.3 of said Barney No.7 lode.

A granite stone, showing .5 x 1.0 x 1.0 ft. out of the ground, with mound of stone alongside, chiseled cross at the exact point and W.C.-2-B.4-2880, for this claim. True Cor. Pt. brs. S. 10° 46' E. 9.55 ft.

593.20 To Cor. No.2, identical with S.E.Cor. of the location and Cors. 3,4 and 1, respectively, of Barney No.7, Barney No.8 and Barney No.5 lodes, all of this survey. Corner not set on account of falling in bed of gulch where permanent corner could not be maintained. Course of gulch northeast.

Witness corner bears N.10°-46' W. 9.55 ft.

A granite rock, 2.0 x 3.0 x 3.0 ft. out of the ground, chiseled cross B.R. 2880, bears S.09°-38' W. 29.0 ft.

Thence S. 78°-32' W.

Along line 1-4 of said Barney No.5 lode.

160.00 Cross bend in bed of gulch, course southeast and south west.

267.00 Cross bed of gulch, course southeast.

450.00 Cross wagon road, course southeast.

1498.10 To Cor. No.3, identical with S.W.Cor. of the location, and Cors. 4,1 and 2, respectively, of Barney No.5, Barney No.2 and Barney No.1 lodes, all of this survey.

Corner previously described; to which I add 3-B.4 for this claim.

Thence N.10°-46' W.

Along line 2-1 of said Barney No.1 lode.

272.70 Cross gulch; course N. Easterly.

300.00 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.1 lode.

Previously described; to which I add 2880 for this claim.

596.70 To Cor. No.4, identical with N.W.Cor. of the location, and Cor. No.1 of said Barney No.1 lode.

Corner previously described; to which I add 4-B.4, for this claim.

Thence N.78°-40' E.

1498.10 To Cor. No.1, the place of beginning.

Barney No.5 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4 respectively, of Barney No.4, Barney No.7 and Barney No.8 lodes, all of this survey.

Corner not set on account of falling in bed of gulch. Point previously described.

U.S.L.M. No.2652 bears N. 52°-11'-00" E. 4646.50 ft.

Witness Corner bears S.10°-46' E. 33.0 ft.

Thence S.10°-46' E.

Along line 4-3 of said Barney No.8 lode.

33.00 To Witness Corner for Cor. No.1, identical with Witness Cor. for Cor. No.4 of said Barney No.8 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 5 ins. in the ground, on bed rock, with mound of stone, scribed W.Cor. 1-B.5-2880, for this claim. True Pt. for Cor. brs. N. 10° 46' W: 33 ft.

97.50 Cross wagon road, course northeast.

297.20 To E.E.C., identical with monument of the location and W.E.C. of said Barney No.8 lode.

A pine post, 3.5 ft. long, 4 ins. sq., with nail at the exact point, set 8 ins. in the ground, scribed 2880, for this claim.

587.50 To Cor. No.2, identical with S.E.Cor. of the location, and Cors. 3,4 and 1, respectively, of Barney No.8, Barney No.9 and Barney No. 6 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.5-2880, for this claim, whence

A granite stone, .5 x 1.7 x 2.0 ft. out of the ground, chiseled cross B.R. 2880, bears N.80°-03' E. 35.7 ft,

Thence S.78°-08' W.

Along line 1-4 of said Barney No.6 lode.

1498.40 To Cor. No.3, identical with S.W.Cor. of the location and Cors. 4,1 and 2, respectively, of Barney No.6, Barney No.3 and Barney No.2 lodes, all of this survey.

Corner previously described; to which I add 3-B.5 for this claim.

Thence N.10°-46' W.

Along line 2-1 of said Barney No.2 lode.

298.10 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No. 2 lode.

Previously described; to which I add 2880, for this claim.

598.10 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.2, Barney No.1 and Barney No.4 lodes, all of this survey.

Corner previously described; to which I add 4-B.5, for this claim.

Thence N.78°-32' E.

Along line 3-2 of said Barney No.4 lode.

1048.1
1231.1
1338.1
1498.10 To Cor. No.1, the place of beginning.

Cross wagon road, course southeast
Cross bed of gulch, course southeast
Cross bend in bed of gulch, course southeast and southwest

BARNEY NO. 6.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.5, Barney No. 8 and Barney No.9 lodes, all of this survey.

Corner previously described; to which I add 1-B.6, for this claim, whence

U.S.L.M.No.2652, bears N.46°-06' -20" E. 4941.50 ft.

Thence S.10°-46' E.

Along line 4-3 of said Barney No.9 lode.

300.00 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.9 lode.

A pine post, 5 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed 2880, for this claim.

405.00 Cross wagon road, course southeast.

424.00 Cross bed of gulch, course southeast.

598.70 To Cor. No.2, identical with S.E.Cor. of the location, and Cor. No.3 of said Barney No. 9 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 2-B.6-2880, for this claim, whence

An oak tree, .5 ft. in diameter, blazed and scribed cross B.T.2880, bears N.59°-16' W. 25.54 ft.

An oak tree, .6 ft. in diameter, blazed and scribed cross B.T. 2880, bears S.81°-37' W. 15.33 ft.

Thence S.78°-05' W.

1151.00 Cross wagon road, course northeast.

1386.00 Cross bed of gulch, course northeast.

1498.40 To Cor. No.3, identical with S.W.Cor. of the location, and Cor. No.2, Barney No.3 lode, this survey.

Corner previously described; to which I add 3-B.6, for this claim.

Thence N.10°-46' W.

Along line 2-1 of said Barney No.3 lode.

300.00 To W.E.C., identical with monument of the location and E.E.C. of said Barney No. 3 lode.

Previously described; to which I add 2880, for this claim.

600.00 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.3, Barney No.2 and Barney No.5 lodes, all of this survey. Corner previously described; to which I add 4-B.6, for this claim.

Thence N.78°-08' E.

Along line 3-2 of said Barney No.5 lode.

1498.40 To Cor. No.1, the place of beginning.

Barney No.7 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.26, Barney No.25 and Barney No.10 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-B.7-2880, for this claim, whence

U.S.L.M. No.2652 bears N.50°-03'-40" E. 3090.80 ft.

A granite stone, 1.2 x 1.5 x 2.0 ft. out of the ground, chiseled cross B.R.2880, bears N.14°-10' W. 21.00 ft.

Thence S. 10°-46' E.

Along line 4-3 of said Barney No.10 lode.

296.60 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.10 lode.

A pine post 3.5 ft. long, 4 ins. sq., with nail at the exact point, set 12 ins. in the ground, with mound of stone, scribed 2880, for this claim.

412.00 Cross bed of gulch, course northeast.

469.00 Cross wagon road, course northeast.

594.30 To Cor. No.2, identical with S.E.Cor. of the location and Cors. 3,4 and 1, respectively, of Barney No.10, Barney No.11 and Barney No.8 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 3-B.7-2880, for this claim, whence

A granite stone 1.6 x 2.0 x 2.8 ft. out of the ground, chiseled cross B.R.2880, bears S.01°-25' E. 7.45 ft.

Thence S. 78°-45' W.

Along line 1-4 of said Barney No.8 lode.

185.00 Cross wagon road, course northeast.

295.00 Cross bed of gulch, course northeast.

1066.00 Cross bed of gulch, course southeast.

1106.00 Cross bed of gulch, course northeast.

1266.00 Cross bed of gulch, course southeast.

1439.50 To Cor. No.3, identical with S.W.Cor., of the location, and Cors. 4,1 and 3, respectively, of Barney No.8, Barney No.5 and Barney No.4 lodes, all of this survey.

Not set on account of being in bed of creek where a permanent monument could not be maintained.

Witness Corner bears N.10°-46' W. 9.55 ft.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.4 lode.

9.55 To Witness Cor. for Cor. No.3, identical with Witness Cor. for Cor. No.2, of said Barney No.4 lode. True Cor Pt. brs. S. 10° 46' E. 9.55 ft. Previously described; to which I add 3-B.7, for this claim.

297.00 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.4 lode.

Previously described; to which I add 2880 for this claim.

593.20 To Cor. No.4, identical with N.W.Cor. of the location,

and Cors. 1 and 3, respectively, of Barney No.4 and Barney No. 26 lodes, both of this survey.

Corner previously described; to which I add 4-B.7, for this claim.

Thence N.78°-42' E.

Along line 3-2, of said Barney No.26 lode.

1439.50 To Cor. No.1, the place of beginning.

Barney No.8 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.7, Barney No.10 and Barney No.11 lodes, all of this survey.

Corner previously described; to which I add 1-B.8, for this claim, whence

U.S.L.M. No.2652 bears N.41°-20'-00" E. 3420.0 ft.

Thence S.10°-46' E.

Along line 4-3 of said Barney No.11 lode.

296.30 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.11 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 10 ins. in the ground, with mound of stone, scribed 2880 for this claim.

586.30 To Cor. No.2, identical with S.E.Cor. of the location, and Cors. 3, 4 and 1, respectively, of Barney No.11, Barney No.12 and Barney No.9 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 16 ins. in the ground, on bed rock, with mound of stone, scribed 2-B.8-2880, for this claim, whence

A granite stone, .7 x 1.3 x 3.6 ft. out of the ground, chiseled cross B.R.2880, bears S.17°-35' W. 20.5 ft.

Thence S. 78°-42' W.

Along line 1-4 of said Barney No.9 lode.

1439.50 To Cor. No.3, identical with S.W.Cor. of the location, and Cors. 4,1 and 2, respectively, of Barney No.9, Barney No.6 and Barney No.5 lodes, all of this survey. Corner previously described; to which I add 3-B.8, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.5 lode.

290.30 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No. 5 lode.

490. Previously described; to which I add 2880 for this claim. Cross road.

554.50 To Witness Cor. for Cor. No.4, identical with Witness Cor. for Cor. No.1, of said Barney No.5 lode, this survey. True Cor. point brs. N. 10° 46' W. 33' ft.

Corner previously described; to which I add 4-B.8, for this claim.

587.50 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.5, Barney No.4 and Barney No.7 lodes, all of this survey.

Not set on account of falling in bed of gulch where a permanent corner could not be maintained.

Witness Corner ^{previously described} bears S.10°-46' E. 33.0 ft.

173.5 Cross bed of gulch, course southeast. Thence N. 78° 45' E., along line 3-2 of said Barney No. 7 lode,

333.5 Cross bed of gulch, course northeast.

373.5 Cross bed of gulch, course southeast.

1144.5 Cross bed of gulch, course northeast.

1254.5 Cross wagon road, course northeast.

1439.50 To Cor. No.1, the place of beginning.

Barney No.9 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.8, Barney No.11 and Barney No.12 lodes, all of this survey.

Corner previously described; to which I add 1-B.9, for this claim, whence

U.S.L.M.No.2652, bears N.34°-21'-30" E. 3808.5 ft.

Thence S.10°-46' E.

Along line 4-3 of said Barney No.12 lode.

267.80 To E.E.C., identical with monument of the location, and
W.E.C. of said Barney No.12 lode.

A pine post, 5 ft. long, 4 ins. sq., with nail at the
exact point, set in mound of stone, scribed 2880 for
this claim.

567.50 To Cor. No.2, identical with S.E.Cor. of the location,
and Cor. No.3 of said Barney No.12 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the
exact corner, set 12 ins. in the ground, on bed rock,
with mound of stone, scribed 2-B.9-2880, for this
claim, whence

A granite stone, 1.0 x 2.7 x 3.0 ft. out of the ground,
chiseled cross B.R. 2880, bears N.77°-30' W. 28.50 ft.

A granite stone, 1.0 x 1.6 x 2.6 ft. out of the ground,
chiseled cross B.R. 2880, bears N.05°-13' W. 13.65 ft.

Thence S.77°-28' W.

1033.00 Cross wagon road, course southeast.

1072.00 Cross bed of gulch, course southeast.

1104.00 Cross wagon road, course northeast.

1227.00 Cross wagon road, course south east.

1440.20 To Cor. No.3, identical with S.W.Cor. of the location,
and Cor. No.2, Barney No.6 lode, this survey.

Corner previously described; to which I add 3-B.9, for
this claim.

Thence N.10°-46' W.

Along line 2-1 of said Barney No.6 lode.

174.7
193.7
298.70 To W.E.C., identical with monument of the location, and
E.E.C. of said Barney No.6 lode.

Previously described; to which I add 2880 for this claim.

598.70 To Cor. No.4, identical with N.W.Cor. of the location,
and Cors. 1,2 and 3, respectively, of Barney No.6,
Barney No.5 and Barney No.8 lodes, all of this survey.

Corner previously described; to which I add 4-B.9, for this claim.

Thence N.78°-42' E.

Along line 3-2, of said Barney No.8 lode.

1439.50 To Cor. No.1, the place of beginning.

Barney No.10 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.25, Barney No.24 and Barney No.13 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-B.10-2880, for this claim, whence

U.S.L.M. No.2652 bears N.38°-01'-20" E. 1913.80 ft.

A granite stone, 1.2 x 1.5 x 1.5 ft. out of the ground, chiseled cross B.R.2880, bears N.29°-28' E. 32.55 ft.

Thence S.10°-46' E.

Along line 4-3, of said Barney No.13 lode.

294.40 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.13 lode.

A pine post, 3 ft. long, 4 ins. sq., with nail at the exact point, set 6 ins. in the ground, with mound of stone, scribed 2880, for this claim.

594.40 To Cor. No.2, identical with S.E.Cor. of the location, and Cors. 3,4 and 1, respectively, of Barney No.13, Barney No.14 and Barney No.11 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.10- 2880, for this claim, whence

A granite stone, .7 x .9 x 1.0 ft. out of the ground, chiseled cross B.R. 2880, bears N.87°-32' E. 25.1 ft.

Thence S.78°-40' W.

Along line 1-4, of said Barney No.11 lode.

1499.90 To Cor. No.3, identical with S.W.Cor. of the location, and Cors. 4,1 and 2, respectively, of Barney No.11, Barney No.8 and Barney No.7 lodes, all of this survey. Corner previously described; to which I add 3-B.10, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.7 lode.

125.3
182.3
297.70

Cross wagon road, course northeast.
Cross bed of gulch, course northeast.
To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.7 lode.

Previously described; to which I add 2880, for this claim.

594.30 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.7, Barney No.26 and Barney No.25, lodes, all of this survey. Corner previously described; to which I add 4-B.10, for this claim.

Thence N.78°-40' E.

Along line 3-2, of said Barney No.25 lode.

466.00 Cross wagon road, course northeast.

546.00 Cross wagon road and bed of gulch; course of road southeast; course of gulch northeast.

684.00 Cross bed of gulch, course southeast.

700.00 Cross wagon road, course northeast.

813.00 Cross bed of gulch, course north.

1499.90 To Cor. No.1, the place of beginning.

Barney No.11 lode.

Beginning at Cor. No.1, identical with N.W.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.10, Barney No.13 and Barney No.14 lodes, all of this survey.

Corner previously described; to which I add 1-B.11, for this claim, whence

U.S.L.M.No.2652, bears N.19°-07'-10" E. 2406.10 ft.

Thence S:10°-46' E:

Along line 4-3, of said Barney No.14 lode,

300.00 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.14 lode.

A pipe post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed 2880, for this claim.

596.10 To Cor. No.2, identical with S.E.Cor. of the location, and Cors. 3,4 and 1, respectively, of Barney No.14, Barney No.15 and Barney No.12 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.11-2880, for this claim, whence

A granite stone, .2 x .6 x 1.0 ft. out of the ground, chiseled cross E.P. 2880, bears N.31°-27' W. 17.75 ft.

Thence S.79°-03' W.

Along line 1-4, of said Barney No.12 lode.

1499.90 To Cor. No.3, identical with S.W.Cor. of the location and Cors. 4,1 and 2, respectively, of Barney No.12, Barney No.9 and Barney No.8 lodes, all of this survey. Corner previously described; to which I add 3-B.11, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.8 lode.

290.00 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.8 lode.

Previously described; to which I add 2880, for this claim.

586.30 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,3 and 3, respectively, of Barney No.8, Barney No.7 and Barney No.10 lodes, all of this survey.

Corner previously described; to which I add 4-B.11, for this claim.

Thence N.78°-40' E.

Along line 3-2, of said Barney No.10 lode.

1499.90 To Cor. No.1, the place of beginning.

Barney No.12 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.11, Barney No.14 and Barney No.15 lodes, all of this survey.

Corner previously described; to which I add 1-B.12, for this claim, whence

U.S.L.M.No.2653, bears N.13°-19'-00" E. 2938.0 ft.

Thence S.10°-46' E.

Along line 4-3, of said Barney No.15 lode.

267.40 To E.E.C., identical with monument of the location.

A pine post, 3 ft. long, 4 ins. sq., with nail at the exact point, set 6 ins. in the ground, with mound of stone, scribed 2880,

274.40 To W.E.C. of said Barney No.15 lode.

561.40 To Cor. No.2, identical with S.E.Cor. of the location, and Cor. No.3 of said Barney No.15 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.12-2880; for this claim, whence

A granite stone, .3 x .7 x 1.0 ft. out of the ground, chiseled cross B.R. 2880; bears S.66°-00' E. 17.47 ft.

A granite stone, 1.0 x 1.0 x 2.0 ft. out of the ground, chiseled cross B.R.2880, bears S.80°-35' W. 19.60 ft.

Thence S.78°-49' W.

1499.90 To Cor. No.3; identical with S.W.Cor. of the location, and Cor. No.2, of said Barney No.9 lode, this survey.

Corner previously described; to which I add 3-B.12, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.9 lode.

299.70 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.9 lode.

Previously described; to which I add 2880, for this claim.

567.50 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.9, Barney No.8 and Barney No.11 lodes, all of this survey.

Corner previously described; to which I add 4-B.12, for this claim.

Thence N.79°-03' E.

Along line 3-2, of said Barney No.11 lode.

1499.90 To Cor. No.1, the place of beginning.

Barney No.13 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location and Cors. 2,4 and 1, respectively, of Barney No.24, Barney No.23 and Barney No.16, lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-B.13-2880, for this claim, whence U.S.L.M.No.2652, bears N.18°-19'-30" W. 1492.8 ft.

A granite stone .4 x 1.2 x 1.8 ft. out of the ground, chiseled cross B.R. 2880, bears N.16°-26' E. 36.4 ft.

Thence S.10°-46' E.

Along line 1-4, of said Barney No.16 lode.

4E.00 Cross wagon road, course northeast.

181.00 Cross bed of gulch, course northeast.

297.00 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.16 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 6 ins. in the ground, with mound of stone, scribed 2880, for this claim.

594.30 To Cor. No.2, identical with S.E.Cor. of the location, and Cors. 4,1 and 1, respectively, of Barney No.16, Barney No.17 and Barney No.14 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 15 ins. in the ground, on bed rock, with mound of stone, scribed 2-B.13-2880, for this claim, whence

A granite stone, .6 x 1.1 x 2.0 ft. out of the ground, chiseled cross B.R.2880, bears N.61°-38' E. 90.45 ft.

Thence S.78°-45' W.

Along line 1-4, of said Barney No.14 lode.

1395.30 To Cor. No.3, identical with S.W.Cor. of the location, and Cors. 4,1 and 2, respectively, of Barney No.14, Barney No.11 and Barney No.10, lodes, all of this survey.

Corner previously described; to which I add 3-B.13 for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.10 lode.

300.00 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.10 lode.

Previously described; to which I add 2880, for this claim.

594.40 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.10, Barney No.25 and Barney No.24 lodes, all of this survey.

Corner previously described; to which I add 4-B.13, for this claim.

Thence N.78°-45' E.

Along line 3-2, of said Barney No.24 lode.

- 585.00 Cross wagon road, course northwest.
- 1150.00 Cross bed of gulch, course southeast.
- 1244.00 Cross wagon road, course southeast.
- 1395.30 To Cor. No.1, the place of beginning.

Barney No.14

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,4 and 1, respectively, of Barney No.13, Barney No.16 and Barney No.17 lodes, all of this survey.

Corner previously described; to which I add 1-B.14, for this claim, whence

U.S.L.M. No.2652, bears N.16°-10'-30" W. 2083.40 ft.

Thence S. 10°-46' E.

Along line 1-4 of said Barney No.17 lode.

- 295.80 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.17 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 6 ins. in the ground, with mound of stone, scribed 2880, for this claim.

- 595.80 To Cor. No.2, identical with S.E.Cor. of the location, and Cors. 4,1 and 1, respectively, of Barney No.17, Barney No.18 and Barney No.15 lodes, all of this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.14-2880, for this claim, whence

A granite stone, .4 x 1.2 x 1.6 ft. out of the ground, chiseled cross B.R.2880, bears N.28°-39' E. 28.83 ft.

Thence S.78°-44' W.

Along line 1-4, of said Barney No.15 lode.

- 1395.30 To Cor. No.3, identical with S.W.Cor. of the location, and Cors. 4,1 and 2, respectively, of Barney No.15, Barney No.12 and Barney No.11 lodes, all of this survey.

Corner previously described; to which I add 3-B.14, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.11 lode.

296.10 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.11 lode.

Previously described; to which I add 2880, for this claim.

596.10 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.11, Barney No.10 and Barney No.13 lodes, all of this survey.

Corner previously described; to which I add 4-B.14, for this claim.

Thence N.78°-45' E.

Along line 3-2, of said Barney No.13 lode.

1395.30 To Cor. No.1, the place of beginning.

Barney No.15 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cors. 2,4 and 1, respectively, of Barney No.14, Barney No.17 and Barney No.18 lodes, all of this survey.

Corner previously described; to which I add 1-B.15, for this claim, whence

U.S.L.M.No.2652 bears N.14°-58'-20" W. 2677.20 ft.

Thence S.10°-46' E.

Along line 1-4, of said Barney No.18 lode.

299.60 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.18 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 12 ins. in the ground, with mound of stone, scribed 2880, for this claim.

599.60 To Cor. No.2, identical with S.E.Cor. of the location, and Cor. No.4 of said Barney No.18 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-B.15, for this claim, whence
 An oak tree, .8 ft. in diameter, blazed and scribed, cross B.T.2880, bears S.83°-36' W. 61.00 ft.

A granite stone, .4 x 1.2 x 1.3 ft. out of the ground, chiseled cross B.R.2880, bears S.58°-24' E. 7.35 ft.

Thence S.80°-18' W.

1395.50 To Cor. No.3, identical with S.W.Cor. of the location, and Cor. No.2, Barney No.12 lode, this survey.

Corner previously described; to which I add 3-B.15, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.12 lode.

287.00 To W.E.C., identical with monument of the location.

A mound of stone, 3 ft. base and 3 ft. high.

294.00 To E.E.C., of said Barney No.12 lode.

561.40 To Cor. No.4, identical with N.W.Cor. of the location, and Cors. 1,2 and 3, respectively, of Barney No.12, Barney No.11 and Barney No.14 lodes, all of this survey.

Corner previously described; to which I add 4-B.15, for this claim.

Thence N.78°-44' E.

Along line 3-2, of said Barney No.14 lode.

1395.30 To Cor. No.1, the place of beginning.

Barney No.16 lode.

Beginning at Cor. No.1, identical with N.W.Cor. of the location, and Cors. 1,2 and 4, respectively, of Barney No.13, Barney No.24 and Barney No.23 lodes, all of this survey.

Corner previously described; to which I add 1-B.16, for this claim, whence

U.S.L.M.No.2652, bears N.18°-19'-30" W. 1492.80 ft.

Thence N.78°-44' E.

Along line 4-3, of said Barney No.23 lode.

1491.90 To Cor. No.2, identical with N.E.Cor. of the location,
and Cors. 3,4 and 3, respectively, of Barney No.23,
Barney No.22 and Barney No.19 lodes, all of this
survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the
exact corner, set 18 ins. in the ground, with mound
of stone, scribed 2-B.16-2880, for this claim, whence

A cross on dacite in place, about which is chiseled
B.R.2880, bears N.53°-14' E. 18.50 ft.

Thence S.10°-46' E.

Along line 3-2, of said Barney No.19 lode.

35.00 Cross wagon road, course northeast.

91.00 Cross wagon road, course southeast.

150.00 Cross bed of gulch, course east.

294.10 To E.E.C., identical with monument of the location, and
W.E.C. of said Barney No.19 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the
exact point, set 22 ins. in the ground, with mound of
stone, scribed 2880 for this claim.

566.00 Cross wagon road, course northeast.

594.10 To Cor. No.3, identical with S.E.Cor. of the location,
and Cors. 2,3 and 2, respectively, of Barney No.19,
Barney No.20 and Barney No.17 lodes, all of this
survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at
the exact corner, set 18 ins. in the ground, with
mound of stone, scribed 3-B:16-2880, for this claim,
whence

A granite stone, .6 x 1.2 x 2.0 ft. out of the ground,
chiseled cross B.R.2880, bears N.10°-05' E. 17.5 ft.

Thence S.78°-43' W.

Along line 2-1, of said Barney No.17 lode.

40.00 Cross wagon road, course northeast.

1491.90 To Cor. No.4, identical with S.W.Cor. of the location, and Cors. 1,1 and 2, respectively, of Barney No.17, Barney No.14 and Barney No.13 lodes, all of this survey.

Corner previously described; to which I add 4-B.16, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.13 lode.

297.30 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.13 lode.

Previously described; to which I add 2880 for this claim.

413.30 Crossed of gulch, course northeast.

553.30 Cross wagon road, course northeast.

594.30 To Cor. No.1, the place of beginning.

Barney No.17 lode.

Beginning at Cor. No.1, identical with N.W.Cor. of the location, and Cors. 1,2 and 4, respectively, of Barney No.14, Barney No.13 and Barney No.16 lodes, all of this survey.

Corner previously described; to which I add 1-B.17, for this claim; whence

U.S.L.M.No.2652 bears N.16°-10'-20" W. 2083.4 ft.

Thence N:78°-43' E.

Along line 4-3 of said Barney No.16 lode.

1451.90 Cross wagon road, course northeast.

1491:90 To Cor. No.2, identical with N.E.Cor. of the location, and Cors. 3,2 and 3, respectively, of Barney No.16, Barney No.19 and Barney No.20 lodes, all of this survey.

Corner previously described; to which I add 2-B.17, for this claim.

Thence S.10°-46' E.

Along line 3-2, of said Barney No.20 lode.

207.00 Cross wagon road, course southwest.

295.30 To E.E.C., identical with monument of the location, and
W.E.C. of said Barney No.20 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the
exact point, set 8 ins. in the ground, with mound of
stone, scribed 2880, for this claim.

595.30 To Cor. No.3, identical with S.E.Cor. of the location,
and Cors. 2,3 and 2, respectively, of Barney No.20,
Barney No.21 and Barney No.18 lodes, all of this
survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at
the exact corner, set 18 ins. in the ground, with
mound of stone, scribed 3-B.17-2880, for this claim,
whence

A granite stone, 1.1 x 1.3 x 1.4 ft. out of the ground,
chiseled cross B.R.2880, bears S.26°-50' E. 11.35 ft.

Thence S.78°-42' W.

Along line 2-1 of said Barney No.18 lode.

1491.90 To Cor. No.4, identical with S.W.Cor. of the location,
and Cors. 1,1 and 2, respectively, of Barney No.18,
Barney No.15 and Barney No.14 lodes, all of this
survey:

Corner previously described; to which I add 4-B.17, for
this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.14 lode.

300.00 To W.E.C., identical with monument of the location, and
E.E.C. of said Barney No.14 lode.

Previously described; to which I add 2880, for this
claim.

595.80 To Cor. No.1, the place of beginning.

Barney No.18 lode.

Beginning at Cor. No.1, identical with N.W.Cor. of
the location, and Cors. 1,2 and 4, respectively, of

Barney No.15; Barney No:14 and Barney No.17 lodes, all of this survey.

Corner previously described; to which I add 1-B.18, for this claim, whence

U.S.L.M.No.2652, bears N.14°-58'-20" W. 2677.20 ft.

Thence N.78°-42' E.

Along line 4-3, of said Barney No.17 lode.

1491.90 To Cor. No.2, identical with N.E.Cor. of the location, and Cors. 3,2 and 3, respectively, of Barney No.17, Barney No.20 and Barney No.21 lodes, all of this survey.

Corner previously described; to which I add 2-B.18, for this claim.

Thence S.10°-46' E.

Along line 3-2, of said Barney No.21 lode.

77.65 Intersect line 3-4 of Live Oak No.5 lode, of Sur. 2684, S.69°-12' E. 8.26 ft. from Cor. No.3.

299.70 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.21 lode.

A pine post, 3 ft. long, 4 ins. sq., with nail at the exact point, set in mound of stone, scribed 2880, for this claim.

584.30 To Cor. No.3, identical with S.E.Cor. of the location, and Cor. No.2 of said Barney No.21 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-B.18-2880, for this claim, whence

A cedar tree, .6 ft. in diameter, blazed and scribed, cross B.T.2880, bears S.13°-39' W. 40.50 ft.

A granite stone, .2 x .7 x 1.2 ft. out of the ground, chiseled cross B.R.2880, bears N.76°-20' W. 14.25 ft.

Thence S.78°-07' W.

200.40 Intersect line 2-3, Live Oak No.5 lode, of Sur.No.2684, S.09°-49' W. 549.98 ft. from Cor. No.3 and N.09°-49' E.

50.02 ft. from Cor. No.2.

1492.20 To Cor. No.4, identical with S.W.Cor. of the location,
and Cor. No.2, Barney No.15 lode, this survey.
Corner previously described; to which I add 4-B.18, for
this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.15 lode.

300.00 To W.E.C., identical with monument of the location, and
E.E.C. of said Barney No.15 lode.
Previously described; to which I add 2880, for this
claim.

599.60 To Cor. No.1, the place of beginning.

Barney No.19 lode.

Beginning at Cor. No.1, from which the S.E.Cor. of the
location, a 4 x 4 redwood post, in mound of stone,
bears N.78°-47' E. 355.6 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at
the exact corner, set 18 ins. in the ground, with mound
of stone, scribed 1-B.19-2880, whence

The section corner common to Sections 30 and 31, T.1
N., R.15 E., G. & S.R.B. & M., bears S.68°-59'-50" E.
10186.60 ft.

A quartzite stone, .15 x .9 x 1.8 ft. out of the
ground, chiseled cross B.R.2880, bears S.08°-48' E.
15.87 ft.

A quartzite stone, .2 x 1.0 x 1.5 ft. out of the
ground, chiseled cross B.R.2880, bears N.84°-15' W.
19.12 ft.

Thence S.78°-47' W.

112.40 To Cor. No.4, Barney No.20 lode, this survey, and in-
tersect line 2-3, Live Oak No.4 lode, of Sur. 2684,
S.09°-29' W. 250.50 ft. from Cor. No.3.

Along line 4-3, of said Barney No.20 lode.

121.00 Cross wagon road, course southeast.

1126.30 To Cor. No.2, identical with S.W.Cor. of the location, and Cors. 3,2 and 3, respectively, of Barney No.20, Barney No.17 and Barney No.16 lodes, all of this survey.

Corner previously described; to which I add 2-B.19, for this claim.

Thence N.10°-46' W.

Along line 3-2 of said Barney No.16 lode.

28.1 Cross wagon road, course northeast.

300.00 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.16 lode.

Previously described; to which I add 2880 for this claim.

444.1 Cross bed of gulch, course east.

503.1 Cross wagon road, course southeast.

559.1 Cross wagon road, course northeast.

594.10 To Cor. No.3, identical with N.W.Cor. of the location, and Cors. 2,3 and 4, respectively, of Barney No.16, Barney No.23 and Barney No.22 lodes, all of this survey.

Corner previously described; to which I add 3-B.19, for this claim.

Thence N.78°-49' E.

Along line 4-3, of said Barney No.22 lode.

37.00 Cross wagon road, course northeast.

762.40 To Cor.No.3 of said Barney No.22 lode, and intersect line 1-2, Wetumpka lode, of Survey No.2774, N.66°-41'W. 439.39 ft. from Cor. No.1.

982.00 Cross wagon road, course north.

1016.00 Cross bed of gulch, course north.

1126.30 To Cor. No.4, from which the N.E.Cor. of the location, a 4 x 4' redwood post, in mound of stone, bears N.78°-49' E. 355.6 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-B.19-2880, whence

A dacite stone, 1.0 x 1.6 x 1.6 ft. out of the ground, chiseled cross B.R.2880, bears N.09°-55' W.25.63 ft.

A dacite stone, .5 x .9 x 1.3 ft. out of the ground,
chiseled cross B.R. 2880, bears N.83°-38' E. 18.78 ft.

Thence S.10°-46' E.

248.90 To Cor. No.1, Wetumpka lode of Survey No.2774 and inter-
sect. line 2-3, Race Horse lode of said Sur. 2774, N.02°-
19' E. 113.4 ft. from Cor. No.2.

295.90 To point for E.F.C., from which the monument of the loca-
tion, a 4 x 4 redwood post, in mound of stone, bears
N.78°-54' E. 355.6 ft.

303.00 Cross wagon road, course southwest.

355.00 Cross wagon road, course southeast.

367.00 Cross wagon road, course west.

369.07 Intersect line 3-4, Live Oak No.4 lode of Sur. 2684,
S.80°-02' E. 27.45 ft. from Cor. No.3.

376.74 Intersect line 1-2, Race Horse lode of Sur. 2774, S.66°-
40' E. 31.0 ft. from Cor. No.2.

422.00 Cross wagon road, course southwest.

530.00 Cross wagon road, course southeast.

593.50 To Cor. No.1, the place of beginning.

Barney No.20 lode.

Beginning at Cor. No.1, from which the S.E. Cor. of the
location, a 4 x 4 redwood post, in mound of stone,
bears N.78°-48' E. 468.00 ft.

58'

A redwood post, 4 ft. long, 4 ins. sq., with nail at
the exact corner, set 12 ins. in the ground, on bed rock,
with mound of stone, scribed 1-B.20-2880, whence

The Section Corner common to Sections 30 and 31, T.1
N., R.15 E., G. & S.P.B. & M., bears S.72°-14'-50" E.
9984.20 ft.

A pine tree, 1.2 ft. in diameter, blazed and scribed
cross B.T.-2880, bears S.70°-03' W. 69.40 ft.

A quartzite stone, 2.5 x 3.5 x 4.0 ft. out of the
ground, chiseled cross B.R.2880, bears N.61°-43' W.
60.7 ft.

Thence S.78°-48' W.

120.73 Intersect line 4-1, Gila Monster lode, Sur. 2875, S.11°-16' W. 309.02 ft. from Cor. No.4.

212.00 Cross wagon road, course north.

220.35 Intersect line 2-3, Live Oak No.4 lode of Sur. 2684, N.09°-29' E. 612.79 ft. from Cor. No.2 and S.09°-29' W. 887.11 ft. from Cor. No.3 and S.09°-29' W. 348.87 ft. from the intersection of said line 2-3, Live Oak No.4 lode, with line 3-4, Gila Monster lode, Sur. 2875.

605.40 To Cor. No.4, Barney No.21 lode, this survey, and intersect line 2-3, Gila Monster lode, Sur. 2875, S.09°-37' W. 501.7 ft. from Cor. No. 3; from which Corner, Cor. No.4 of said Gila Monster lode bears S.77°-50' E. 462.40 ft. and the intersection of line 3-4 of said Gila Monster lode with line 2-3, Live Oak No.4 lode, of Survey No.2684, bears S.77°-50' E. 359.47 ft.

1013.90 To Cor. No.2, identical with S.W.Cor. of the location, and Cors. 3,2 and 3, respectively, of Barney No.21, Barney No.18 and Barney No.17 lodes, all of this survey.

Corner previously described; to which I add 2-B.20, for this claim.

Thence N.10°-46' W.

Along line 3-2, of said Barney No.17 lode.

300.00 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.17 lode.

Previously described; to which I add 2880 for this claim.

388.30 Cross wagon road, course S. W.

595.30 To Cor. No.3, identical with N.W.Cor. of the location, and Cors. 2,3 and 2, respectively, of Barney No.17, Barney No.16 and Barney No.19 lodes, all of this survey.

Corner previously described; to which I add 3-B.20, for this claim.

Thence N.78°-47' E.

Along line 2-1, of said Barney No.19 lode.

1013.90 To Cor. No.4, from which the N.E.Cor. of the location,
a 4 x 4 redwood post, in mound of stone, bears N.78°-
47' E. 468.0 ft.

At the intersection of line 1-2, of Barney No.19 lode,
this survey, with line 2-3, Live Oak No.4 lode of
Sur. 2684, being S.09°-29' W. 350.5 ft. from Cor. No.
3 of said Live Oak No.4 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at
the exact corner, set 26 ins. in the ground, with
mound of stone, scribed 4-B.20-2380,

No bearings available.

Thence S.10°-46' E.

295.60 To Point for E.E.C., from which the monument of the
location, a 4 x 4 redwood post, in mound of stone,
bears N.78°-48' E. 468.0 ft.

595.60 To Cor. No.1, the place of beginning.

Barney No.21 lode.

Beginning at Cor. No.1, from which the S.E.Cor. of the
location, a 4 x 4 redwood post, in mound of stone,
bears N.79°-13' E. 1073.40 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at
the exact corner, set 24 ins. in the ground, scribed
1-B.21-2880, whence

The Section Corner common to Sections 30 and 31, T.1
N., R.15 E., G.& S.R.B.& M., bears S.76°-46'-10" E.
10265.50 ft.

A quartzite stone, .9 x .9 x 1.5 ft. out of the
ground, chiseled cross B.R.2880, bears N.26°-03' E.
32.1 ft.

A quartzite stone, .5 x 1.4 x 2.0 ft. out of the
ground, chiseled cross B.R.2880, bears N.06°-38' E.
46.79 ft.

Thence S.79°-13' W.

212.88 Intersect line 1-2, Gila Monster lode, Sur. 2875, S. 77°-44' E. 5.04 ft. from Cor. No.2.

408.50 To Cor. No.2, identical with S.W.Cor. of the location, and Cor. No.3, Barney No.18 lode, this survey. Corner previously described; to which I add 2-B.21, for this claim.

Thence N.10°-46' W.

284.60 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No.18 lode.

Previously described; to which I add 2880, for this claim.

506.65 Intersect line 3-4, Live Oak No.5 lode of Survey 2684, S.69°-12' E. 8.26 ft. from Cor. No.3.

584.30 To Cor. No.3, identical with N.W.Cor. of the location, and Cors. 2,3 and 2, respectively, of Barney No.18, Barney No.17 and Barney No.20 lodes, all of this survey.

Corner previously described; to which I add 3-B.21, for this claim.

Thence N.78°-48' E.

Along line 2-1, of said Barney No.20 lode.

408.50 To Cor. No.4, from which the N.E.Cor. of the location, a 4 x 4 redwood post, in mound of stone, bears N. 78°-48' E. 1073.4 ft.

At the intersection of said line 2-1, Barney No.20 lode, with line 2-3, Gila Monster lode, Sur. 2875, being N.09°-37' E. 624.50 ft. from Cor. No.2 of said Gila Monster lode and N.09°-37' E. 288.13 ft. from the intersection of said line 2-3, Gila Monster lode, with line 3-4, Live Oak No.5 lode of Sur. 2684.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-B.21-2880, whence

A quartzite stone, 1.0 x 1.2 x 2.2 ft. out of the ground, chiseled cross B.R.2880, bears N.43°-20' E. 4.6 ft.

Thence S.10°-46' E.

399.70 To point for E.E.C., from which the monument of the location, a 4 x 4 redwood post, in mound of stone, bears N.78°-48' E. 1073.4 ft.

331.75 Intersect line 3-4, Live Oak No.5 lode, of Sur. 2684, S.69°-12' E. 487.71 ft. from Cor. No.3, and S.69°-12' E., 117.79 ft. from the intersection of said line 3-4, Live Oak No.5 lode, with line 2-3, Gila Monster lode, Sur. 2875.

571.00 Cross wagon road, course northwest.

587.30 To Cor. No.1, the place of beginning.

Barney No.23 lode.

Beginning at Cor. No.1, identical with N.W.Cor. of the location, and Cor. No.2, Barney No. 23 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins.in the ground, with mound of stone, scribed 1-B.23-2880, for this claim, whence

U.S.L.M.No. 2652 bears N.73°-33'-00" W. 1898.30 ft.

A cross on dacite in place, about which is chiseled B.R.2880, bears S.46°-54' E. 27.95 ft.

A dacite stone, 1.0 x 2.4 x 3.0 ft. out of the ground, chiseled cross B.R.2880, bears S.57°-07' W. 13.95 ft.

Thence N.79°-00' E.

26.04 Intersect lines 3-4 and 2-3, respectively of Red Rover and Wetumpka lodes, both of Sur. 2774, N.08°-30' E. 81.15 ft. from Cors. 4 and 2.

762.40 To Cor. No.2, from which the N.E.Cor. of the location, a 4 x 4 redwood post, in mound of stone, bears N. 79°-00' E. 719.5 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 22 ins. in the ground, with mound of stone, scribed 2-B.22-2880, whence
 A juniper tree, .6 ft. in diameter; blazed and scribed cross B.T.2880, bears N.57°-35' E. 85.32 ft.
 A dacite stone, .7 x 1.2 x 1.5 ft. out of the ground, chiseled cross B.R.2880, bears S.42°-23' E. 11.92 ft.
 Thence S.10°-46' E.

299.50 To point for E.E.C., from which the monument of the location, a 4 x 4 redwood post, in mound of stone, bears N.79°-01' E. 719.50 ft.

596.00 To Cor. No.3, from which the S.E.Cor. of the location, a 4 x 4 redwood post, in mound of stone, bears N.78°-49' E. 719.50 ft.

At the intersection of line 3-4, Barney No.19 lode, this survey, with line 1-2, Wetumpka lode of Sur. 2774, being S.66°-41' E. 921.41 ft. from Cor. No.2 of said Wetumpka lode.

A redwood post, 4 ft. long, 4 ins. sq.; with nail at the exact corner, set on bed rock, with mound of stone, scribed 3-B.22-2880, whence

A cross on dacite in place, about which is chiseled B.R.2880, bears N.89°-28' E. 37.05 ft.

A dacite stone, 2.0 x 3.0 x 4.6 ft. out of the ground, chiseled cross B.R.2880, bears N.38°-35' W. 18.56 ft.

Thence S.78°-49' W.

Along line 4-3 of said Barney No.19 lode.

725.4 Cross road, course northeast.

762.40 To Cor. No.4, identical with S.W.Cor. of the location, and Cors. 3,2 and 3, respectively, of Barney No.19, Barney No.16 and Barney No.23 lodes, all of this survey.

Corner previously described; to which I add 4-B.22, for this claim.

Thence N.10°-46' W.

-36-

- Along line 3-2 of said Barney No. 23 lode.
- 179.00 Cross wagon road, course northwest.
- 299.30 To W.E.C., identical with monument of the location, and E.E.C., of said Barney No. 23 lode.
- A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 6 ins. in the ground, with mound of stone, scribed 2880 for this claim.
- 521.40 Intersect line 1-2; Wetumpka lode of Sur. 2774, S.66°-41' E. .89 ft. from Cor. No. 2.
- 524.00 Intersect lines 2-3 and 3-4, respectively, of Wetumpka and Red Rover lodes, both of Sur. 2774, N.08°-30' E. 2.22 ft. from Cors: 2 and 4.
- 598.40 To Cor. No. 1, the place of beginning.
- Barney No. 23 lode.
- Beginning at Cor. No. 1, identical with N.W. Cor. of the location, and Cor. No. 1, Barney No. 24 lode, this survey.
- A redwood post, 4 ft. long, 3 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-B.23-2880, for this claim, whence
- U.S.L.M: No. 2652 bears N.23°-18'-50" W. 903.7 ft.
- A cedar tree, .5 ft. in diameter, blazed and scribed cross B.T. 2880; bears S.23°-38' E. 97.64 ft.
- A cedar tree, .4 ft. in diameter, blazed and scribed cross B.T. 2880, bears N.52°-05' E. 63.6 ft.
- Thence N:78°-43' E.
- 868.64 Intersect line 1-2, Santa Fe lode, of Sur. 2652, N.85°-31' W. 298.28 ft. from Cor. No. 2.
- 1158.61 Intersect line 2-3, Santa Fe lode, of Sur. 2652, N.09°-14' W. 81.19 ft. from Cor. No. 2.
- 1277.92 Intersect line 4-1, Red Rover lode, of Sur. 2774, N.81°-30' W. 225.89 ft. from Cor. No. 4.

1442.00 Cross wagon road, course northwest.

1491.90 To Cor. No.3, identical with N.E.Cor. of the location,
and Cor. No.1, Barney No. 23 lode, this survey.

Corner previously described; to which I add 3-B.23, for
this claim.

Thence S.10°-46' E.

Along line 1-4, of said Barney No.23 lode.

74.40 Intersect lines 3-4 and 2-3, respectively, of Red Rover
and Wetumpka lodes, both of Sur. 2774, N.08°-30' E.
2.32 ft. from Cors. 4 and 2, respectively.

77.00 Intersect line 1-2, of Wetumpka lode, of Sur. 2774,
S.66°-41' E. .89 ft. from Cor. No.2.

299.10 To E.E.C., identical with monument of the location, and
W.E.C. of said Barney No.23 lode.

Previously described; to which I add 2880, for this
claim.

419.40 Cross wagon road, course northwest.

598.40 To Cor. No.3, identical with S.E.Cor. of the location,
and Cors. 4,3 and 2, respectively, of Barney No.23,
Barney No.19 and Barney No.16 lodes, all of this
survey.

Corner previously described; to which I add 3-B.23, for
this claim.

Thence S.78°-44' W.

Along line 2-1, of said Barney No.16 lode.

1491.90 To Cor. No.4, identical with S.W.Cor. of the location,
and Cors. 1,1 and 2, respectively, of Barney No.16,
Barney No.13 and Barney No.24 lodes, all of this
survey.

Corner previously described; to which I add 4-B.23, for
this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No.24 lode.

299.00 To W.E.C., identical with monument of the location, and
E.E.C. of said Barney No.24 lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 10 ins. in the ground, with mound of stone, scribed 2880, for this claim.

597.70 To Cor. No.1, the place of beginning.

Barney No.24 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cor. No.1, Barney No.23 lode, this survey.

Corner previously described; to which I add 1-B.24, for this claim, whence

U.S.L.M.No.2652 bears N.23°-18'-50" W. 903.7 ft.

Thence S.10°-46' E.

Along line 1-4 of said Barney No. 23 lode.

298.70 To E.E.C., identical with monument of the location, and W.E.C., of said Barney No. 23 lode.

Previously described; to which I add 2880, for this claim.

597.70 To Cor. No.2, identical with S.E.Cor. of the location and Cors. 4,1 and 1, respectively, of Barney No.23, Barney No.16 and Barney No. 13 lodes, all of this survey.

Corner previously described; to which I add 2-B.24, for this claim.

Thence S. 78° 45' W.

Along line 1-4, said Barney No. 13 lode.

151.30 Cross road, course southeast.

245.30 Cross bed of gulch, course southeast.

810.30 Cross road, course north.

1395.30 To Cor. No.3, identical with S.W.Cor. of the location, and Cors. 4,1 and 2, respectively, of Barney No.13, Barney No.10 and Barney No. 25, lodes, all of this survey.

Corner previously described; to which I add 3-B.24, for this claim.

Thence N.10°-46' W.

Along line 2-1, of said Barney No. 25 lode.

177.00 Cross wagon road, course northeast.

200.00 Cross bed of gulch, course northeast,

299.00 To W.E.C., identical with monument of the location, and E.E.C., of said Barney No. 25 lode.

A pine post, 3 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, scribed 2880, for this claim.

597.00 To Cor. No.4, identical with N.W.Cor. of the location, and Cor. No.1, of said Barney No. 25 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-B.24-2880, for this claim, whence

A granite stone, 1.3 x 1.4 x 1.4 ft. out of the ground, chiseled cross B.P.2880, bears N.63°-25' W. 43.52 ft.

A granite stone, .2 x .6 x .6 ft. out of the ground, chiseled cross B.R.2880, bears N.55°-10' E. 8.0 ft.

Thence N.78°-43' E.

1395.30 To Cor. No.1, the place of beginning.

Barney No. 25 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cor. No.4, Barney No. 24 lode, this survey.

Corner previously described; to which I add 1-B.25, for this claim, whence

U.S.L.M.No.2652, bears N.42°-30'-10" E. 1496.0 ft.

Thence S.10°-46' E.

Along line 4-3, of said Barney No. 24 lode.

298.00 To E.E.C., identical with monument of the location, and W.E.C. of said Barney No.24 lode.

397. Previously described; to which I add 2880, for this claim.

420. Cross bed of gulch, course northeast.

597.00 Cross Road, course northeast. To Cor. No.2, identical with S.E.Cor. of the location,

and Cors. 3,4 and 1, respectively, of Barney No.24, Barney No.13 and Barney No.10 lodes, all of this survey.

683.9
799.9
815.9
953.9
0 33.9
1499.90

Corner previously described; to which I add 3-B.25, for this claim.

Thence S. 78° 40' W.

Along line 1-4 of said Barney No. 10 lode.

Cross bed of gulch, course north.

Cross wagon road, course northeast.

Cross bed of gulch, course southeast.

Cross wagon road and bed of gulch; course of road southeast, course of gulch northeast.

Cross wagon road, course northeast.

To Cor. No. 3, identical with S.W. Cor. of the location,

and Cors. 4, 1 and 2, respectively, of Barney No. 10,

Barney No. 7 and Barney No. 26 lodes, all of this survey.

Corner previously described; to which I add 3-B.25, for this claim.

Thence N. 10°-46' W.

Along line 3-1, of said Barney No. 26 lode.

300.00 To W.E.C., identical with monument of the location, and E.E.C. of said Barney No. 26 lode.

A pine post, 5 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed 2880, for this claim.

564.60 To Witness Corner for Cor. No. 4, identical with Witness Cor. for Cor. No. 1, of said Barney No. 26 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 24 ins. in the ground, scribed W.C.-4.B.25-2880, for this claim. True Cor. Pt. brs. N. 10° 46' W. 35.4 ft.

600.00 To Cor. No. 4, identical with N.W. Cor. of the location, and Cor. No. 1, of said Barney No. 26 lode.

Not set on account of falling in the bed of gulch where a permanent corner could not be maintained. Course of gulch northeast.

Witness Corner previously described, bears S. 10°-46' E. 35.4 ft.

A hackberry tree, .3 ft. in diameter, blazed and scribed cross B.T.2880, bears N. 34°-17' E. 28.17 ft.

A granite stone, .7 x 1.5 x 1.5 ft. out of the ground, chiseled cross B.R.2880, bears S. 18°-50' E. 28.05 ft.

Thence N. 78°-47' E.

Along bed of gulch.

205.00 Leave bed of gulch, course southeast.

1499.90 To Cor. No.1, the place of beginning.

Barney No.26 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location, and Cor. No. 4 of Barney No.25 lode, this survey.

Not set on account of falling in bed of gulch where a permanent corner could not be maintained.

U.S.L.M.No.2652, bears N.60°-40'-00" E. 2846.9 ft. previously described,
Witness Corner bears S.10°-46' E. 35.4 ft.

Thence S.10°-46' E.

Along line 4-3, of said Barney No. 35 lode.

35.40 To Witness Corner for Cor. No.1, identical with Wit.Cor.

for Cor. No.4, of said Barney No.25 lode,

Previously described; to which I add 1-B.26, for this claim.

300.00 To E.E.C., identical with monument of the location, and

W.E.C. of said Barney No.25 lode.

Previously described; to which I add 2880, for this claim.

600.00 To Cor. No.2, identical with S.E.Cor. of the location,

and Cors. 3,4 and 1, respectively, of Barney No.25,

Barney No.10 and Barney No.7 lodes, all of this survey.

Corner previously described; to which I add 2-B.26, for this claim.

Thence S.78°-42' W.

Along line 1-4, of said Barney No.7 lode.

1439.50 To Cor. No.3, identical with S.W.Cor. of the location,

and Cors. 4 and 1, respectively, of Barney No.7 and

Barney No.4 lodes, both of this survey.

Corner previously described; to which I add 3-B.26, for this claim.

Thence N.10°-46' W.

298.20 To W.E.C., identical with monument of the location.

A pine post, 5 ft. long, 4 ins. sq., with nail at the exact point, set in mound of stone, scribed 2880.

598.20 To Cor. No.4, identical with N.W. Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-B.26-2880, whence

A granite stone, .9 x 1.3 x 2.9 ft. out of the ground, chiseled cross B.R.2880, bears S.21°-35' E. 11.05 ft.

A granite stone, .6 x 1.0 ft. flush with the ground, chiseled cross B.R.2880, bears S.25°-45' W. 10.92 ft.

Thence N.78°-38' E.

1439.50 To Cor. No.1, the place of beginning.

oooooooooooooooooooooooooooo

Mean magnetic variation at all corners 13°-40' E.

oooooooooooooooooooooooooooo

Lode Lines.

As near as can be determined from present developments the veins of the several locations embraced in this survey extend as follows from their respective discovery points:

Barney No.1, N.78°-45' E. 132.4 ft. and S.78°-45' W. 1363.9 ft. ✓

Barney No.2, N.79°-01' E. 42.0 ft. and S.79°-01' W. 1444.3 ft. ✓

Barney No.3, N.79°-16' E. 154.0 ft. and S.79°-16' W. 1332.3 ft. ✓

Barney No.4, N.78°-39' E. 76.0 ft. and S.78°-39' W. 1422.1 ft. ✓

Barney No.5, N.78°-26' E. 1485.2 ft. and S.78°-26' W. 13.0 ft. ✓

Barney No.6, N.78°-08' E. 1483.4 ft. and S.78°-08' W. 15.0 ft. ✓

Barney No.7, N.78°-43' E. 728.0 ft. and S.78°-43' W. 711.5 ft. ✓

Barney No.8, N.78°-43' E. 1401.0 ft. and S.78°-43' W.
38.5 ft. ✓

Barney No.9, N.77°-25' E. 1417.7 ft. and S.77°-25' W.
22.5 ft. ✓

Barney No.10, N.78°-35' E. 255.0 ft. and S.78°-35' W.
1244.9 ft. ✓

Barney No.11, N.78°-49' E. 96.0 ft. and S.78°-49' W.
1403.9 ft. ✓

Barney No.12, N.79°-02' E. 38.1 ft. and S.79°-02' W.
1461.8 ft. ✓

Barney No.13, N.78°-52' E. 760.5 ft. and S.78°-52' W.
634.8 ft. ✓

Barney No.14, N.78°-35' E. 1266.4 ft. and S.78°-35' W.
128.9 ft. ✓

Barney No.15, N.79°-46' E. 1280.4 ft. and S.79°-46' W.
115.0 ft. ✓

Barney No.16, N.78°-37' E. 1269.0 ft. and S.78°-37' W.
222.9 ft. ✓

Barney No.17, N.78°-42' E. 1384.0 ft. and S.78°-42' W.
107.9 ft. ✓

Barney No.18, N.78°-42' E. 1370.9 ft. and S.78°-42' W.
121.0 ft. ✓

Barney No.19, N.78°-54' E. 1031.8 ft. and S.78°-54' W.
94.5 ft. ✓

Barney No.20, N.78°-48' E. 959.9 ft. and S.78°-48' W.
54.0 ft. ✓

Barney No.21, N.78°-48' E. 290.5 ft. and S.78°-48' W.
118.0 ft. ✓

Barney No.22, N.79°-01' E. 539.4 ft. and S.79°-01' W.
223.0 ft. ✓

Barney No.23, N.78°-43' E. 1265.6 ft. and S.78°-43' W.
226.3 ft. ✓

Barney No.24, N.78°-45' E. 287.0 ft. and S.78°-45' W.
1108.3 ft. ✓

Barney No.25, N.78°-42' E. 692.6 ft. and S.78°-42' W.
807.3 ft. ✓

Barney No.26, N.78°-38' E. 94.5 ft. and S.78°-33' W.
1345.0 ft. ✓

oooooooooooooooooooooooooooo

Areas.

	Acres	Acres.
Total Area Barney No.1 lode,		20.300
Total Area Barney No.2 lode,		20.293
Total Area Barney No.3 lode,		20.382
Total Area Barney No.4 lode,		20.460
Total Area Barney No.5 lode,		20.387
Total Area Barney No.6 lode,		20.613
Total Area Barney No.7 lode,		19.620
Total Area Barney No.8 lode,		19.394
Total Area Barney No.9 lode,		19.269
Total Area Barney No.10 lode,		20.464
Total Area Barney No.11 lode,		20.356
Total Area Barney No.12 lode,		19.436
Total Area Barney No.13 lode,		19.037
Total Area Barney No.14 lode,		19.089
Total Area Barney No.15 lode,		18.594
Total Area Barney No.16 lode,		20.350
Total Area Barney No.17 lode,		20.396
Total Area Barney No.18 lode,		20.274
Area in conflict with:		
Live Oak No.5 lode, Sur. 2684,	1.216	
Tract A, hereinafter described,	0.032	
Total Area Barney No.19 lode,		15.353
Area in conflict with:		
Wetumpka lode, Sur. 2774,	1.040	
Race Horse lode, Sur. 2774,	0.038	
Race Horse lode, Sur. 2774, 0.038		
acre, exclusive of the common con-		
flict, 0.002 acre, between said		
Race Horse lode, the Live Oak No.4		
lode, Sur. 2684, and the said		
Barney No.19 lode,	0.036	
Live Oak No.4 lode, Sur. 2684,	0.368	
Live Oak No.4 lode, Sur. 2684, 0.368		
acre, exclusive of the common con-		
flict, 0.002 acre, between said Live		
Oak No.4 lode, the Race Horse lode,		
Sur. 2774, and the said Barney No.		
19 lode,	0.366	
Total Area Barney No.20 lode,		13.859
Area in conflict with:		
Live Oak No.4 lode, Sur. 2684,	1.506	
Live Oak No.4 lode, Sur. 2684, 1.506		
acres, exclusive of the common con-		
flict 0.738 acre, between the said		
Live Oak No.4 lode, the Gila Monster		
lode, Sur. 2875, and the said Barney		
No.20 lode,	0.768	
Gila Monster lode, Sur. 2875,	4.249	
Gila Monster lode, Sur. 2875, 4.249		
acres, exclusive of the common con-		
flict, 0.738 acre, between the said		
Gila Monster lode, the Live Oak No.4		

	Acres	Acres
lode, Sur. 2684, and the said Barney No.20 lode,	3.511	
Total Area Barney No.21 lode,		5.493
Area in conflict with:		
Live Oak No.5 lode, Sur. 2684,	3.574	
Live Oak No.5 lode, Sur. 2684, 3.574 acres, exclusive of the common conflict, 1.089 acres, between the said Live Oak No.5 lode, the Gila Monster lode, Sur. 2875, and the said Barney No. 21 lode,	2.485	
Gila Monster lode, Sur. 2875,	1.471	
Gila Monster lode, Sur. 2875, 1.471 acres, exclusive of the common conflict, 1.089 acres, between the said Gila Monster lode, the Live Oak No.5 lode, Sur. 2684, and the said Barney No. 21 lode,	0.382	
Tract B, hereinafter described	0.024	
Total Area Barney No.22 lode,		10.452
Area in conflict with:		
Red Rover lode, Sur. 2774,	0.022	
Wetumpka lode, Sur. 2774,	5.867	
Total Area Barney No. 23 lode,		20.482
Area in conflict with:		
Red Rover lode, Sur. 2774,	0.189	
Wetumpka lode, Sur. 2774,	nominal. 0.0000	
Santa Fe lode, Sur: 2652,	0.270	
Total Area Barney No.24 lode,		19.134
Total Area Barney No:25 lode,		20.607
Total Area Barney No.26 lode,		19.797

oooooooooooooooooooooooo

Tract A.

Beginning at Cor. No.3 of the Barney No.18 lode, identical with Cor. No.2 of the Barney No.21 lode, both of along line 3-4, said Barney No. 18 lode, this survey; thence ^A S.78°-07' W. 200.4 ft. to its int. with line 2-3, Live Oak No.5 lode, Sur. 2684; thence N.09°-49' E. along ^A 2-3 said line, ^A 9.01 ft.; thence N.78°-58' E. 197.2 ft. to a point on lines 2-3, of each, the Barney No.18 and Barney No.21 lodes; thence S. 10°-46' E., along said lines, 5.5 ft. to the place of beginning, containing an area of 0.032 acres.

Tract B.

Beginning at Cor. No.2, of the Barney No.21 lode, identical with Cor. No.3 of the Barney No.18 lode, both

claims of this survey, thence N.10°-46' W., along line 2-3 of said Barney No. 21 lode and line 3-3 of said Barney No.18 lode, 5.5 ft.; thence N.79°-17' E. 192.22 ft. to a point on line 2-3, Gila Monster lode, Sur. 2875; thence S.09°- 37' W., along said line^{2-3 Gila Monster lode,} 3.52 ft. to Cor. No. 2 of said Gila Monster lode; thence S.77°-44' E. along line 2-1 of said Gila Monster lode, 5.04 ft. to its intersection with line 1-2 of said Barney No.21 lode, thence S.79°-13' W. along said line 1-2, Barney No. 21 lode, 195.62 ft. to the place of beginning, containing an area of 0.024 acre.

oooooooooooooooooooo

Location.

This survey is located (approximately) in sections 26, 27 and 28, T.1 N., R: 14 E., G.& S.R.B.& M., unsurveyed, Globe Mining District, Gila County, Arizona, in the Crook National Forest.

oooooooooooooooooooo

Adjoining and Conflicting Claims.

The Arizona No.4, Arizona No.5, Arizona No.6, Arizona No.7 and Arizona No.8 lodes, owned by the Miami Needles Copper Company; the Santa Fe lode, of Sur. 2652, owned by the Inspiration Consolidated Copper Co., the Red Rover and Wetumpka lodes, of Sur. 2774, owned by J.B. Newman, and unknown claims, on the north, J.M.Lukesh, claimant.

The Race Horse lode, of Sur. 2774, owned by J.B. Newman, the Live Oak No.4 lode, of Sur. 2684, and the Gila Monster lode, Sur. 2875, owned by the Live Oak Development Company, on the east.

The Live Oak No.5 lode, Sur. 2684, owned by the Live Oak Development Company; the Roman Eagle No.1 lode, unsurveyed, owned by L.C.Woods, et al.; The Roman Eagle No.3, Copper Panther No.3, Montezuma No.2 and Ox Bow

Copper No.4, owned by the Montezuma Copper Mining Co.; the Standard No.4, Standard No.8, Standard No.9, Standard No.6 and Standard No.10 lodes, owned by the Inspiration Needles Copper Company, and unknown claims, on the south, Claimants unknown.

The Arizona No.1, owned by Miami Needles Copper Company, on the west.

oooooooooooooooooooo

Discovery and Improvements.

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in this survey by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

A COMMON IMPROVEMENT FOR THE BENEFIT OF EACH CLAIM IN THE SURVEY.

Improvement No.2, on the Barney No.13 lode, a two compartment shaft, 5 x 7 ft. in the clear, 400 ft. deep, timbered for its entire depth, the S.E.Cor. of which bears S.20°-39' W. 688.5 ft. from a point on line 1-4 of said Barney No.13 lode, 398.4 ft. from Cor. No.1, (hereinafter referred to as Pt. No.2) Value \$14196.00.

From the bottom of this shaft, and in the S.E.Cor. thereof, there is a churn drill hole 1048 ft. deeper than the shaft, the first 240 ft. of which is 10 ins. in diameter; the next 420 ft. of which is 8 ins. in diameter; the next 180 ft. of which is 6¼ ins. in diameter; the next 115 ft. of which is 4¼ ins. in diameter and the last 93 ft. of which is 3 ins. in diameter. Value \$4000.00

While this hole is connected with the common improvement shaft, the value thereof is not distributed to the other claims of the group, the entire value being credited to the Barney No.13 lode.

The above described shaft has been started by the claim-

ant company as the basis of a system of work for the development of each of the claims of this survey. At its present depth it is considerably below the surface of each of the claims in the survey, and the scheme of development proposed is to continue sinking and by drifting and crosscutting from it toward and under each of the claims in the group develop and mine each of them. This plan of developing and mining a group of claims, held under one common ownership, from one system of work is the one generally adopted by the large mining companies operating in this district, as being the most advantageous and economical, consistent with good mining. The value of this improvement, \$14196.00, is distributed equally to all of the claims in the survey, 1-26th or \$546.00 being credited to each.

Barney No.1

1/26th of common improvement. Value \$546.00.

No.1, the discovery, 34 ft. of cut and tunnel, 4 x 6 ft. the center of the mouth of which is on the lode line, 122.4 ft. from the E.E.C., and which extends thence N.47°W. to face. Value \$200.00.

No.2, 35 ft. of cut and tunnel, 5 x 6.5 ft., the center of the mouth of which bears S.05°-33' W. 69.1 ft., from the E.E.C., and which extends thence S.09°-30' E. to face. Value \$200.00.

Barney No.2

1/26th of the Common Improvement. Value \$546.00

No.1, the discovery, cut, 4 x 8 x 16 ft., which is intersected by the lode line 42.0 ft. from the E.E.C., and which extends thence N.10.0 ft. to mouth and S.6.0 ft. to face. Value \$35.00.

No.2, 70 ft. of cut and tunnel, 5 x 6 ft., the center of the mouth of which bears S.07°-00' E. 184.8 ft. from Cor. No.1, and which extends thence S. 00°-30' E. to face. Value \$415.00.

No.3, shaft, 4 x 6 x 33 ft., partially timbered, the center of the west side of which bears N.78°-42' E. 226.4 ft. from Corner No.3. Value \$240.00.

This improvement being so situated that the side line between this claim and the Barney No.3 lode passes through it, leaving a portion thereof on each of said claims, and said improvement not being intended for, or of any benefit to, any other claim in the group, the value thereof is distributed between the said Barney No. 2 and Barney No.3 lodes, one-half being credited to each claim. Value credited to this claim \$120.00.

Barney No.3

1/26th of the Common Improvement. Value \$546.00.

1/2 of Improvement No.3 of Barney No.2 lode credited to this claim. Value \$120.00.

No.1, the discovery, cut 4 x 10 x 13 ft., the center of the face of which is on the lode line 154.0 ft. from the E.E.C., and which extends thence S.77°-00' E. to mouth. Value \$35.00.

No.2, cut, 4 x 7 x 12 ft., the center of the mouth of which bears S.70°-48' W. 146.5 ft. from the E.E.C., and which extends thence N.68°W to face. Value \$25.00.

No.3, 56 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.07°-45' E. 129.8 ft. from the E.E.C., and which extends thence N.11°-15' W. to face. Value \$300.00.

Barney No.4

1/26th of the Common Improvement. \$546.00.

No.1, the discovery, cut 5 x 9 x 16 ft., the center of the mouth of which is on the lode line 76.0 ft. from the E.E.C., and which extends thence N.18°W to face. Value \$35.00.

No.2, shaft, 6 x 6 x 13 ft. the S.E.Cor. of which bears N.47°-47' W. 107.0 ft. from a point on line 2-3

222.1 ft. from Cor. No.3. Value \$100.00.

No.3, 35 ft. of cut and tunnel, 4.5 x 6.5 ft., the center of the mouth of which bears N.81°-22' E. 444.3 ft. from a point on line 4-1, 212.9 ft. from Cor. No.4, and which extends thence N.05° W to face. This improvement extends outside the boundary of the claim, and only that portion thereof, which is within the claim, that is 20.4 ft. is credited to the claim. Value of portion within claim \$85.00.

No.4, 30 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears N.54°-57' E. 314.3 ft. from a point on the lode line, 309.1 ft. from the W.E.C. and which extends thence N.41°W. to face. Value \$160.00.

Barney No.5

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut 4 x 8 x 14 ft., the N.W.Cor. of the mouth of which is on the lode line 13.0 ft. from the W.E.C., and which extends thence S.72° E. to face. Value \$30.00.

No.2, shaft, 4 x 6 x 37 ft., the N.E.Cor. of which bears S.84°-30' W. 34.4 ft. from Cor. No.2. Value \$260.00.

This improvement being so situated that the side line between this claim and the Barney No.6 lode passes through it, leaving a portion thereof on each of said claims, and said improvement not being intended for, or of any benefit to, any other claim in the group, the value thereof is distributed between the said Barney No. 5 and Barney No.6 lodes, one-half being credited to each claim. Value credited to this claim \$130.00.

Barney No.6

1/26th of the Common Improvement. Value \$546.00.

1/2 of Improvement No.2 on Barney No.5 lode, credited to this claim. Value \$130.00.

No.1, the discovery, cut 4 x 10 x 14 ft., the center of the face of which is on the lode line 15.0 ft. from the W.E.C., and which extends thence S:32° E. to mouth. Value \$35.00.

No.2, cut, 4 x 8 x 12 ft., the center of the face of which bears S.42°-00' E. 28.4 ft. from the W.E.C., and which extends thence S.37° E. to mouth. Value \$30.00.

Barney No.7

1/26th of the Common Improvement. Value \$546.00.

1/2 of Improvement No.2 on the Barney No.26 lode credited to this claim. Value \$115.00.

No.1, the discovery, cut 4 x 7 x 15 ft., which is intersected by the lode line 728.00 ft. from the E.E.C., and which extends thence N.11.0 ft. to face and S.4.0 ft. to mouth. Value \$30.00.

Barney No.8

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 8 x 20 ft., which is intersected by the lode line 38.5 ft. from the W.E.C., and which extends thence S.05° E. 5.0 ft. to face and N.05° W; 15 ft. to mouth. Value \$40.00.

No.2, 47 ft. of cut and tunnel, 5 x 6.5 ft., the center of the mouth of which bears N.13°-34' W. 89.1 ft. from the E.E.C., and which extends thence S.08°-15' E. to face. Value \$250.00.

No.3, 16 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.11°-41' W. 125.5 ft. from a point on line 4-1 (which point is hereinafter referred to as Pt. No.1) 940.0 ft. from Cor. No.4, and which extends thence S. to face. Value \$100.00.

No.4, 58 ft. of cut and tunnel, 4 x 6 ft., the center of the portal of which bears S.34°-45' W. 55.2 ft. from a point on line 4-1, 776.1 ft. from Cor. No.4, and which extends thence N.55° W. 34.0 ft. to face and S.40° E.

24 ft. to mouth of cut. Value \$300.00.

Barney No.9

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 5 x 6 x 16 ft., the face of which is on the lode line 22.5 ft. from the W.E.C., and which extends thence S.05° E to mouth. Value \$30.00.

No.2, 29 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears N.67°-47' W. 246.8 ft. from a point on line 2-3, 547.8 ft. from Cor. No.2, and which extends thence N.06° W. to face. Value \$150.00.

Barney No.10

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, 38 ft. of cut and tunnel, 4 x 6 ft., which is intersected by the lode line 255.0 ft. from the E.E.C., and which extends thence S.74°-30' W. 9.0 ft. to face and N.74°-30' E. 29.0 ft. to mouth. Value \$200.00

No.2, 44 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.08°-12' E. 79.5 ft. from Cor. No.1, and which extends thence S.15°-15' E. to face. Value \$170.00.

This improvement being so situated that the end line between this claim and the Barney No.13 lode passes through it, leaving a portion thereof on each of said claims, and said improvement not being intended for, or of any benefit to, any other claim in the group, the value thereof is distributed between the said Barney No. 10 and Barney No.13 lodes, one-half being credited to each claim. Value credited to this claim \$85.00.

Barney No.11

1/26th of the Common Improvement: Value \$546.00.

No.1, the discovery, 42 ft. of cut and tunnel, 4 x 6 ft., which is intersected by the lode line 96.0 ft. from the E.E.C., and which extends thence N.78°W 13.0 ft. to face and S.78°E 29.0 ft. to mouth. Value \$225.00.

Barney No.12

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 8 x 14 ft., the S.W.Cor. of the face of which is on the lode line 38.1 ft. from the E.E.C., and which extends thence N.65°-E to mouth. Value \$30.00.

No.2, shaft, 4 x 6 x 20 ft., the S.W.Cor. of which bears N.37°-33' E. 254.0 ft. from the W.E.C. Value \$130.00.

No.3, 88 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.14°-07' E. 68.3 ft. from the W.E.C., and which extends thence N.09°-30' W. to face. Value \$500.00.

Barney No.13

No.1, the discovery, cut 5 x 6 x 21 ft., the N.W.Cor. of the face of which is on the lode line 760.5 ft. from the E.E.C., and which extends thence S.86° E. to mouth. Value \$40.00.

No.2, shaft, hereinbefore described as a common improvement, 1/26th only of which is credited to this claim. Value credited to this claim \$546.00. Also churn drill hole from bottom of shaft which is described under common improvement and the entire value of which is credited to this claim. Value \$4000.00.

1/2 of Improvement No.2 on the Barney No.14 lode which is credited to this claim. Value \$70.00.

1/2 of Improvement No.3 on Barney No.14 lode which is credited to this claim. Value \$70.00.

Barney No.14

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 10 x 15 ft., the center of the face of which is on the lode line 128.9 ft. from the W.E.C., and which extends thence S.44° E. to mouth. Value \$35.00.

No.2, shaft, 4 x 6 x 20 ft., the S.E.Cor. of which

bears S.75°-40' W. 48.5 ft. from Cor. No.1. Value \$140.00.

This improvement being so situated that the side line between this claim and the Barney No.13 lode passes through it, leaving a portion thereof on each of said claims, and said improvement not being intended for, or of any benefit to, any other claim in the group, the value thereof is distributed between the said Barney No. 14 and Barney No.13 lodes, one-half being credited to each claim. Value credited to this claim \$70.00.

No.3, shaft, 4 x 6 x 20 ft., the S.W.Cor. of which bears N.85°-E 10.0 ft. from Cor. No.4. Value \$140.00.

This improvement being so situated that the side line between this claim and the Barney No.13 lode passes through it, leaving a portion thereof on each of said claims, and said improvement not being intended for, or of any benefit to, any other claim in the group, the value thereof is distributed equally between the said Barney No.14 and Barney No.13 lodes, one-half being credited to each claim. Value credited to this claim \$70.00.

Barney No.15

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 8 x 13 ft., the center of the face of which is on the lode line, 115.0 ft. from the W.E.C., and which extends thence S.82°W to mouth. Value \$30.00.

No.2, cut, 4 x 17 x 21 ft., the center of the mouth of which bears N.84°-54' E. 526.0 ft. from the W.E.C., and which extends thence S.35° E to face. Value \$100.00.

Barney No.16

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 7 x 15 ft., the S.E.Cor. of the face of which is on the lode line 222.9 ft. from the W.E.C., and which extends thence N.67°-W to mouth.

Value \$30.00.

No.2, 26 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.46°-41' W. 356.0 ft. from a point on line 1-2, 675.8 ft. from Cor. No.1, and which extends thence S.63°-W. 12.0 ft.; thence S.30°W. 14.0 ft. to face. Value \$125.00.

Barney No.17

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 8.5 x 14.5 ft., the center of the mouth of which is on the lode line 107.9 ft. from the W.E.C., and which extends thence S.22° E. to face. Value \$35.00.

No.2, cut, 5 x 8 x 14 ft., the center of the mouth of which bears S.37°-29' E. 103.9 ft. from the W.E.C., and which extends thence S.10° E. to face. Value \$35.00.

No.3, 58 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.16°-05' E. 56.2 ft. from the W.E.C., and which extends thence S.10° E. to face. Value \$200.00.

No.4, shaft, 4.5 x 6.0 x 39 ft., timbered, the S.W. Cor. of which bears S.46°-15' W. 80.3 ft. from Cor. No. 2. Value \$475.00.

No.5, a 520 ft. drill hole, the first 300 ft. of which is 8 ins. in diameter, the next 150 ft. of which is 6 ins. in diameter, and the bottom 70 feet of which is 4 ins. in diameter, the center of which bears S.44°-39' W. 66.1 ft. from Cor. No.2. Value \$3000.00

No.6, a drill hole, 10 ins. in diameter, and 400 ft. deep, the center of which bears S.55°-10' W. 50.6 ft. from Cor. No.2. Value \$1500.00

Barney No.18

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 5 x 8 x 16 ft., which is intersected by the lode line 121.0 ft. from the W.E.C.,

and which extends thence N.03°W. 13 ft. to face and S. 03°E. 3.0 ft. to mouth. Value \$35.00.

No.2, cut, 6 x 8 x 16 ft., the center of the face of which bears N.30°-07' E. 344.3 ft. from Cor. No.4 and which extends thence S.06° E. to mouth. Value \$35.00.

No.3, 43 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears N.08°-10' W. 148.6 ft. from Cor. No.4, and which extends thence N.11°W. to face. Value \$250.00.

No.4, 51 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears N.00°-36' W. 70.7 ft. from Cor. No.4, and which extends thence S.11°E. to face. Value \$260.00.

No.5, cut, 4 x 8 x 21 ft., the center of the mouth of which bears S.18°-00' W. 223.5 ft. from Cor. No.2, and which extends thence S.83°W. to face. Value \$40.00.

No.6, shaft, 4 x 6 x 23 ft., the N.E.Cor. of which bears S.33°-56' W. 40.0 ft. from Cor. No.2. Value \$135.00.

Barney No.19

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, 28.5 ft. of cut and tunnel, 4 x 6 ft. the center of the face of which is on the lode line 94.5 ft. from the W.E.C., and which extends thence N.07°E. to mouth. Value \$125.00.

No.2, shaft 4 x 6 x 30 ft., the S.W.Cor. of which bears N.52°-54' E. 246.8 ft. from the W.E.C., Value \$200.00.

No.3, 28 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.32°-22' E. 504.3 ft. from a point on line 3-4, 490.8 ft. from Cor. No.3, and which extends thence S.50°E. to face. Value \$135.00.

Barney No.20

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 10 x 19 ft., the center

of the face of which is on the lode line 54.0 ft. from the W.E.C., and which extends thence N.32°W. to mouth. Value \$45.00.

No.2, a churn drill hole, 640 ft. deep, the first 350 ft. of which is 10 ins. in diameter, the next 200 ft. of which is 8 ins. in diameter and the bottom 90 ft. of which is 6 ins. in diameter, the center of which bears N.31°-40' W. 320.4 ft. from a point on line 1-2, 408.5 ft. from Cor. No.2. Value \$2500.00.

No.3, shaft, 5 x 8 x 16 ft., the S.W.Cor. of which bears N.54°-00' E. 9.6 ft. from Cor. No.2. Value \$100.00.

No.4, shaft, 4 x 6 x 22 ft., the S.W.Cor. of which bears S.80°-07' W. 65.1 ft. from a point on line 1-2, 408.5 ft. from Cor. No.2. Value \$135.00.

No.5, shaft, 4 x 6 x 8 ft., the N.E.Cor. of which bears S.23°- 24' W. 111.6 ft. from Cor. No.4. Value \$45.00.

Barney No.21

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, shaft, 4 x 6 x 30.5 ft., the center of the south side of which is on the lode line 118.0 ft. from the W.E.C. Value \$200.00.

No.2, cut, 4.5 x 9 x 14 ft., the center of the mouth of which bears S.14°-00' W. 23.9 ft. from point for E.E.C., and which extends thence S.80°E. to face. Value \$35.00.

Barney No.22

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 10 x 22 ft., the center of the face of which is on the lode line 223.0 ft. from the W.E.C., and which extends thence S.79°W. to mouth. Value \$40.00.

No.2, cut, 4 x 8 x 14 ft., the center of the mouth of which bears N.83°-47' E. 218.5 ft. from the W.E.C., and

which extends thence N.71°E. to face. Value \$30.00.

No.3, 23.5 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears N.58°-14' E. 347.3 ft. from Cor. No.4 and which extends thence North to face. Value \$100.00.

Barney No.23

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 8 x 16 ft., the S.W. Cor. of the face of which is on the lode line 226.3 ft. from the W.E.C., and which extends thence N.65°E. to mouth. Value \$35.00.

No.2, 21 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.85°-43' E. 243.6 ft. from a point on the lode line 202.5 ft. from the W.E.C., and which extends thence N.10°E. to face. Value \$85.00.

No.3, 53 ft. of cut and tunnel, 5 x 6 ft., the center of the mouth of which bears N.75°-33' E. 79.7 ft. from a point on line 3-4, 675.8 ft. from Cor. No.4, and which extends thence N.78°E. to face. Value \$300.00.

Barney No.24

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 8 x 10 ft., the S.W. Cor. of the mouth of which is on the lode line 287. ft. from the E.E.C., and which extends thence N.36°E. to face. Value \$25.00.

No.2, cut, 3 x 6.5 x 12 ft., the center of the mouth of which bears S.83°-00' W. 198.4 ft. from point No.2; and which extends thence S.60°E. to face. Value \$20.00.

No.3, tunnel, 4 x 6.5 x 23 ft., the center of the portal of which bears N.30°-20' W. 405.1 ft. from a point on line 2-3 891.0 ft. from Cor. No.2 and which extends thence N.23° E. to face. Value \$150.00.

Barney No.25

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 10 x 14 ft., the center of the face of which is on the lode line, 692.6 ft. from the E.E.C., and which extends thence S.03°W. to mouth. Value \$40.00.

No.2, shaft, 4 x 6 x 30 ft., the N.W.Cor. of which bears S.69°-41' E. 170.0 ft. from a point on line 4-1, 532.8 ft. from Cor. No.1. Value \$130.00.

No.3, 47 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.09°-42' E. 148.6 ft. from the E.E.C., and which extends thence S.05° E. to face. Value \$230.00.

Barney No.26

1/26th of the Common Improvement. Value \$546.00.

No.1, the discovery, cut, 4 x 8 x 12 ft., the center ^{mouth} of the ~~face~~, of which is on the lode line 94.5 ft. from the E.E.C., and which extends thence N.42° W. to face. Value \$35.00.

No.2, 46.5 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which is on line 2-3, 37.1 ft. from Cor. No.2, and which extends thence S.82° W. to face. Value \$230.00.

This improvement being so situated that the side line between this claim and the Barney No.7 lode passes through it, leaving a portion thereof on each of said claims, and said improvement not being intended for, or of any benefit to, any other claim in the group, the value thereof is distributed between the said Barney No.26 and Barney No.7 lodes, one-half being credited to each claim. Value credited to this claim \$115.00.

oooooooooooooooooooooooooooo

Other Improvements.

Barney No.8

a corrugated iron pump house, 8 x 34 ft., course of long sides, N.30°E., the N.W.Cor. of which bears

S.69°-50' E. 126.3 ft. from Pt.No.1.

~~No.2~~, a well, 6 x 8 x 33 ft., the S.E.Cor. of which bears S.76°-28' E. 143.2 ft. from Pt. No.1.

~~No.3~~, a galvanized iron tank, 13.5 ft. in diameter, and 10 ft. high, the center of which bears S.77°-20' E. 336.6 ft. from Pt.No.1.

Barney No.13 ~~lode~~.

~~No.4~~, a corrugated iron hoist house, 14 x 18 ft., course of long sides N.12°E., the S.E.Cor. of which bears S.20°-45' W. 642.2 ft. from a point on line 4-1, (hereinafter referred to as Pt.No.2) 398.4 ft. from Cor. No.1

Barney No.14 ~~lode~~.

~~No.5~~, a corrugated iron blacksmith shop, 16 x 20 ft., course of long sides S.20°W., the N.E.Cor. of which bears S.20°-36'W. 33.9 ft. from a point on line 4-1, 762.6 ft. from Cor. No.1.

Barney No.19 ~~lode~~.

~~No.6~~, a corrugated iron store room, 12 x 30 ft., course of long sides, N.15°E., the S.W.Cor. of which bears N.33°-36' E. 216.7 ft. from the W.E.C.

Barney No.20 ~~lode~~.

~~No.7~~, a churn drill hole, 597 ft. deep, the center of which bears S.08°-42' E., 92.5 ft. from Cor. No.4; the first 300 ft. of which is 10 ins. in diameter; the next 35 ft. of which is 8 ins. in diameter; the next 195 ft. of which is 6 $\frac{1}{4}$ ins. in diameter and the bottom 67 feet of which is 4 $\frac{1}{4}$ ins. in diameter.

~~No.8~~, 59 ft. of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S.71°-10' W. 246.7 ft. from point for E.E.C., and which extends thence N.57°W. to face.

Barney No.21 ~~lode~~.

~~No.9~~, a churn drill hole, 12 ins. in diameter, 322 ft. deep, the center of which bears N.18°-40' W. 29.0'

from Cor. No.1.

Barney No.23 ~~lode~~.

~~No.10~~, 25 ft. of cut and tunnel, 4 x 5.5 ft., the center of the mouth of which bears S.74°-35' W. 274.5 ft. from Cor. No.2., and which extends thence S.19°-45' W. to face.

Barney No.24 ~~lode~~.

~~No.11~~, a frame house, 10 x 24 ft. course of long sides, N.85°W., the S.E.Cor. of which bears N.83°-10' W. 535.8 ft. from Pt. No.2.

~~No.12~~, a frame house, 10 x 24 ft., course of long sides, west, the S.E.Cor. of which bears N.82°-55' W. 494.0 ft. from Pt. No.2.

~~No.13~~, a frame house, 8.5 x 12 ft., course of long sides N.10°W., the S.E.Cor. of which bears N.82°-21' W. 465.0 ft. from Pt. No.2.

~~No.14~~, a frame house, 10 x 24 ft., course of long sides S.80° W., the S.E.Cor. of which bears N.81°-08' W. 430.8 ft. from Pt. No.2.

~~No.15~~, a well, 4 x 4 x 19 ft., the S.E.Cor. of which bears N.73°-06' W. 298.1 ft. from Pt. No.2.

~~No.16~~, a frame dwelling house, 20 x 24 ft., course of long sides S.75° W., the S.E.Cor. of which bears N.45° 10' W. 208.0 ft. from Pt. No.2.

~~No.17~~, a frame house, 10 x 20 ft., course of long sides N.30° W., the S.E. Cor. of which bears S.84°-25'W. 333.0 ft. from Pt. No.2.

~~No.18~~, a frame boarding house, 12 x 58 ft., course of long sides, S.81° W., the N.E.Cor. of which bears S.79°-33' W. 243.0 ft. from Pt. No.2.

NOTE:

None of the mining improvements above described, (~~designated as 7, 8, 9 and 10~~) are credited to the claims upon which they are located for the reason that they were not made by the claimant or its grantors, and are

not on ground owned by the claimant.

oooooooooooooooooooooooooooo

Instrument.

This survey was made with a $6\frac{1}{4}$ inch Berger Engineer's transit. The courses were deflected from the true meridian as determined by direct Solar and Polaris observations. The distances were measured with a 650 ft. steel tape.

oooooooooooooooooooooooooooo

Report.

The side and end lines of the several claims in this survey and all tie lines were run direct upon the ground.

The corner of Sections 30 and 31 on the west boundary of T.1 N., R.15 E., G.& S.R.B.& M., to which tie is given, is a schist stone, showing .4 x .7 x 1.3 ft. out of the ground, marked with one groove on the south end, five grooves on the north end and 15 E. on the east side.

U.S.L.M.No.2652, to which tie is given, is a pine post, 6 x 8 ins. showing 6 ft. out of the ground, surrounded by a mound of stone, 6 ft. base and 3 ft. high, scribed U.S.L.M.-2652.

Corners 1,2 and 3 of the Santa Fe lode, of Sur. 2652, are 4 x 4 posts properly set and scribed. I find the bearings of lines 1-2-3 correct as approved. There is a nominal disagreement between the tie from Cor. No.1 of said Santa Fe lode to U.S.L.M.No.2652, as reported in the returns of said Sur.No.2652, and the same tie as computed through the lines of this survey.

Corners 3,4 and 1, of Red Rover lode; 1,2 and 3 of Wetumpka lode; and 1,2 and 3 of Race Horse lode, all of

Sur. 2774, are 4 x 4 posts properly set and scribed. I find the bearings of lines 3-4-1 of said Red Rover lode; lines 1-2-3 of said Race Horse lode and line 2-3 of said Wetumpka lode correct as approved.

There is a nominal disagreement between these notes and line 1-2 of said Wetumpka lode as approved. There is also a nominal disagreement between the tie from Cor. No.1 of said Red Rover lode, to U.S.L.M. No.2652 as reported in the returns of said Sur. No.2774, and the same tie as computed through the lines of this survey.

Corners 2,3 and 4 of Live Oak No.4 lode and Corners 2,3 and 4 of Live Oak No.5 lodes, both of Sur. No.2684, are 4 x 4 posts, properly set and scribed. The disagreement between these notes and lines 2-3-4 of said Live Oak No.4 lode and lines 2-3-4 of said Live Oak No.5 lode is due to errors in said Sur. 2684. The disagreement between these notes and the section corner tie as reported in the returns of Sur. 2684 from Corners No.1 of said Live Oak No.4 lode and said Live Oak No.5 lode and the same ties as computed through the lines of this survey is due to error in said Sur. 2684. The disagreement between the conflict of the Live Oak No.5 lode with the Barney No.18 and the Barney No.21 lodes, as reported in the returns of Sur. 2684, and the same conflicts as described in these notes, due partially to errors in said Sur. 2684 and partially to the amending of said Barney No.18 and Barney No.21 lodes subsequent to the execution of said Sur. 2684.

Corners 1,2,3 and 4 of Gila Monster lode, Sur. 2875, are 4 x 4 posts, properly set and scribed. The disagreement between these notes and lines 1-2-3-4-1 as approved is due to errors in said Sur. 2875. And the disagreement between these notes and the section corner tie as reported in the returns of said Sur. 2875, and the same

tie as computed through the lines of this survey, is due to error in said Sur. No. 2875.

The disagreement between these notes and the several certificates of location of the claims embraced in this survey is due to errors in said certificates.

Edwin D. Swann

U.S. Mineral Surveyor.

Globe, Arizona, April 9th 1912.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated December 8, 1911, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim^s of BARNEY COPPER COMPANY known as the Barney No. 1, Barney No.1, Barney No.2, Barney No.3, Barney No.4, Barney No.5, Barney No.6, Barney No.7, Barney No.8, Barney No.9, Barney No.10, Barney No.11, Barney No.10, Barney No.11, Barney No.12, Barney No.13, Barney No.14, Barney No.15, Barney No.16, Barney No.17, Barney No.17, Barney No.18, Barney No.19, Barney No.20, Barney No.21, Barney No.22, Barney No.23, Barney No.24, Barney No.25, Barney No.25, Mining District, Gila County, Arizona, in Section s 26, 27 and 28, Township No. 1 N., Range No. 14 E., unsurveyed and designated as Survey No. 2880, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me L.M. Brockner, a Notary Public
in and for Gila County, Arizona this 8th
day of April, 1912.

L.M. Brockner
Notary Public.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim^s of BARNEY COPPER COMPANY, Known as the Barney No.1, Barney No.2, Barney No.3, Barney No.4, Barney No.5, Barney No.6, Barney No.7, Barney No.8, Barney No.9, Barney No.10, Barney No.11, Barney No.12, Barney No.13, Barney No.14, Barney No.15, Barney No.16, Barney No.17, Barney No.18, Barney No.19, Barney No.20, Barney No.21, Barney No.22, Barney No.23, Barney No.24, Barney No. 25, Barney No. 26.

and showing the respective capacities in which they acted.

Percy Bell, Chainman.
W.E. Stewart, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Percy Bell and W.E. Stewart

~~and~~ _____, do solemnly swear that we assisted _____

Edwin T. Stewart, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim^s of Barney Copper Company, known as the Barney No. No.1, Barney No.2, Barney No.3, Barney No.4, Barney No.5, Barney No. 6, Barney No.7, Barney No.8, Barney No.9, Barney No.10, Barney No.11, Barney No. 12, Barney No.13, Barney No.14, Barney No.15, Barney No.16, Barney No.17, Barney No.18, Barney No.20, Barney No.21, Barney No.22, Barney No.23, Barney No. 24, Barney No.25, Barney No.26.

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Percy Bell, Chainman.
W.E. Stewart, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 8th

day of April, 1912.

L.M. Brooker

Notary Public

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 1 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 1 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 307. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1442 feet, and said corporation claims, lengthwise of the claim, 1318 feet S. 78° 32' W. and 124 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 297.57 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 297.30 feet in width of the surface ground on the north side of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the east by the Barney No. 4, and on the south by the Barney No. 2 lode mining claims belonging to said Company; and is situated about $\frac{1}{2}$ mile north of Needle Mountains, and the discovery cut of this claim is located about 5305 feet in a southwesterly direction from the main working shaft of said Company on said Barney No. 13 claim.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1318 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 297.30 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1442 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 297.30 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 297.57 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1442 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 297.57 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Caplin
Its Agent.

WITNESSES:

J. C. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott on
the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.STEWART, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing is a full, true and correct copy of the Amended Loca-
tion Notice of the BARNEY NO. 1 Lode Mining Claim, as the same
appears of record in my office in Book 16, Records of Mines, at
page 87: that I have compared the same with the original re-
cords, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 2 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 2 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen, and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 308. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1442 feet, and said corporation claims, lengthwise of the claim, 1400 feet S. 78° 32' W. and 42 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 296.11 feet in width of the surface ground on the north side of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the east by the Barney No. 5, on the north by the Barney No. 1, and on the south by the Barney No. 3 lode mining claims belonging to said Company; and the discovery shaft of this claim is situated about 7065 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1400 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 296.11 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1442 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 296.11 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1442 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. A. Coplin
Its Agent.

WITNESSES:

J. E. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 O'clock
P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing is a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 2 Lode Mining Claim, as
the same appears of record in my office in Book 16, Records of
Mines, at page 88; that I have compared the same with the
original records, and that the same is a true transcript and of
the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN. 14. 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 3 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 3 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 31st day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 309. This amended location of said claim is made on this 7th day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1442 feet, and said corporation claims, lengthwise of the claim, 1288 feet S. 78° 32' W. and 154 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the

north by the Barney No. 2 and on the east by the Barney No. 6 lode mining claims belonging to said Company; and the discovery cut of this claim is situated about 7065 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1388 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 300 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1442 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1442 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of Beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplan
Its Agent.

WITNESSES:

J. E. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 O'clock
P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing is a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 3 Lode Mining Claim, as
the same appears of record in my office in Book 16, Records of
Mines, at page 89 ; that I have compared the same with the
original records, and that the same is a true transcript and of
the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 4 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 4 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 310. This amended location of said claim is made on this 7th day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1467.75 feet, and said corporation claims, lengthwise of the claim, 1391.43 feet S. 78° 32' W. and 76.32 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 397.57 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 397.30 feet in width of the surface ground on the north side of said straight line. The general course

of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the east by the Barney No. 7, on the south by the Barney No. 5, and on the west by the Barney No. 1 lode mining claims belonging to said Company; and the discovery cut of this claim is situated about 5465 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1391.43 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 297.30 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1467.75 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 297.30 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 297.57 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1467.75 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 297.57 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplan
Its Agent.

WITNESSES:

J. E. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 O'clock
P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing is a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 4 Lode Mining Claim, as
the same appears of record in my office in Book 16, Records of
Mines, at page 89; that I have compared the same with the
original records, and that the same is a true transcript and of
the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN. 14. 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 5 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 5 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 311. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation (is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1467.75 feet, and said corporation claims, lengthwise of the claim, 36 feet S. 78° 32' W. and 1441.75 feet N. 78° 33' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 296.11 feet in width of the surface ground on the north side of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 4, on the east by the Barney No. 8, on the south by the Barney No. 6, and on the west by the Barney No. 2 lode mining claims belonging to said Company; and the northeast corner of this claim is about 5465 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 26 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 296.11 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1467.75 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 296.11 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1467.75 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Copley
Its Agent.

WITNESSES:

J. E. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.STEWART, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Amended Location Notice of the BARNEY NO.5 Lode Mining Claim, as the same appears of record in my office in Book 16, Records of Mines, at page 90: that I have compared the same with the original records, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 10th. day of January, A.D. 1911.

E. T. Stewart
County Recorder.

RECORDED
JAN 11 1911
E. T. STEWART
COUNTY RECORDER

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 6 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY No. 6 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 31st day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 312. This amended location of said claim is made on this 7th day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1467.75 feet, and said corporation claims, lengthwise of the claim, 15 feet S. 78° 32' W. and 1452.75 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the

north by the Barney No. 5, on the east by the Barney No. 9, and on the west by the Barney No. 3 lode mining claims belonging to said Company; and the discovery cut on this claim is situated about 7135 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to H. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 15 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 300 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1467.75 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1467.75 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7th day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplin
Its Agent.

WITNESSES:

J. C. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing is a full, true and correct copy of the Amended Location
Notice of the BARNEY NO. 6 Lode Mining Claim, as the same appears
of record in my office in Book 16, Records of Mines, at page 90:
that I have compared the same with the original records, and that
the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 7 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 7 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 313. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1436.71 feet, and said corporation claims, lengthwise of the claim, 725.71 feet S. 78° 32' W. and 711 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 297.57 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 297.30 feet in width of the surface ground on the north side of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 26, on the east by the Barney No. 10, on the south by the Barney No. 8, and on the west by the Barney No. 4 lode mining claims belonging to said Company; and the discovery cut of this claim is situated about 4710 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 725.71 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 297.30 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1436.71 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 297.30 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 297.57 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1436.71 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 297.57 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplan Its Agent.

WITNESSES:

J. C. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott on
the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.STEWART, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing is a full, true and correct copy of the Amended Loca-
tion Notice of the BARNEY NO. 7 Lode Mining Claim, as the same
appears of record in my office in Book 16, Records of Mines, at
page 91: that I have compared the same with the original re-
cords, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 8 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 8 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 314. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1436.71 feet, and said corporation claims, lengthwise of the claim, 38 feet S. 78° 32' W. and 1398.71 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 296.11 feet in width of the surface ground on the north side of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 7, on the east by the Barney No. 11, on the south by the Barney No. 9, and on the west by the Barney No. 5 lode mining claims belonging to said Company; and the northeast corner of this claim is about 4200 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 38 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 296.11 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1436.71 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 296.11 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1436.71 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplin Its Agent.

WITNESSES:

J. B. Newman
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.Stewart, County Recorder, in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing is full, true and correct copy of the Amended Location
Notice of the BARNEY NO. 8 Lode Mining Claim, as the same
appears of record in my office in Book 16, Records of Mines, at
page 91: that I have compared the same with the original re-
cords, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th. day
of January, A.D. 1911.

E. T. Stewart

County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 9 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 9 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 31st day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 315. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1436.71 feet, and said corporation claims, lengthwise of the claim 25 feet S. 78° 32' W. and 1411.71 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District,

County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 8, on the east by the Barney No. 12, and on the west by the Barney No. 6 lode mining claims belonging to said Company; and the northeast corner of this claim is about 4335 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 25 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 300 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1436.71 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1436.71 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

WITNESSES:

By

J. D. Coplin

Its Agent.

J. E. Miner

J. J. Green

Filed and recorded at the request of Alderman & Elliott
 on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.
 E.T. Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
 County of GILA.)

I, E.T. Stewart, County Recorder, in and for the
 County of Gila, Territory of Arizona, do hereby certify that the
 foregoing is full, true and correct copy of the Amended Location
 Notice of the BARNEY NO. 9 Lode Mining Claim, as the same
 appears of record in my office in Book 16, Records of Mines, at
 page 92: that I have compared the same with the original re-
 cords, and that the same is a true transcript and of the whole
 thereof.

GIVEN under my hand and seal of office, this 10th. day
 of January, A.D. 1911.

E. T. Stewart

County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 10 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 10 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 316. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1500 feet, and said corporation claims, lengthwise of the claim, 1251.08 feet S. 78° 32' W. and 248.92 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 297.57 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 297.30 feet in width of the surface ground on the north side of said straight line. The gen-

eral course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 25, on the east by the Barney No. 13, on the south by the Barney No. 11, and on the west by the Barney No. 7 lode mining claims, belonging to said Company; and the discovery cut on this claim is situated about 2800 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1251.08 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 297.30 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1500 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 297.30 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 297.57 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1500 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 297.57 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplen
Its Agent.

WITNESSES:

J. B. Newman
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.Stewart, County Recorder, in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing is full, true and correct copy of the Amended Location
Notice of the BARNEY NO. 10 Lode Mining Claim, as the same
appears of record in my office in Book 16, Records of Mines, at
page 93: that I have compared the same with the original re-
cords, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th. day
of January, A.D. 1911.

E. T. Stewart

County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 11 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 11 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 317. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1500 feet, and said corporation claims, lengthwise of the claim, 1424 feet S. 78° 32' W. and 76 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 396.11 feet in width of the surface ground on the north side of said straight line. The general course

of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 10, on the east by the Barney No. 14, on the south by the Barney No. 12, and on the west by the Barney No. 8 lode mining claims belonging to said Company; and the discovery cut of this claim is situated about 800 feet in a southwesterly direction from the main working shaft of said Company on said Barney No. 13 lode mining claim.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1424 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 296.11 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1500 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 296.11 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1500 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. A. Coplin Its Agent.

WITNESSES:

J. E. Minor
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing is a full, true and correct copy of the Amended Location
Notice of the BARNEY NO. 11 Lode Mining Claim, as the same appears
of record in my office in Book 16, Records of Mines, at page 93:
that I have compared the same with the original records, and that
the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN. 14. 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 12 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 12 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 31st day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 318. This amended location of said claim is made on this 7th day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1500 feet, and said corporation claims, lengthwise of the claim, 1470 feet S. 78° 32' W. and 30 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the

north by the Barney No. 11, on the east by the Barney No. 15 and on the west by the Barney No. 9 lode mining claims belonging to said Company; the discovery cut of this claim is situated about 1130 feet in a southerly direction from the main working shaft of said Company on said Barney No. 13 claim, and the northeast corner of this claim is about 3065 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1470 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 300 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1500 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1500 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplan
Its Agent.

WITNESSES:

J. E. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing is a full, true and correct copy of the Amended Location
Notice of the BARNEY NO. 12 Lode Mining Claim, as the same appears
of record in my office in Book 16, Records of Mines, at page 94:
that I have compared the same with the original records, and that
the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 13 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 13 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 319. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1496.26 feet, and said corporation claims, lengthwise of the claim, 662.12 feet S. 78° 32' W. and 834.14 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together 297.57 feet in width of the surface ground measured at the west end and 297.51 feet in width of the surface ground measured at the east end, lying south of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 297.30 feet in width of the surface ground on the north side of said straight

line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 24, on the east by the Barney No. 16, on the south by the Barney No. 14, and on the west by the Barney No. 10 lode mining claims belonging to said Company; and the northeast corner of this claim is about 2730 feet in a westerly direction from the southwest corner of the Summit lode mining claim, Mineral Survey No. 2565, belonging to New Keystone Copper Company.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 662.12 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 297.30 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1496.26 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 297.30 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 297.51 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1496.26 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 297.57 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplin
Its Agent.

WITNESSES:

J. C. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock
P.M.

E.T.Stewart, County Recorder.

Territory of Arizona,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing contains a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 13 Lode Mining Claim, as the
same appears of record in my office, in Book 16, Records of Mines,
at page 24; that I have compared the same with the original re-
cords, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th. day
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN. 14. 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 14 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 14 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 320. This amended location of said claim is made on this 31st day of December, 1910, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1496.26 feet, and said corporation claims, lengthwise of the claim, 127 feet S. 78° 32' W. and 1369.26 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 296.11 feet in width of the surface ground on the north side of said straight line. The general course of the lode depos-

it and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 13, on the east by the Barney No. 17, on the south by the Barney No. 15, and on the west by the Barney No. 11 lode mining claims belonging to said Company; and is situated about 50 feet south from the main working shaft of said Company on said Barney No. 13 claim and about 4400 feet in a westerly direction from the main shaft of Live Oak Development Company situated on the Sulphide lode mining claim.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 127 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 296.11 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1496.26 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 296.11 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1496.26 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 31st day of December, 1910.

BARNEY COPPER COMPANY,

By J. D. Coplan
Its Agent.

WITNESSES:

J. E. Miner
H. J. Miller

Filed and recorded at the request of Alderman & Elliott
on the 31 day of December, A.D. 1910, at 20 minutes past 2 o'clock
P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing contains a full, true and correct copy of the
Amended Location Notice of the BARNEY NO. 14 Lode Mining Claim,
as the same appears of record in my office in Book 16, Records
of Mines, at page 82; that I have compared the same with the
original record, and that the same is a true transcript and of
the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 15 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 15 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 31st day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 321. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1496.26 feet, and said corporation claims, lengthwise of the claim, 110 feet S. 78° 32' W. and 1386.26 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 300 feet in width of the surface ground on the north side of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 14, on the east by the Barney No. 18, and on the west by the Barney No. 12 lode mining claims belonging to said Company; and the discovery shaft on this claim is located about 1065 feet in a southwesterly direction from the main working shaft of this corporation on its Barney No. 13 claim, and about 4265 feet southwesterly from the S.W. corner of the Summit lode mining claim, Survey No. 2565.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 110 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 300 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1496.26 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being in the center of the northeast endline of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1496.26 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

WITNESSES:

J. C. Miner
J. J. Brown

BARNEY COPPER COMPANY,

By J. D. Coplin
Its Agent.

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock
P.M.

E.T.Stewart, County Recorder.

Territory of Arizona,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing contains a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 15 Lode Mining Claim, as the
same appears of record in my office, in Book 16, Records of Mines,
at page 95; that I have compared the same with the original re-
cords, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th. day
of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN. 4 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 16 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 16 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 322. This amended location of said claim is made on this 7th day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1492.40 feet, and said corporation claims, lengthwise of the claim, 243.46 feet S. 78° 32' W. and 1248.94 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 297.51 feet in width of the surface ground measured at the west end and 296.90 feet in width of the surface ground measured at the east end, lying south of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 297.30 feet in

width of the surface ground measured at the west end and 297.58 feet in width of the surface ground measured at the east end lying north of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 23, on the east by the Barney No. 19, on the south by the Barney No. 17, and on the west by the Barney No. 13 lode mining claims belonging to said Company; and the discovery shaft of this claim is located about 2455 feet in a westerly direction from the southwest corner of the Summit lode mining claim, Survey No. 2565, belonging to New Keystone Copper Company.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 243.46 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 297.30 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1492.40 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 297.58 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 296.90 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 31' W. 1492.40 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 297.51 feet to the place of beginning.

Dated and posted on the ground this 7th day of

January, 1911.

BARNEY COPPER COMPANY,

By J. D. Caplan
Its Agent.

WITNESSES:

J. E. Miner
J. F. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 O'Clock
P.M.

E.T.Stewart, County Recorder.

Territory of Arizona,)
 : SS
County of GILA.)

I, E.T.Stewart, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing contains a full, true and correct copy of the
Amended Location Notice of the BARNEY NO. 16 Lode Mining Claim,
as the same appears of record in my office in Book 16, Records
of Mines, at page 96: that I have compared the same with the
original records, and that the same is a true transcript and of
the whole thereof.

WITNESS my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 17 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 17 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 323. This amended location of said claim is made on this 31st day of December, 1910, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1492.42 feet, and said corporation claims lengthwise of the claim 111 feet S. 78° 30' W. and 1381.42 feet N. 78° 30' E. from the center of the discovery shaft (at which this notice is posted), together with 300 feet in width of the surface ground measured at the west end and 299.93 feet in width of the surface ground measured at the east end, lying south of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 296.11 feet in width of the

surface ground measured at the west end and 294.94 feet in width of the surface ground measured at the east end lying north of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 16, on the east by the Barney No. 20, on the south by the Barney No. 18, and on the west by the Barney No. 14 lode mining claims belonging to said Company; and is situated about 675 feet in an easterly direction from the main working shaft of said Company on the Barney No. 13 lode mining claim, and about 2900 feet in a westerly direction from the main shaft of Live Oak Development Company situated on the Sulphide lode mining claim.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. $78^{\circ} 30'$ W. 111 feet from the discovery shaft at which this notice is posted, said point of beginning being on the southwest end line of said claim; thence N. $10^{\circ} 58'$ W. 296.11 feet to a post and monument of stones, being the northwest corner of said claim; thence N. $78^{\circ} 31'$ E. 1492.40 feet to a post and monument of stones, being the northeast corner of said claim; thence S. $10^{\circ} 58'$ E. 294.94 feet to a post and monument of stones, being on the northeast end line of said claim; thence S. $10^{\circ} 58'$ E. 292.93 feet to a post and monument of stones, being the southeast corner of said claim; thence S. $78^{\circ} 30'$ W. 1492.42 feet to a post and monument of stones, being the southwest corner of said claim; thence N. $10^{\circ} 58'$ W. 300 feet to the place of beginning.

Dated and posted on the ground this 31st day of December, 1910.

Witnesses:

J. J. Miller
J. J. Green

BARNEY COPPER COMPANY,

BY J. D. Coplin
Its Agent.

Filed and recorded at the request of Alderman & Elliott
on the 31 day of December, A.D. 1910, at 20 minutes past 2 o'clock
P.M.

E.T. Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T. STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing contains a full, true and correct copy of the
Amended Location Notice of the BARNEY NO. 17 Lode Mining Claim,
as the same appears of record in my office in Book 16, Records
of Mines, at page 83; that I have compared the same with the
original record, and that the same is a true transcript and of
the whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 18 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 18 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 31st day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 324. This amended location of said claim is made on this 31st day of December, 1910, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1492.68 feet, and said corporation claims lengthwise of the claim 127 feet S. 78° 22' W. and 1365.68 feet N. 78° 22' E. from the center of the discovery shaft at which this notice is posted, together with 300 feet in width of the surface ground measured at the west end and 298.59 feet in width of the surface ground measured at the east end, lying south of a straight line drawn from the west end center through the center of the discovery shaft to the east end monument, and 300 feet in width

of the surface ground measured at the west end and 296.50 feet in width of the surface ground measured at the east end lying north of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 17, on the east by the Barney No. 21 and on the west by the Barney No. 15 lode mining claims belonging to said Company, and is situated about 1000 feet in a southeasterly direction from the main working shaft of said Company on the Barney No. 13 lode mining claim, and about 2900 feet in a southwesterly direction from the main shaft of Live Oak Development Company situated on the Sulphide lode mining claim.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. $78^{\circ} 22'$ W. 127 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. $10^{\circ} 58'$ W. 300 feet to a post and monument of stones, being the northwest corner of said claim; thence N. $78^{\circ} 30'$ E. 1492.42 feet to a post and monument of stones, being the northeast corner of said claim; thence S. $10^{\circ} 58'$ E. 296.50 feet to a post and monument of stones, being on the northeast end line of said claim; thence S. $10^{\circ} 58'$ E. 298.59 feet to a post and monument of stones, being the southeast corner of said claim; thence S. $78^{\circ} 19'$ W. 1492.74 feet to a post and monument of stones, being the southwest corner of said claim; thence N. $10^{\circ} 58'$ W. 300 feet to the place of beginning.

Dated and posted on the ground this 31st day of
December, 1910.

BARNEY COPPER COMPANY,

By J. D. Coplin
Its Agent.

WITNESSES:

J. C. Miner

J. J. Green & J. Miller

Filed and recorded at the request of Alderman & Elliott
on the 31 day of December, A.D. 1910, at 20 minutes past 2 o'clock
P.M.

E.T. Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of GILA.)

I, E.T. STEWART, County Recorder in and for the County
of Gila, Territory of Arizona, do hereby certify that the fore-
going contains a full, true and correct copy of the Amended Loca-
tion Notice of the BARNEY NO. 18 Lode Mining Claim, as the same
appears of record in my office in Book 16, Records of Mines, at
page 83; that I have compared the same with the original re-
cord, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 19 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 19 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 325. This amended location of said claim is made on this 31st day of December, 1910, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1481.92 feet, and said corporation claims, lengthwise of the claim, 104.90 feet S. 78° 32' W. and 1377.02 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 296.90 feet in width of the surface ground measured at the west end and 298.71 feet in width of the surface ground measured at the east end, lying south of a straight line drawn from the west end monument through the center of the discovery shaft

to the east end monument, and 297.58 feet in width of the surface ground measured at the west end and 295.43 feet in width of the surface ground measured at the east end, lying north of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 22, on the west by the Barney No. 16, and on the south by the Barney No. 20 lode mining claims belonging to said Company; and the discovery shaft is situated about 3300 feet westerly from the main working shaft of New Keystone Copper Company on its Copper Hill claim.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' E. 104.90 feet from the discovery shaft (at which this notice is posted), said point of beginning being on the southwest end line of said claim; thence N. 10° 58' W. 297.58 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 28' E. 1482.19 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 295.43 feet to a post and monument of stones, being the northeast end line of said claim; thence S. 10° 58' E. 298.71 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 36' W. 1482.15 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 296.90 feet to the place of beginning.

Dated and posted on the ground this 31st day of December, 1910.

BARNEY COPPER COMPANY,

By J. D. Coplin
Its Agent.

WITNESSES:

J. C. Miner

H. J. Miller

Filed and recorded at the request of Alderman & Elliott
on the 31 day of December, A.D. 1910, at 20 minutes past 2 o'clock
P.M.

E.T. Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of GILA.)

I, E.T. STEWART, County Recorder in and for the County
of Gila, Territory of Arizona, do hereby certify that the fore-
going contains a full, true and correct copy of the Amended Loca-
tion Notice of the BARNEY NO. 19 Lode Mining Claim, as the same
appears of record in my office in Book 16, Records of Mines, at
page 84; that I have compared the same with the original re-
cord, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN. 14. 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 20 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 20 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 30th day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States, and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 326. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1483.33 feet, and said corporation claims, lengthwise of the claim, 53.60 feet S. 78° 38' W. and 1428.63 feet N. 78° 38' E. from the center of the discovery shaft at which this notice is posted, together with 299.93 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 294.94 feet in width of the surface ground measured at the west end and 295.90 feet in width of the surface ground measured at the east end, lying north of said straight line.

The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 19, on the south by the Barney No. 21, and on the west by the Barney No. 17 lode mining claims belonging to said Company; and the discovery shaft of this claim is located about 2800 feet in a westerly direction from the principal working shaft of the Live Oak Development Company on the Sulphide lode mining claim belonging to Live Oak Copper Mining & Smelting Company.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 38' W. 53.60 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 294.94 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 36' E. 1482.15 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 295.90 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 299.93 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 38' W. 1482.23 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 299.93 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplin
Its Agent.

WITNESSES:

J. C. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 O'Clock
P.M.

E.T.Stewart, County Recorder.

Territory of Arizona,)
 : SS
County of GILA.)

I, E.T.Stewart, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing contains a full, true and correct copy of the
Amended Location Notice of the BARNEY NO. 20 Lode Mining Claim,
as the same appears of record in my office in Book 16, Records
of Mines, at page 96: that I have compared the same with the
original records, and that the same is a true transcript and of
the whole thereof.

WITNESS my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

131

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 21 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 21 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 31st day of December, 1905, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 327. This amended location of said claim is made on this 31st day of December, 1910, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1482.23 feet, and said corporation claims, lengthwise of the claim, 118 feet S. 78° 38' W. and 1364.23 feet N. 78° 38' E. from the center of the discovery shaft at which this notice is posted, together with 298.59 feet in width of the surface ground lying south of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 296.50 feet in width of the surface ground lying north of said straight line. The general course of the lode deposit and

premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the north by the Barney No. 20 and on the west by the Barney No. 18 lode mining claims belonging to said Company, and the north side line of the Barney No. 21 is coincident with the south side line of the Barney No. 20. The discovery shaft of the Barney No. 21 is 2400 feet easterly from the main working shaft of this Company on the Barney No. 13 lode mining claim. The surface boundaries are marked upon the ground as follows:

Beginning at a post and monument of stones at a point S. 78° 38' W. 118 feet from the discovery shaft (at which this notice is posted), said point of beginning being on the southwest end line of said claim; thence N. 10° 58' W. 296.50 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 38' E. 1482.23 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 296.50 feet to a post and monument of stones, being the northeast end line of said claim; thence S. 10° 58' E. 298.59 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 38' W. 1482.23 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 298.59 feet to the place of beginning.

Dated and posted on the ground this 31st day of December, 1910.

WITNESSES:

J. G. minor
H. J. Miller

BARNEY COPPER COMPANY,

By J. D. Coplin Its Agent.

Filed and recorded at the request of Alderman & Elliott
on the 31 day of December, A.D. 1910, at 20 minutes past 2 o'clock
P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the County
of Gila, Territory of Arizona, do hereby certify that the fore-
going contains a full, true and correct copy of the Amended Loca-
tion Notice of the BARNEY NO. 21 Lode Mining Claim, as the same
appears of record in my office in Book 16, Records of Mines, at
page 85; that I have compared the same with the original re-
cord, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 22 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 22 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 20th day of February, 1906, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 542. This amended location of said claim is made on this 7th day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1482.08 feet, and said corporation claims, lengthwise of the claim, 202.33 feet S. 78° 30' W. and 1279.75 feet N. 78° 30' E. from the center of the discovery shaft (at which this notice is posted), together with 295.38 feet in width of the surface ground measured at the west end and 294.41 feet in width of the surface ground measured at the east end, lying south of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 300 feet in width of the surface ground on the north side of said

straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the south by the Barney No. 19 and on the west by the Barney No. 23 lode mining claim belonging to said Company; and the discovery shaft of this claim is located about 1550 feet in a southwesterly direction from the S. W. corner of the Gladiator lode mining claim, Phoenix No. 011878, belonging to Inspiration Copper Company.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 30' W. 202.33 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 300 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 30' E. 1482.08 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 294.41 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 28' W. 1482.19 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 295.38 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplen
Its Agent

WITNESSES:

J. E. Mearns
J. F. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 O'Clock
P.M.

E.T.Stewart, County Recorder.

Territory of Arizona,)
 : SS
County of GILA.)

I, E.T.Stewart, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that
the foregoing contains a full, true and correct copy of the
Amended Location Notice of the BARNEY NO. 22 Lode Mining Claim,
as the same appears of record in my office in Book 16, Records
of Mines, at page 97: that I have compared the same with the
original records, and that the same is a true transcript and of
the whole thereof.

WITNESS my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

23
JAN 14 1917

AMENDED LOCATION NOTICE.

BARNEY NO. 23 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 23 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 10th day of February, 1906, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 543. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1492.51 feet, and said corporation claims, lengthwise of the claim, 228.08 feet S. 78° 24' W. and 1264.43 feet N. 78° 24' E. from the center of the discovery shaft (at which this notice is posted), together with 299.31 feet in width of the surface ground measured at the west end and 295.38 feet in width of the surface ground measured at the east end, lying south of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 298.91 feet in width of the surface ground measured at the west end and 300 feet in width

of the surface ground measured at the east end lying north of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the east by the Barney No. 23, on the south by the Barney No. 16, and on the west by the Barney No. 24 lode mining claims belonging to said Company; the discovery cut of this claim is situated about 1330 feet in a northeasterly direction from the main working shaft of said Company on its Barney No. 13 lode mining claim, and is about 800 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 24' W. 228.08 feet from the discovery shaft (at which this notice is posted), said point of beginning being on the southwest end line of said claim; thence N. 10° 58' W. 298.91 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 26' E. 1492.53 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 300 feet to a post and monument of stones, being on the northeast end line of said claim; thence S. 10° 58' E. 295.38 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 33' W. 1492.40 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 299.31 feet to the place of beginning.

Dated and posted on the ground this 7 day
of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplin
Its Agent.

WITNESSES:

J. C. Miner

J. J. Brown

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock
P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.Stewart, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing contains a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 23 Lode Mining Claim, as
the same appears of record in my office in Book 16, Records of
Mines, at page 97; that I have compared the same with the ori-
ginal records, and that the same is a true transcript and of the
whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 24 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 24 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 8th day of February, 1906, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 544. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1496.26 feet, and said corporation claims, lengthwise of the claim, 1206.81 feet S. 78° 32' W. and 289.45 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 299.31 in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 298.91 feet in width of the surface ground on the north side of said straight line. The general course of the lode

deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the east by the Barney No. 23, on the south by the Barney No. 13, and on the west by the Barney No. 25 lode mining claims belonging to said Company; and the discovery out of this claim is situated about 800 feet in a northerly direction from the main working shaft of said Company on its Barney No. 13 claim, and the northeast corner of this claim is about 1000 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1206.81 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 298.91 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1496.26 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 298.91 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 299.31 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1496.26 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 299.31 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplan
Its Agent.

WITNESSES:

J. E. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock P.M.

E.T. Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of GILA.)

I, E.T. Stewart, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing contains a full, true and correct copy of the Amended Location Notice of the BARNEY NO. 24 Lode Mining Claim, as the same appears of record in my office in Book 16, Records of Mines, at page 98; that I have compared the same with the original records, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 10th. day of January, A.D. 1911.

E. T. Stewart
County Recorder.

25
JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 25 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 25 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 8th day of February, 1906, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 545. This amended location of said claim is made on this 7th day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1500 feet, and said corporation claims, lengthwise of the claim, 815 feet S. 78° 32' W. and 685 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 299.31 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 298.91 feet in width of the surface ground on the north side of said straight line. The general course

of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the east by the Barney No. 24, on the south by the Barney No. 10, and on the west by the Barney No. 26 lode mining claims belonging to said Company; and the discovery cut of this claim is situated about 1525 feet in a northwesterly direction from the main working shaft of said Company on said Barney No. 13 claim, and the northeast corner of this claim is about 2330 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 815 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 298.91 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1500 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 298.91 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 299.31 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1500 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 299.31 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. D. Coplen
Its Agent.

WITNESSES:

J. C. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock
P.M.

E.T. Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) SS
County of GILA.)

I, E.T. Stewart, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing contains a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 25 Lode Mining Claim, as
the same appears of record in my office in Book 16, Records of
Mines, at page 99; that I have compared the same with the ori-
ginal records, and that the same is a true transcript and of the
whole thereof.

GIVEN under my hand and seal of office, this 10th.
day of January, A.D. 1911.

E. T. Stewart
County Recorder.

JAN 14 1911

AMENDED LOCATION NOTICE.

BARNEY NO. 36 Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the BARNEY NO. 36 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 11th day of February, 1906, by J. D. Coplen, J. B. Coplen and E. T. Wilder, all of whom were then citizens of the United States; and the original location notice of this claim is recorded in the office of the County Recorder of the County of Gila, Territory of Arizona, in Book 11 of Records of Mines, at page 546. This amended location of said claim is made on this 7 day of January, 1911, by Barney Copper Company, a corporation organized under the laws of the Territory of Arizona, which corporation is the present owner of said claim, and said corporation hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1436.71 feet, and said corporation claims, lengthwise of the claim, 1360.71 feet S. 78° 32' W. and 76 feet N. 78° 32' E. from the center of the discovery shaft at which this notice is posted, together with 299.31 feet in width of the surface ground on the south side of a straight line drawn from the west end monument through the center of the discovery shaft to the east end monument, and 298.91 feet in width of the surface ground on the north side of said straight line. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated in the Globe Mining District, County of Gila, Territory of Arizona. It is bounded on the east by the Barney No. 25, and on the south by the Barney No. 7 lode mining claims belonging to said Company; and the discovery cut on this claim is situated about 2400 feet in a northwesterly direction from the main working shaft of this Company on said Barney No. 13 claim, and about 3935 feet in a southwesterly direction from the southwest corner of the Red Rover lode mining claim, Mineral Survey No. 2774, belonging to J. B. Newman.

The surface boundaries are marked upon the ground as follows: Beginning at a post and monument of stones at a point S. 78° 32' W. 1360.71 feet from the discovery shaft (at which this notice is posted), said point of beginning being in the center of the southwest end line of said claim; thence N. 10° 58' W. 298.91 feet to a post and monument of stones, being the northwest corner of said claim; thence N. 78° 32' E. 1436.71 feet to a post and monument of stones, being the northeast corner of said claim; thence S. 10° 58' E. 298.91 feet to a post and monument of stones, being in the center of the northeast end line of said claim; thence S. 10° 58' E. 299.31 feet to a post and monument of stones, being the southeast corner of said claim; thence S. 78° 32' W. 1436.71 feet to a post and monument of stones, being the southwest corner of said claim; thence N. 10° 58' W. 299.31 feet to the place of beginning.

Dated and posted on the ground this 7 day of January, 1911.

BARNEY COPPER COMPANY,

By J. A. Kaplan
Its Agent.

WITNESSES:

J. B. Miner
J. J. Green

Filed and recorded at the request of Alderman & Elliott
on the 7 day of January, A.D. 1911, at 55 minutes past 4 o'clock
P.M.

E.T. Stewart, County Recorder.

Territory of Arizona,)
 : SS
County of GILA.)

I, E.T. STEWART, County Recorder in and for the
County of Gila, Territory of Arizona, do hereby certify that the
foregoing contains a full, true and correct copy of the Amended
Location Notice of the BARNEY NO. 26 Lode Mining Claim, as the
same appears of record in my office, in Book 16, Records of Mines,
at page 99; that I have compared the same with the original re-
cords, and that the same is a true transcript and of the whole
thereof.

GIVEN under my hand and seal of office, this 10th. day
of January, A.D. 1911.

E. T. Stewart
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR, OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

July 9, 1912.

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval

of the Survey of the mining claim of BARNEY COPPER COMPANY, known as the Barney No.1, Barney No.2, Barney No.3, Barney No.4, Barney No.5, Barney No.6, Barney No.7, Barney No.8, Barney No.9, Barney No.10, Barney No.11, Barney No.12, Barney No.13, Barney No.14, Barney No.15, Barney No.16, known as the Barney No.17, Barney No.18, Barney No.19, Barney No.20, Barney No.21, Barney No.22, Barney No.23, Barney No.24, Barney No.25 Barney No.26. situate in GLOBE

Mining District, GILA County,

ARIZONA, in Sections 26, 27 & 28, Township No.1 N.,

Range No. 14 E. Unsur., and designated as Survey

No. 2880, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made or for each of said mining claim by claimant or its grantors, and that said improvements consist of 15 shafts, 55 cuts, 26 tunnels and 4 drill holes, total value \$33146.00. Shaft No. 2 on the Barney No. 13 lode is a common improvement for the benefit and development of this entire group of claims, and an undivided 1/26 interest therein, value \$546, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

July 9, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of BARNEY COPPER COMPANY, Known as the Barney No. 1, Barney No. 2, Barney No. 3, Barney No. 4, Barney No. 5, Barney No. 6, Barney No. 7, Barney No. 8, Barney No. 9, Barney No. 10, Barney No. 11, Barney No. 12, Barney No. 13, Barney No. 14, Barney No. 15, Barney No. 16, Barney No. 17, Barney No. 18, Barney No. 19, Barney No. 20, Barney No. 21, Barney No. 22, Barney No. 23, Barney No. 24, Barney No. 25, Barney No. 26.

situate in GLOBE mining district,

GILA County, ARIZONA.

in Sections 26, 27 & 28, Township No. 1 N., Range No. 14 E., Unsur.

designated as Survey No. 2880

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, January 7-27, 1912, 190, under my instructions dated

December 8, 1911, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank Lyall

U. S. Surveyor-General for Arizona.