F. L.

1 Map 1 37977

4-683.

MINERAL SURVEY No. 2881 A and B

	LOT No.	
	Arizona Land District.	
	FIELD NOTES	
	OF THE SURVEY OF THE MINING CLAIM OF John A Tillman	
	KNOWN AS THE	
	Copper King Alma lodes and mill sites Mineral Creek Mining District, Pinal County, Arizona	
ections	23, 24, &636, Township 38 Range 13E, unsurvey eyed under instructions dated February 7th. 1919	ed
	by Geo. C. Clark U. S. Mineral Surveyor.	
	Claim located See location notices, , 19	
	Survey commenced February 9th. 1911 , 19	
6—822	Survey completed March 1st. 1911 , 19	

Claimants address:-

John A. Tillman, Kelvin, Pinal County, Arizona.

Copper King

Beginning at cor. No.1, the N. W. cor., identical with location,

'A pine post'4 ft. leng, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 1/2881A/C K whence

U. S. M. M. No. 1 bears N 38° 14' W 2199.20 ft.

A rock in place 1 ft. sq., 1 ft. high, chiseled + 1-2881A

B R bears N 77° 00' E 57 ft.

Thence S 1º 59' W

To a pine post in a mound of stones, identical with location for the W end center,

To intersect original S side line of this claim at N 79° 14'E 1.56 ft. from the original S. W. cor. of location before amended

592.20 To intersect original N side line Alma lode of this survey at N 79° 02' E 78.9; ft. from the original N. W. cor. before amendment

616.15 To cor. No. 2, the S. W. cor., identical with location, a pine post 4 ft. long, 4 ins. sq., set 1 ft. in the ground in a mound of stones, scribed 2/2881A/CK whence

U. S. M. M. No. 1 bears N 29° 45' 30" W,
A rock in place 18 x 12 ins, 6 ins. high, chiseled+ 22881AB. R. bears S 69° 22' W 29.6 ft.

, Thence N 78° 50' E

278:50 To intersect Ray - Kelvin wagon road
506:94 To cor. No. 3, Survey No. 2615 Å, Tucson Queen lode
whence

Intersections original S side line of this claim and original N side line Alma lode of this survey, before amended, with line 2-3 Survey No. 2615 A, Tucson Queen lode, bear N11°10'W 24.9 ft. and 21.58 ft. respectively.

Survey 2881 A 558.50 To W bank Mineral Creek, course southerly, 698.50 ToE bank of same 733:50 To center Ray and Gila Valley R. R. track 1408:50 To cor. No. 4, Alma Tode of this survey, and N.W.Cor, Alma Extension lode, uns To cor. No. 3, the S. E. cor., identical with location 1500.00 and with the S. W. cor. Copper Bell lode, unsurveyed, owned by applicant herein, A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 3/2881A/ C K whence U. S. M. M. No. 1 bears N 53° 52' W and a quartzite cropping chiseled + 3-2881 A-B. R. bears S 72° 30' W 18 ft. Thence N 1º 59' E 308.07 To a mound of stones 4 ft. high, identical with location for E end center Identical with W end center Copper Bell lode, unsurveyed, cwned by John A. Tillman 616.15 To cor. No. 4, the N. E. cor., identical with location and with N. W. cor of the unsurveyed Copper Bell lode, A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 4/2881A/ C K whence A pine post of same dimensions, set in the ground in a mound of stones, scribed B. P. 4/2881 A bears 5 78° 50' W 2.39 ft, no other bearing objects available

Thence S 78° 50' W

233.24 To cor. No. 3 Surv. No. 1244 Vermont lode, identical with the S. W. cor. of the unsurveyed Samantha lode, owned by the applicant herein,

533.24 To S end center Survey No 1244 Vermont lode

590.00 To center Ray and Gila Valley R. R. track

650.00 To E bank Mineral Creek

833.24 To cors. Nos 4 and 3 Vermont and Canton lodes, Survey

Survey 2881 A

Feet Copper King, continued. 1000.00 To W bank Mineral Creek 1133:24 To cor: No: 2' Survey No: 2615A, Tucson Queen lode, identical with S end center Canton Lode, Surv. No. 1244, Cor. No. 3, said Tucson Queen lode brs. S. 11010 E., 600 ft.

1136:00 To intersect Ray - Kelvin wagon road 1433:24 To cor. No. 4 Canton lode Surv. No. 1244 and cor. No. 3 Grenadier lode, Survey No. 2615 A, 1500:00 To cor. No. 1, the place of beginning Alma. Beginning at cor. No. 1, the N. W. cor., identical with location and with cor. No. 1 Surv. No. 2615 A, Pope lode. A pine post 3.5 ft. long, 4 ins. sq., in a mound of stones, scribed 1/2881A/ A whence U. S. M: M: No. 1 bears N 270 54 W 2671.30 ft A rock in place 12 x 18 ins., 6 ins. high, chiseled + 1-2881A-B. R. bears N 83° 18' E 62.5 ft. Thence S 11º 11' E 300.00 To a pine post in a mound of stones, identical with location for W end center and with E end center Survey No 2615 A, Pope lode · 3 · 5077.75 600.00 To cor No. 2, the S. W. cor., identical with location Identical with cors. No. 2-1-1 of the Pope, Spondulix and Samantha No. 2 lodes respectively, Survey No. 2615 A A pine post 4 ft. long, 4 ins. sq. in a mound of stones and scribed 2/2881A/A whence

A rock in place 1 ft. sq., 5 ins. high, chiseled + 2-2881A-B. R. bearsS 48° 50' W 48.80 ft.

. Thence N 78° 50' E

177.00 To intersect Ray - Kelvin wagon road
382.00 To W bank Mineral Creek
711.00 To E bank same
817.00 To center Ray and Gila Valley R. R. track

Alma lode, continued. 858.00 To cor. No. 2, Survey No. 2615 A, Samantha No. 2 lode, The N. W. cors. of the unsurveyed Wiggins and Casino class owned respectively by J. J. Sullivan and John A. Tillman To cor. No. 3, the S. E. cor., identical with location 1500.00 and with the S. W. cor. of the unsurveyed Alma Extension lode, John A. Tillman, claimant. A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scriped 3/2881A/ A whence A quartzite rock in place 3 ft. sq., 2 ft. high, chiseled + 3-2881A- B. R. bears S 40° 20' W 11.7 ft.

Thence N 11º 11' W

300.00 To a mound of stones 3.5 ft. high, identical with location for the E end center and with W end center Alma Extension, an unsurveyed claim,

To cor. No. 4, the N. E. cor., identical with location 600.00 and with the N: W: cor., Alma Extension, unsurveyed,

> A pine post 4 ft. long 4 ins. sq., set 1 ft. in the ground in a mound of stones, scribed 4/2881A/ A whende

A quartzite cropping, '2 ft. high, 'chiseled 4-B R-2881 A bears N 60° 36' W 30.7 ft.

Thence S 78° 50' W

675:00 To center Ray and Gila Valley R. R. track

710.00 To E. bank Mineral Creek

850:00 To the W bank Mineral Creek

901:56 To cor. No. 3, Survey No. 2615A, Tucson Queen lode 1130.00 To intersect Ray - Kelvin wagen road 1408.50 To cor. No. 2, Copper King lode of this survey 1130.00 To intersect Ray - Kelvin Wagen - road 1500:00 To cor: No: 1, the place of beginning.

(d nearly * page 11)

e you I such service

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:-

Copper King lode, N 78° 50' E 500, ft. and S 78° 50' W 1000ft.

Alma lode N 78° 50' E 675 ft. and S 78° 50' W 825 ft.

Survey 2881 B

Copper King Mill Site

Beginning at cor. No. 1, the N. E. cor., identical with location and with cor., No. 2, Alma mill site of this survey,

A pine post 4 ft. long, 4 ins. sq. set i ft. in the ground in a mound of stones, scribed 1/2881B/ CKMS whence

Cor. No. 1 Copper King lode bears N 7º 19"05" W. 11186 ft.

The W 1 cor. sec. 6 T 14 S R 14 E bears S 2 805 51 E 7866 ft.

No other bearing objects available.

Thence S 62° 27' W

466.16

To cor. No. 2, the N. W. cor., identical with location, a pine post 4 ft. long, 4 ins. sq. set 18 ins. in the ground in a mound of stones, scribed 2/2881B/ C K M S No bearing objects available

Thence S 260 12' 30" E

466.50 To cor. No. 3, the S. W. cor., identical with location, a pine post 4 ft. long, 4 ins. sq. set 2 ft. in the ground in a mound of earth and stones, scribed 3/2881B/CKMS whence

> A palo verde tree, 14 ins. diameter, scribed + 3/2881 B/B. T. bears S 550 30' W 27.6 ft.

Copper King mill site, continued.

Thence N 62° 27' E

290.00 To Ray - Kelvin wagon road

To cor. No. 4, the S. E. cor., identical with location 466.16 and with cor. No. 3. Alma mill site of this survey,

> A pine post 4 ft. long, 4 ins. sq. set 2 ft. in the ground in a mound of earth and stones, scribed 4/2881B/ C K M S, whence

A mesquite tree 2 feet diameter, scribed 3-4-2881B/BT bears N 35° 8' 30" W 169 ft.

Thence N 26º 12' 30" W

177.00 To Ray - Kelvin wagon road

*]

466.50 To cor. No. 1, the place of beginning Containing 4.991 acres.

Alma Mill Site

Beginning at cor. No. 1, the N. E. cor., identical with location.

A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 1/2881B/ A M S whence

Cor. No. 1, Alma lode bears N 100 33' 51" W 10295.8 ft. W 1 cor. Sec. 6 T 4 S R 14 E bears S 24° 44' E 8014 ft. No bearing objects available

Thence S 45° 59' 30" W

489.00 To cor. No. 2, the N. W. cor., identical with location and with cor. No. 1 Copper King mill site of this survey, A pine post scribed 2/2881B/ A M S

Thence S 26° 12' 30" E

289.50 To intersect Ray - Kelvin wagon road 466.50 To cor. No. 3, the S. W. cor., identical with location and with cor. No. 4 Copper King mill site of this survey, a pine post heretofore described, scribed 3-2881 B AMS.

8

		The state of the s	
	Feet	Alma mill site, continued.	±
~		Thence N 45° 59' 30" E	
	489.00	To cor. No. 4, the S. E. cor., identical with locat	ion
	A #	A pine post 4 ft. long, 4 ins. sq. set 2 ft. in groun	ľ
		a mound of earth and scones, scribed 4/2881B/ A M S	
	<u>a</u>	No bearing objects available	
	6 ·	Thence N 26° 12' 30 " W	
	285.00	To Ray - Kelvin wagon road	*
	466.50	To ccr. No. 1, the place of beginning.	
		Containing 4.986 acres	•
	ğ, Ä	, , , , , , , , , , , , , , , , , , , ,	
	2	Magnetic variation throughout survey 14° E	ž
	(, * = # ^	Area	Acres
		Tctal area Alma lode	20.661
		₽	. 1/2
		Total area Copper King lode	20.661
	(* *	Area in conflict with Surv. No. 2615 A	
	. * 7	Tucson Queen lode Area in conflict with Tract A, heretofore described, Area in conflict with Tract B, heretofore described,	
	. Т.	Area in conflict with Tract C, heretofore described,	1
	Total	Area Alma mill site	4.986
1	Total	Area Copper King mill site	4.991
) *		
	*	Expenditure of Five Hundred Dollars	*1
		I certify that the value of the labor and improvement	ent <mark>s :</mark>
	χ *	made upon, or for the benefit of, each of the Iocation	ıs
		embraced in said mining claim by the claimant or his	Б
	f \$;	granters is not less than five hundred dollars, and	
		that said improvements consist of;	٠
	6 *	Alma,	Value
	No. 1	Discovery Tunnel 4x6x10 ft., course N 78° 50' E,	TTE
41			

bears from the S end center of location N78°50'E825 ft.\$ 60.00

	Burvey 2001 A and D		
7 • 1	continued continued	Va	lue
No. 2	Tunnel 4x5x38 ft., course N 82° 45' E, bears from cor.		T
	No. 2 N 47° 06' E 975 ft.	\$	304.0
No. 3	Tunnel 4x6x18 ft., ccurse N 66° 00' E, bears from the		
	same point N 63° 40' E 850 ft.	\$	108.0
No. 4	Open cut 5x12x10; course E, bears from cor. No. 3		
	N 38° 00' W 260 ft.	\$	20.0
No. 5	Open cut 5x10x10, course E, bears from same point		
	N 64° 30' W 245 ft.	\$	20.00
No. 6	Open cut 5x10x8 ft., course N, bears from cor. No. 1		ſ
	N 88° 30' E 200 ft.	\$	20.0
	Copper King		
No. 1	Discovery cut4x6x8ft., course N 78° 50! E, bears from		
	the E end center of location S 78°50'W 500 ft.	\$	20.0
No. 2	Tunnel 4x6x50 ft., course N 81° 30' E, bears from point		•
,	on lode line at 436.85 ft. from W end center of location	1 .	Free
	N 54° 52' E 582 ft.	#	400.0
No. 3	Tunnel 4x6x65 ft., course N 86° E, bears from the same		
	point N 62° F 482 ft.	\$	450.0
No. 4	Open cut 4x15x12 ft., ccurse S 2° E bears from same		
	point_N 72° 22' E 714 ft.	\$	30.0
No. 5	Open cut 5x10x8 ft., course E, bears from same point		
	N 85° 04' E 720 ft.	4	20.0
No. 6	Open cut 4x12x12 ft., course N 87° 30° E, bears from		
*	same point N 89° 41' E 564 ft.	\$	20.0
No. 7	Tunnel 4x6x50 ft., & urse S 70°30' E, bears from same		
	point S 87° 30' E 350 ft.	\$	400.0
No. 8	Tunnel 4x6x20 ft., © urse N 41° E, bears from W end		
	center of location N 5 E 205 ft.	\$	120.0
No. 9	Shaft 4x6x15 ft. bears from same point S52°56'E 55 ft.	\$	75.0
	Other Improvements Shaft 4x6x6 ft., brs. from W. end center of Loc., Copper King lode, N. 78°50'E., 186 ft. Well, 4x6x12 ft., brs. from Cor. No. 3, Copper King mill-site, N. 17° E., 392 ft. Well, 4x6x15 ft., brs. from Cor. No. 3, Alma mill-	,	
	site, N. 36° 30' E., 440 ft.		

Survey 2881 A and B

Instrument

The survey was made with a C. L. Bergher & Sons transit No. 6072, the courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 300 ft. steel tape.

Location

This survey is located on unsurveyed lands, the lodge in Secs. 23 +24, and the millsites in Sec. 361. 3 S., R. 13 E., Gila and Salt River Base and Meridian, in Pinal County Arizona, in the mineral Creek Mining

District

Adjoining Claims

The lode locations of this survey are adjoined by, on North; Grenadier, survey No. 2615 A Canton and Vermont, survey No. 1244 All owned by the Ray Con. Copper Co.

Samantha lode, unsurveyed, John A. Tillman, claimant; On the East, Copper Bell and Alma Extension, unsurveyed claims, same owner, On the South, Casino lode, unsurveyed, same owner,

Wiggins lode, unsurveyed, J. J. Sullivan, claimant, Samantha No. 2 lode, survey No. 2615 A Ray Con. Copper Co. owners

On the West, Pope and Tucson Queen survey No. 2615 A, same owners.

The mill site locations are adjoined on all sides by unclaimed ground.

Report

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines.

All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

The W 1 cor. sec 6 T 4 S R 14 E is a rock chiseled on N side and is the nearest standing cor. of the public survey that could be found and identified.

Report, continued.

All corners of the adjoining claims are pine posts properly set and scribed with the number of the corner and survey, except cor. No. 2 Surv. No. 2615 A, Tucson Queen lode and cors. No. 3 and 4 respectively of the Canton and Vermont lodes, Surv. No. 1244, their positions were re-established by lines run upon the ground.

The conflict between Surv. No. 2615 A, Tucson Queen lode and the claims of this survey before amended locations were made, is shown by colored lines on the accompanying plat. I find this conflict as surveyed by adverse claimant to be correct, except the bearing of line joining.cor. No. 1. Pope lode Surv. No. 2615 A with cor. No. 3 Surv. No. 2615 A Tucson Queen lode; this bearing I find to be N 78° 50' E instead of N 79° E as officially filed.

Any disagreements between this and adjoining sure '

Phis 1511112126 7 111

J.o. O. Clark U.S. Mineral Surveyor

March 1 st. 1911

Description of Tract A.

Beginning at Cor. No. 1 of the Copper King lode, thence along line 1-4 of said lode N. 78° 50' E. 366.76 ft. to Cor. No. 2 Tucson Queen lode, Sur. No. 2615 A, thence along line 2-3 said Tucson Queen lode, S. 11° 10' E. 575.10 ft. to its intersection with the south side line of the Copper King lode under a previous location, thence S. 79° 14' W., along said south side line of the Copper King lode under a previous location, 500.31 ft. to an intersection with line 2-1 of the Copper King lode, thence along line 2-1 Copper King lode, N. 1° 59' E. 587.30 ft. to the place of beginning, containing 5.709 acres, and being that portion of the Tucson Queen-Copper King conflict covered by a previous location of the Copper King lode.

Description of Tract B.

Beginning at a point on line 2-1 of theCopper King lode 587.00 ft. from Cor. No. 1, being the point of intersection with the south side line of the Copper King lode under a previous location, thence along said south side line of the Copper King lode under a previous location, N. 79° 14' E. 500.31 ft. to its intersection with line 2-3 of the Tucson Queen lode, Sur. No. 2615 A, thence along said line 2-3 of the Tucson Queen lode S. 11° 10' E. 3.32 ft. to its intersection with the north side line of the Alma lode under a previous location, thence along the north side line of the Alma lode under a previous location, S. 79° 02' W. 501.49 ft. to its intersection with line 2-1 of the said Copper King lode, at a point 592.20 ft. from Cor. No. 1 said Copper King lode, thence along line 2-1 said Copper King lode N. 1° 59' E. 5.20 ft. to the place of beginning, containing $\mathcal{O}_{\bullet}\mathcal{O}\#\mathscr{S}$ acres and being that portion of the Copper King-Tucson Queen conflict not covered by previous locations of the Copper King and Alma lodes.

4

Description of Tract C.

thence along line 2-1 said Copper King lode, N. 1° 59' E. 23.95 ft. to its intersection with the north side line of the Alma lode under a previous location, thence along said north side line of the Alma lode, under a previous location, N. 79° 02' E. 501.49 ft. to its intersection with line 2-3 Tucson Queen lode, Sur. No. 2615 A, thence along said line 2-3 Tucson Queen lode, S. 11° 10' E. 21.58 ft. to Cor. No. 3 said Tucson Queen lode, on line 2-3 Copper King lode and line 4-1 Alma lode, thence along said lines 3-2 Copper King, 4-1 Alma, S. 78° 50' W. 506.94 ft. to the place of beginning, containing 0.260 acres, and being that portion of the Copper King Tucson Queen conflict covered by a previous location of the Alma lode.

126

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals emp	ployed by Geo. C. Clark
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field not	es of the survey of the mining claim of
J	ohn A. Tillman
known as the Copper King and	i Alma lodes and mill sites
and showing the respective capacities in which	
	Harry Crr , Chainman.
	David Reid , Chainman.
	Francisco Espinosa , Axman.
	, Flagman.
_	, r wymari
FINAL OATH	S OF ASSISTANTS.
- T	tovid Reid
	., do solemnly swear that we assisted
	s Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	hn a Julman
known as the Copper King and alma .	Lodes and Philloutes,
represented in the foregoing field notes as hav	ring been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and bound	lary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-G	eneral for Aryona
	Denvir Rece, Chainman. Willisco Espringana.
	Device Reed, Chainman.
An.	uncisco. Espinoana
	, Flagman
Subscribed and sworn to by	the above-named persons before me this 13
day of Feb.	, 19//
	G. O. nalan
	G.O. Nalan notany Public
ry Commission Expin	6 Una 96.1913

FINAL OATH OF U.S. EMERICAL MINERAL SURVEYOR

I,GeoC	lark , U. S. Broxty Mineral
	n pursuance of instructions received from the United
	Arizona , dated
	, I have, in strict conformity to the laws of the
	s and instructions thereunder, and the instructions
	y and correctly executed the survey of the Mining
	man
	, known as the
	mill sites ,
	reek Mining District.
	County, Arizers , in Section 5
	Range No _{13 F.} unsurveyed.
	2881 A and B , as represented
	ccurately show the boundaries of said mining claim
	on the ground, and described in the attached copy
	as received by me from the Surveyor General with
	rners of said survey have been established and per-
	-
	he law, official regulations and instructions there-
	swear that the foregoing are the true and original
	report therein, and that the labor expended and
	ng claim by claimant or his grantors
are as therein fully stated, and that	t the character, extent, location and itemized value
thereof are specified therein with p	articularity and full detail, and that no portion of
said labor or improvements so credit	ted to this claim has been included in the estimate
of expenditures upon any other clair	m
	•
	Jas O. Olark.
	U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the	e said Leo. C Clark
	yor, before me
	this 14 th
day of March,	
any or any or any or any	
	shank on Talk
	U. S. Durreyor General for arizona.
o 3—154	0 0 / unreyor Tener
	for Urizona.

16

AMENDED NOTICE OF MINING LOCATION.

LODE CLAIM.

JAN 23.1911

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the COPPER KING Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John A. Tillman, a citizen of the United States, the undersigned, on the 15 day of June, 1909.

The length of this claim is 1500 feet and I claim 1000 feet in a South Westerly direction, and 500 feet in a North Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 3/4 mile in a Southeasterly direction from the Ray Mine and about 1/4 mile Southerly from the Poorman Mine, joining the Tucson Queen Mining Claim on the East end.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a set stake at West end center at a point in a Westerly direction 1000 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence Northwest 300 feet to a stake, being the N. W. corner of said claim; thence Northeast 1500 feet to a stake, being at the N. E. corner of said claim; thence Southeast 300 feet to a stake at the center of the East end of said claim thence Southeast 300 feet to a stake, being at the S. E. corner of said claim; thence Southwest 1500 feet to a stake at the S. W. corner of said claim; thence Northwest 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper King Mining Claim, located by John A. Tillman on the first day of January, 1907, and recorded in Book No. 21 of Records of Mines, at page 248, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 15 day of June, 1909.

JOHN A. TILLMAN, Locator.

Witness: Ch. Dunbar.

O. Thornton.

Filed and recorded at request of John A. Tillman July 24th, 1909 at 9 A. M.

G. F. WATSON, County Recorder.

By N. N. Wells, Deputy.

Territory of Arizona

County of Pinal.

88

I, G. F. Watson, County Recorder, in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing Amended Notice of Mining Location of the "Copper King" is a full, true and correct copy of the original, as the same appears on record in this office in Book 1 of Mines Amended, at Page 223.

Witness my hand and seal of office this the 9th day of January, A, D. 1911


County Recorder.

AMENDED

Motice of Mining Location

TO ALL WHOM IT MAY CONCERN:
This mining Claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
by John a. Tillman
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 30 day of 1911
The length of this claim is 1500 feet,
and g claim feet,
in a North Easterly direction and
feet in a South Westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
north Easterly to the South Misterly.
The claim is situated and located in the Minneralland Mining District, in
Pinal County in the Territory of Arizona, about 3/4 miles
in a South Easterly direction from the Ray mine and about 1/4 miles
from the Borrman mine joining the Pape wate Ger. no. 265
its East End,
The surface houndaries of the claim are marked upon the ground as falls.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a South Westaly direction about 1000 fact from
at a point in a South Westery direction about 1000 feet from
the discovery shaft (at which this notice is posted), being in the center of the 1951
direction direction teet from
the discovery shaft (at which this notice is posted), being in the center of the said claim; thence south so
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence so feet to a feet to a being at the corner of said claim; thence so feet to a feet t
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence the said claim; thence feet to a feet thence thence the said claim; thence feet to a feet thence feet to a feet thence feet to a feet to a feet thence feet to a feet to a feet to a feet thence feet thence feet to a feet to a feet to a feet thence feet to a feet to a feet thence feet to a feet thence feet to a feet to a feet to a feet thence feet to a feet to a feet thence feet to a feet thence feet thence feet to a feet to a feet thence feet thence feet to a feet thence feet to a feet thence feet to a feet to a feet to a feet to a feet thence feet to a feet thence feet to a feet to a feet thence feet to a feet
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence some feet to a feet to a feet to a being at the corner of said claim; thence to a at the center of the end of said claim; thence feet to a feet to the place of beginning.
the discovery shaft (at which this notice is posted), being in the center of the said claim; thence so feet to a fee
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence so feet to a feet to a being at the corner of said claim; thence of the end of said claim; thence to a feet to a f
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence where the end line of said claim; thence end in the corner of said claim; thence end end of said claim; thence end end end end end end end end end en
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence where the end line of said claim; thence end in the corner of said claim; thence end end of said claim; thence end end end end end end end end end en
the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence
the discovery shaft (at which this notice is posted), being in the center of the said claim; thence seed he said claim; thence seed he corner of said claim; th
the discovery shaft (at which this notice is posted), being in the center of the Manne end line of said claim; thence South Manne corner of said claim; thence on the South Manne corner of said claim; thence have being at the set to a manne feet to a feet t
the discovery shaft (at which this notice is posted), being in the center of the Manne end line of said claim; thence South Manne corner of said claim; thence on the South Manne corner of said claim; thence have being at the set to a manne feet to a feet t
the discovery shaft (at which this notice is posted), being in the center of the Manney of said claim; thence South Sout
the discovery shaft (at which this notice is posted), being in the center of the Manne end line of said claim; thence South Manne corner of said claim; thence on the South Manne corner of said claim; thence have being at the set to a manne feet to a feet t
the discovery shaft (at which this notice is posted), being in the center of the Manne end line of said claim; thence South Manne corner of said claim; thence on the South Manne corner of said claim; thence have being at the set to a manne feet to a feet t

Dated



Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim. This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the ordans.

John

Location Motice

of
The Capper King
Mill=Site Claim and Water Right.
Anstit-Site Statilit and state integret
know All Men by these Presents, That the undersigned, have this
day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the
Capper Bring Claim,
situate in the Mineral Cress Mining
district, County, Arizona
Territory. The exterior boundaries of said Capper ,
Mill-Site Claim, are as follows, viz.:
Commencing at a monument of stone at N. E. corner of claim, and running thence in a
westerly direction, 4661/2 feet to monument of stone at N. W. corner of claim, thence in a
southerly direction, 4661/2 feet to monument of stone at S. W. corner of claim, thence in an
easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of
beginning.
This location may be more generally described as being situated
miles northerey from Keloin and about two
miles in a Southerly direction from
the said Capper string Thining Claim and
lies along the West Riche of mineral
Creek.
That we have also located in connection with the said Mill-Site claim.
inches miners' measure of the water
of this under and in accordance with the laws of the
Territory of Arizona, regulating the location and possession of water rights
The dimensions of the ditch for diverting the water from its natural course at the head,
being as follows: wide at tep, wide at
bottom, in depth, with a uniform grade of
to the rod.
Dated on the ground, this 30 day of January 1911
· · · · · · · · · · · · · · · · · · ·
Witness:
Witness:
· · · · · · · · · · · · · · · · · · ·

	County of Pinal. I. G. F. Wats	ss		Provide in and Co.	the Country and
***	Territory aforesaid, do hereby certino on this lst	fy that the within instru day of February	ment was filed for re 1911 19 , a	ecord at9o'd and duly recorded in Boo	clock,AM.,
	By 71. 71.	Hells.	<i>to</i>		ty Recorder.
A CHONESCO	2 3 5 T	Jan- 30th 1911	and recorded at request A. Tillman	O'Clock A. 13 of Misce 17 of Misce 17 6	County Recorder. N. N. Wells Deputy Recorder. The H. H. McNeil Co., Printers, Phoentx, Arizona.
	Mill-Site	Dated	Filed John	Febrate Sook Book G. G.	By

Location Motice

of

The alma

Mill=Site Claim and Water Right.

know All Men by these Presents, That the undersigned, have this
day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the
Alma Mining Claim,
situate in The Mineral Cress Mining
district, Pinal County, Arizona
Territory. The exterior boundaries of said and
Mill-Site Claim, are as follows, viz.:
Commencing at a monument of stone at N. E. corner of claim, and running thence in a
westerly direction, 4661/2 feet to monument of stone at N. W. corner of claim, thence in a
southerly direction, 4661/2 feet to monument of stone at S. W. corner of claim, thence in an
easterly direction, 4661/2 feet to monument of stone at S. E. corner of claim, thence in a
northerly direction, 4661/2 feet to monument of stone at N. E. corner of claim and place of
beginning.
This location may be more generally described as being situated
miles northerly, from kelving and
about two miles in a southerly
direction from the soil alma mining
Claim, and lies along the West side
of mineral Creek.
)
That we have also located in connection with the said Mill-Site claim
inches miners' measure of the water
of this under and in accordance with the laws of the
Territory of Arizona, regulating the location and possession of water rights
The dimensions of the ditch for diverting the water from its natural course at the head,
being as follows: wide at top, wide at
bottom, in depth, with a uniform grade of
to the rod.
200
Dated on the ground, this day of January 19/
Witness:
John a. Tiller
- A

	Te	I,	G. 1 resaid, do 1 Lst ellane	F. Wat	tify that the	within instr Februa, of Pin	ry 19	11 19	or record	duly re	gecorded in	o'clock	k, A lo= 1 5	.M.,
,	By	N.	7	1.	Hel	lo			*	VOJ- -	01	Ounty 1	Recorder	
COMPARED	FBZ 197	Location Motice	dill=Site Claim and Community,	Alma		ated January 30th 19119	Filed and recorded at request of	John A. Tillman	February- 1st 1911A. D. 19	t 9 0°Clock A.	ook 13 of Miscellaneous	G. F. Watson County Recorder.	y N. N. Wells Deputy Recorder.	The H. H. McNeil Co., Printers, Phoenix, Arizons.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoemi:	x, Arizona,
		June 27,
I, U. S. Surveyo	r-General for	Arizona,
		f the Field Notes, return and approval of the survey
or the mining craim c	T-3 A 2	Fillman,
		na lodes and millsites,
situate in	Minera	l Creek
Mining District,	Pinal	County, Arizona,
in Section S 23, 24	4_&36Township No3_5	Range No.13 E, unsurveyed, and
designated as Survey	No. 2881 A & B,	has been correctly copied from the originals on file in
this office; that said	Field Notes furnish such a	n accurate description of said mining claim as will, if
incorporated into a pa	atent, serve fully to identify	the premises, and that such reference is made therein
to natural objects or	permanent monuments as v	vill perpetuate and fix the locus thereof.
And I further c	ertify that five hundred do	ollars' worth of labor has been expended or improve-
ments made upon sa	of id mining claim by claiman	nt. or his grantors, and that said improvements
		shaft, total value \$2076.00
		·
and that no portion	of said labor or improveme	nts has been included in the estimate of expenditures
upon any other claim	1.	
I further certify	that the plat thereof, filed	in the U.S. Land Office at Phoenix, Arizona,
		a conformity with the foregoing Field Notes.
	J	frank S. Ingalls.
	United States	Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	-	Phoenix,	Arizona,			
			June	9 27,	, 19	11.
I, U. S. Surv	veyor-General for.		Arizona,			
do hereby certify	that the foregoing	g and hereto at	tached Field	Notes and Retur	rn of the Survey of	the
Mining Claim of						
					, known as	
2	Copper K	ing, Alma	lodes ar	nd millsite	es <mark>,</mark>	
situate in		Mi meral	Creek,		mining distri	ict,
	Pinal	Cot	inty,	Arizona,		
in SectionS 23,	24, & 36 , To	ownship No	3 S.	, Range No	13 E. unsurv	eyed,
	, designated a	s Survey No	2881 A &	В,		
executed by	Geo, C,	Clark,		,	United States Mine	ral
Surveyor,	Februar	y 9 - Marc	h 1, 191	1, 196 x , under	my instructions dat	ed
Fe	bruary 7, 19	911, 199 , ha	ave been critic	cally examined	and the necessary co	or-
rections and expl	anations made, an	d the said Fiel	d Notes and	Return, and the	Survey they descri	be,
are hereby appro	ved. A true copy	of the copy of	the location	certificate filed	by the applicant	for
survey is include	d in the field notes	J.				
		die	ml x	leliza	ell	(P

U. S. Surveyor-General for Arizona