4-683

MINERAL SURVEY No. 2882

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

INOWN AS THE

Jorn Golden Chief Jerry

Jurgnoise Mining District,

Cochice County, Trigoria

approximately
Sections 5 and 32, Townships/9 Y 20 S., Range 25 £ musunya

Surveyed under instructions dated Jan 26, 19//

by John Despherow

U. S. Mineral Surveyor.

Acation

Claim located Sie Motices, 19

Survey commenced May 3, 19//

Survey completed May 3, 19//

address of Claimants attorney Lee O. Woolery Tombstone

aris.

SURVEY NO. 2882.

TOM .

Beginning at Cor. No.1 the N.W.Cor. of claim identical with location and with S.W.Cor.Good Hope lode unsurvey.

ed,a post in a mound of stone scribed N.W.C.-T set by me in the year 1905 but which has disappeared owing to floods which have washed out the banks of the wash. The point is now in bed of wash not practical for permanent corner hence I established a witness corner on line 1-2 at 159.7 ft from Cor. No.1.

On a limestone reef at edge of wash about $2\frac{1}{2}$ ft above line of wash chiseled a cross for exact point and W.C. N.W.C.-T.1-2882

Raise a monument of stone 3 ft base, 3 ft high Northeasterly alongside

Whence (from true corner)

U.S.M.M.No.1 Turquoise District bears N.25°33'30''W. 8044.8ft.

From True Corner

Thence N.54°09'E, Variation 13° 15'E.

150 Eage of wash course Southeasterly

159.7 Witness corner described above.

To Cor. No.2, identical with location and with S.E.Cor.

Good Hope lode unsurveyed, a pine post 4 ins sq.3½ it above ground, in a mound of stone, scribed N.E.C.-T, add 2-2882.

Also scribed S.E.C.-G.H.

Whence

A and BR.2-2882 chiseled on a limestone reef on a face 24x24 ins bears N.66°12'W.39.32 ft.

X and BR.2-2882 chiseled on a limestone 15x15 ins., l2 ins above ground bears N.47°05'E 46.35 ft.

Thence S.28°50'E, Variation 13°10'E.

Cor.No.1 London lode Survey No.1961 bears N.21° 55' W
66.7 ft, a post, in a mid of stone scribed NWC-L 1-1961
A board 1x4 ins in a mound of stone bears N.70° 25'W.
619.1 ft

Thence S.54°07' W., Variation 13°10'E

	-3-			
309.1	N. Center End Jerry lode of this survey			
338.4	N.E.Cor.Copper Ring Tode unsurveyed.			
618.2	Cor.NO.1 Jerry lode of this Survey			
638.4	Cor.of location said Jerry loce and N. Center End said			
	Copper Ring lode			
799.9	N.W. Cor. said Copper Ring lode and N.E. Cor. International			
أي وبال	lode, unsurveyed.			
1102.1	N. Center End of said International Lode.			
1224	Center of wash 60 ft wide, course S.E.			
1404.3	To Cor.No.5, identical with location, also with N.W.Cor.			
	said International lode, a pine post 4 ins.sq.3 ft above			
	ground in a mound of stone, scribed N.W.CT, add 5-2882			
	Whence			
	X and BR. (not room for more) chiseled on a granite rock			
7x6 ins 1 in above ground bears N.58° 28' E.29.35 ft.				
	X and BT. (not room for more) scribed on a blaze on a			
	mesquitotree 4 ins in diameter bears S.69°55'W 16.0 ft			
	A post forming the S.E.Cor. of a barbed wire fence bears			
	S.S.E. 1 foot.			
	Thence N.28° 50'W., Variation 13° 55'E.			
8.5	Post S.E. Cor. Lawrance and N.E. Cor. Orange lodes, unsurvey-			
)4	ed adv			
302.25	W. Center End, identical with location, a stone monument			
	partly destroyed, set a pine post 4 ins sq.,4 ft long,			
	I foot in the ground to hard pan in a mound of stone,			
	scribed W.C.ET 2882.			
450	Bank of wash, course S.E.			
604.5	To Cor.No.1, the place of beginning.			

Golden Chief Lode.

Reginning at Cor.No.1, the N.W.Cor.of location, identical with S.W.Cor.Maud No.1 lode, unsurveyed, a stone monument; at exact point chiseled X on limestone rock and set thereon a pine post 4 ins sq. 3½ ft long in a mound of stone, scribed N.W.C.-G.C.1-2882. Also S.W.C.-M No.1.

Whence:

X and BR. 1-2882 chiseled on a limestone 30x14 ins
10 ins above ground bears N.37°32'E.15.8 ft.

N and BR. 1-2882 chiseled on a limestone 48x24x15 insbears S.35°00'E 20.75 ft.

U.S.Mineral Monument No.1 Turquoise District bears N. 36° 22'30" W. 7859.8 ft.

Thence N.74° 32'E, Variation 13° 15' E.

J499.7 To Cor.No.2, identical with location and with S.E.Cor.

Maud No.1 lode unsurveyed, a pine post 4 ins sq.3 ft
above ground in a mound of stone, scribed N.E.C.-G.C.

add 2-2882. Also scribed S.E.C.-M No.1.

Whence

X and iBR. 2-2882 chiseled on a limestone 10x8 ins, 2 ins above ground bears N.18° 47'E 9.95 ft. No other nearby bearings available.

Thence S.28° 50'E, Variation 13° 15' E.

- 308.35 E.Center End, identical with location, a pine post 4 ins sq.,3 ft above ground in a mound of stone, scribed E.C.E -G.C., add 2882.
- 516.7 To Cor. No.3, identical with location, a pine post 4 ins sq., $3\frac{\pi}{2}$ ft above ground, in a mound of stone, scribed S.E. C.-G.C., add 3-2882.

Whence

X and BR. 3-2882 chiseled on,a conglomerate bedrock exposing 50x20 ins bears S.73°358W.29.95 ft.

X and BR. 3-2882 chiseled on a limestone 14x10 ins,1 in above ground bears N.22°21'E.10.7 ft.

Thence S.74°32'W., Variation 13°15'E.

- S.c. E.
 218.5 Post scribed S.E.C.-M.No.2.
- 552.0 Post scribed S.W.C.-M.No.2.
- 93].9 N.E.Cor.Brooklyn lode, unsurveyed, a post in a mound of stone.
- 1236.9 N. Center End said BrookJyn lode, a post in a mound of stone.
- 1499.7 To Cor. No.4, identical with location and with Cor.No.3

 Tom lode of this survey previously described, add to

 chiseling: 4-2882.

Thence N.28° 50'W., Variation 13° 15'E.

- 238.1 E. Center End Tom Jode of this survey.
- 308.35 W.C.E., identical with location.

A stone monument with cap stone marked a cross(x) at exact point and W.C.E.-G.C.

- 540.35 Cor.No.2, Tom lode of this survey.
- 616.7 To Cor. No.1, the place of beginning.

Jerry Jode.

Beginning at Cor.No.l, on line 4-5 of Tom Jode of this survey

Set a pine nost 4 ins sq.,4 ft long,6 ins in the ground to bed-rock, in a mound of stone, scribed N.W.C.-J 1-2882.

Whence:

Cor. of location, identical with N.C.E. Copper Ring lode, unsurveyed pears S.54°07' W.20.2 ft., a post in a mound of stone, scribed N.W.C.J. and N.C.E.-C.R. U.S.M.M.No.1 bears N.30°59'36'W.8545.1 ft.

X and BR.J- 2882 chiseled on limestone bed-rock exposing 40x20 ins bears N.68° 42'E.13.7 ft.

X and BR.1-2882 chiseled on limestone out-crops exposing 20x10 ins,8 ins high bears 0.89°00'W.34.92 ft.

Thence N.54°07' ... Variation 13°15'E.

279.8 N.E.Cor.Copper Ring lode, unsurveyed.

15 177**-6-**0 17 halleta

309.1 N.C.E., identical with location, a monument of stone.

618.2 To Cor.No.2, identical with location and with Cor.No.4 Tom lode of this survey, previously described, add tochiseling 2-2882.

Thence S.21° 55'E., Variation 13° 10' E.

975.9 To Cor. No.3, identical with location, a 2x4 pine post sca S.E.C.-J. Replace with a pine post 4x4 ins,3 tt long set 3 ins in ground to bed-rock in a mound of stone, scribed S.E.C.-J. 3-2882.

Whence:

X and BR. 3-2882 chiseled on limestone bed-rock exposing 24x18 ins beers S.46°23'E.6.4 ft.

X and BR.3-2882 chiseled on limestone bed-rock exposing 6x4 ft bears N.61°13'E..12.4 ft.

Cor. No.4 London 10de Survey No.1961 bears S.21°55'E. 457.4 ft., a post, ina madof stone, scribed SWe-L 4-196/

Thence S.54° 07'W., Variation 13° 15'H.

309.1 S.C.E., identical with location, a monument of stone.

319.15 To Cor. No. 4, identical with Jocation, a 2x4 post, scribed S.W.C.-J. Replace with a pine post 4 ins sq.34 ft long set 3 ins in the ground to bed-rock in a mound of stone, scribed S.W.C.-J 4-2882.

Whence:

X and BR.4-2882 chiseled on limestone bed-rock 24x24 ins bears N.54° 37'E. 5.3 ft.

M and BR. 4-2882 chiseled on limestone bed-rock 24x15 ins bears N.86° E. 5.4 ft.

Thence N.39° 43'W. Variation 13° 15'E

949.1 To Cor. No.1, the place of beginning.

Area.

Tom lode,

Golden Chief lode,

Acres. 20.576

.

20.656

Jerry lode,

Acres.
10.189

Areas in conflict

Tom lode and London lode, Survey No.1961

Tom lode and Brocklyn lode, unsurveyed,

Common area in conflict,

Tom, London, Brooklyn lodes, (nominal)

0.000+4

Location.

This survey is located is approximately in Secs. 5 and 32,

Ts. 19 and 20 S., R. 25 E., unsurveyed, in Jurquoise Mining Dist, Cochise Co., Arizona. Veins.

The presumed courses of the veins are:

On the Tom from W.Center End to E.Center End N.54°

On the Golden Chief from W. Center End to E. Center End N.74° 32'E 1499.7 ft.

On the Jerry from G. Center End to N. Center End N.21° 55'W. 975.9 ft.

Adjoining Claima.

On the North - Good Hope and haud No. 1 lodes, unsurveyed.

M.H.O'Connor, Claimant.

On the East - Maud No.2 lode, unsurveyed.

M.H.O'Connor, Claimant.

London lode, Survey No. 1961.

Martin Costello, Claimant.

o' Jon the South - Unknown lode, unsurveyed.

Unknown Claimant.

Brooklyn lode, unsurveyed.

M.H.O'Connor et al, @aimants.

Copper Ring and International lodes, unsurveyed.

Gleeson and McKittrick, Claimants.

On the West - Lawrence lode, unsurveyed.

Unknown Claimant, and Crange lode, unsurveyed.

Expenditure of \$ 500.00.

I certify that the value of labor and improvements made upon or for the peneils of each of the locations embraced in said mining claim by the claimant or his granters is as follows and said improvements consist of:

On the Tom, From W. Center End,

No. 1. Discovery shaft the Center of southerly edge of which bears N.54°09' E 224.5 ft. Shaft 6x4 ft.,14 ft deep.

Value at \$10.per foot, \$140.00

No. 2. A shaft the Center of which bears N. 66° 03' E. 372 ft Shaft 5x4 ft, 26 ft deep

Value at \$10.per foot,

\$260.00

From point on line 4-5 at S.54°07' W.480.3 ft.from Cor. No. 4,

No. 3. A shaft the Center of which bears N.45°22' E. 95.5 ft. Shaft 6x4 ft. now 8 ft.deep, formerly deeper.

Value \$80.00

From point on line 4-5 at S.54°07'W.638.4 ft.from Cor. No.4,

No. 4. A shaft the Center of which bears N.8° 36'E.120.5 ft
Shaft 6x4 ft.now 6 ft.deep, formerly deeper.

Value \$ 50.00

On the Golden Chief,

No. 1. Discovery shaftthe Center of which bears N.74° 32 E.

498.0 ft.from V.C.E. Shaft 6x4 ft.32 ft.deep

Value at \$1,0.per foot, \$320.00

tal Acct

From point on lode line at N.74° 32'E. 452.8 ft. from W.C.E.

No. 2. A shaft the Center of which bears N.8°30'W. 62 ft. Shaft 6x4 ft., 22 ft. deep.

Value at \$10.per foct,

\$220.00

On the Jerry,

No. 1. Discovery shaft the Center of Easterly edge of which bears from S. Center End N. 21° 55 W. 525 ft. Shaft 6x4 ft., 36 ft. deep.

Value at \$10.per foot,

\$360.00

Instrument.

This survey was made with a Young and Sons Hountain transit No. 6855 provided with Smith Solar Attachment. The courses were deflected from true meridian as determined by direct solar observations. The distances were measured with 500 ft and 50 ft. steel tapes.

Tombstone, Arizona.

June 29,1911.

U. S. Mineral Surveyor.

John a Rockfellow

FINAL OATHS FOR SURVEYS.

LIST	OF NAM	ES.	
A list of the names of the individuals en	nployed by	Mua	Rockfeeau
United States Mineral Surveyor, to assist in			ng the lines, corners, and
boundaries described in the foregoing field no			
Mazzin 6	attell.		
known as the Jonn, Jury	-Li	. 0	-Chief
	/	ram	- any
and showing the respective capacities in which	<u> </u>	011	
	,	Conn	, , , , , , , , , , , , , , , , , , , ,
	Ma)	Harwo	Chainman.
			, Axman.
•			$\dots, Flagman.$
-			
FINAL OATH	AS OF AS	SISTANT	'S
11,81016			
We, My Cor	mor		7
and M. Harwood	, do solemnly sw	ear that we assist	ted foliate
Locofillaco, United State	es Mineral Survey	or, in marking t	he corners and surveying
the boundaries of the mining claim of	Marle	in 6	ostello
known as the Conn, Jura	y	Goed	e Chil
represented in the foregoing feld notes as ha	5		
direction; and that said survey has been in all	respects, to the b	est of our knowle	edge and belief, faithfully
and correctly executed, and the corner and boun	ndary monuments e	stablished accord	ling to law and the instruc-
tions furnished by the United States Surveyor-(General for	trizo	ma
	m. H.	O'Ucon	Chainman.
	wa	Harris	Schainman.
			Axman.
			\dots , Flagman.
Subscribed and sworn to b	y the above-name	d persons before	me this 2-3
day of Mey			
l	· -	Sielney (Ridgmen
		No	Ridgmen any Onblie
my commission ex	have men		6—1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

-	I, foliat to Release, U. S. Mineral Surveyor,
	To solemnly swear that, in pursuance of instructions received from the United States
	Surveyor General for , dated , I have, in strict conformity to the laws of the
	United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of Markin Boshelo
	Jonn Jerry Golden Chief,
	situate in Anning District, County, Classin Sections
	5 + 32 , Townships No. 19 + 20 Range No. 26 & sursuryed
	and designated as Survey No. 2882 , as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
*	as distinctly marked by monuments on the ground, and described in the attached copy
•	of the location certificate, which was received by me from the Surveyor General with
,	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there- under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or grantors
	are as therein fully stated, and that the character, extent, location, and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	John all to Release
	U. S. Mineral Surveyor.
	Subscribed and sworn to by the said for the total free or
	U. S. Mineral Surveyor, before me Hora Cotto Cheese
	this 29
	day of 196/
My C.	april 25-1915 Motary Prublic
/	april 25-1916 Molary Trublic

AMENDED

NOTICE OF LOCATION

Notice is hereby given, that the "Tom" Lode Mining Claim has been located by James Reilly, present owner, on the 28th day of April, 1905. Said claim is fifteen hundred feet in length, and six hundred feet wide; that is three hundred feet wide on each side of the point of Discovery.

And the west Centre end Monument of the claim is distant S.54 deg. 07 Min. W. 223 feet from the point of Discovery, a cut on which this notice is posted, and the opposite Center End Monument, a stone mon=ument is distant N. 54 deg. 07 Min E., 1277 feet from said point of Discovery. And the general course of the claim is N. 54 deg. 07 Min. E.

This claim is situate in the <u>Turquois</u>= Mining District, Cochise County, Territory of Arizona.

From the East Centre end of location of claim, corner No.1 of "London" lode survey No. 1961 bears S. 9 deg.27 Min.E. 262.7 ft. Said claim is bounded on the North by the Good Hope, on the east partly by the "London", on the south by the "Jerry" and International, on the West by the "Lizzie, lode claims.

This is an Amended notice of location of the "Tom" claim, located Jan. 1st, 1904 by Wm. A. Cummings and Wm. Shaw and recorded in book thirty at page three hundred twenty=seven Records of Mines in Cochise County, and is made to better describe said claim.

Posted on the ground, this 28th day of April, 1905

James Reilly, Present owner Locator.

Witness

John Gleeson.

Filed and recorded at request of James Reilly, May 2, 1905 at 4 P.M. in Book 25 Records of Mines, at Pages 345 & 346.

TERRITORY OF ARIZONA | SS. County of Cochise

I, C. A. McDonald, County Recorder in and for the County and Territory aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Amended Location Notice of the "TOM" Lode Mining Claim, filed for record in my office on the 2nd day of May, 1905, and recorded in Book 25 of Records of Mines at Pages 345 & 346, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this 24th day of January, A. D. 1911.

County Recorder.

AMENDED

NOTICE OF LOCATION.

Notice is hereby given, That the "Jerry" Lode Mining Claim has been located by James Reilly, present owner, on the 28th day of April, 1905. Said claim is 976.6 feet in length, and six hundred feet wide; that is three hundred feet on each side of the point of Discovery.

And the North Center end Monument of the claim is distant N.

21 deg.55 Min. W. four hundred sixty=two & six tenths feet from the point of Discovery a mound of stone near discovery shaft on which this notice is posted, and the opposite Center end Monument, a stone monument is distant S. 21 deg. 55 min E. five hundred fourteen feet from said point of Discovery. And the general course of the claim is N. 21 deg. 55 min W.

This claim is situate in the <u>Turquois</u> Mining District, Cochise County, Territory of Arizona

From the North East corner of location of the claim, cor. No.1 of London Lode Survey No. 1961 bears N. 21 deg. 55 min. W. 66.7 ft. Said claim is bounded on the North by the "Tom" and on the east by the "London" lode claims.

This is an amended notice of location of the "Jerry" claim located Jan 1st, 1904 by Wm. A. Cummings and Wm. Shaw and recorded in book 30 at page 328 Record of Mines of Cochise County, and is made to better describe said claim.

Posted on the ground, this 28th day of April, 1905.

James Reilly, Present owner Locator

Witness John Gleeson.

Filed and recorded at request of James Reilly, May 2, 1905. at 4 P. M. in Book 25 Records of Mines, at Pages 346 & 347.

TERRITORY OF ARIZONA | SS.

I, C. A. McDonald, County Recorder in and for the County and Territory aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Amended Location Notice of the "Jerry" Lode Mining Claim, filed for record in my office on the 2nd day of May, 1905, and recorded in Book 25 of Records of Mines, at Pages 346 & 347, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal od oddife, this 24th day of January, A. D. 1911.

County Recorder.

Amended Potice of Location.

	Notice is Hereby Given, That the Golden Chief Lode
	Mining Claim has been located by Martin Castelly
	on the 14 day of January 1906.
	Said claim is feet in length, and
	600. feet wide; that is
	feet wide on each side of the point of Discovery.
	And the Mest Center end Monument of the claim is distant in a S. 74° 32° 74. 500.
	See from the point of Discovery, A
	Shaft and Monument of Stone
X	on which this notice is posted, and the opposite Center end Monument, A. Monu-
•	is distant of 74° 31.5 feet from said point of Discovery.
	And the general course of the claim is S. 74° 32 7/
	This claim is situate in the June of Mining
	County, Territory of Arizona.
Two	m the S. W. Corner of this Claim Corner no. 1.
0	The London Lode Survey No. 1961. Bears
2	S. 55 14 H. 87-8 feet.
	This is an amended notice of the Golden
	Chrief Claim locates by John we Blaskey and
	Chise County at Jage 223.
	14
	11 and forton
	Present Owner Locator.
	Witness:
	gom Gleeson

JAN 26 1911 The property of County Recorder in and for the County and Territory porceasid, do here by certify that the withing terrument was filed for record at o'clock, M., on this day o'clock, M., on this county, Arizorha, at pages 431.432 O'COUNTY, Arizorha, at pages 431.432 O'COUNTY OF COCHISE OC., Ariz. Filed and recorded at request of the day and dear first above writher the day and request of the day and request of the day and request of the day at the day and request of the day at the day at the day and request of the day at the day at the day at the day at the day and request of the day at t							
	JAN 26.1917 No. 439 COMPARED.	Thatin Notice	I, Frank Hare, County Recorder in and for the County and Territory sforesaid, do here by certify that the within instrument was filed for record at o'clock, M., on this day of the on 1906, 1900, and duly re-	County, Arizona, at pages 431.433 Witness my hand and official seal the day and ear first above written County Recorder. County Recorder.	TOMBSTONE, Cochise Co., Ariz. Filed and recorded at request of	or JAN 20 1906 A. D. 790 M. Book 25 Record of Munes	Bound

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoe	enix, Arizona,
		August 31, , 19 11.
I, U. S. Surveyor-General for	Arizona,	
		Notes and Return of the Survey of the
Mining Claim of		
The second secon		
	•	
		known as the
	om, Jerry, Golden	Chief,
situate in	Turquoise	Mining District,
Cochise	County, Ari	zona, approximately
	•	S., Range No. 25 E., unsurveyed
, designated as	Survey No. 2882,	
		, U.S. Ďapaky Mineral
Surveyor, May 3 -	23 , 1911	., 1985, under my instructions dated
Jan. 26, 1911	, 136%, have been critic	eally examined and the necessary cor-
rections and explanations made, an	d the said Field Notes and F	Return, and the Survey they describe,
are hereby approved. A true copy	of the copy of the location	certificate filed by the applicant for
survey is included in the field notes	š.	
	Frank S, Ing	alls,
FORMAL D. CO.	U. S. Surveyor-(General for Arizona.
7360h5m2-03		71

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoe	nix, Arizona,	**
		August 31,	
I, U.S. Surveyo	r-General for	Arizona,	(888
do hereby certify tha	t the foregoing transcript	of the Field Notes, return and approv	val of the survey
of the mining claim of	of		
	Martin	Costello,	
known as the	Tom, Golden	Chief, Jerry,	
situate in	Turqu	o ise	
Mining District,	Cochise	County, Ari zona, ap	proximately
in Sections 5 and	32, TownshipsNos 19	& 20 S, Range No. 25 E., un	surveyedand
designated as Survey	No. 2882	, has been correctly copied from the or	riginals on file in
this office; that said	Field Notes furnish such	an accurate description of said mining	g claim as will, if
incorporated into a pa	atent, serve fully to identi	fy the premises, and that such reference	e is made therein
to natural objects or	permanent monuments as	will perpetuate and fix the locus thereo	of.
And I further co	ertify that five hundred	dollars' worth of labor has been exper	aded or improve-
ments made upon sa	id mining claim by claim	ant or his granters, and that sai	id improvements
consist of each	the Tom and Gold	en Chief lodes, and that	less than
five hundred	dollars' worth	of labor has been expend	ed or im-
provements m	ade upon the Jer	ry lode, by claimant or	his grantors,
at time of s	urvey, and that	said improvements consis	t_of
7 shafts, to	tal value \$1430.	00.	
and that no portion of	of said labor or improvem	nents has been included in the estimate	of expenditures
upon any other claim	•		
I further certify	that the plat thereof, filed	l in the U.S. Land Office at Phoeni	x, Arizona,
		in conformity with the foregoing Field	
		hauff Inzall	2
	** ~	es Surveyor-General for Arizona,	
	United State	es Surveyor-General for All 40118,	

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,		
	December 4,	, 1911.
I, U. S. Surveyor General for	Arizona	,
do hereby certify that the foregoing transcr		,
of the Survey of the mining claim of		
Martin Cos	tello,	
, known as the	JERRY,	
, situate	e in Turquois	e
Mining District,		
Arizona, approximately, in Secti		
Range No. 25 E., unsurveyed,		
file in this office; that said Field Notes furmining claim as will, if incorporated into a and that such reference is made therein to rewill perpetuate and fix the locus thereof. And I further certify that five hundred or improvements made upon said mining certify that said improvements eonsist of	rnish such an accurate de patent, serve fully to identatural objects or permane dollars' worth of labor halaim by claimant or his	escription of said tify the premises, nt monuments as as been expended grantors, and
		at Phoenix, Field Notes.

SUPPLEMENTARY REPORT TO SURVEY NO. 2882.

I certify that labor and improvements have been preformed upon the Jerry lode survey No. 2882, by the claimant, since the date of survey as follows:

From the North Center End a shaft (No.2) the center of which bears S23° 36'E - 228.5 ft. Shaft $6\frac{1}{2}x4\frac{1}{2}$ ft.-15 ft. deep.

Value at \$10.00 per foot

\$150.00

Tombstone, Arizona

December 2, 1911

U.S. Mineral Surveyor

Sworn and subscribed to before me this 2nd. day of December 1911.

Hora W. Rockfellow Notary Public

My commission expires
April 25, 1915.