4-683.

# MINERAL SURVEY No. 2885

LOT No.			
Arizona	Land	District.	

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Arizona Copper Company,				
J.R. Hampton, Attorney, Clifton, Arizona.				
KNOWN AS THE				
Punto Blanco				
Copper Mountain	Mining District,			
Greenlee County, Arizona.				
Sections 22, & 23 Uns, Township 4 S. Ran	ge 29 E.			
Surveyed under instructions dated Jan. 30,,	19 11			
by Lamar Cobb	J. S. Mineral Surveyor.			
Claim located see location notice	, 19			
Survey commenced Feb. 1,	, 19 11			
Survey completed : Feb. 11,	, 19 11			

Feet.

Punto Blanco. In ...

Beginning at Cor. No. 1,

A pine post 4 ins. square, 4.5 ft. long, set 18 ins. in the ground with mound of stone scribed P B 1 2885, whence,

Cor. to Secs. 13, 14, 23 and 24 Tp. 4 S. R. 29 E. Bears N. 73° 43' 50" E. 4922.6 ft.

No bearings available.

Thence S. 05° 04'E.

300. N. E. end center of the location.

580. Intersect Clifton-Morenci wagon road, course from M.E. to S.W.

600. To Cor. No. 2.

A pine post in place 4 ins. square, 3.5 ft. high, with mound of stone scribed P B 2 - 2885.

No bearings available.

Thence S. 84° 56' W.

34.00 Intersect Clifton--Morenci wagon road.

580. Intersect Shannon--Arizona R. R., course from S.E. to N.W.

1499. To Cor. No. 3.

A pine post in place, 4 x 6 ins., 3.5 ft. above ground with mound of stone scribed P B 3--2885, whence,

A cross (x) and B R 3 - 2885 chiseled on limestone face of bed rock 3 x 3 ft., facing N., bears S. 19° 22' W. 16.1 ft.

Thence N. 05° 04' W.

300. S. W. end center of the location.

600. To Cor. No. 4. -- 014

A pine post in place 4 x 6 ins., 3.5 ft. high, with mound of stone scribed P B 4 - 2885, whence,

A cross (x) and B R-4-- 2885 chiseled on quartzite bed rock, exposed 3 x 3 ft. facing N., bears S. 05° 04' E. 9 ft.

Thence N. 84° 56' E.

720. Intersect Shannon--Arizona R. R., course from North to
S. E.

1499. To Cor. No. 1, the place of beginning.

Variation at all corners 13° E.

Lode Line.

As near as can be determined from present developments the vein of this location extends as follows from the discovery point: 600 ft. N. 84° 56' E., and 899 ft. S. 84° 56' W.

## AREA.

\_\_\_\_

Total and net area punto Blanco lode,

20.647 acres.

#### LOCATION.

This survey is located in Secs. 22 and 23, unsurveyed, 7, Tp. 4 F. R. 29 E. unsurveyed, Copper Mountain Mining District, Greenlee (formerly Graham) County. Arizona.

- Adjoining Lodes.

(See \* page 4)

Expenditure of Five Hundred Dollars.

- I certify that the value of the labor and improvements made upon this mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:
  - No. 1. The discovery, showing mineral in place in the outcrop, which is on the lode line, 600 ft. from the M. E. end center of the location.
  - No. 2. A shaft, the center of which bears from Cor. No. 2,N.60° 10' W. 620 ft., 5 x 7 ft. 18 ft. deep, value #180.00

Feet.

No. 3. A tunnel, the mouth of which bears from Cor. No. 2, N. 60° 10' W. 650 ft., 4 x 5.5 ft., 15 ft. long, running S.W.

Value \$150.00

No. 4. An open cut beginning 20 ft. southeasterly of No.2 shaft and extending 30 ft. northwesterly from No. 3 Tunnel, with a face running from the surface at both ends to a height of 20 ft. in the center. 20 ft. wide at the center.

Value \$500.00

#### Instrument

This survey was made with a Buff and Buff Light Mtn.

transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 5 ft., 100 ft., and 500 ft. steel tapes.

## Report

The Cor. to Secs.13, 14, 23, & 24 T. 4 S., R. 29 E. is a stone properly set and marked.

The end center monuments are monuments of stone.

The differences between these field notes and the location certificate are due to errors in the latter.

The survey of this lode is identical with its amended location as staked on the ground.

U'S. Mineral Surveyor.

Punto Blanco Lode.

### Adjoining Lodes.

\_ \_\_\_\_\_

\*This claim is bounded on the North by the St. Bridget lode, unsurveyed, D. M. Lynch, claimant; on the East by Anita lode, and the Cinderella placer, both unsurveyed, Walter Doudna, et al, claimant; on the South there are no locations; the West by the Gladiator No. 6 lode, Unsurveyed, Walter Doudna, et al, claimant.

Jewarl dob U. 8. Mineral surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names	of the individuals en	aployed by	amar Cobb	
United States Mineral	Surveyor, to assist in	running, meas	aring, and marking the	e lines, corners, and
boundaries described in	the foregoing field no	otes of the surve	ey of the mining claim	of
The	Arizona Copper	Company		
known as thePun	to Blanco	es to the conservation because		
and showing the respect	ive capacities in whic	th they acted.		
		George Co	llier	, Chainman.
		J.L.Awalt	i	, Chainman.
				, Axman.
				, Flagman.
	5-			
F	TINAL OATE	IS OF AS	SSISTANTS.	
We. George Co	ollier			
			wear that we assisted	4
			eyor, in marking the con	
the boundaries of the m	Punto Blanco			
represented in the foreg		ying been curve	wed by said mineral sur	veyor and under his
direction; and that said and correctly executed, a	survey has been in all	l respe <mark>cts, t</mark> o the	best of our knowledge a	nd belief, faithfully
tions furnished by the U	nited States Surveyor-	General for	Arizona	• *
		Je Li	Jwalt -	, Chainman.
				, Axman.
Sub	scribed and sworn to b	by the above-nam	ned persons before me tl	his /4/K
W com	day of Tile	June Ju	, 19 //. The Pota	warbon
ins July	8,1911.		nolory	Public 6-1043

# FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Lamar Cobb	, U. S. Mineral Surveyor
	ace of instructions received from the United State
Surveyor General for Arizon	ia dated
	1911, I have, in strict conformity to the laws of the
United States, the official regulation	ns and instructions thereunder, and the instruction
of said Surveyor General, faithfull	y and correctly executed the survey of the Mining
	er Company
	, known as th
	anco
situate in Copper Mount	ain Mining District
	County, Arizona , in Section
22, &25, Township No. 4 S.	, Range No. 29 E. unsurveyed.
	385 as represented
in the foregoing field notes, which	accurately show the boundaries of said mining clain
as distinctly marked by monuments	on the ground, and described in the attached cop
v	as received by me from the Surveyor General wit
,	orners of said survey have been established and pe
	the law, official regulations and instructions ther
	swear that the foregoing are the true and original
	report therein, and that the labor expended an
1	ing claim by claimant oritsgranton
	at the character, extent, location, and itemized value
-	particularity and full detail, and that no portion of
*	ited to this claim has been included in the estimat
of expenditures upon any other clain	1,
	7
	secreal obs
	U.S. Mineral Surveyor
	- S. sittiner de San vegon
	said Lamor lobb
Subscribed and sworn to by the	said Color Color
U. S. Mineral Surveyor, before	e me formit of amplose, a
novory Juby	this 14th
day of Thomory	e me Johns Samplon, a this 14th
, ,	- John Hawwer Ern nolving Publis
my commission Es	- It hull Hawtelen
1.	

# AMENDED NOTICE OF LOCATION—Lode Claim

To all Tabon it may Concern:	,
This mining claim, the name of which is the Punto Blanco	
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by	
The Arizona Copper Company	
the second of th	
the undersigned on the 21 st. day of Jan. 19d1	
The length of the claim is 1499 feet, and it claim 8 600	
feet in a N.84°56'E. direction, and 900 feet in a S.84°56'W.	
direction from the center of the discoveryat which this notice is posted, lengthwise of the claim	
together with 300 feet in width of the surface grounds, on each side of the	
center of said claim. The general course of the lode deposit and premises is from the	
East to the West	
The claim is situated and located in the Copper Mountain	
Mining District, in Greenlee formuly Greham) County, Territory of Arizona, about	
direction-from	
From the Southeast Cor. of this claim the Cor. to Secs. 13, 14, 23, & 24	
T. 4 S., R. 29 E. bears N. 67°04'E. 5073.4 ft.	
The surface boundaries of the claim are marked upon the ground as follows: beginning at	
a monument of stone	
The state of the s	
at a point in a N.84°56'E. 600 direction feet from	
the discovery (at which this notice is posted), being in the center of theEasterly	
end line of said claim; thence S.5°04'E. 300 feet to a	
terror of said chain, thence ———————————————————————————————————	
pine post , being at the Southwest	
corner of said claim; thence N.5°04'W. 300 feet to a	
monument of stone being the center of the Westerly	
end of said claim; thence N.5°04'W. 300 feet to a	
pine postbeing at the Northwest	
corner of said claim; thence N.84°56'E. 1499 feet to a	
monument of stone at the Northeast	
corner of said claim; thence S.5°04'E. 300 feet to	
the place of beginning.	
All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statues of the United States, and of	
an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.	
This is an Amended Location Notice of the Punto Blanco	
mining Claim, located by A. D. McLean	
on the 10 th.	
day of May 1898 we and recorded in Book 10 of Records of Mines at	
page 87 , in the office of the County Recorder of the aforesaid County of Graham	
to which reference if hereby made, Original location amended on Feb. 20/1901,	
and recorded in Book 14, page 42, in the office of the County Recorder	
of Graham County.	
Dated and posted on the ground this 21 st. day of Jan. 1901	
The frizone flopper Company.	
hr. With	-
- My Vionson	

MENDED NOTICE OF LOCATION-Lode Claim. 9 TERRITORY OF ARIZONA,

Co

SS.


ountv	of Graham	

Introduction	Co	unty Recorder in and for the County and
Territory aforesaid, do he	ereby certify that the within instrum	ent was filed for record at
o'clockM, on this	day ofday	190, and
duly recorded in Book No	of	Records of Graham County
Arizona, at pages		L1 an example of the money of T

Witness my hand and seal the day and year first above written,

County Recorder

Brown U may Concern



e diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the 1, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the cription be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the

Dated Filed and recorded at request of 190

2012/00

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,			
		March 29,	1911, , 190	
I, U. S. Surveyor-	General for Distric	ct of Arizona,		
do hereby certify that	the foregoing transcript	of the Field Notes, ret	ourn and approval of the survey	
of the mining claim of				
	The Arizona	a Copper Compar	ı <b>y</b>	
known as the	PUNT	D_BLANCO	·	
situate in	Copper	Mountain		
Mining District,	Greenlee	County,	Arizona	
in Section s. 22&23	Uns . ,, Township No	4 S, Range No.	29 E., and	
			nied from the originals on file in	
this office; that said F	ield Notes furnish such	an accurate description	n of said mining claim as will, if	
incorporated into a pat	ent, serve fully to identif	fy the premises, and tha	at such reference is made therein	
to natural objects or pe	ermanent monuments as	will perpetuate and fix	the locus thereof.	
And I further cer	tify that five hundred of	dollars' worth of labor	has been expended or improve-	
ments made upon said	mining claim by claims	ant_oritsgranto	rs, and that said improvements	
consist of 1 shaft	, 1 tunnel and	l cut, total v	alue \$830.00	
	·			
- *				
		•		
			in the estimate of expenditures	
upon any other claim.	sara moor or improved	TOTAL TABLES	in the distinction of emporations	
	nat the plat thereof filed	in the U.S. Land Offi	ce atPhoenix,	
	is correct and i			
	is correct and	an conformity with the	foregoing Field Holes.	
		Frank S. In	ngalls,	
	United State	s Surveyor-General for	Arizona.	

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

# Department of the Interior,

Office of U.S. Surveyor-General,

			mix, Arizona	
			March 29,	1911., 19
I, U. S. Survey	or-General for	trict of A	rizona	
do hereby certify th	at the foregoing and hereto	attached Field	Notes and Return o	f the Survey of the
	The Arizona	Copper Co	ompany	
	PUNTO	BLANCO		
situate in	Copper M	ountain	·	Mining District,
Gre	enlee C	ounty,	Arizona	
in Sections 22&23	Juna, Township No.	4 S.	, Range No.	29 E.
	, designated as Survey No.		2885	
executed by	Lamar Cobb		, U	. S. <del>Deputy</del> Mineral
Surveyor, Fe	bruary l - ll,		, 19 <b>1</b> 1., under my	instructions dated
Januar	y 30,, 19l l	, have been crit	ically examined and	the necessary cor-
rections and explana	ations made, and the said F	ield Notes and	Return, and the Su	rvey they describe,
are hereby approved	l. A true copy of the copy	of the location	certificate filed by	the applicant for
survey is included in	n the field notes.	and	Poling	2.el
		U. S. Surveyor	-General for	Arizona.