4-683.

OCT.7-1911

## MINERAL SURVEY No. 2891 A & B.

NOV.6- 1911

LOT No.

Arizona

Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Lincoln Consolidat	ed Mining Compan	У
	***************************************	
	KNOWN AS THE	
KENTUCKY NO. I, KENTUCKY	NO. 2, BLUE BIR	D Lodes and KENTUCKY Mill-site.
	Papago	Mining District,
Pima	County,	Arizona.
Sections 26, 27, 35,, Tou	vnship I7 South,	, Range IO East,
Surveyed under instructi	ons dated Februar	y II,, 19 II.
	by Paul	E. Fernald, U. S. Mineral Surveyor.
Claim located(S	See location not	ices), 19
Survey commenced	Warch 22,	, 19II.
Survey completed	March 28,	, 19II.
Dates of amended los	ations:- KENTUC	CKY NO. I, KENTUCKY NO. 2, end
		July I, 1910.
Date of location, KE		,July I, 1910.

Vice President - Lincoln Consolidated Mining Company.

Chas. E. Gill, Redlands, California.

```
feet.
                                  KENTUCKY NO. I
            Beginning at Cor. No. 1,
               Identical with Cor. No. I, Kentucky No. 2 Lode, this survey,
                                     Cor. No. 4, Lone Star Lode, unsurveyed,
                                     Cor. No. 4, Mocking Bird No. 1 Lode, unsur-
               veved.
               Not set, as it falls directly in bed of E.& W. gulch
               and could not be permanent.
               Whence: W.C. to true Cor. No. 1, bears S. 16°49'E, 20.00 ft
               on S. bank of gulch, - - a pine post 42 ft. long, 4 in.
             sq., set I ft. in ground with mound of stones,
Scribed:- W.C. 20.--> (toward true Cor.No.1)
                         2891 A, I-Kentucky-I.
                         2891 A, 1-Kentucky-2.
4-Lone Star.
                         4-Mkng.Bd.-I.
              the S.E.Cor.Sec.27, T I7 S, R IO E, G.& S.R. M., bears S 26°-12' W, 561.00 ft.
the S & Cor. Sec.26, T I7 S, R IO E, G.& S.R. M.,
              bears S 78°52'E, 2452.97 ft.
the E.t Cor. Sec.27, T I7 S, R IO E. G.& S.R. M.,
bears N 4° I4'W, 2I43.53 ft.
                    Cor.No.I, Lone Star Lode, unsurveyed, bears S 73° II'
               W, 600.00 ft.
 thence N I6°49'W

716.74 Intersects W.boundary Sec. 26, T I7 S, R IO E, G. & S.R.M., N I°56½'E
I190.14 ft.from S.W.Cor., and S I°56½'W, I452.41 ft.from W 4 Cor.
 862.00
             Small gulch, running E.
             To Cor.No.2,
1500.00
                Identical with Cor.No.3, Lone Star Lode, unsurveyed. A pine post, 4½ ft. long, 4 in.sq., set I½ ft. in ground with mound of stones, Scribed 289I-A, 2-Kentucky-I,
                                                            3-Lone Star.
             thence N 73° II'E

Intersects W. boundary Sec. 26; T I7 S; R IO E; G & S.R. M; N I 56½ E

2017.34 ft.from S.W.Cor. and S I 56½ W, 625.21 ft.from 4 Cor.
  266.0I
  300.00
            N. End Center, monument of stone 3.ft.high.
             Middle big wash, I60.ft. wide, running N.W.
To Cor.No.3, on E. bank of Wash.

A pine post, 4½ ft.long, 4 in.sq., set 1½ ft. in ground with mound of stones, Scribed 2891-A, 3-Kentucky-I.
 500.00
 600.00
              Whence: - a Mesquite tree, scribed B.x T., bears N 44° 48'
               E.,40.23 ft.
              Whence: Cor. No. 3, Daisy Lode, Survey No. 2890, bears S 8999'E.
               1890.88 ft.
                                         thence S I6 49 E
 100.00
            E.bank big wash.
 880.00
            W. bank big wash.
            Middle of gulch from W, 40 ft. wide.
To Cor. No. 4,
1329.00
1500.00
               Identical with Cor. No. 4, Kentucky No. 2 Lode, this sur-
               A pine post, 4½ ft.long, 4 in.sq., set I½ ft.in ground,
               with mound of stones, Scribed: 2891-A, 4-Kentucky-I.
2891-A, 4-Kentucky-2.
                                           thence S 73° II'W
            S.end center, monument of stone 31ft high. To Cor.No.I, the place of beginning.
 300.00
600.00
```

```
SURVEY NO. 12891 A & B. continued
                            Beginning at Cor.No.I, not set,
                             Identical with Cor. No. I, Kentucky No. Lode, this survey,
                                previously described, whence W.C., previously described, bears S 16° 49'E, 20.00 ft. The S.E. Cor. of Sec. 27. T. 17 St. R 10 E, G & S.R.M., bears S 26° 12'W, 561.00 ft.
                                                                 thence S I6°49'E
                            W.C. to Cor.No.I, identical with W.C. to Cor.No.I, Kentucky No.I Lode, this survey, previously described.
Intersects S. boundary Sec.26, T I7 S, R IO E, G. S.R. M; N 89° 22'E; 398.5I ft. from S.W.Cor. & S 89° 22'W, 2256.2I ft.from S 1
                 20.00
               521.25
                            Small gulch, running E.
To Cor.No.2, on N.bank small gulch running N.E.
Identical with Cor.No.I, Blue Bird Lode, this survey,
"Cor.No.3, Mocking Bird No.I Lode, un-
              1074.00
              1500.00
                                Identical with Cor. No. 4, Mocking Bird No. 2 Lode, un-
                                surveyed.
                                A pine post, 4½ ft. long, 4 in.sq., set I½ ft. in ground, with mound of stones, Scribed 289I-A, 2-Kentucky-2.
289I-A, I Blue Bird,
                                                 27 4. Lar 30. 2 4
                                                                            3-Mkng.Bd.I.
                                                                                 4-Mkng.Bd.-2.
                                                         thence N 73° II'E
                             S.End Center, monument of stone 3 ft.high.
To Cor.No.3, in big wash, but permanently established.
Identical with Cor.No.4, Blue Bird Lode, this survey.
A pine post, 8 ft.long, 4 in.sq., set 2 ft. in ground,
                300.00
                                 with large mound of stones
                                                             Scribed 2891-A, 3-Kentucky-2.
2891-A, 4 Blue Bird.
                                                                 thence N 16°49'W
448 Intersects 418.10 point, whence Cor.No.2, Kentucky Mill Site, bears N 73° 703.
                             Intersects the S. boundary Sec. 26; T. 17°S; R. 10, E; G & S.R. M; N 89° 22'E 1023.26 ft from S. W. Cor. 160 S 89° 22'W, 1631.46 ft.from S & Cor.
                804.62
1168.10
                             Point, whence Cor.No.I, Kentucky Mill-Site, bears N 73° II'E, 4.60 ft.
                             To Cor.No.4, Identical with Cor.No.4, Kentucky No.I Lode, this sur-
              1500.00
                                 vey, previously described
                                    with the think of the
                                                               thence S 73 II'W
                            N.end center, monument of stones 3 ft.high.
To Cor.No.I, the place of beginning.
                300.00
                600.00
                                                         BLUE BIRD
                             Beginning at Cor. No. I,
                                 Identical with Cor. No. 2, Kentucky No. 2 Lode, this sur-
                                 vey, previously described.
                                Whence: the S.E.Cor. of Sec. 27, T I7 S, R IO E, G.&
S.R. M., bears N 36° IO'W, II55.07 ft.
                             thence S 16°49'E
Center of gulch, running N.- N.E. 30 ft. wide.
To Cor. No. 2,
Identical
               925.00
              1500.00
                                Identical with Cor. No. 3, Mocking Bird No. 2 Lode, unsur-
                                veyed.
                                A pine most, it is tone, in the foods, wenter with a pine most, it is tone, i in the second to the ground, dambed: - at - at 0-atou its.
```

## SURVEY NO. 2891 A & B, (continued)

## BLUE BIRD (continued).

Identical with Cor. No. 4, Leader Lode, unsurveyed. A pine post, 4½ ft.long, 4 in.sq., set 1½ ft.in ground, with mound of stones, Scribed: 2891-A, 2-Blue Bird. 3-Mkng. Bd. -2. 4-Leader.

: thence N 73° II'E

300000: 600.00

S. end center, Monument of stone 3 ft.high. To Cor. No. 3,

Identical with Cor. No. I, Leader lode, unsurveyed.

Cor.No.I, Jumbo Lode, unsurveyed. " Cor.No.I, Jumbo Lode, unsurveyed.

A pine post, 4½ ft.long, 4 in.sq., set I½ ft.in ground, with mound of stones, Scribed 289I-A, 3-Blue Bird.

I-Leader, I-Jumbo.

Whence Cor. No. 3, Lydia Lode, unsurveyed, bears S 70° 16'E, 1203.00 ft.

Cor. No. 6, Montezuma Lode, Lot No. 37-A, bears S 29° 

Company of the last No.

390.00 748.00 1500.00

Gulch, running N.E. S.W. Ban k of wash.

To Cor, No.4,

Identical with Cor. No. 3, Kentucky No. 2 Lode, this survey, previously described ... can be a seem of the seem of

thence S 73° II'W

300.00 600.00

N.end center. To Cor. No. I, the place of beginning.

Variation at all Corners - -13°50'E

No bearing objects available except where specifically noted in connection with respective corners.

The exact corner points are marked by small nails driven in the tops of posts at exact point. LODE LINES.

As near as can be determined from present developements, the veins of the several locations embraced in this claim, extend as follows from their respective discovery points:-

Kentucky No.I Lode, 725.ft., N 16°49'W, and 775.ft., S 16°49'E.

Kentucky No. 2 Lode, 750.ft., N 16°49'W, and 750.ft., S 16°49'E.

Blue Bird Lode, II37.ft., N I6°49'W, and 363.ft., S I6°49'

KENTUCKY MILL-SITE. Survey No. 2891-B.

Beginning at Cor. No. I, A pine post, 42 ft.long, 4 in.sq., set I2 ft.in ground, with mound of stones, Scribed I-289I-B, Whence: - Cor. No. I, Kentucky No. I Lode, this survey, bears N 78°3'W,689.72 ft. the S.E.Cor., Sec. 27, T I7 S, R IO E, G.& S.R.M. bears S 68° 39'W, 990.40 ft.

Intersects W. bank of large wash. thence S 16°49'E 156.10 364.8I Intersects S. boundary, Sec. 26, T 17 S, R 10 E, G. & S.R.M. N 89°22'E To Cor.No.2, in big wash near E.bank.

A pine post,  $4\frac{1}{2}$  ft.long, 4 in.sq.,set  $I\frac{1}{2}$  ft.in ground, 465.10 Intersects E bank of large 750.00 720.10 "

with mound of stones, Scribed 2-289I-B.

## KENTUCKY MILL SITE, Survey No. 2891-B, (continued)

thence N 73° 11'E.

195.40 To.Cor.No.3,

A pine post, 4½ ft.long, 4 in.sq., set ½ ft. in the ground, with mound of stones, Scribed 3-2891-B,

thence N 2° 36'W

Intersects S. boundary Sec. 26, T. 17 S;R 10 E;G & S.R.M., N 89°22'E 1312.23 ft.from S.W. Cor. and S 89°22'W, 1342.49 ft.from S & Cor 315.65

572.00 W. side of road, running N.

773.70 To Cor. No. 4,

A pine post, 4½ ft.long, 4 in.sq., set I½ ft.in ground, with mound of stones, Scribed 4-2891-B.

thence S 73°II'W

continue and assist he

270.00

30.00 Road, running N.
Center of big wash, 170 ft. wide.
To Cor.No.I, the place of beginning. A COLUMN 385.40

## Containing 5.000 acres.

#### AREA.

Kentucky No.I Lode, ---- 20.661 acres.

Kentucky No. 2 Lode, - - - - - 20.66I acres.

Blue Bird Lode, - - - - - - 20.66I acres.

Kentucky Mill Site, - - - - - 5.000 acres.

The survey of each lode and mill-site in this location is identical with the respective amended location of the lode, or location of mill-site, as staked upon the ground.

#### LOCATION.

This Survey is located in the S.W. tof Sec. 26, the S.E. of Sec. 27, and the N.W. of Sec. 35, in T 17 S, R IO E, G.& S.R. M. in the Papago Mining District; Pima County, Arizona.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:-

Kentucky No.I

No.I. The discovery shart of the Kentucky No.I Lode, on the center line 775.00 ft. NI6°49'W, from point 300. on line 4-I, a shart I20. ft.deep, 5x6 tvalue \$1620.00

An undivided interest is assigned to this claim.

value - - - - - - \$810.00

No.2. A shart, which bears S 21° IO'W, 350. ft. from Cor.No.3
is IO. ft.deep, 4x6 tvalue - - - - - - - \$50.00

### SURVEY NO. 2891 A & B. (Continued)

EXPENDITURE OF FIVE HUNDRED DOLLARS, (Continued).

70.3. A shaft, which bears N 72°5 E, 247. ft., from point 490.574on line I-2, is 80. ft.deep, 4x6.

Kentucky No.2

No.I. Discovery shaft, on center line, N 16°49'W, 750.00 ft from point 300.00 to h line 2-3, is 10.ft.deep, 4x6. An undivided interest in shaft No.1, Kentucky No.I Lode, previously described,

value ---- \$810.00

Blue Bird Lode.

NoI. Discovery shart, on center line, N I6°49'W, 363.ft.

from point 300.00' on line 2-3, 'is 53. ft.deep, 4x6, with drifts IO.ft.S., and I2.ft.N., from the I5.ft.level, and drifts 25.ft.West and 48.ft.N., from bottom, 4x6, value - - - - - \$1600.00

Note. Shaft No.I, Kentucky No.I Lode, being designed as the main working shaft for the vein forming the center lode of the Kentucky No.I and Kentucky No.2 Lode claims, is well situated for that purpose, such that by drifting along the vein in opposite directions, both claims may be advantageously developed and ore extracted therefrom. The bottom of this shaft is below the surface of both claims. Therefore an undivided ½ interest is assigned to each claim, but no interest is assigned to the Blue Bird Lode of this group, as it is located at too great a distance from shaft, to make drifting from same practical, and already has a working shaft of its own.

OTHER IMPROVEMENTS.

A machine shop, the N.E.Cor.of which bears S 7° 9'W,
69.27 ft. from point 572.37'of line 3-4, Kentucky MillSite, is 28x20.ft., of frame and iron.

A house, the S.E.Cor.of which bears S 30°42'W, 63.85 ft. from point 572.37' of line 3-4, Kentucky Mill-Site. is I2x28½ ft., of frame and iron, joining on W.side a camp building, 36x40 ft, of adobe, cement plastered, and galvanized iron roof.

A house, the N.E.Cor. of which bears S 80°39'W, 68.17 ft. from point 572.37 on line 3-4, Kentucky Mill-Site, is I4xI6 ft. of frame and canvas.

A house, the S.E.Cor. of which bears N 78°35'W, 81.05 ft, from point 572.37'on line 3-4, Kentucky Mill-Site, is 30x33', adobe with galv, iron roof.

Stable, the S.W.Cor. of which bears in 45°40'W, II8.00 ft.from point 572.37'on line 3-4, Kentucky Mill-Site, is 2Ix26; with shed on W.end I2x9½, of frame and iron.

Well, bears N 87° I3'W, I37.ft.from Cor.No.3, Kentucky Mil1-Site, is 80.ft.deep, 5x5 to 20.ft.level, thence 4x5 to bottom, with wind mill, tank, and pipe to house.

### INSTRUMENT.

This survey was made with Buff & Buff Transit No.6672. The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with 100.ft. and 300.ft. steel tapes.

#### REPORT.

The boundary lines, of each location in this claim were run directly upon the ground. All tie lines were run, either directly upon the ground, or by traverses run upon the ground and submitted in a separate report

The S.E.Cor. of Sec. 27, T 17 S, R 10 E, G & S.R. M., is a flat stone set on end N & S, scribed ( I ) on S. side,

and (II) on E.side, with mound of stones adjoining.

The E. Cor. of Sec. 27, T 17 S, R 10 E, G & S.R. M., is
a flat stone set N & S, scribed ( ).

The S. Cor. of Sec. 26, T 17 S, R 10 E, G. & S.R. M., is
a stone I ft. above ground, with ( ) chiseled on N. face.
Cor. No. 3, Lydia Lode, unsurveyed, Wm. Dahncke, claimant,
is a redwood post, 5½ ft. long, 4 in.sq., set ½ ft. in
ground with mound of stones, scribed 3-LYDIA.

Cor. No. 6, Montezuma Lode, Lot No. 37 A is a small rile

Cor.No.6, Montezuma Lode, Lot No.37 A, is a small pile of stones with old post hole in center. Monument is indefinate through age, but conforms with the N.End Center and Cor.No.I, also on the ground.

NOTE. The location certificate of the Kentucky Mill-Site gives the N.end line as 390.00 ft. long, and the S. end line as 200.00 ft. long. This is in error, as the N. end line (line 4-I) as marked upon the ground, is 385.40 ft.long, and the S. end line (line 2-3) is 195.40 ft. long. The correct distances are given in these field notes.

All Corners of the Lone Star, Mocking Bird No. I, Mocking Bird No.2, Leader, and Jumbo Lodes, unsurveyed, Lincoln Consolidated Mining Company, Claimant, are monuments of stome, 3 ft. high, with 4x4 pine posts in center.

Cor. No. 3, Daisy Lode, Survey No. 2890, is a pine post,  $4\frac{1}{2}$  ft.long, 4 in. sq., set  $I\frac{1}{2}$  ft.in ground, with mound of stone, Scribed 2890, 3-DAISY.

Adjoining Claims. This survey is bounded on the west by the Lone Star, Mocking Bird No. 1 and Mocking Bird No. 2 lodes, unsurveyed, and on the south and southeast by the Leader and Jumbo lodes, unsurveyed, Lincoln Consolidated Mining Co., claim-Paul E. Fernald.

U. S. Mineral Surveyor.

14. H

## FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals emp	ployed by Paul E. Fernald.
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field not	es of the survey of the mining claim of
Lincoln Consolidat	ed Mining Company.
	tucky No. 2, Blue Bird Lodes, and they acted. Kentucky Mill Site.
and showing the respective capacities in which	they acted. Kentucky Mill Site,
	William M. Dahncke, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATH	S OF ASSISTANTS.
We, I- William M. Dahnck	2
and	, do solemnly swear that we assisted Paul E. Fernald
, United States	Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	
Lincoln Consolidate	d Mining Company
known as the Kentucky No. 1, Kent Kentucky Millsite, represented in the foregoing field notes as hav	ing been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all 1	respects, to the best of our knowledge and belief, faithfully
	ary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-G	William M. Nahneke, Chainman.
	, Chainman.
	, Axman.
	, Flagman
Subscribed and sworn to by	the above-named persons before me this 24th
day of April,	, 19 <b>11</b> •
My commission expire Sept. 6, 1911.	8 R. B. Culver
56pv. 0, 1511.	Notary Public.

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Paul E. Ferna	ld, u.s	S. Mineral Surveyor,
do solemnly swear that, in pursuance of		
Surveyor General for Arizo		
February 11, 1911,		
United States, the official regulations a		
of said Surveyor General, faithfully an	nd correctly executed the sur	vev of the Mining
Claim of Lincoln Conso	lidated Mining	Company
	V	known as the
Claim of Lincoln Conso  Kentucky No.1, Kentucky Kentucky Mill-Site situate in  Piùna	No. 2, Blue Bird 1	nodes, and,
situate in	0 62 9 621	Mining District,
Piwa,	County, AVIZONZ	, in Sections
26,27, 35 , Township No. 17 S ,		
and designated as Survey No. 28	91 A & B	, as represented
in the foregoing field notes, which accur	rately show the boundaries of	f said mining claim
as distinctly marked by monuments on	the ground, and described in	the attached copy
of the location certificate, which was re	eceived by me from the Surv	reyor General with
said instructions, and that all the corner	rs of said survey have been e	stablished and per-
petuated in strict accordance with the	law, official regulations and	instructions there-
under; and I do further solemnly swea	ar that the foregoing are the	true and original
field notes of said survey and my rep	ort therein, and that the la	bor expended and
improvements made upon said mining of	claim by claimant or	fsgrantors
are as therein fully stated, and that th	e character, extent, location,	and itemized value
thereof are specified therein with partic	cularity and full detail, and	that no portion of
said labor or improvements so credited	to this claim has been include	led in the estimate
of expenditures upon any other claim.		
	Paul & Fir	uald.
	$U$ . $\mathcal{L}$	S. Mineral Surveyor.
Subscribed and sworn to by the said	Paul E. Fernald,	***************************************
U. S. Mineral Surveyor, before me	e K. B. Culver,	
	this	lst
day of <b>May</b> ,, 19	901.	N
My commission expires	X. B. Cul	erest.
Sept. 6, 1911.		
5—1044	Notary Publi	C

# Motice of Mining Location



## LODE CLAIM

To All Whom it May Concern:		
This Mining Claim, the name of which is the Kentucky Nol		
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable		
mineral deposits, was entered upon and located for the purposes of exploration and purchase by		
The Lincoln Consolidated Mining Co., a corporation		
chartered under the laws of Arizona.  (Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")		
the undersigned, on the let day of July 19d.Q		
The length of this claim is 1500 feet,		
and We claim 7.25		
in a		
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with		
300		
claim. The general course of the lode deposit and premises is from theSouth		
to the North		
The claim is situated and located in the		
PimaCounty, in the Territory of Arizona, about54.00 feet		
in a. North by North Westerly. direction from Steven!s Ranch		
House in the North West Corner of the Sierrita Mts. and		
joins the Kentucky No. 11. on the South.		
The surface boundaries of the claim are marked upon the ground as follows: Beginning at		
a monument of stone		
at a point in aNortherly direction. 725 feet from		
the discovery shaft (at which this notice is posted) being in the center of the North		
end line of said claim; thence		
stone being the North West corner of said claim; thence		
S. 16° 49' E. 1500 feet to a Monument of stone being at the		
South West corner of said claim; thence N. 73° 11' E. 300 feet		
to a Monument of stone at the center of the South end of said claim		
thence		
South East corner of said claim; thence N. 16° 49' W.  1500 feet to a monument of stone at the		
Joseph Book 200		
North East corner of said claim; thence S. 73° 11' W. 300		
feet to the place of beginning.		
All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United		
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of		
the Territory of Arizona," approved March 16, 1901.  This is an amended Location Notice of the		
Mining Claim, located by		
on the day of Sept. 8th		
190 4, and recorded in Book		
page \$54 in the office of the County Recorder of the aforesaid county of Pima.		
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in		
the description in the said original Location Notice.		
Dated and posted on the ground this		
Date and posice on the ground this 25.6.6.9.		
Lincoln Consolidated Mining Co.		
By Chab. Eo. Gill. Vice Pres		

## An Act to Codify and Revise the Laws of the Territory of Arizona 11 SECTIONS I-II.-INC. LOCATION OF CLAIMS Section 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others. Section 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified. Section 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired. Section 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth offat least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced. Section 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator sha Be it enacted by the Legislative Assembly of the Territory of Arizona: end line thereof. Section 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface. Section 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others. Section 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States. Section 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the Ccunty Recorder of the county wherein such claim is situated, an affidavit in substance as follows: as follows: TERRITORY OF ARIZONA, ss. Notary Seal) Section 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten [10] feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void. 300 feet Discovery Shaft leet \* 300 300 feet Corner Monument The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the cen'er claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In decription, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim. TERRITORY OF ARIZONA, ........... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at .......o'clock ....M. on this..... day of......day of.......................190..., and duly recorded in Book No. WITNESS my hand and official seal the day and year first above written. County Recorder. at of

# Motice of Mining Location

## LODE CLAIM

from the provide the large and the problems of the problems of the provided by the provided by the problems of
To All Whom it May Concern:
This Mining Claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by
The Lincoln Consolidated Mining Co., a corporation
the undersigned, on thelst.,day ofJuly
The length of this claim is
and We claim 750 feet
in aNor.therlydirection and
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
3.00
claim. The general course of the lode deposit and premises is from the
to theNorth
The claim is situated and located in thePapago
Pima
in aNorth by North Westerly direction from Steven!s Ranch
House, in the North west Corner of the Sierrita Mts.
their selected with a few process of the control of
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stone
at a point in aNortherlydirection
the discovery shaft (at which this notice is posted) being in the center of the
end line of said claim; thence
being the Nor.th West corner of said claim; thence
S. 16° 49' F. 1500 feet to a monument of stone being at the
South West corner of said claim; thence N. 73° 11! E. 300 feet
to a monument of stone at the center of the South end of said claim
thence N. 73° 11' E. 300 feet to a monument of stone being at the
South East corner of said claim; thence N. 16° 49' W.
1500 feet to a mamument of stone at the North East corner of said claim; thence S. 73° 11' W. 300
feet to the place of beginning.
All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.
This is an amended Location Notice of the Garcia No
Mining Claim, located by D. J. Pogueand V. M. Cole
on the day ofMarch .23rd
page, in the office of the County Recorder of the aforesaid county of
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.
Dated and posted on the ground this


0

Recorder

## A MENDED

## Motice of Mining Location

LODE CLAIM



## An Act to Codify and Revise the Laws of the Territory of Arizona

## SECTIONS I-II.-INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

Section 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

Section 2. Such location shall be made by erecting at or configuous to the point of discovery, a conspicuous monument of stones under that three 3 leet in height, or an upright post securiely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location uotice must contain: First, the name of the claim located; second, the name or names of the locators third, the date of the location, fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the elaim; sixth, the locality of the claim with reference to some natural object or permanent moviment whereby the claim can be identified.


Section 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

Section 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety 90/days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shalf in the claim to the depth offat least len 10) section the lowest part of the rim of the shalt at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries shall be emanded in this section in the time and space specified shall be construed into an abandoning of the shalt per shall be entired to the discoverer and locator shall be forefitted.

Section 7. The fail right thereto of the discoverer and

Man Man


Notary Seal)
Section 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten [10] feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the cen'er of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, County of ..... ..... of ...... County, Arizona, at pages ...... WITNESS my hand and official seal the day and year first above written.

County Recorder.



## Location Rotice

JUL 23 1910

of

whe kentucky		
IDill=Si	ite Claim and Water Rigi	ot.
	e   Dresents, That we the cose of erecting suitable works for reducing the cose of erecting suitable works	
Kentucky No. 1.		Mining Claim,
situated in the Sierrita N	Its. Papago	Mining
District, Pima	County,	Arizona
	of said Kentucky	
Commencing at a monumen	ill-Site Claim, are as follows, viz: at of stone at N. E. corner of claim, and runnin	na thence <del>in a westerly</del>
S. 73° 11' W., 390 fe Corner of Claim, then of stone at S. W. Corn to a monument of stone	et to a monument of stone at loce S. 16° 49' E, 750 feet, ner of claim, thence N. 73° 1: eat S. E. Corner of claim, the to a monument of stone at Nor beginning.	North West to a monument L' E.,200 ft.
This claim coers on the side line of West	contains less than five (5) acof the Kentucky No. 2 Lode Cla	res, and bord- im on the
That we have also located in a	connection with the said Mill-Site Claim	
	inches min	ers' measure of the water
of this	under and in accord	ance with the laws of the
Territory of Arizona, regulating the l	ocation and possession of water rights	
	n for diverting the water from its natural cou	
	wide at top,	
at bottom,to the rod.	in depth, w <mark>ith a uniform grade of</mark>	
	1 st., day of July	1960
	The Lincoln Co	ensolidated Min.Co.
emarening its spire.	13y Chas. E.	gill Vice Pres.

County of	SS.			
Ι,		Cour	ity Recorder in and for the	
County and Territory	aforesaid, do hereby certi-	fy that the within instrumen	t was filed for record at	
o'clock,	M., on this	day of	190	
and duly recorded in E	Book No of	Records of		
County, Arizona, at pa	ages	to make street in		
e e la elemente de la companya de la		official seal the day and year	first above written.	
	14	C	ounty Recorder.	
			7	
Location Motice  or or Mill=Site Claim and Water Right	Dated	Fixed and recorded at the request of the second of the sec	Pages  County Recorder.  By  Deputy Recorder.	

## U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

		Phoenix, Ari	zona,	·· •
		De	cember 27,	, 1 911.
I, U. S. Surveyor	General for	Arizona		<del></del> ,
do hereby certify that	the foregoing tran	nscript of the F	ield Notes, return	and approval
of the Survey of the r	nining claim of			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Lincoln Conso	lidated Mini	ing Company,	
, known	as the KENTUCKY	NO.1, KENTU	CKY NO.2, BLUE	BIRD
Lodes and KENTUC	KY Millsite, si	tuate in	Papago	
Min	ning District,	Pima		County,
Arizona	, in S	Section s. 26, 27	7, 35 , Townshi	p No. 17 S.,
Range No. 10 E.			, and designa	ted as Survey
No. 2891 A & B file in this office; tha mining claim as will, and that such reference will perpetuate and fix And I further cer or improvements mad that said improvements \$4220.00. Shar uated that both may be advantage	t said Field Notes if incorporated in e is made therein the locus thereof. It is that five hunger each of e upon said minimus consist of 5 in the Kentucky	s furnish such to a patent, serve to natural object dred dollars' wong claim by claim shafts and 4 he Kentucky	an accurate descrive fully to identify ets or permanent nor the mant or its drifts, total No. 1 lode is entucky No. 2	iption of said the premises, nonuments as een expended grantors, and l value so sit-
one-half interes	st therein, \$	210.00, is t	herefore prop	erly cre-
dited to each th	ne Kentucky No	o. l and Ken	tucky No. 2 1	odes, as
the Blue Bird lo				
and that no portion of	' <mark>said</mark> labor or imp	provements has l	oeen included in th	he estimate of
expenditures upon an				
0	-	,	S. Land Office at.	
Arizona,	is correct and in		n the foregoing Fie	
			S. Ingalls,	
	United States Su	veyor General for.	Arizona.	

## SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ariz	ona,
	Dece	ember 27, , 19 11.
I, U. S. Surveyor-General	for Arizo	na,
do hereby certify that the fore	going and hereto attached Fiel	ld Notes and Return of the Survey of the
Mining Claim of		9
Lin	coln Consolidated M	ining Company,
		, known as the
KENTUCKY NO.1, KEN	rucky no. 2, blue bii	RD Lodes and KENTUCKY Millsite,
situate in	Papago	mining district,
Pima	County,	Arizona,
in Section \$ 26, 27, 35	, Township No. 17 South	n Range No. 10 East,
, designa	ted as Survey No. 2891	А & В,
executed by Paul	E. Fernald	, U. S. Deputy Mineral
Surveyor,	March 22 - 28,	1911, under my instructions dated
February 11,	, 19(1.1, have been cr	ritically examined and the necessary cor-
rections and explanations mad	le, and the said Field Notes ar	nd Return, and the Survey they describe,
are hereby approved. A true	copy of the copy of the location	on certificate filed by the applicant for
survey is included in the field	notes.	
	Trank,	I sigalle
	U. S. Surve	yor-General for Arizona.

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (942) M.S. 2891 A&B

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The Blue Bird, Kentucky No. 1, Kentucky No. 2 lodes and Kentucky Mill-Site, Mineral Survey No. 2891 A&B, located in sections 26, 27 and 35, Township 17 South, Range 10 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Blue Bird, Kentucky No. 1, Kentucky No. 2 lodes and Kentucky Mill-Site, M.S. 2891 A&B were canceled May 8, 1992, by memo 9605 (942) M.S. 2891, which is now a part of the original field notes."

May 8, 1992

Date

Chief Cadastral Surveyor of Arizona

James F. Kelle